



**ДЕПАРТАМЕНТ ОБРАЗОВАНИЯ И НАУКИ
ГОРОДА МОСКВЫ**
Государственное бюджетное профессиональное
образовательное учреждение города Москвы
«Колледж малого бизнеса № 4»
(ГБПОУ КМБ № 4)

Адаптивные технологии

Практическое занятие №10

Специальность: 09.02.07 Информационные системы и программирование

Форма обучения: очная

Студент(ка): Перепёлкина Анфиса Александровна

Группа: ИПО 21.24

Руководитель: Рыбаков Александр Сергеевич

Отчётная работа защищена с оценкой «___» _____

Москва, 2025 г.

Оглавление

Задание 1	3
1.1	3
1.2	3
1.3	3
1.4	4
Задание 2	6
2.1	6
2.2	6
Задание 3	7
3.1	7
3.2	8
Задание 4	12
Задание 5	13
5.1	13
5.2	14
5.3	19

Задание 1

1.1

```
user@DebianVM:/$ uptime
18:00:16 up 2:37, 1 user, load average: 0.00, 0.00, 0.04
user@DebianVM:/$
```

1.2

```
18:00:16 up 2:37, 1 user, load average: 0.00, 0.00, 0.04
user@DebianVM:/$ free -h
              total        used        free      shared  buff/cache   available
Mem:           3.8Gi        1.2Gi        1.5Gi         8.1Mi        1.4Gi        2.7Gi
Swap:          1.1Gi          0B         1.1Gi
```

1.3

```
user@DebianVM:/$ ps --help all

Usage:
ps [options]

Basic options:
-A, -e          all processes
-a             all with tty, except session leaders
a             all with tty, including other users
-d             all except session leaders
-N, --deselect  negate selection
r             only running processes
T             all processes on this terminal
x             processes without controlling ttys

Selection by list:
-C <command>   command name
-G, --Group <GID>  real group id or name
-g, --group <group> session or effective group name
-p, p, --pid <PID>  process id
               --ppid <PID> parent process id
-q, q, --quick-pid <PID>
               process id (quick mode)
-s, --sid <session> session id
-t, t, --tty <tty> terminal
-u, U, --user <UID> effective user id or name
-U, --User <UID>  real user id or name

The selection options take as their argument either:
  a comma-separated list e.g. '-u root,nobody' or
  a blank-separated list e.g. '-p 123 4567'

Output formats:
-D <format>     date format for lstart
-F             extra full
-f            full-format, including command lines
f, --forest    ascii art process tree
-H            show process hierarchy
-i            iobs format
```

```

user@DebianVM:/$ ps auxf
USER      PID %CPU %MEM    VSZ   RSS TTY      STAT START   TIME COMMAND
root         2  0.0  0.0      0     0 ?        S      15:22   0:00 [kthreadd]
root         3  0.0  0.0      0     0 ?        S      15:22   0:00 \_ [pool_workqueue_
root         4  0.0  0.0      0     0 ?        I<     15:22   0:00 \_ [kworker/R-kvfre
root         5  0.0  0.0      0     0 ?        I<     15:22   0:00 \_ [kworker/R-rcu_g
root         6  0.0  0.0      0     0 ?        I<     15:22   0:00 \_ [kworker/R-sync_
root         7  0.0  0.0      0     0 ?        I<     15:22   0:00 \_ [kworker/R-slub_
root         8  0.0  0.0      0     0 ?        I<     15:22   0:00 \_ [kworker/R-netns
root        11  0.0  0.0      0     0 ?        I<     15:22   0:00 \_ [kworker/0:0H-kb
root        13  0.0  0.0      0     0 ?        I<     15:22   0:00 \_ [kworker/R-mm_pe
root        14  0.0  0.0      0     0 ?        I      15:22   0:00 \_ [rcu_tasks_kthre
root        15  0.0  0.0      0     0 ?        I      15:22   0:00 \_ [rcu_tasks_rude
root        16  0.0  0.0      0     0 ?        I      15:22   0:00 \_ [rcu_tasks_trace
root        17  0.0  0.0      0     0 ?        S      15:22   0:00 \_ [ksoftirqd/0]
root        18  0.0  0.0      0     0 ?        I      15:22   0:00 \_ [rcu_preempt]
root        19  0.0  0.0      0     0 ?        S      15:22   0:00 \_ [rcu_exp_par_gp_
root        20  0.0  0.0      0     0 ?        S      15:22   0:00 \_ [rcu_exp_gp_kthr
root        21  0.0  0.0      0     0 ?        S      15:22   0:00 \_ [migration/0]
root        22  0.0  0.0      0     0 ?        S      15:22   0:00 \_ [idle_inject/0]
root        23  0.0  0.0      0     0 ?        S      15:22   0:00 \_ [cpuhp/0]
root        24  0.0  0.0      0     0 ?        S      15:22   0:00 \_ [cpuhp/1]
root        25  0.0  0.0      0     0 ?        S      15:22   0:00 \_ [idle_inject/1]
root        26  0.0  0.0      0     0 ?        S      15:22   0:00 \_ [migration/1]
root        27  0.0  0.0      0     0 ?        S      15:22   0:00 \_ [ksoftirqd/1]
root        32  0.0  0.0      0     0 ?        S      15:22   0:00 \_ [kdevtmpfs]
root        33  0.0  0.0      0     0 ?        I<     15:22   0:00 \_ [kworker/R-inet_
root        34  0.0  0.0      0     0 ?        S      15:22   0:00 \_ [kauditd]

```

1.4

```

user@DebianVM:/$ pstree --help
pstree: unrecognized option '--help'
Usage: pstree [-acglpsStTuZ] [-h | -H PID] [-n | -N type]
        [-A | -G | -U] [PID | USER]
    or: pstree -V

Display a tree of processes.

-a, --arguments      show command line arguments
-A, --ascii          use ASCII line drawing characters
-c, --compact-not    don't compact identical subtrees
-C, --color=TYPE     color process by attribute
                     (age)
-g, --show-pgids     show process group ids; implies -c
-G, --vt100         use VT100 line drawing characters
-h, --highlight-all highlight current process and its ancestors
-H PID, --highlight-pid=PID
                     highlight this process and its ancestors
-l, --long           don't truncate long lines
-n, --numeric-sort   sort output by PID
-N TYPE, --ns-sort=TYPE
                     sort output by this namespace type
                     (cgroup, ipc, mnt, net, pid, time, user, uts)
-p, --show-pids      show PIDs; implies -c
-s, --show-parents   show parents of the selected process
-S, --ns-changes     show namespace transitions
-t, --thread-names   show full thread names
-T, --hide-threads   hide threads, show only processes
-u, --uid-changes    show uid transitions
-U, --unicode        use UTF-8 (Unicode) line drawing characters
-V, --version        display version information
-Z, --security-context
                     show security attributes

PID      start at this PID; default is 1 (init)
USER     show only trees rooted at processes of this user

```

```

user@DebianVM:/$ pstree -ahpsl
systemd,1
├─ModemManager,799
│   ├──{ModemManager},809
│   ├──{ModemManager},818
│   └──{ModemManager},820
├─NetworkManager,771 --no-daemon
│   ├──{NetworkManager},804
│   ├──{NetworkManager},805
│   └──{NetworkManager},807
├─accounts-daemon,654
│   ├──{accounts-daemon},683
│   ├──{accounts-daemon},684
│   └──{accounts-daemon},759
├─avahi-daemon,656
│   └─avahi-daemon,717
├─colord,1009
│   ├──{colord},1016
│   ├──{colord},1017
│   └──{colord},1019
├─cron,660 -f
├─cups-browsed,2590
│   ├──{cups-browsed},2594
│   ├──{cups-browsed},2595
│   └──{cups-browsed},2596
├─cupsd,2586 -l
├─dbus-daemon,664 --system --address=systemd: --nofork --nopidfile --systemd-activat
on --syslog-only
│   └─fwupd,2160
│       ├──{fwupd},2164
│       ├──{fwupd},2165
│       └──{fwupd},2166
├─gdm3,880
│   └─gdm-session-wor,1420
│       └─gdm-wayland-ses,1481 /usr/bin/gnome-session
│           └─gnome-session-b,1495
│               └─{gnome-session-b},1540

```

```

user@DebianVM:/$ pstree -ahpsl $USER
gdm-wayland-ses,1481 /usr/bin/gnome-session
├─gnome-session-b,1495
│   ├──{gnome-session-b},1540
│   ├──{gnome-session-b},1541
│   ├──{gnome-session-b},1542
│   └──{gnome-session-b},1543
├─{gdm-wayland-ses},1488
├─{gdm-wayland-ses},1490
└─{gdm-wayland-ses},1493

systemd,1433 --user
├─(sd-pam),1435
├─at-spi2-registr,1637 --use-gnome-session
│   ├──{at-spi2-registr},1638
│   ├──{at-spi2-registr},1639
│   └──{at-spi2-registr},1640
├─dbus-daemon,1457 --session --address=systemd: --nofork --nopidfile --systemd-activa
tion --syslog-only
├─dconf-service,1664
│   ├──{dconf-service},1666
│   ├──{dconf-service},1667
│   └──{dconf-service},1668
├─evolution-addre,1968
│   ├──{evolution-addre},1974
│   ├──{evolution-addre},1975
│   ├──{evolution-addre},1976
│   ├──{evolution-addre},1982
│   ├──{evolution-addre},1983
│   └──{evolution-addre},1986
├─evolution-calen,1928
│   ├──{evolution-calen},1940
│   ├──{evolution-calen},1941
│   ├──{evolution-calen},1942
│   ├──{evolution-calen},1957
│   ├──{evolution-calen},1958
│   ├──{evolution-calen},1961
│   ├──{evolution-calen},1963
│   └──{evolution-calen},1966

```

Задание 2

2.1

```
user@DebianVM:/$ cat &  
[1] 3354  
user@DebianVM:/$
```

```
[1] 3354  
user@DebianVM:/$ ps  
  PID TTY          TIME CMD  
 3256 pts/2    00:00:00 bash  
 3354 pts/2    00:00:00 cat  
 3355 pts/2    00:00:00 ps  
[1]+  Stopped                  cat  
user@DebianVM:/$
```

```
user@DebianVM:/$ kill -SIGKILL 3354  
[1]+  Killed                  cat  
user@DebianVM:/$
```

```
user@DebianVM:/$ ps  
  PID TTY          TIME CMD  
 3256 pts/2    00:00:00 bash  
 3356 pts/2    00:00:00 ps  
user@DebianVM:/$
```

2.2

```
user@DebianVM:/$ killall -SIGKILL xeyes  
user@DebianVM:/$ ps  
  PID TTY          TIME CMD  
 3256 pts/2    00:00:00 bash  
 3369 pts/2    00:00:00 ps  
[1]+  Killed                  xeyes  
user@DebianVM:/$
```


Задание 3

3.1

user@DebianVM: /										
top - 18:21:15 up 2:58, 1 user, load average: 0.01, 0.08, 0.06										
Tasks: 182 total, 1 running, 180 sleeping, 1 stopped, 0 zombie										
%Cpu(s): 0.3 us, 0.5 sy, 0.0 ni, 99.2 id, 0.0 wa, 0.0 hi, 0.0 si, 0.0 st										
MiB Mem : 3921.9 total, 1589.3 free, 1172.1 used, 1455.6 buff/cache										
MiB Swap: 1101.0 total, 1101.0 free, 0.0 used. 2749.8 avail Mem										
PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+ COMMAND
1603	user	20	0	3899956	319156	140116	S	0.7	7.9	3:15.33 gnome-shell
2875	root	20	0	0	0	0	I	0.3	0.0	0:01.21 kworker/u8:0-e+
3108	user	20	0	548092	50076	39628	S	0.3	1.2	0:30.43 gnome-terminal-
3372	user	20	0	10424	5912	3716	R	0.3	0.1	0:00.09 top
1	root	20	0	24096	15148	10804	S	0.0	0.4	0:01.79 systemd
2	root	20	0	0	0	0	S	0.0	0.0	0:00.01 kthreadd
3	root	20	0	0	0	0	S	0.0	0.0	0:00.00 pool_workqueue+
4	root	0	-20	0	0	0	I	0.0	0.0	0:00.00 kworker/R-kvfr+
5	root	0	-20	0	0	0	I	0.0	0.0	0:00.00 kworker/R-rcu_+
6	root	0	-20	0	0	0	I	0.0	0.0	0:00.00 kworker/R-sync+
7	root	0	-20	0	0	0	I	0.0	0.0	0:00.00 kworker/R-slub+
8	root	0	-20	0	0	0	I	0.0	0.0	0:00.00 kworker/R-netns
11	root	0	-20	0	0	0	I	0.0	0.0	0:00.13 kworker/0:0H-k+
13	root	0	-20	0	0	0	I	0.0	0.0	0:00.00 kworker/R-mm_p+
14	root	20	0	0	0	0	I	0.0	0.0	0:00.00 rcu_tasks_kthr+
15	root	20	0	0	0	0	I	0.0	0.0	0:00.00 rcu_tasks_rude+
16	root	20	0	0	0	0	I	0.0	0.0	0:00.00 rcu_tasks_trac+
17	root	20	0	0	0	0	S	0.0	0.0	0:00.51 ksoftirqd/0
18	root	20	0	0	0	0	I	0.0	0.0	0:01.04 rcu_preempt
19	root	20	0	0	0	0	S	0.0	0.0	0:00.00 rcu_exp_par_gp+
20	root	20	0	0	0	0	S	0.0	0.0	0:00.01 rcu_exp_gp_kth+
21	root	rt	0	0	0	0	S	0.0	0.0	0:00.03 migration/0
22	root	-51	0	0	0	0	S	0.0	0.0	0:00.00 idle_inject/0
23	root	20	0	0	0	0	S	0.0	0.0	0:00.00 cpuhp/0
24	root	20	0	0	0	0	S	0.0	0.0	0:00.00 cpuhp/1
25	root	-51	0	0	0	0	S	0.0	0.0	0:00.00 idle_inject/1
26	root	rt	0	0	0	0	S	0.0	0.0	0:00.25 migration/1
27	root	20	0	0	0	0	S	0.0	0.0	0:00.13 ksoftirqd/1
32	root	20	0	0	0	0	S	0.0	0.0	0:00.00 kdevtmpfs
33	root	0	-20	0	0	0	I	0.0	0.0	0:00.00 kworker/R-inet+
34	root	20	0	0	0	0	S	0.0	0.0	0:00.00 kauditd
35	root	20	0	0	0	0	S	0.0	0.0	0:00.00 khungtaskd

3.2

user@DebianVM: /

0[|] 3.3% Tasks: 109, 352 thr, 75 kthr; 2 running
1[|] 0.7% Load average: 0.27 0.15 0.10
Mem[|||||||||||||||||||||] 924M/3.83G Uptime: 03:02:07
Swp[|] 0K/1.08G

Main I/O

PID	USER	PRI	NI	VIRT	RES	SHR	S	CPU%	MEM%	TIME+	Command
3484	user	20	0	5848	4356	3004	R	7.2	0.1	0:00.32	htop
1603	user	20	0	3860M	313M	136M	S	2.0	8.0	1:40.02	/usr/bin/gnome-shell
3469	user	20	0	3860M	313M	0	S	1.3	8.0	0:00.02	/usr/bin/gnome-shell
1629	user	20	0	3860M	313M	0	S	0.7	8.0	0:36.27	/usr/bin/gnome-shell
3108	user	20	0	535M	50140	39692	S	0.7	1.2	0:31.80	/usr/libexec/gnome-t
1	root	20	0	24096	15148	10804	S	0.0	0.4	0:01.80	/sbin/init
288	root	20	0	51428	18880	17232	S	0.0	0.5	0:00.47	/usr/lib/systemd/sys
336	systemd-ti	20	0	92064	8332	7160	S	0.0	0.2	0:00.09	/usr/lib/systemd/sys
348	root	20	0	36820	11096	7936	S	0.0	0.3	0:00.18	/usr/lib/systemd/sys
351	systemd-ti	20	0	92064	8332	0	S	0.0	0.2	0:00.00	/usr/lib/systemd/sys
654	root	20	0	301M	7400	6568	S	0.0	0.2	0:00.09	/usr/libexec/account
656	avahi	20	0	6248	4192	3800	S	0.0	0.1	0:00.08	avahi-daemon: runnin
660	root	20	0	6796	2816	2548	S	0.0	0.1	0:00.02	/usr/sbin/cron -f
664	messagebus	20	0	11372	8112	4144	S	0.0	0.2	0:01.82	/usr/bin/dbus-daemon
683	root	20	0	301M	7400	0	S	0.0	0.2	0:00.00	/usr/libexec/account
684	root	20	0	301M	7400	0	S	0.0	0.2	0:00.00	/usr/libexec/account
686	root	-2	0	297M	5820	5320	S	0.0	0.1	0:00.04	/usr/libexec/low-mem
689	polkitd	20	0	374M	10840	7484	S	0.0	0.3	0:00.39	/usr/lib/polkit-1/po
694	root	20	0	300M	6864	6256	S	0.0	0.2	0:00.02	/usr/libexec/switche
695	root	20	0	19000	9436	8096	S	0.0	0.2	0:00.27	/usr/lib/systemd/sys
697	root	20	0	459M	14164	11756	S	0.0	0.4	0:00.10	/usr/libexec/udisks2
699	root	20	0	300M	6864	0	S	0.0	0.2	0:00.00	/usr/libexec/switche
700	root	20	0	300M	6864	0	S	0.0	0.2	0:00.00	/usr/libexec/switche
703	root	-2	0	297M	5820	0	S	0.0	0.1	0:00.00	/usr/libexec/low-mem
704	root	-2	0	297M	5820	0	S	0.0	0.1	0:00.00	/usr/libexec/low-mem
717	avahi	20	0	6060	1596	1288	S	0.0	0.0	0:00.00	avahi-daemon: chroot
719	root	20	0	459M	14164	0	S	0.0	0.4	0:00.11	/usr/libexec/udisks2
720	root	20	0	459M	14164	0	S	0.0	0.4	0:00.00	/usr/libexec/udisks2
759	root	20	0	301M	7400	0	S	0.0	0.2	0:00.01	/usr/libexec/account
760	root	-2	0	297M	5820	0	S	0.0	0.1	0:00.00	/usr/libexec/low-mem

F1 Help F2 Setup F3 Search F4 Filter F5 Tree F6 Sort By F7 Nice F8 Nice + F9 Kill F10 Quit

user@DebianVM: /

htop 3.4.1 - (C) 2004-2019 Hisham Muhammad. (C) 2020-2025 htop dev team.
Released under the GNU GPLv2+. See 'man' page for more info.

CPU usage bar: [low/normal/kernel/guest used%]
Memory bar: [used/shared/compressed/buffers/cache used/total]
Swap bar: [used/cache/frontswap used/total]

Type and layout of header meters are configurable in the setup screen.

Process state: R: running; S: sleeping; t: traced/stopped; Z: zombie; D: disk sleep

#: hide/show header meters
Tab: switch to next screen tab
Arrows: scroll process list
Digits: incremental PID search
F3 /: incremental name search
F4 \: incremental name filtering
F5 t: tree view
p: toggle program path
m: toggle merged command
Z: pause/resume process updates
u: show resumers of a single user
H: hide/show user process threads
K: hide/show kernel threads
O: hide/show processes in containers
nes F: cursor follows process
+ - *: expand/collapse tree/toggle all
N P M T: sort by PID, CPU%, MEM% or TIME
I: invert sort order
F6 > .: select sort column

S-Tab: switch to previous screen tab
Space: tag process
c: tag process and its children
U: untag all processes
F9 k: kill process/tagged processes
F7]: higher priority (root only)
F8 [: lower priority (+ nice)
a: set CPU affinity
e: show process environment
i: set IO priority
l: list open files with lsof
x: list file locks of process
s: trace syscalls with strace
w: wrap process command in multiple li
Y: set scheduling policy
F2 C S: setup
F1 h ?: show this help screen
F10 q: quit

Press any key to return.


```

768 polkitd      20  0  374M 10840    0 S   0.0  0.3  0:00.21 /usr/lib/polkit-1/po
769 polkitd      20  0  374M 10840    0 S   0.0  0.3  0:00.00 /usr/lib/polkit-1/po
771 root          20  0  328M 19524 16404 S   0.0  0.5  0:00.15 /usr/sbin/NetworkMan
772 polkitd      20  0  374M 10840    0 S   0.0  0.3  0:00.11 /usr/lib/polkit-1/po
F3Next S-F3Prev EscCancel Search: mate

```

+

user@DebianVM: /

Q

≡

×

0[|]

1[|]

Mem[|]

Swp[|]

2.2% Tasks: 108, 340 thr, 75 kthr; 1 running

4.4% Load average: 0.24 0.15 0.09

925M/3.83G Uptime: 03:17:59

0K/1.08G

Main

I/O

PID	USER	PRI	NI	VIRT	RES	SHR	S	CPU%	MEM%	TIME+	Command
288	root	20	0	51428	18912	17264	S	0.0	0.5	0:00.49	/usr/lib/systemd/sys
336	systemd-ti	20	0	92064	8332	7160	S	0.0	0.2	0:00.10	/usr/lib/systemd/sys
348	root	20	0	36820	11096	7936	S	0.0	0.3	0:00.18	/usr/lib/systemd/sys
351	systemd-ti	20	0	92064	8332	0	S	0.0	0.2	0:00.00	/usr/lib/systemd/sys
664	messagebus	20	0	11372	8112	4144	S	0.0	0.2	0:01.89	/usr/bin/dbus-daemon
695	root	20	0	19000	9436	8096	S	0.0	0.2	0:00.28	/usr/lib/systemd/sys
1433	user	20	0	23400	13880	10836	S	0.0	0.3	0:00.46	/usr/lib/systemd/sys
1457	user	20	0	9608	6200	4160	S	0.0	0.2	0:00.57	/usr/bin/dbus-daemon
1571	user	20	0	614M	16408	13936	S	0.0	0.4	0:00.07	/usr/libexec/gnome-s
1580	user	20	0	614M	16408	0	S	0.0	0.4	0:00.00	/usr/libexec/gnome-s
1581	user	20	0	614M	16408	0	S	0.0	0.4	0:00.00	/usr/libexec/gnome-s
1583	user	20	0	614M	16408	0	S	0.0	0.4	0:00.03	/usr/libexec/gnome-s
1585	user	20	0	614M	16408	0	S	0.0	0.4	0:00.00	/usr/libexec/gnome-s

+

user@DebianVM: /

Q

≡

×

0[|]

1[|]

Mem[|]

Swp[|]

6.5% Tasks: 108, 340 thr, 75 kthr; 2 running

4.5% Load average: 0.11 0.13 0.09

924M/3.83G Uptime: 03:19:14

0K/1.08G

Main

I/O

PID	USER	PRI	NI	VIRT	RES	SHR	S	CPU%	MEM%	TIME+	Command
1	root	20	0	24096	15148	10804	S	0.0	0.4	0:01.83	/sbin/init
288	root	20	0	51428	18912	17264	S	0.0	0.5	0:00.49	/usr/lib/systemd/
336	systemd-ti	20	0	92064	8332	7160	S	0.0	0.2	0:00.10	/usr/lib/systemd/
351	systemd-ti	20	0	92064	8332	0	S	0.0	0.2	0:00.00	/usr/lib/syste
348	root	20	0	36820	11096	7936	S	0.0	0.3	0:00.18	/usr/lib/systemd/
654	root	20	0	301M	7400	6568	S	0.0	0.2	0:00.09	/usr/libexec/acco
683	root	20	0	301M	7400	0	S	0.0	0.2	0:00.00	/usr/libexec/a
684	root	20	0	301M	7400	0	S	0.0	0.2	0:00.00	/usr/libexec/a
759	root	20	0	301M	7400	0	S	0.0	0.2	0:00.01	/usr/libexec/a
656	avahi	20	0	6248	4192	3800	S	0.0	0.1	0:00.09	avahi-daemon: run
717	avahi	20	0	6060	1596	1288	S	0.0	0.0	0:00.00	avahi-daemon:
660	root	20	0	6796	2816	2548	S	0.0	0.1	0:00.02	/usr/sbin/cron -f
664	messagebus	20	0	11372	8112	4144	S	0.0	0.2	0:01.90	/usr/bin/dbus-dae
686	root	-2	0	297M	5820	5320	S	0.0	0.1	0:00.04	/usr/libexec/low
703	root	-2	0	297M	5820	0	S	0.0	0.1	0:00.00	/usr/libexec/l
704	root	-2	0	297M	5820	0	S	0.0	0.1	0:00.00	/usr/libexec/l
760	root	-2	0	297M	5820	0	S	0.0	0.1	0:00.00	/usr/libexec/l
689	polkitd	20	0	374M	10840	7484	S	0.0	0.3	0:00.39	/usr/lib/polkit-1
768	polkitd	20	0	374M	10840	0	S	0.0	0.3	0:00.21	/usr/lib/polki
769	polkitd	20	0	374M	10840	0	S	0.0	0.3	0:00.00	/usr/lib/polki
772	polkitd	20	0	374M	10840	0	S	0.0	0.3	0:00.11	/usr/lib/polki
694	root	20	0	300M	6864	6256	S	0.0	0.2	0:00.02	/usr/libexec/swit
699	root	20	0	300M	6864	0	S	0.0	0.2	0:00.00	/usr/libexec/s
700	root	20	0	300M	6864	0	S	0.0	0.2	0:00.00	/usr/libexec/s
762	root	20	0	300M	6864	0	S	0.0	0.2	0:00.00	/usr/libexec/s
695	root	20	0	19000	9436	8096	S	0.0	0.2	0:00.28	/usr/lib/systemd/
697	root	20	0	459M	14164	11756	S	0.0	0.4	0:00.10	/usr/libexec/udis
719	root	20	0	459M	14164	0	S	0.0	0.4	0:00.14	/usr/libexec/u
720	root	20	0	459M	14164	0	S	0.0	0.4	0:00.00	/usr/libexec/u
761	root	20	0	459M	14164	0	S	0.0	0.4	0:00.02	/usr/libexec/u

F1Help

F2Setup

F3Search

F4Filter

F5List

F6SortBy

F7Nice

F8Nice

F9Kill

F10Quit

Main		I/O									
PID	USER	PRI	NI	VIRT	RES	SHR	S	CPU%	MEM%	TIME+	Command
1	root	20	0	24096	15148	10804	S	0.0	0.4	0:01.84	/sbin/init
288	root	20	0	51428	18912	17264	S	0.0	0.5	0:00.49	/usr/lib/systemd/
336	systemd-ti	20	0	92064	8332	7160	S	0.0	0.2	0:00.10	/usr/lib/systemd/
351	systemd-ti	20	0	92064	8332	0	S	0.0	0.2	0:00.00	/usr/lib/syste
348	root	20	0	36820	11096	7936	S	0.0	0.3	0:00.18	/usr/lib/systemd/
654	root	20	0	301M	7400	6568	S	0.0	0.2	0:00.09	/usr/libexec/acco

Main		I/O									
PID	USER	PRI	NI	VIRT	RES	SHR	S	CPU%	MEM%	TIME+	Command
1	root	20	0	24096	15148	10804	S	0.0	0.4	0:01.84	/sbin/init
2160	root	20	0	478M	61684	37316	S	0.0	1.5	0:01.50	/usr/libexec/fwup
2164	root	20	0	478M	61684	0	S	0.0	1.5	0:00.17	/usr/libexec/f
2165	root	20	0	478M	61684	0	S	0.0	1.5	0:00.00	/usr/libexec/f
2166	root	20	0	478M	61684	0	S	0.0	1.5	0:00.05	/usr/libexec/f
771	root	20	0	328M	19524	16404	S	0.0	0.5	0:00.16	/usr/sbin/Network
804	root	20	0	328M	19524	0	S	0.0	0.5	0:00.00	/usr/sbin/Netw

user@DebianVM:/\$ xeyes

1675	user	20	0	1462M	62972	0	S	0.0	1.6	0:00.00	/usr/libexe
3108	user	20	0	536M	50864	39772	S	0.0	1.3	0:38.47	/usr/libexec/g
3109	user	20	0	536M	50864	0	S	0.0	1.3	0:00.00	/usr/libexe
3110	user	20	0	536M	50864	0	S	0.0	1.3	0:00.00	/usr/libexe
3112	user	20	0	536M	50864	0	S	0.0	1.3	0:00.00	/usr/libexe
3113	user	20	0	536M	50864	0	S	0.0	1.3	0:00.00	/usr/libexe
3114	user	20	0	536M	50864	0	S	0.0	1.3	0:00.01	/usr/libexe
3562	user	20	0	8704	5528	3480	S	0.0	0.1	0:00.03	bash
3565	user	20	0	9328	4776	4256	S	0.0	0.1	0:00.02	xeyes

F3Next S-F3Prev EscCancel Search: xeyes

user@DebianVM:/\$

user@DebianVM:/\$ xeyes

Real-time signal 15

user@DebianVM:/\$

```
user@DebianVM: /
Environment of process 2120 - /usr/libexec/mutter-x11-frames
DBUS_SESSION_BUS_ADDRESS=unix:path=/run/user/1000/bus
DESKTOP_SESSION=gnome
DISPLAY=:1
GDMSESSION=gnome
GDM_LANG=en_US.UTF-8
GJS_DEBUG_OUTPUT=stderr
GJS_DEBUG_TOPICS=JS ERROR;JS LOG
GNOME_DESKTOP_SESSION_ID=this-is-deprecated
GNOME_SETUP_DISPLAY=:1
GPG_AGENT_INFO=/run/user/1000/gnupg/S.gpg-agent:0:1
GTK_MODULES=gail:atk-bridge
HOME=/home/user
IM_CONFIG_PHASE=1
INVOCATION_ID=2e603390d5294b65881926cf66b0d9fb
JOURNAL_STREAM=9:12414
LANG=en_US.UTF-8
LOGNAME=user
MANAGERPID=1433
MEMORY_PRESSURE_WATCH=/sys/fs/cgroup/user.slice/user-1000.slice/user@1000.service/sessi
MEMORY_PRESSURE_WRITE=c29tZSAyMDAwMDAgMjAwMDAwMAA=
PATH=/usr/local/bin:/usr/bin:/bin:/usr/local/games:/usr/games
PWD=/home/user
QT_ACCESSIBILITY=1
QT_IM_MODULE=ibus
SESSION_MANAGER=local/DebianVM:@/tmp/.ICE-unix/1571,unix/DebianVM:/tmp/.ICE-unix/1571
SHELL=/bin/bash
SHLVL=0
SSH_AUTH_SOCK=/run/user/1000/keyring/ssh
SYSTEMD_EXEC_PID=1603
USER=user
USERNAME=user
WAYLAND_DISPLAY=wayland-0
XAUTHORITY=/run/user/1000/.mutter-Xwaylandauth.J2P8K3
XDG_CURRENT_DESKTOP=GNOME
F3Search F4Filter F5Refresh EscDone
```


Snapshot of files open in process 2106 - /usr/libexec/mutter-x11-frames							
FD	TYPE	MODE	DEVICE	SIZE	OFFSET	NODE	NAME
0	CHR	r	0x6		0	4	/dev/null
1	unix	u			0	12414	type=STREAM
2	unix	u			0	12414	type=STREAM
3	unix	u			0	13577	type=STREAM
4	CHR	u	0x6		0	95	/dev/udmabuf
5	REG	u	0x1	4096	0	1165	/memfd:lp_dma_buf (deleted)
6	0000	u	0xb	4096	0	11	/dmabuf:
7	a_inode	r	0x10	0	0	1077	sync_file
8	REG	u	0x1	0	0	1166	/memfd:allocation fd (deleted)
9	a_inode	u	0x10	0	0	1077	[eventfd:378]
10	a_inode	u	0x10	0	0	1077	[eventfd:380]
11	unix	u			0	13584	type=STREAM
12	a_inode	u	0x10	0	0	1077	[eventfd:384]
13	a_inode	u	0x10	0	0	1077	[eventfd:251]
14	unix	u			0	121092	type=STREAM
DEL	REG		0x1			1165	/memfd:lp_dma_buf
DEL	REG		0x42			84	/run/user/1000/dconf/user
DEL	REG		0x801			5311	/home/user/.config/dconf/user
cwd	DIR		0x801	4096		49	/home/user
mem	REG		0x801	23		405958	/usr/lib/locale/chr_US/LC_MEASUR
mem	REG		0x801	34		405962	/usr/lib/locale/chr_US/LC_PAPER
mem	REG		0x801	54		405319	/usr/lib/locale/aa_ET/LC_NUMERIC
mem	REG		0x801	57		406274	/usr/lib/locale/en_AG/LC_MESSAGE
mem	REG		0x801	59		405963	/usr/lib/locale/chr_US/LC_TELEPH
mem	REG		0x801	77		405794	/usr/lib/locale/bi_VU/LC_NAME
mem	REG		0x801	167		406489	/usr/lib/locale/en_US.utf8/LC_AD
mem	REG		0x801	286		405961	/usr/lib/locale/chr_US/LC_MONETA
mem	REG		0x801	369		406490	/usr/lib/locale/en_US.utf8/LC_ID
mem	REG		0x801	2656		1046842	/var/cache/fontconfig/da43223dd5
mem	REG		0x801	3222		158545	/usr/share/locale/en/LC_MESSAGES
mem	REG		0x801	3284		406492	/usr/lib/locale/en_US.utf8/LC_TI
mem	REG		0x801	3568		1046840	/var/cache/fontconfig/3f7329c529
mem	REG		0x801	4040		1046838	/var/cache/fontconfig/30829fa254
mem	REG		0x801	7184		1046844	/var/cache/fontconfig/c3bb64600b

Задание 4

```


user@DebianVM:~$ xkill
Select the window whose client you wish to kill with button 1....
xkill: unable to grab cursor
user@DebianVM:~$

```

Не работает на виртуалке

Задание 5

5.1



5.2

Q Resources Processes File Systems ≡ ×						
Name	ID	CPU	Memory	Disk Read	Disk Write	
gnome-system-monitor	2470	0.7 %	184.7 MB	—	—	

Q Resources Processes File Systems ≡ ×						
Name	ID	CPU	Memory	Disk Read	Disk Write	
gnome-system-monitor	2470	10.6 %	184.6 MB	6.7 KiB/s	—	
gnome-shell	1528	3.2 %	185.0 MB	—	—	
upowerd	983	0.2 %	2.0 MB	—	—	
kworker/1:1-events	3340	0.2 %	—	—	—	
systemd	1	0.0 %	3.9 MB	—	—	
kthreadd	2	0.0 %	—	—	—	
pool_workqueue_release	3	0.0 %	—	—	—	
kworker/R-kvfree_rcu_reclaim	4	0.0 %	—	—	—	
kworker/R-rcu_gp	5	0.0 %	—	—	—	
kworker/R-sync_wq	6	0.0 %	—	—	—	
kworker/R-slub_flushwq	7	0.0 %	—	—	—	
kworker/R-netns	8	0.0 %	—	—	—	
kworker/0:0H-events_highpri	11	0.0 %	—	—	—	
kworker/R-mm_percpu_wq	13	0.0 %	—	—	—	
rcu_tasks_kthread	14	0.0 %	—	—	—	
rcu_tasks_rude_kthread	15	0.0 %	—	—	—	
rcu_tasks_trace_kthread	16	0.0 %	—	—	—	
ksoftirqd/0	17	0.0 %	—	—	—	
rcu_preempt	18	0.0 %	—	—	—	
rcu_exp_par_gp_kthread_worker/0	19	0.0 %	—	—	—	
rcu_exp_gp_kthread_worker	20	0.0 %	—	—	—	
migration/0	21	0.0 %	—	—	—	
idle_inject/0	22	0.0 %	—	—	—	
cpuhp/0	23	0.0 %	—	—	—	
cpuhp/1	24	0.0 %	—	—	—	
idle_inject/1	25	0.0 %	—	—	—	
migration/1	26	0.0 %	—	—	—	
ksoftirqd/1	27	0.0 %	—	—	—	
kworker/1:0-ata_sff	28	0.0 %	—	—	—	

Q Resources Processes File Systems ≡ ×						
Name	ID	CPU	Memory	Disk Read	Disk Write	
gnome-system-monitor	2470	8.9 %	232.0 MB	—	—	
gnome-shell	1528	3.1 %	185.0 MB	—	—	
systemd	1360	0.0 %	3.1 MB	—	—	
(sd-pam)	1362	0.0 %	1.9 MB	—	—	
dbus-daemon	1382	0.0 %	2.4 MB	—	—	
pipewire	1384	0.0 %	4.2 MB	—	—	
pipewire	1385	0.0 %	634.9 kB	—	—	
wireplumber	1386	0.0 %	5.9 MB	—	—	
pipewire-pulse	1387	0.0 %	1.7 MB	—	—	
gnome-keyring-daemon	1388	0.0 %	1.1 MB	—	—	
mpiris-proxy	1390	0.0 %	278.5 kB	—	—	
gdm-wayland-session	1409	0.0 %	544.8 kB	—	—	
gnome-session-binary	1417	0.0 %	1.8 MB	—	—	
gcr-ssh-agent	1473	0.0 %	729.1 kB	—	—	
gnome-session-ctl	1474	0.0 %	442.4 kB	—	—	
ssh-agent	1475	0.0 %	1.0 MB	—	—	
gvfsd	1482	0.0 %	938.0 kB	—	—	
gvfsd-fuse	1493	0.0 %	819.2 kB	—	—	
gnome-session-binary	1498	0.0 %	2.5 MB	—	—	
at-spi-bus-launcher	1529	0.0 %	729.1 kB	—	—	
dbus-daemon	1542	0.0 %	569.3 kB	—	—	
at-spi2-registryd	1563	0.0 %	708.6 kB	—	—	
xdg-permission-store	1576	0.0 %	626.7 kB	—	—	
gnome-shell-calendar-server	1578	0.0 %	3.1 MB	—	—	
dconf-service	1584	0.0 %	663.6 kB	—	—	
evolution-source-registry	1591	0.0 %	16.8 MB	—	—	
Xwayland	1605	0.0 %	13.2 MB	—	—	
gjs	1606	0.0 %	4.9 MB	—	—	
ibus-daemon	1642	0.0 %	4.1 MB	—	—	

Q Resources Processes File Systems ≡ ×						
Name	ID	CPU	Memory	Disk Read	Disk Write	
systemd	1360	0.0 %	3.1 MB	—	—	
gnome-shell	1528	4.3 %	185.0 MB	—	—	
gnome-system-monitor	2470	9.8 %	236.8 MB	—	—	
Xwayland	1605	0.0 %	13.2 MB	—	—	
mutter-x11-frames	2006	0.0 %	47.5 MB	—	—	
(sd-pam)	1362	0.0 %	1.9 MB	—	—	
dbus-daemon	1382	0.0 %	2.4 MB	—	—	
pipewire	1384	0.0 %	4.2 MB	—	—	
pipewire	1385	0.0 %	634.9 kB	—	—	
wireplumber	1386	0.0 %	5.9 MB	—	—	
pipewire-pulse	1387	0.0 %	1.7 MB	—	—	
gnome-keyring-daemon	1388	0.0 %	1.1 MB	—	—	
mpiris-proxy	1390	0.0 %	278.5 kB	—	—	
gcr-ssh-agent	1473	0.0 %	729.1 kB	—	—	
gnome-session-ctl	1474	0.0 %	442.4 kB	—	—	
ssh-agent	1475	0.0 %	1.0 MB	—	—	
gvfsd	1482	0.0 %	938.0 kB	—	—	
gvfsd-trash	2354	0.0 %	1.2 MB	—	—	
gvfsd-fuse	1493	0.0 %	819.2 kB	—	—	
gnome-session-binary	1498	0.0 %	2.5 MB	—	—	
at-spi-bus-launcher	1529	0.0 %	729.1 kB	—	—	
dbus-daemon	1542	0.0 %	569.3 kB	—	—	
gnome-software	1660	0.0 %	143.6 MB	—	—	
gsd-disk-utility-notify	1671	0.0 %	954.4 kB	—	—	
evolution-alarm-notify	1676	0.0 %	22.6 MB	—	—	
at-spi2-registryd	1563	0.0 %	708.6 kB	—	—	
xdg-permission-store	1576	0.0 %	626.7 kB	—	—	
gnome-shell-calendar-server	1578	0.0 %	3.1 MB	—	—	
dconf-service	1584	0.0 %	667.6 kB	—	—	

Resources Processes File Systems						
Name	ID	CPU	Memory	Disk Read	Disk Write	
systemd	1360	0.0 %	3.1 MB	—	—	—
(sd-pam)	1362	0.0 %	1.9 MB	—	—	—
dbus-daemon	1382	0.0 %	2.4 MB	—	—	—
pipewire	1384	0.0 %	4.2 MB	—	—	—
pipewire	1385	0.0 %	634.9 kB	—	—	—
wireplumber	1386	0.0 %	5.9 MB	—	—	—
pipewire-pulse	1387	0.0 %	1.7 MB	—	—	—
gnome-keyring-daemon	1388	0.0 %	1.1 MB	—	—	—
mpiris-proxy	1390	0.0 %	278.5 kB	—	—	—
gdm-wayland-session	1409	0.0 %	544.8 kB	—	—	—
gnome-session-binary	1417	0.0 %	1.8 MB	—	—	—
gcr-ssh-agent	1473	0.0 %	729.1 kB	—	—	—
gnome-session-ctl	1474	0.0 %	442.4 kB	—	—	—
ssh-agent	1475	0.0 %	1.0 MB	—	—	—
gvfsd	1482	0.0 %	938.0 kB	—	—	—
gvfsd-fuse	1493	0.0 %	819.2 kB	—	—	—
gnome-session-binary	1498	0.0 %	2.5 MB	—	—	—
at-sni-bus-launcher	1529	0.0 %	729.1 kB	—	—	—

Resources Processes File Systems						
Name	ID	CPU	Memory	Disk Read	Disk Write	
gnome-system-monitor	2470	6.1 %	239.9 MB	—	—	—
gnome-shell	1528	1.4 %	185.0 MB	—	—	—
gnome-software	1660	0.0 %	154.1 MB	—	—	—
mutter-x11-frames	2006	0.0 %	47.5 MB	—	—	—
gnome-calendar	2312	0.0 %	23.1 MB	—	—	—
evolution-alarm-notify	1676	0.0 %	22.6 MB	—	—	—
evolution-source-registry	1591	0.0 %	16.8 MB	—	—	—
localsearch-3	2003	0.0 %	16.0 MB	—	—	—
gsd-xsettings	1989	0.0 %	14.3 MB	—	—	—
ibus-extension-gtk3	1811	0.0 %	13.2 MB	—	—	—
Xwayland	1605	0.0 %	13.2 MB	—	—	—
xdg-desktop-portal-gnome	2004	0.0 %	9.1 MB	—	—	—
wireplumber	1386	0.0 %	5.9 MB	—	—	—
ais	1840	0.0 %	4.9 MB	—	—	—

Resources Processes File Systems						
Name	ID	CPU	Memory	Disk Read	Disk Write	
systemd	1	0.0 %	3.9 MB	—	—	—
kthreadd	2	0.0 %	—	—	—	—
pool_workqueue_release	3	0.0 %	—	—	—	—
kworker/R-kvfree_rcu_reclaim	4	0.0 %	—	—	—	—
kworker/R-rcu_gp	5	0.0 %	—	—	—	—
kworker/R-sync_wq	6	0.0 %	—	—	—	—
kworker/R-slub_flushwq	7	0.0 %	—	—	—	—
kworker/R-netns	8	0.0 %	—	—	—	—
kworker/0:0H-events_highpri	11	0.0 %	—	—	—	—
kworker/R-mm_percpu_wq	13	0.0 %	—	—	—	—
rcu_tasks_kthread	14	0.0 %	—	—	—	—
rcu_tasks_rude_kthread	15	0.0 %	—	—	—	—
rcu_tasks_trace_kthread	16	0.0 %	—	—	—	—
ksoftirqd/0	17	0.0 %	—	—	—	—
rcu_preempt	18	0.0 %	—	—	—	—
rcu_exp_par_gp_kthread_worker/0	19	0.0 %	—	—	—	—
rcu_exp_gp_kthread_worker	20	0.0 %	—	—	—	—
migration/0	21	0.0 %	—	—	—	—
idle_inject/0	22	0.0 %	—	—	—	—
cpuhp/0	23	0.0 %	—	—	—	—
cpuhp/1	24	0.0 %	—	—	—	—

Resources Processes File Systems

Name ID CPU Memory Disk Read Disk Write

gnome-system-monitor	2470	5.6 %	386.3 MB	—	1.3 KiB/s
gvfsd-trash	2354	0.0 %	1.2 MB	—	—
gnome-calendar	2312	0.0 %	23.1 MB	—	—
gvfsd-metadata	2350	0.0 %	634.0 KiB	—	—
xdg-desktop-portal	—	—	—	—	—
ibus-x11	—	—	—	—	—
mutter-x11-frames	—	—	—	—	—
xdg-desktop-portal	—	—	—	—	—
localsearch-3	10	—	—	—	—
gsd-xsettings	97	—	—	—	—
xdg-document-portal	7	—	—	—	—
xdg-desktop-portal	7	—	—	—	—
ibus-engine-simple	52	—	—	—	—
evolution-addressbook	—	—	—	—	—
gvfs-afc-volume-monitor	4	—	—	—	—
gvfs-goa-volume-monitor	18	—	—	—	—
gvfs-gphoto2-volume-monitor	1	—	—	—	—
evolution-calendar	1	—	—	—	—
gvfs-mtp-volume-monitor	15	—	—	—	—
goa-identity-service	15	—	—	—	—
goa-daemon	12	—	—	—	—
gjs	—	—	—	—	—
gvfs-udisks2-volume-monitor	1828	0.0 %	1.6 MB	—	—
ibus-portal	1824	0.0 %	696.3 kB	—	—

Open Files
gnome-system-monitor (PID 2470)

FD	Type	Object
13	file	/memfd:tp_dma_buf (deleted)
10	file	anon_inode:inotify
97	file	/home/user/.local/share/gvfs-metadata/root-7c3f057d.log (deleted)
7	file	anon_inode:[eventfd]
52	file	/home/user/.local/share/gvfs-metadata/root (deleted)
4	local socket	
18	file	/memfd:allocation fd (deleted)
1	local socket	
15	file	/dev/udmabuf
12	file	/dev/udmabuf

```
user@DebianVM: ~  
user@DebianVM:~$ pluma  
** (pluma:6357): WARNING **: 23:44:08.397: Could not load theme icon system-file-manager: Icon 'system-file-manager' not present in theme Adwaita
```

Unsaved Document 1 - Pluma


File Edit View Search Tools Documents Help

Open Save Undo

Unsaved Document 1

Resources Processes File Systems					
Name	ID	CPU	Memory	Disk Read	Disk Write
pluma	6357	0.0 %	11.6 MB	—	—
bash	6323	0.0 %	2.1 MB	—	—
gnome-terminal-server	6308	0.0 %	9.2 MB	—	—
gnome-system-monitor	2470	2.4 %	408.3 MB	—	—
gvfsd-trash	2354	0.0 %	1.2 MB	—	—
gnome-calendar	2312	0.0 %	23.1 MB	—	—
gvfsd-metadata	2259	0.0 %	634.9 kB	—	—
xdg-desktop-portal-gtk	2062	0.0 %	4.8 MB	—	—
ibus-x11	2040	0.0 %	1.5 MB	—	—
mutter-x11-frames	2006	0.0 %	47.5 MB	—	—
xdg-desktop-portal-gnome	2004	0.0 %	9.1 MB	—	—
localsearch-3	2003	0.0 %	16.0 MB	—	—
gsd-xsettings	1989	0.0 %	14.3 MB	—	—
xdg-document-portal	1973	0.0 %	761.9 kB	—	—
xdg-desktop-portal	1962	0.0 %	4.2 MB	—	—
ibus-engine-simple	1928	0.0 %	729.1 kB	—	—
evolution-addressbook-factory	1913	0.0 %	4.5 MB	—	—
gvfs-afc-volume-monitor	1901	0.0 %	1.3 MB	—	—
gvfs-goa-volume-monitor	1894	0.0 %	667.6 kB	—	—
gvfs-gphoto2-volume-monitor	1886	0.0 %	790.5 kB	—	—
evolution-calendar-factory	1881	0.0 %	3.9 MB	—	—
gvfs-mtp-volume-monitor	1877	0.0 %	671.7 kB	—	—
goa-identity-service	1871	0.0 %	1.1 MB	—	—
goa-daemon	1851	0.0 %	4.1 MB	—	—
gjs	1840	0.0 %	4.9 MB	—	—
gvfs-udisks2-volume-monitor	1828	0.0 %	1.6 MB	—	—
ibus-portal	1824	0.0 %	696.3 kB	—	—

End Process...



5.3

302 Open Files

Process	PID	Filename
dbus-daemon	1382	/dev/null
dbus-daemon	1382	anon_inode:[eventpoll]
dbus-daemon	1382	anon_inode:[pidfd]
dbus-daemon	1382	anon_inode:inotify
pipewire	1384	/dev/null
pipewire	1384	/dev/snd/seq
pipewire	1384	/memfd:pipewire-memfd:flags=0x000000
pipewire	1384	/memfd:pipewire-memfd:flags=0x000000
pipewire	1384	/run/user/1000/pipewire-0-manager.lock
pipewire	1384	/run/user/1000/pipewire-0.lock

3 Matching Open Files

..log

☒ Case Insensitive

Process	PID	Filename
gnome-shell	1528	/home/user/.local/share/gvfs-metadata/root-7c3f
gvfsd-metadata	2259	/home/user/.local/share/gvfs-metadata/root-ece
gnome-system-monitor	11074	/home/user/.local/share/gvfs-metadata/root-7c3f