SEXUAL HEALTH & INTIMACY

Connect — Full Review

FORMULA

Oxytocin 50mg + PT-141 10mg

What's in it

PEPTIDE	DOSE	ROLE IN THIS BLEND
Oxytocin	50mg	The closeness signal. Supports trust, empathy, and emotional closeness — the hormone naturally released during physical affection and connection.
PT-141	10mg	The arousal driver. Activates central arousal pathways in the brain for libido and responsiveness, rather than acting on blood flow the way some other options do.

The combination logic

Oxytocin works on trust, closeness, and emotional bonding — the feeling side of intimacy. PT-141 works centrally in the brain on desire and arousal itself, not on blood flow the way some other options do. The idea behind combining them is that intimacy has both an emotional and a physical component, and addressing only one tends to leave the other side unaddressed. Clinical detail: Oxytocin binds receptors across the brain and body, modulating dopamine and serotonin to enhance trust and calm, amplifying arousal, and lowering amygdala activity to blunt fear and anxiety — mechanisms centered on social-emotional bonding. PT-141 (bremelanotide) binds melanocortin receptors MC3R and MC4R in the hypothalamus, increasing dopamine release and engaging arousal and reward circuits centrally, rather than acting on vascular smooth muscle the way PDE5 inhibitors do. The two act on distinct, complementary systems — social-bonding neurochemistry and central arousal circuitry.

Is there evidence for the combination, or only for the parts? PT-141 is the strongest single data point in this blend — bremelanotide is FDA-approved (as Vyleesi) for hypoactive sexual desire disorder in premenopausal women, meaning that component has real regulatory-grade clinical trial evidence behind it, though for a specific population and indication. Oxytocin's bonding and social-cognitive effects are well-documented physiologically, but its use for general intimacy support is broader than any approved indication. No study has tested oxytocin and PT-141 together as a combination.

What it's used for

USED FOR	IN SHORT
Emotional connection and intimacy support	Oxytocin's bonding effects are well-characterized physiologically, though marketed intimacy use is broader than its approved indications.
Libido and arousal support	PT-141 (bremelanotide) is FDA-approved as Vyleesi for hypoactive sexual desire disorder in premenopausal women — the only FDA-approved compound in this blend.
Combined bonding-and-arousal use	The rationale for pairing an emotional-bonding peptide with a central-arousal peptide is mechanistic, not from a trial of the pair itself.

Overlaps & stacked risks

- PT-141 can cause facial flushing, nausea, headache, and a transient rise in blood pressure.
- Oxytocin in higher amounts may rarely cause hypotension or nausea; intermittent dosing is preferred to avoid receptor desensitization.
- Combining the two means the summed side-effect profile of both, not a reduced one.
- PT-141 is not recommended for patients with uncontrolled hypertension, heart disease, or those on dopamine agonists.

Who it is not for

- Pregnant patients — oxytocin is avoided in pregnancy unless medically indicated for an unrelated purpose
- Patients with uncontrolled hypertension or heart disease — PT-141 can cause a transient rise in blood pressure
- Anyone taking dopamine agonists, without clinician oversight

Patients seeking daily/continuous use — intermittent dosing is preferred to avoid receptor desensitization

Who it suits

Patients seeking support for both the emotional and physical dimensions of intimacy, who have no cardiovascular contraindication to PT-141 and are not pregnant, and who understand PT-141's approved indication is specific and this use extends beyond it.

Who makes this, and under what rules

Everything dispensed here is prepared by a licensed 503A compounding pharmacy — not bought from a supplier and repackaged, and not sourced from an online seller. That designation carries specific, enforceable obligations:

A prescription in your name. Compounded from a prescription for one identified patient, after an evaluation.

Licensed and inspected. A state licence, subject to inspection by the state board of pharmacy.

Ingredients that can be traced. A certificate of analysis from an FDA-registered facility, back to a named source and lot.

Sterile preparation to a published standard. USP standards.

A paper trail. A lot number and beyond-use date on every preparation.

A compounded preparation is not an FDA-approved medicine — but it is the difference between a licensed pharmacy working to a standard and an unregulated website. This page describes Connect for general educational purposes. It is not medical advice and does not replace a consultation with a licensed provider. Individual results vary, and combination products carry the risks of each included peptide.

IMPORTANT SAFETY INFORMATION

Compounded medications offered through FitClinicMD are prescribed only after an individual clinical evaluation by a licensed provider, and are prepared by state-licensed compounding pharmacies. Compounded medications have not been evaluated or approved by the U.S. Food and Drug Administration as safe or effective for the treatment of any condition. Information on this site is for general educational purposes and is not medical advice. You must be 18 or older. Individual results vary. A prescription is issued only if a licensed provider determines it is appropriate for you.