


If BPH is left **unmanaged**, it can lead to permanent bladder and kidney damage along with other effects:

- ◉ Difficult urination
- ◉ Incontinence
- ◉ Urinary tract infections
- ◉ Bladder damage
- ◉ Urine retention
- ◉ Sleep deprivation
- ◉ Kidney damage
- ◉ Need for a catheter
- ◉ Effect on mental health (depression, social anxiety, aggression)
- ◉ Interference with profession (increased bathroom breaks at work)



A Small Change for your Prostate. A Big Change for your Day and Night.
Talk to Us about your options for BPH: Restore your Flow with Prostate Centers of America



Prostate Artery Embolization (PAE) as a Treatment Option for BPH:

- ✓ PAE works by decreasing blood supply to the prostate gland, in turn shrinking it naturally and improving symptoms caused by BPH
- ✓ Embolization only shrinks the enlarged cells of the prostate and leaves the normal healthy cells of the prostate alone
- ✓ Clinically proven safe and effective, non-surgical alternative to prostate surgery.
- ✓ PAE offers results comparable to surgery but with a much lower risk of side effects (preserves bladder, bowel and sexual function)
- ✓ Completed in an outpatient setting with moderate sedation, and home the same day
- ✓ Minimal post-procedure restrictions and quick recovery compared to surgical procedures
- ✓ Long-lasting results
- ✓ After improvements from PAE many patients are able to decrease or sometimes completely stop taking medications for their urinary symptoms.
- ✓ FDA approved embolic agent for the use of PAE to treat BPH

No significant effect on sexual function

95-98% technical success rate

75-90% clinical success rate

85-90% men able to stop using a catheter



Why is Addressing BPH Early so Important?

- 1 Prevent organ damage
- 2 Avoid medical emergencies and hospitalizations
- 3 Restore quality of life