[Dining Room/Lobby](#)

[Bathroom](#)

[Patio](#)

[Kitchen](#)

[POS/Counter](#)

[Prep Area/BOH](#)

[Manager Desk Area](#)

500 - Lighting - pendant lights, light bulbs, emergency lights

Core Issue
Point value: 1**Five Guys:**

- Do not assess if location is in a food court, mark NA.
- Evaluate all lighting in the dining room. Score for:
    - Cleanliness:
        - Dead bugs
        - Grease/dust build-up
        - Debris
    - Condition:
        - Cracked/broken shield/pendant
        - Water marks
        - Burnt out bulb
        - Lighting not working
    - Other:
        - Bulbs that have different color warmth (ex. bright white and warm white)
        - Emergency lights not working
            - Ask the Manager to test the light. You should not test the light.

501 - Ceiling - tiles, duct work, vents

Core Issue
Point value: 1

Five Guys:

- Do not assess if location is in a food court, mark NA.
- Assess ceiling tiles, duct work and vents. Score for:

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

    - Water stained tiles
    - Missing tiles
    - Broken tiles
    - Damaged tiles
    - Mismatched tiles
    - Tiles not properly fitted (popped up or not fitting properly)
    - Dusty/greasy vents, tiles, duct work
    - Debris/food splatter
    - Chipped paint on vents/ductwork
    - Rust on vents/ductwork

507 - Wall, wall tiles and tile junction

Core Issue
Point value: 1

Five Guys:

- Assess walls in the dining room. Score for:
    - Cleanliness:
        - Dust/grease build-up
        - Debris
    - Condition:
        - Broken/damaged wall, wall tiles, wall junction/coving
        - Scuff marks

Steritech

502 - Window and window sills

Core Issue
Point value: 1

Five Guys:

- Do not assess if location is in a food court, mark NA.
- Assess all windows and window sills in the dining room. Score for:
    - Cleanliness:
        - Dead bugs (score even 1 dead bug)
        - Dust/grease build-up
        - Food debris
        - Trash
        - Fingerprints
    - Condition:
        - Cracked or damaged window or window sill

511 - Doors (frames, knobs, handles, door sweep, threshold)

Core Issue
Point value: 1

Five Guys:

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

- Do not assess if location is in a food court, mark NA.
- Assess doors in the dining room. Score for:
    - Cleanliness:
        - Fingerprints
        - Debris
        - Sticky handles
    - Condition:
        - Damaged door sweep
        - Rust
        - Damaged/broken
        - Chipped paint (see image below for acceptable handle- scrapping on door handle due to customer rings is acceptable)

503 - Floors

Core Issue
Point value: 1

<u>Five Guys:</u>

- Do not assess if location is in a food court, mark NA.
- Assess floors in the dining room. Score for:
    - Cleanliness:
        - Greasy
        - Sticky
        - Debris
        - Excessive standing water
    - Condition:
        - Broken/damaged tiles
        - Missing/damaged grout

Steritech

<u>Cross-reference:</u>

- **Score for floor and/or floor drain not clean/damaged under the soda machine/beverage station under item 510.**

509 - Tables

Core Issue
Point value: 1

<u>Five Guys:</u>

- Do not assess if location is in a food court, mark NA.
- Tables: Randomly assess only four tables.
    - Score if they are wobbly by ½" or more. [Do not assess the high top tables as there is a known design flaw result where the tables are not level.]
    - Score if there is build-up, including gum, anywhere on a table.
    - Score chipped table laminate if larger than 1/2".
    - Score for rusty, chipped table base.

508 - Chairs and high chairs

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

Core Issue
Point value: 1

Five Guys:

- Do not assess if location is in a food court, mark NA.
- Assess chairs and high chairs in the dining room. Score for:
    - Highchairs: Check all highchairs.
        - Score for damage, such as a broken buckle.
        - Score for debris.
    - Chairs: Randomly assess only four chairs.
        - Score for build-up (greasy feeling, food debris, dust, and sticky residue).
        - Black scuff marks, 2 or more inches long: ask the manager when was the last time they were cleaned. Score scuff marks only if they have not been cleaned in the last 24 hours.
        - Metal chairs:
            - Score for cleanliness issues or if they are noticeably wobbly because the rubber foot pads are missing.
            - Score metal chairs for chipped paint or any other type of damage, including rust.
        - Wooden chairs: Score for excessive wear and tear that would put the customer at risk of physical injury (e.g. damage where a person could get cut or gouged, such as splinters).
        - Do not score for wobbly chairs if all the rubber foot pads are present as this could be due to an uneven floor.

Steritech

510 - Soda station (sides and top, drains, floor underneath, dining room storage cabinets)

Core Issue
Point value: 1

Five Guys:

- Assess the soda station in the dining room- sides and top, drains, floor underneath, dining room storage cabinets. (We are not opening the soda machine to assess the interior.) Score for:
    - Cleanliness:
        - Floor sink/drain not clean (moldy, food debris, trash, etc)
        - Cabinet exterior/interior with grease/dust build-up; sticky residue; debris
    - Condition:
        - Damaged cabinets (chipped laminate, rust, etc.)
        - Doors to cabinet do not close properly (not flush)

506 - Signage - articles and signs

Core Issue
Point value: 1

Five Guys:

- Assess the signs and articles in the dining room. Score for:

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

- Cleanliness:
    - Dust/grease build-up
    - Debris
    - Stains
- Condition:
    - Laminate peeling
    - Not secured to the wall properly/loose
    - Staples rusted
    - Water damage

505 - Fire extinguishers

Core Issue
Point value: 1

<u>Five Guys:</u>

- Assess the fire extinguishers in the dining room. Score for:
    - Dust/grease build-up
    - Debris
    - Extinguisher sitting on the floor (not hung correctly)

Steritech

512 - Trash cans (interior and exterior)

Core Issue
Point value: 1

<u>Five Guys:</u>

- Assess the interior and exterior of the trash cans in the dining room. Score for:
    - Cleanliness:
        - Debris (inside, outside and handles of can)
        - Odor
    - Condition:
        - Broken/hanging door on cabinet
        - Chipped laminate, greater than 1/2", on cabinet
        - Damaged can
    - Other:
        - Trash full (cannot put anything else in the can)

513 - Dunnage racks

Core Issue
Point value: 1

<u>Five Guys:</u>

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

- Do not assess if location is in a food court, mark NA.
- Assess dunnage racks in the dining room.

Score for:

- Not properly stocked:
    - Boxes of peanuts and bulk oil and bags of potatoes must be marked with their respective receive date.
    - Bags of potatoes should be stored on the dunnage rack. No product should be on the floor.
    - Maximum stack height for potato bags:
        - Five (5) bags high: Potato bags stacked against a wall or window.
        - Four (4) bags high: Potato bags stacked away from a wall or window as a standalone display that is not positioned against any walls or windows.
            - This requirement is for the dining room only there is no specific requirement if potatoes are held in the back-of-house.
    - Max stack for peanut boxes: 3 high (this includes the open box)
    - Max stack for oil: 2 high
    - Score if any section of dunnage racks in the dining room are less than 2 potato bags high or 1 box of bulk oil high.
- Cleanliness:
    - Dust/grease build-up
    - Debris
    - Sticky
- Condition:
    - Damaged/broken
    - Rust

Steritech

504 - Comment card board

Point value:

<u>Five Guys:</u>

- Assess the comment card boards in the dining area.
    - Cleanliness:
        - Dust/grease build-up
    - Condition:
        - Damaged board
    - Other:
        - Inappropriate social comments
        - If comment cards are set up to look neat and organized in rows (goal of the board is to look random)
        - Comment cards/crayons not properly stocked
            - Minimum of 10 comment cards
            - Minimum of 5 crayons

504a - Comment board availability

Point value:

<u>Five Guys:</u>

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

- Assess the comment card boards in the dining area.
    - Confirm how many comment boards are available at the location.

529 - Lighting - light bulbs, emergency light

Core Issue
Point value: 1

Five Guys:

For mall or airport locations, mark this item NA and all other items in the category will autofill as NA.

- Evaluate all lighting in the men's and women's restroom. Score for:
    - Cleanliness:
        - Dead bugs
        - Grease/dust build-up
        - Debris
    - Condition:
        - Cracked/broken shield/pendant
        - Water marks
        - Burnt out bulb
        - Lighting not working
    - Other:
        - Bulbs that have different color warmth (ex. bright white and warm white)
        - Emergency lights not working
            - Ask the Manager to test the light. You should not test the light.

525 - Ceiling tiles, vents

Core Issue
Point value: 1

Five Guys:

- Score for:
    - Water stained tiles
    - Missing tiles
    - Broken tiles
    - Damaged tiles
    - Mismatched tiles
    - Tiles not properly fitted (popped up or not fitting properly)
    - Dusty/greasy vents or tiles
    - Debris/food splatter
    - Chipped paint on vents
    - Rust on vents

522 - Walls - tile, FRP and partition walls

Core Issue
Point value: 1

Five Guys:

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

- Assess walls in the bathroom. Score for:
    - Cleanliness:
        - Dust/grease build-up
        - Debris
    - Condition:
        - Broken/damaged wall, wall tiles, wall junction/coving
    - Graffiti

523 - Floors and floor drains

Core Issue
Point value: 1

<u>Five Guys:</u>

- Assess floors and drains in the men's and women's restroom. Score for:
    - Cleanliness:
        - Greasy
        - Sticky
        - Food debris
        - Moldy
        - Excessive standing water
    - Condition:
        - Broken/damaged tiles
        - Missing/damaged grout
        - Broken/damaged drain cover

Steritech

530 - Doors (frames, knobs, handles)

Core Issue
Point value: 1

<u>Five Guys:</u>

- Assess men's and women's bathroom door. Score for:
    - Cleanliness:
        - Dust/grease build-up
        - Debris
        - Sticky handles
    - Condition:
        - Rust
        - Damaged/broken
        - Chipped paint
    - Graffiti

520 - Fixtures - sink, toilet, baby changing station, urinal

Core Issue
Point value: 1
<u>Five Guys:</u>

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

- **<u>Do not assess restrooms at mall/airport locations.</u>**
- <u>Assess all the fixtures in both the men's and women's bathrooms.</u>
- Score for:
    - Fixtures in poor condition- broken/damaged
    - Sink not clean on all surfaces, caulking clean/intact. No discoloration, mold or mildew.
    - Toilet seat is loose (moves more than 1/2")
    - Baby changing station- not clean, buckle is broken, not in good condition.
    - Graffiti is observed.
    - Plunger is observed in bathroom or any other location other than the mop sink or a broom or chemical closet.
        - Plunger must be stored covered. I.e. in a plastic bag, caddy, covered container, etc.
            - A plunger is not required but if present must be properly stored.
    - Score if any other cleaning tools or any chemicals are observed.

526 - Dispensers - soap, paper towels, toilet paper and toilet seat cover

Core Issue
Point value: 1

<u>Five Guys:</u>

- Assess the dispensers in the men's and women's restroom. Score if:
    - Dispensers are not clean
        - dust build-up
        - debris
    - Dispensers are in poor condition
        - broken
        - damaged
        - rusted
        - not attached to wall
    - Dispenser is present but not stocked. (Do not score for baby changing station dispenser empty.)
        - I.e. If a seat cover dispenser is present it must be maintained.
    - Graffiti

521 - Mirror

Core Issue
Point value: 1

<u>Five Guys:</u>

- Assess the mirror in the men's and women's restroom. Score for:
    - Cleanliness- dust build-up, debris
    - Condition- broken, oxidation, damaged
    - Graffiti

528 - Signage - articles and 'employees must wash hands' sign

Core Issue
Point value: 1
<u>Five Guys:</u>

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

- Assess the signs and articles in the men's and women's restroom. Score for
    - Cleanliness:
        - Dust/grease build-up
        - Debris
        - Stains
    - Condition:
        - Laminate peeling
        - Not secured to the wall properly/loose
        - Staples rusted
        - Water damage

Cross-reference:

- Score item 229 on the the Food Safety Assessment if the restroom is missing an 'Employee must wash hands' sign.

524 - Abnormal odor

Core Issue
Point value: 1
Five Guys:

- Assess in both the men's and women's restroom.
- Score for lingering odor associated with the drain or poor cleanliness practices.
    - The answer choice for this line item provides a standard comment for this issue.

527 - Trash cans (interior and exterior)

Core Issue
Point value: 1
Five Guys:

- Assess the interior and exterior of the trash can in the men's and women's restroom. Score for:
    - Cleanliness:
        - Debris (inside, outside and handles of can)
        - Odor
    - Condition:
        - Damaged can
    - Other:
        - Trash full (cannot put anything else in the can)
        - Women's trash can must have a covered lid

Cross-reference:

- Also score the Food Safety Assessment for:
    - No covered trash can in the women's restroom - item 243

601 - Picture of the front of the location.

Point value:

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

Five Guys:

- Take a picture that frames the entire front of the location.
- If the location is freestanding or in a strip mall, stand in a safe location, such as the parking lot, and take a picture that frames the entire front of the Five Guys location.
- If the location is in a food court, take a picture that frames the entire front counter area.
- No comment is to be recorded.

595 - Tables and chairs

Core Issue
Point value: 1

Five Guys:

For mall or airport locations – mark this item as NA and all the other items in the category will autofill as NA.

- Assess tables and chairs on the patio. Score for:
    - Tables/chairs not clean
    - Tables chairs in poor condition

Steritech

596 - Trash cans (interior and exterior)

Core Issue
Point value: 1

Five Guys:

- Assess the trash can on the patio. Score for:
    - Cleanliness:
        - Debris (inside, outside and handles of can)
        - Odor
    - Condition:
        - Damaged can
    - Other:
        - Trash full (cannot put anything else in the can)

Cross-reference:

- Also score the Food Safety Assessment for:
    - Trash cans that are not clean, damaged or overflowing - item 237

597 - Umbrellas

Core Issue
Point value: 1

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

Five Guys:

- Assess umbrellas on the patio. Score for:
    - Broken
    - Torn
    - Cleanliness- mold, debris, dust
- Do not assess if umbrellas are not present or opened.

545 - Lighting - light bulbs

Core Issue
Point value: 1

Five Guys:

- Evaluate all lighting in the kitchen. Score for:
    - Cleanliness:
        - Dead bugs
        - Grease/dust build-up
        - Debris
    - Condition:
        - Cracked/broken shield
        - Water marks
        - Burnt out bulb
        - Lighting not working
    - Other:
        - Bulbs that have different color warmth (ex. bright white and warm white)

Steritech

546 - Ceiling tiles, vents

Core Issue
Point value: 1

Five Guys:

- Score for:
    - Water stained tiles
    - Missing tiles
    - Broken tiles
    - Damaged tiles
    - Mismatched tiles
    - Tiles not properly fitted (popped up or not fitting properly)
    - Dusty/greasy vents, tiles
    - Debris
    - Chipped paint on vents
    - Rust on vents

560 - Drains

Core Issue
Point value: 1

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

Five Guys:

- Check floor drains (not assessing floors, score floors under Food Safety form). Score for:
  - Damaged drain/drain cover
  - Missing drain cover
  - Debris
  - Grease/mold build-up
  - Worn grout around drain
  - Odor

558 - Walls - stainless steel, FRP and tile

Core Issue
Point value: 1
Five Guys:

- Assess walls in the kitchen. Score for:
  - Cleanliness:
    - Dust/grease build-up
    - Debris
  - Condition:
    - Broken/damaged wall, wall tiles, FRP, stainless steel, wall junction/coving

563 - Doors (frames, handles)

Core Issue
Point value: 1
Five Guys:

- Assess doors in the kitchen. Score for:
  - Cleanliness:
    - Fingerprints
    - Debris
    - Sticky
  - Condition:
    - Rust
    - Damaged/broken
    - Chipped paint

561 - Hood vents - stainless steel, drip pans, Ansul system, trough

Core Issue
Point value: 1
Five Guys:

- Assess the hood: Score for:
  - Excessive grease/dust build-up
  - Debris
  - Cap blown off
  - Missing hood panel
  - Damaged hood panel
  - Full drip pan

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

547 - Sides and back of equipment - meat grill, bread grill, fryers, fry dump station, fry draining cart

Core Issue
Point value: 1

Five Guys:

- Assess sides and back of equipment - meat grill, bread grill, fryers, fry dump station.
    - Need to look between equipment with flashlight.
    - Behind equipment - you may not be able to see behind equipment in all instances. **Do not move hot equipment.** Only assess behind equipment if accessible (by moving non-electrical equipment on castor wheels)
- Score for:
    - Grease build-up
    - Debris

559 - Meat and bread grill details (top, corners, chutes, traps)

Core Issue
Point value: 1

Five Guys:

- Assess the grill (top, corners, chute and trap). Score for:
    - Grease build-up
    - Debris
    - Damage

548 - Fryer details (inside door and bottom/sides of filter box)

Core Issue
Point value: 1

Five Guys:

- Open the front panel and assess inside the door and the bottom of the fryer. Score for:
    - Grease build-up
    - Debris
    - Poor condition- door broken, doesn't close properly; damaged

562 - Equipment knobs/handles

Core Issue
Point value: 1

Five Guys:

- Assess all knobs/handles on all equipment in kitchen. Score for:
    - Missing knob
    - Damaged knob/handle
    - Debris

Steritech

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

549 - Electrical and gas lines

Core Issue
Point value: 1

Five Guys:

- Assess electrical and gas line (behind equipment under the hood); use a flashlight to assess
- **Do not move hot equipment.** Typically the fry draining cart can be moved to see behind the meat and bread grills.
    - Score for:
        - frayed/worn wires
        - damaged gas line
        - grease build-up
        - debris

553 - Dressing station

Core Issue
Point value: 1

Five Guys:

- Assess the dressing station. Score for:
    - Cleanliness:
        - Food splatter
        - Debris
        - Mold on gaskets
        - Cutting board not clean
    - Condition:
        - Damaged gaskets, lid, door
        - Units not working (do not score here if unit not holding temperature- that will be scored under food safety)
        - Cutting board with deep gouges
    - We are NOT assessing if the dressing table is turned on and working

Cross-reference:

- Damaged gaskets - Also score item 222 in the Food Safety Assessment in addition to scoring here.
- Gaskets not clean - Also score item 219 in the Food Safety Assessment in addition to scoring here.
- Damaged cutting board - Also score item 119 in the Food Safety Assessment in addition to scoring here.
- Cutting board not clean - Also score item 118 in the Food Safety Assessment in addition to scoring here.

556 - Line printer and number dots equipment and shelving

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

Core Issue
Point value: 1

Five Guys:

- Assess the line printer, day dots and shelving. Score for:
    - Dust/grease build-up
    - White powder
    - Debris
    - Broken printer
    - Damaged number dot holder (do not score for missing dots)
    - Rust

566 - Chef base

Core Issue
Point value: 1

Five Guys:

- Assess the chef base. Score for:
    - Cleanliness:
        - Food splatter
        - Debris
        - Mold on gaskets
    - Condition:
        - Damaged gaskets
        - Units not working (do not score here if unit not holding temperature- that will be scored under food safety)

Steritech

Cross-reference:

- Damaged gaskets - Also score item 222 in the Food Safety Assessment in addition to scoring here.
- Gaskets not clean - Also score item 219 in the Food Safety Assessment in addition to scoring here.

557 - Bread bags on dressing table

Core Issue
Point value: 1

Five Guys:

- Assess bread bags at dressing table. Score for:
    - Grease build-up on bags

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

551 - Hot holding unit

Core Issue
Point value: 1

Five Guys:

- Assess the steam well. Score for:
  - Cleanliness
    - Debris
  - Condition
    - Not working at all (do not score here for improper temperature)
    - Frayed electrical wires
    - Damaged

Cross-reference:

- Score item 103 on Food Safety form if unit not holding proper temperature.

552 - Shake machine/fountainette

Core Issue
Point value: 1

Five Guys:

If store does not have a shake machine, mark NA.

- Assess the shake machine/fountainette. Score for:
  - Cleanliness:
    - Dust/grease build-up
    - Debris
  - Condition:
    - Damaged
    - Not working
    - Frayed electrical wire

564 - Caster wheels - Grills, fryers, dressing table, fry dump station, fry draining cart, shake machine, fountainette, dressing station/salad bar, bagging table, side bread table, rolling bread rack, rolling speed rack, storage shelves under counter

Core Issue
Point value: 1

Five Guys:

- Assess caster wheels on all equipment. Score for:
  - Grease/dust build-up on wheels
  - Missing wheels
  - Damaged wheels
  - Rusted wheels

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

565 - Table legs - Bread table, dressing table, dressing station/salad bar, bagging table, fry dump station, storage shelves under counter

Core Issue
Point value: 1
Five Guys:

- Assess table legs for all equipment in the kitchen. Score for:
  - Grease/dust build-up
  - Debris
  - Damaged legs
  - Rusted legs

554 - Shelves below kitchen counter

Core Issue
Point value: 1
Five Guys:

- Assess all shelving in the kitchen (under the red counters). Score for:
  - Dust/grease build-up
  - Debris
  - Sticky
  - Damaged/broken shelves

555 - Sneeze guards

Core Issue
Point value: 1
Five Guys:

- Assess the sneeze guards. Score for:
  - Grease build-up
  - Debris
  - Fingerprints
  - Broken/cracked panel
  - Missing panel

550 - Trash cans (interior and exterior)

Core Issue
Point value: 1
Five Guys:

- Assess the trash can in the kitchen. Score for:
  - Cleanliness:
    - Debris (inside, outside and handles of can)
    - Odor
  - Condition:
    - Damaged can
  - Other:
    - Trash full (cannot put anything else in the can)

Steritech

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

Cross-reference:

- Also score the Food Safety Assessment for:
    - Trash cans that are not clean, damaged or overflowing - item 237

570 - Red counter

Core Issue
Point value: 1
Five Guys:

- Assess POS/Counter area. Score for:
    - Grease/dust build-up
    - Debris
    - Sticky
    - Damaged counter (chip larger than 1/2"; scratch longer than 1")
    - Discolored counter

576 - Napkins

Core Issue
Point value: 1
Five Guys:

- Score for:
    - Napkin stack is not at least 6" high
    - Napkin holder is not clean (if napkin holder is available- it is not required)
    - No napkins available
- DO NOT SCORE if the napkins are not in a holder, a holder is not required.

577 - Menuboard

Core Issue
Point value: 1
Five Guys:

- Assess menuboard. Score for:
    - Grease/dust build-up
    - Peeling lettering/numbers
    - Damage

571 - POS/credit card terminal - front, back and sides

Core Issue
Point value: 1
Five Guys:

- Assess POS/credit card terminal (front, back, sides). Score for:
    - Grease/dust build-up
    - White powder
    - Debris
    - Damaged machine

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

572 - Stacks of cups and cup holders

Core Issue
Point value: 1
Five Guys:

- Assess stacks of cups. Score for:
    - Empty cup holder
    - Damaged cup holder
    - Grease/dust build-up on cup holder
    - Debris on cup holder

580 - Lighting - bulbs and emergency lights

Core Issue
Point value: 1
Five Guys:

- Evaluate all lighting in the prep area/BOH. Score for:
    - Cleanliness:
        - Dead bugs
        - Grease/dust build-up
        - Debris
    - Condition:
        - Cracked/broken shield
        - Water marks
        - Burnt out bulb
        - Lighting not working
    - Other:
        - Bulbs that have different color warmth (ex. bright white and warm white)
        - Emergency lights not working
            - Ask the Manager to test the light. You should not test the light.

581 - Ceiling tiles, vents

Core Issue
Point value: 1
Five Guys:

- Assess ceiling tiles and vents in the prep area/BOH. Score for:
    - Water stained tiles
    - Missing tiles
    - Broken tiles
    - Damaged tiles
    - Mismatched tiles
    - Tiles not properly fitted (popped up or not fitting properly)
    - Dusty/greasy vents, tiles

Steritech

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

    - Debris/food splatter
    - Chipped paint on vents
    - Rust on vents

582 - Drains, grease trap cover

Core Issue
Point value: 1
Five Guys:

- Check floor drains (not assessing floors, score floors under Food Safety form). Score for:
    - Damaged drain/drain cover
    - Missing drain cover
    - Debris
    - Grease/mold build-up
    - Worn grout around drain
    - Damaged grease trap cover/lid (rusted, etc.)
        - Do not score cleanliness of grease trap cover here, score on FSA
    - Odor

Cross-reference:

- Score cleanliness of grease trap cover/lid under FSA item 236

583 - Doors (frames, handles, walk-in)

Core Issue
Point value: 1
Five Guys:

- Assess doors in the kitchen. Score for:
    - Cleanliness:
        - Fingerprints
        - Debris
        - Sticky
    - Condition:
        - Rust
        - Damaged/broken
        - Chipped paint

585 - Caster wheels - prep tables and black cart

Core Issue
Point value: 1
Five Guys:

- Assess caster wheels on equipment. Score for:
    - Grease/dust build-up on wheels
    - Missing wheels
    - Damaged wheels
    - Rusted wheels

586 - Table legs - prep table, dish sink, prep sink, ice machine

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

Core Issue
Point value: 1

Five Guys:

- Assess table legs for equipment in prep area/BOH. Score for:
    - Grease/dust build-up
    - Debris
    - Damaged legs
    - Rusted legs

587 - Mop sink - mops, brooms, dustpans, squeegees, mop bucket

Core Issue
Point value: 1
Five Guys:

- Assess the mop sink. Score for:
    - Mops, brooms, squeegee not hung to dry
    - Mop sink not clean
    - Mop sink damaged
    - Mop sink not organized
    - Mop bucket not clean
    - Mop bucket damaged
    - Garden hose laying in mop sink (should be coiled and hung)- we are not assessing the floor cleaner dispenser hose
    - Odor

588 - Wall-mounted dunnage racks

Core Issue
Point value: 1
Five Guys:

- Assess the wall mounted dunnage racks in the prep area/BOH (Do not assess the free standing shelving, that is assessed under the Food Safety assessment). Score for:
    - Grease/dust build-up
    - Debris
    - Damaged racks

584 - Trash cans (interior and exterior)

Core Issue
Point value: 1
Five Guys:

- Assess the trash can on the patio. Score for:
    - Cleanliness:
        - Debris (inside, outside and handles of can)
        - Odor
    - Condition:
        - Damaged can
    - Other:

Steritech

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

        - Trash full (cannot put anything else in the can)

Cross-reference:

- Also score the Food Safety Assessment for:
    - Trash cans that are not clean, damaged or overflowing - item 237

590 - All required Five Guys equipment is available

Point value:
Five Guys:

- **NEW** This line item will be informational. Five Guys has asked us to start assessing locations for the following equipment:
    - 2 complete potato cutters (1 in use and one backup)
    - 1 complete tomato slicer and 1 backup blade set
    - 2 scales (1 in use and one backup)
    - Hanging thermometers
        - One in each refrigeration unit
        - 2 back-ups
- In-use can be in the process of being used or accessible (ex: sitting on a shelf)
    - Back up can be out, in use, or stored (ex: in the filing cabinet)

540 - Desk area overall - clean and organized; no food

Core Issue
Point value: 1
Five Guys:

- Score for:
    - Desk not clean
    - Disorganized
    - Wiring not contained
    - Food on desk (beverages are allowed)

541 - Personal items storage area

Core Issue
Point value: 1
Five Guys:

- Assess the lockers/cubbies. Score if:
    - Not clean and organized
    - Food/drinks in the lockers
    - Damage to the lockers/cubbies

600 - Did the location have a perfect MMCCA score?

Point value:
Five Guys:

- Document here if a location received a perfect score in addition to reaching out to the TSC before finalizing the leave behind report.

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.

Steritech

This document is the property of The Steritech Group, Inc. and/or its parent corporation, Rentokil North America, Inc. If forwarded to you, it is for the exclusive use of the party identified as it may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited.