





~~API~~



`{"name": "AWS", "seats": 100}`

POST API



Unique id

Connected to internet

Module

*.py file which contains python code and can be imported & used in other python files

```
moduleA.py x
1 def say_hello(name): 1 usage
2     return f"Hello, {name}!"
3
4
5 def say_goodbye(name): 1 usage
6     return f"Goodbye, {name}!"
7
```


Package

- A folder with `--init--.py` file
- It contains multiple modules.

▼  hospitality

 `--init--.py`

 `moduleA.py`


 `moduleB.py`

Virtual Environments

```
(fastapi_env) mohitchouhan@Mohits-MacBook-Pro-2 MohitBoxOffice % python3 -m venv mango
```




python 3.9
(env 1)



python 3.9
(env 2)

```
(fastapi_env) mohitchouhan@Mohits-MacBook-Pro-2 MohitBoxOffice % which python  
/Users/mohitchouhan/Desktop/Personal/fastapi_env/bin/python
```


Pip & Package Management




```
(fastapi_env) mohitchouhan@Mohits-MacBook-Pro-2 MohitBoxOffice % pip install flask
Collecting flask
  Downloading flask-3.1.2-py3-none-any.whl.metadata (3.2 kB)
Collecting blinker>=1.9.0 (from flask)
  Downloading blinker-1.9.0-py3-none-any.whl.metadata (1.6 kB)
Requirement already satisfied: click>=8.1.3 in /Users/mohitchouhan/Desktop/Personal/fastapi_env/lib/python3.9/site-packages (from flask) (8.1.8)
Collecting importlib-metadata>=3.6.0 (from flask)
  Using cached importlib_metadata-8.7.0-py3-none-any.whl.metadata (4.8 kB)
Collecting itsdangerous>=2.2.0 (from flask)
  Downloading itsdangerous-2.2.0-py3-none-any.whl.metadata (1.9 kB)
Collecting jinja2>=3.1.2 (from flask)
  Using cached jinja2-3.1.6-py3-none-any.whl.metadata (2.9 kB)
Collecting markupsafe>=2.1.1 (from flask)
  Downloading MarkupSafe-3.0.2-cp39-cp39-macosx_11_0_arm64.whl.metadata (4.0 kB)
Collecting werkzeug>=3.1.0 (from flask)
  Downloading werkzeug-3.1.3-py3-none-any.whl.metadata (3.7 kB)
Collecting zipp>=3.20 (from importlib-metadata>=3.6.0->flask)
  Using cached zipp-3.23.0-py3-none-any.whl.metadata (3.6 kB)
Downloading flask-3.1.2-py3-none-any.whl (103 kB)
Downloading blinker-1.9.0-py3-none-any.whl (8.5 kB)
Using cached importlib_metadata-8.7.0-py3-none-any.whl (27 kB)
Downloading itsdangerous-2.2.0-py3-none-any.whl (16 kB)
Using cached jinja2-3.1.6-py3-none-any.whl (134 kB)
Downloading MarkupSafe-3.0.2-cp39-cp39-macosx_11_0_arm64.whl (12 kB)
Downloading werkzeug-3.1.3-py3-none-any.whl (224 kB)
Using cached zipp-3.23.0-py3-none-any.whl (10 kB)
Installing collected packages: zipp, markupsafe, itsdangerous, blinker, werkzeug, jinja2, importlib-metadata, flask
Successfully installed blinker-1.9.0 flask-3.1.2 importlib-metadata-8.7.0 itsdangerous-2.2.0 jinja2-3.1.6 markupsafe-3.0.2 werkzeug-3.1.3 zipp-3.23.0

[notice] A new release of pip is available: 24.3.1 -> 25.2
[notice] To update, run: pip install --upgrade pip
```



```
(fastapi_env) mohitchouhan@Mohits-MacBook-Pro-2 MohitBox0ffice % which python  
/Users/mohitchouhan/Desktop/Personal/fastapi_env/bin/python
```

```
(fastapi_env) mohitchouhan@Mohits-MacBook-Pro-2 MohitBox0ffice % python3 -m venv mango
```



A file explorer window showing the contents of the 'mango' directory. The directory is expanded, showing subdirectories 'bin', 'include', and 'lib', and a file 'pyvenv.cfg'.

- ▼ mango
 - > bin
 - include
 - > lib
 - pyvenv.cfg

```
(fastapi_env) mohitchouhan@Mohits-MacBook-Pro-2 MohitBox0ffice % source mango/bin/activate
```

```
(mango) mohitchouhan@Mohits-MacBook-Pro-2 MohitBox0ffice %
```



```
(mango) mohitchouhan@Mohits-MacBook-Pro-2 MohitBox0ffice % pip freeze
```

```
(mango) mohitchouhan@Mohits-MacBook-Pro-2 MohitBox0ffice % source ~/Desktop/Personal/fastapi_env/bin/activate
```

```
(fastapi_env) mohitchouhan@Mohits-MacBook-Pro-2 MohitBox0ffice % pip freeze
```

```
annotated-types==0.7.0
```

```
anyio==3.7.1
```

```
blinker==1.9.0
```

```
certifi==2025.7.14
```

```
charset-normalizer==3.4.3
```

```
click==8.1.8
```

```
exceptiongroup==1.3.0
```

```
fastapi==0.104.1
```

```
Flask==3.1.2
```

gives all
the installed packages