

DOOR HARDWARE CATALOG

Professional Hardware
for Residential & Commercial Projects
Engineered for Reliability

CONTENTS

01

Brand Story03

02

Product Collection06

03

Supply & Services58

04

Contact60



BRAND STORY

FIXORA is an architectural hardware brand focused on delivering stable, professional-grade hardware solutions for the construction industry.

Built specifically for distributors, contractors, and project-based procurement, we provide dependable products supported by efficient manufacturing and reliable supply systems.

Through consistent quality, scalable production capacity, and North America-focused logistics, FIXORA helps partners build long-term business growth with confidence.



Trade-focused
Brand



Construction
Supply Partner



Stable
Distribution



North America
Network



CORE POSITIONING



Trade-focused Brand

Built exclusively for professional distribution channels.



Construction Supply Partner

Reliable hardware solutions for residential and commercial construction.



Stable Distribution Support

Consistent quality and predictable supply for growing markets.



North America Network

Efficient inventory and replenishment for faster delivery.

PRODUCT COLLECTION

Complete architectural hardware solutions for residential and commercial projects.

MECHANICAL LOCKS

Reliable locking systems designed for everyday performance, security, and durability.



DOOR HARDWARE ACCESSORIES

Complete installation components engineered for smooth operation and long service life.





MECHANICAL LOCKS

Reliable Locking Solutions
For Residential & Commercial Projects



Door Konb - Crystal



Material :	Crystal knob/Zinc alloy cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover:	3-55/64" × 2-41/64"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Door Konb - Crystal



Material :	Crystal knob/Zinc alloy cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover:	Φ2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Door Konb - Crystal



Material :	Crystal knob/Zinc alloy cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover:	Φ2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Front Entry Handle



Material :	Zinc alloy panel and lever / Stainless steel handle
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Outside panel:	10-11/32"×2-9/16"×33/64"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Front Entry Handle



Material :	Zinc alloy panel and lever / Stainless steel handle
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Outside panel:	17"×2-9/16"×33/64"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Front Entry Handle



Material :	Zinc alloy panel and lever
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Rose	Φ 2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Front Entry Handle



Material :	Zinc alloy panel and lever
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover	2-9/16" x 2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Security Set



Material :	Zinc alloy thumb knob / Stainless steel rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Security Set



Material :	Zinc alloy lever / Stainless steel rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Security Set



Material :	Zinc alloy lever and cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Cover:	2-9/16"x2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Door Konb



Material :	Stainless steel knob and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Door Konb



Material :	Stainless steel knob and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Door Konb



Material :	Stainless steel knob and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Door Konb



Material :	Stainless steel knob and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Door Konb



Material :	Stainless steel knob and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Door Konb



Material :	Stainless steel knob and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Cover:	2-9/16"×2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Door Konb



Material :	Stainless steel knob and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Cover:	2-9/16" × 2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Door Konb



Material :	Stainless steel knob and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Cover:	2-9/16" × 2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Door Konb



Material :	Zinc alloy knob/ aluminum alloy cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover:	2-9/16" × 2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Door Konb



Material :	Zinc alloy knob & cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover:	2-9/16" × 2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door



Door Lever



Material :	Zinc alloy cover / Aluminum alloy lever
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Cover :	2-9/16"x2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Zinc alloy lever and cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Cover :	2-9/16"x2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Zinc alloy cover / Aluminum alloy lever
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Aluminum alloy lever / Zinc alloy cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover :	2-9/16" x 2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Aluminum alloy lever / Stainless steel cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Cover :	2-9/16" x 2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Aluminum alloy lever / Zinc alloy cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Rose :	2-9/16" x 2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Aluminum alloy lever / Zinc alloy cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover :	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Aluminum alloy lever / Stainless steel rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Zinc alloy lever and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-3/4"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Zinc alloy lever / Stainless steel rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Zinc alloy lever / Stainless steel rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Stainless steel lever and cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover :	2-9/16"x2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Stainless steel lever and cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover :	2-9/16"x2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Stainless steel lever and cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover :	2-9/16"x2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Stainless steel lever and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Rose:	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Stainless steel lever and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Rose:	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Stainless steel lever and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Rose:	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Zinc alloy lever/ Stainless steel rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Rose:	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Aluminum alloy lever/ Stainless steel rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Rose:	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Zinc alloy lever/ Stainless steel cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover :	2-19/32" × 3-5/8"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Door Lever



Material :	Zinc alloy lever/ Stainless steel cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover :	2-9/16"x2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Deadbolt



Material :	Stainless steel rose/ Zinc alloy Thumb knob
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Deadbolt



Material :	Stainless steel rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Deadbolt



Material :	Zinc alloy cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Cover :	2-9/16"x2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Deadbolt



Material :	Zinc alloy cover and Thumb knob
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Cover :	2-9/16"x2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door



Deadbolt



Material :	Zinc alloy cover and Thumb knob
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Cover :	3-11/32"x2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door





DOOR HARDWARE ACCESSORIES

Complete Components
For Professional Installation



Features


- For wooden frames
- With loose pin
- For flush interior doors
- Knuckle without ball bearings
- Suitable for left hand and right hand

Technical data

Max. door weight for 3 door hinges 50 kg

Knuckle diameter 11 mm

Steel Material thickness 2.15 mm



Fixing

Cutting depth 2.3 mm

Description	Material	Finish	Size (Inch)
Butt Hinge	Steel	BK	3.5×3.5
Butt Hinge	Steel	SN	3.5×3.5



Features


- For wooden frames
- For flush interior doors
- With loose pin
- Knuckle without ball bearings
- Suitable for left hand and right hand

Technical data

Max. door weight for 3 door hinges 50 kg

Knuckle diameter 11 mm

Steel Material thickness 2.15 mm



Fixing

Cutting depth 2.3 mm

Description	Material	Finish	Size (Inch)
Butt Hinge	Steel	BK	3.5×3.5
Butt Hinge	Steel	SN	3.5×3.5



Features


- For wooden frames
- For flush interior doors
- With loose pin
- Knuckle without ball bearings
- Suitable for left hand and right hand

Technical data

Max. door weight for 3 door hinges 50 kg

Knuckle diameter 11 mm


Steel Material thickness 2.15 mm



Fixing


Cutting depth 2.3 mm

Description	Material	Finish	Size (Inch)
Butt Hinge	Steel	BK	4×4
Butt Hinge	Steel	SN	4×4




SPECIFICATION MP02201

Material	Finsh
Stainless steel	Satin Nickel
Stainless steel	Polished Chrome
Stainless steel	Matte Black




SPECIFICATION MP02104

Material	Finsh
Stainless steel	Satin Nickel
Stainless steel	Polished Chrome
Stainless steel	Matte Black



SPECIFICATION MP01202

Material	Finsh
Zinc alloy	Satin Nickel
Zinc alloy	Polished Chrome
Zinc alloy	Matte Black



SPECIFICATION MP01203

Material	Finsh
Zinc alloy	Satin Nickel
Zinc alloy	Polished Chrome
Zinc alloy	Matte Black

SUPPLY & SERVICES

FIXORA operates as a professional supply partner for distributors and construction projects.

We Provide



Stable Supply Chain



North America Inventory



Low MOQ



Fast Logistics



OEM Manufacturing



Private Label Support



Reliable Delivery



Professional Service

WHY CHOOSE FIXORA

Your Reliable Hardware Supply



Stable Supply



Low MOQ



Fast Delivery



OEM & Private Label



Consistent Quality



Professional Support



North America Inventory



LET'S BUILD LONG-TERM SUCCESS TOGETHER.

FIXORA supports distributors, contractors, and project partners with dependable hardware solutions and scalable supply systems.

✉ mike@probuildercorp.com

🌐 www.fixora-hardware.com

FIXORA
Engineered for Reliability

