	Dates (I	ivia)								Composition				isotopic Ratios							
Fraction	206Pb/ 238U	±2σ abs	207Pb/ 235U	±2σ abs	207Pb/ 206Pb	±2σ abs	Corr. coef.	% disc <sup>b</sup>	Th/ Մ	Pb* (pg) <sup>d</sup>	Pbc (pg) <sup>e</sup>	Pb*/	206Pb/ 204Pb	206Pb/ 238U	<b>±2</b> σ %	207Pb/ 235U	<b>±2</b> σ %	207Pb/ 206Pb	<b>±2</b> σ %	Fraction	
zircon																					
z1	70.568	0.038	70.42	0.20	65.4	6.5	0.525	-7.95	0.08	20.1	0.49	41	2793	0.0110070	0.054	0.07181	0.30	0.04732	0.27	<b>z</b> 1	
z2	70.556	0.036	70.74	0.14	76.9	4.4	0.577	8.30	0.31	42.0	0.66	64	4045	0.0110051	0.051	0.07215	0.21	0.047550	0.19	z2	
z3	70.544	0.034	70.54	0.11	70.5	3.3	0.565	-0.04	0.61	58.7	0.55	107	6238	0.0110033	0.048	0.07194	0.16	0.047422	0.14	z3	
z4	70.562	0.036	70.53	0.13	69.6	4.0	0.594	-1.35	0.28	34.4	0.44	78	4950	0.0110060	0.051	0.07194	0.19	0.047404	0.17	z4	
z5	70.566	0.038	70.48	0.23	67.7	7.2	0.547	-4.31	0.34	26.9	0.72	38	2363	0.0110067	0.054	0.07188	0.33	0.04736	0.30	z5	
<b>z</b> 6	70.524	0.039	70.60	0.24	73.3	7.8	0.491	3.78	0.47	19.3	0.50	39	2354	0.0110001	0.056	0.07201	0.35	0.04748	0.33	z6	
<b>z</b> 7	70.557	0.044	70.51	0.27	68.9	8.8	0.536	-2.40	0.36	13.4	0.40	34	2106	0.0110053	0.062	0.07191	0.40	0.04739	0.37	<b>z</b> 7	
<b>z</b> 8	70.573	0.035	70.62	0.12	72.2	3.7	0.588	2.20	0.36	49.1	0.59	83	5171	0.0110077	0.049	0.07202	0.18	0.047454	0.16	<b>z8</b>	
<b>z</b> 9	70.556	0.035	70.64	0.13	73.6	3.8	0.663	4.11	0.83	44.7	0.42	105	5808	0.0110051	0.050	0.07205	0.19	0.047483	0.16	z9	
z10	70.570	0.035	70.66	0.13	73.7	4.1	0.548	4.26	0.80	41.6	0.44	95	5257	0.0110073	0.049	0.07207	0.19	0.047485	0.17	z10	
z11	70.559	0.036	70.61	0.14	72.2	4.4	0.485	2.34	0.78	39.3	0.44	90	5020	0.0110056	0.051	0.07201	0.20	0.047456	0.18	z11	
z12	70.530	0.035	70.55	0.12	71.2	3.6	0.587	0.92	0.85	52.4	0.47	111	6075	0.0110011	0.049	0.07195	0.17	0.047435	0.15	z12	
z13	70.538	0.034	70.58	0.11	72.0	3.4	0.548	2.06	0.59	68.5	0.68	100	5890	0.0110023	0.048	0.07198	0.16	0.047452	0.14	z13	
z14	70.533	0.037	70.62	0.18	73.6	5.7	0.580	4.15	0.80	41.1	0.73	56	3133	0.0110016	0.052	0.07203	0.27	0.04748	0.24	z14	
z11 z12 z13	70.559 70.530 70.538	0.036 0.035 0.034	70.61 70.55 70.58	0.14 0.12 0.11	72.2 71.2 72.0	4.4 3.6 3.4	0.485 0.587 0.548	2.34 0.92 2.06	0.78 0.85 0.59	39.3 52.4 68.5	0.44 0.47 0.68	90 111 100	5020 6075 5890	0.0110056 0.0110011 0.0110023	0.051 0.049 0.048	0.07201 0.07195 0.07198	0.20 0.17 0.16	0.047456 0.047435 0.047452	0.18 0.15 0.14	z11 z12 z13	

Isotonic Ratios

Composition

- a Isotopic dates calculated using the decay constants  $\lambda 238 = 1.55125E-10$  and  $\lambda 235 = 9.8485E-10$  (Jaffey et al. 1971).
- b % discordance = 100 (100 \* (206Pb/238U date) / (207Pb/206Pb date))
- c Th contents calculated from radiogenic 208Pb and the 207Pb/206Pb date of the sample, assuming concordance between U-Th and Pb systems.
- d Total mass of radiogenic Pb.

Dates (Ma)

- e Total mass of common Pb.
- f Ratio of radiogenic Pb (including 208Pb) to common Pb.
- g Measured ratio corrected for fractionation and spike contribution only.
- h Measured ratios corrected for fractionation, tracer and blank.