FVGs + IFVG + OTE User Manual

TradingView indicator “FVGs+IFVG+OTE5” (Pine Script v6, overlay) by franjballest. This manual describes the script as it is written in `FVGS+IFVG+OTE.txt`. Where the design document and the code differ, this manual follows the code.

1. Overview

The indicator works on the chart timeframe. It finds fair value gaps (FVGs) on your execution chart, watches them for inversion, and tells you when an inverted FVG (IFVG) lines up with an ICT Optimal Trade Entry (OTE) on the chart timeframe or on the next two higher timeframes. It also draws the first presented FVG of the session open, the C.E. of large candle wicks, and a set of optional filters and tags taken from Nuno’s Delivery Engine.

Element	What it is	Drawn as
FVG	Three-candle gap on the chart timeframe, bullish or bearish	Box (or box without fill, or high / low / C.E. lines), with a dotted C.E. line when it is large enough
1st presented FVG (1PFVG)	First FVG after the session open (09:30 New York, 09:00 Madrid for DAX), on minute charts up to **Show 1m 1PFVGs up to** (1H)	Cyan box (blue on Mondays, purple on Fridays, see section 5) extended to the right, with C.E.
Inverse 1PFVG	Optional: the first FVG of the opposite bias after the 1PFVG	Dark magenta box extended to the right
Wick C.E.	Midpoint of a large upper or lower candle wick	Short black horizontal segment
IFVG candidate	The latest bullish and bearish FVG, under watch for inversion	The FVG’s own box restyled in IFVG colors, thicker border, no label
IFVG	An FVG that a candle closed through	The same box with a label: `IFVG+` (bullish) or `IFVG-` (bearish); bold at a breaker, bold with an arrow at a mitigation block
OTE IFVG	An IFVG that matches the 0.62 - 0.79 retracement of a leg	Label `IFVG+ OTE 5m+15m` (timeframes that matched), yellow border
OTE bands	The OTE zone of each tracked leg	Dashed boxes to the right of the last candle, one column per timeframe
A+ tag	Delivery Engine setup: IFVG or FVG right after a liquidity sweep / MSS	`A+` in the label or on the FVG box
Signals	Optional markers where the alerts fire	`LONG` / `SHORT` triangles and `OTE` diamonds

Two indicators are generated from this one and always stay in sync with it:

- **FVGs+IFVG+OTE4** (`FVGS+IFVG+OTE4.txt`): this indicator without breakers, mitigation blocks, the Delivery Engine (sections 9 to 11, and the A+ label part) and without swing mode. The IFVG confirmation (close or full body) and the inversion rules of the IFVG Settings stay (IFVGs are always created on a close through the FVG). Everything else, and its defaults, is the same.
- **ICTblocks** (`ICTblocks.txt`): only the breakers, mitigation blocks and the Delivery Engine. It finds the FVGs and close-mode IFVGs exactly as this indicator does (all FVGs, no filter, no 1PFVGs) because the blocks are drawn at their pullbacks, but it draws none of them, so the block **Rectangle** is on by default, filled semi-transparent in the block color and labeled B↑ / B↓ or M↑ / M↓, by default centered on the right side (its **Label** input moves it to the left, the middle or a top corner) (the **Shadow rectangle** keeps its grey fill, with the same label). **Border only (no fill)**, in each group, drops that fill and keeps the border and the label. The rectangle is drawn from the close beyond the zone on, lighter, and grows while the block waits for its pullback; a block dropped before it (failed, too old, or beyond the number kept) is erased. Once tagged, its rectangle gets the full fill and ends at the pullback candle: the block did its job when price leaves it in its direction, and failed (removed) when price trades through it. Of the Delivery Engine it keeps what still shows without FVG boxes: the displacement filter of those FVGs, the colored displacement candles, and the IFVG confirmation and inversion rules; A+ and the displacement border are only marks on FVG / IFVG boxes and are left out. Use it next to FVGs+IFVG+OTE4 to get the full indicator split in two.

The indicator raises alerts for IFVG signals, OTE IFVG signals and, optionally, bounces on FVG levels and wick C.E. levels. It does not place orders and does not compute stops or targets.

2. Quick start

1. Add “FVGs+IFVG+OTE5” to the chart.
2. Use an intraday execution chart. For the full feature set on NQ or DAX use **1m or 3m** (1PFVGs are tracked on minute charts up to 1H by default) or **5m** (higher timeframe OTE on 15m and 1h).
3. Start with the defaults: all FVGs drawn, 1PFVGs, wick C.E. and IFVGs on, close-mode IFVGs, OTE detection on the chart and the next two higher timeframes, IFVG alerts on, all Delivery Engine features off.
4. Create one TradingView alert with the condition **“Any alert() function call”** on this indicator (see section 13). That alert delivers the IFVG and OTE IFVG messages.
5. If the chart is too busy, change **Draw** to `IFVGs` (only IFVG boxes and OTE bands) or `1PFVGs+IFVGs`, or set **FVG filter** to `sweeps`.

Recommended setups

Goal	Chart	Settings to change
NY open on NQ, all tools	1m or 3m	Defaults (TZ `Auto` gives 09:30 New York)
DAX open	1m or 3m	Defaults (TZ `Auto` detects DAX / FDX / Germany and uses 09:00 Madrid)
Clean IFVG execution chart	1m to 5m	**Draw** = `IFVGs`; optionally **Alert only OTE**
Only FVGs around liquidity sweeps	any intraday	**FVG filter** = `sweeps`, `sweeps&mid`, `relevant` or `recent relevant`

Goal	Chart	Settings to change
Higher-quality FVGs	any intraday	**Displacement FVGs only**, or just **Flag displacement FVGs** to see them thicker
A+ setups	1m to 15m	**A+ setups** on; optionally **A+ only with the HTF structure**

Chart timeframes

Chart	1PFVG	HTF OTE trackers	Killzone filter (A+)
Seconds, 1m, 2m, 3m, 4m	Yes (minute charts; from the 1m candles above 1m)	5m and 15m	Applied
5m	Yes (from the 1m candles)	15m and 1h	Applied
15m	No	1h and 4h	Applied
1h	No	4h and D	Ignored
4h	No	D only	Ignored
D and above	No	None (chart only)	Ignored

Platform time zone

The calculations do not depend on the chart's time zone. The 1PFVG session time and the killzones use the **TZ** input of the 1st Presented FVGs section (`Auto` = Europe/Madrid for DAX, America/New_York for everything else). You can set your TradingView chart to any time zone; New York (for NQ) or Madrid / Berlin (for DAX) makes the 1PFVG easiest to read on the time axis.

3. Reading the chart

Colors (defaults)

Element	Fill	Border / line
Bullish FVG	Orange `#FF6D00`, 90% transparent	Orange, 20% transparent
Bearish FVG	Red `#f7525f`, 90% transparent	Red, 20% transparent
Day 1PFVG	Cyan `#00fbff`, 90% transparent	Teal `#0097a7`
Week 1PFVG	Blue `#2962ff`, 90% transparent	Blue
Inverse 1PFVG	Dark magenta `#880e4f`, 80% transparent	Dark magenta
Bearish IFVG (`IFVG-`, from a bullish FVG)	Aqua, 80% transparent	Aqua, 20% transparent, width 2
Bullish IFVG (`IFVG+`, from a bearish FVG)	Orange, 80% transparent	Orange, 20% transparent, width 2
OTE IFVG	IFVG fill	Yellow border

Element	Fill	Border / line
OTE band, matching	Yellow, 85% transparent	Yellow, dashed
OTE band, not matching	Gray, 92% transparent	Gray, dashed
Invalidated IFVG (inversion rules, Fade)	Gray, 85% transparent	Same gray, width 1
Wick C.E.	n/a	Black, solid
Displacement candle (optional)	Yellow candle	n/a

Note the IFVG colors: a bullish FVG that is closed through becomes a bearish IFVG and is drawn in aqua; a bearish FVG closed through becomes a bullish IFVG and is drawn in orange. In the settings the two swatches are on the line **Bullish / Bearish IFVG colors**: the first swatch (orange) colors the bullish IFVGs (`IFVG+`, long setups, also the `LONG` marker) and the second (aqua) colors the bearish IFVGs (`IFVG-`, short setups, also the `SHORT` marker).

Borders

- Width 1: regular FVGs and 1PFVGs.
- Width 2: IFVG candidates and IFVGs.
- Width 3 (adjustable): FVGs whose middle candle is a displacement candle, when **Flag displacement FVGs** is on.

Labels

IFVG labels are written inside the box, black, small, right-aligned and vertically centered by default.

Label	Meaning
(no text, IFVG colors)	IFVG candidate, not confirmed yet; it shows `B↑/B↓`, `M↑/M↓` or `BM↑/BM↓` when its FVG was tagged at a breaker or mitigation block
`IFVG+`	Bullish IFVG confirmed: a bearish FVG was closed through to the upside
`IFVG-`	Bearish IFVG confirmed: a bullish FVG was closed through to the downside
`IFVG- ×2`	Inversion rules on: the zone was inverted a second time (the direction alternates)
`IFVG+ OTE 5m`	OTE IFVG; the OTE matched on the 5m swings
`IFVG- OTE 3m+15m`	OTE matched on more than one timeframe on the same bar
`... A+`	Delivery Engine A+ setup
`A+` on a plain FVG box	A+ FVG (born from an MSS with displacement after a sweep)
`OTE` on a plain FVG box	OTE FVG (section 8, **Flag OTE FVGs**); added after `A+`, `B↑/B↓`, `M↑/M↓` or `BM↑/BM↓`, for example `B↑ OTE`

The parts can be switched off with **Label parts: OTE TF**, **+ / -** and **A+**. With all three off an OTE IFVG reads `IFVG OTE`. **Labels** off hides all IFVG text (it is drawn fully transparent).

OTE bands carry their own small text: the timeframe tag (for example `5m`) for the retrace band, and the timeframe tag plus `OTE` (for example `15m OTE`) for a prior-leg rejection band, followed by `↑` for a bullish IFVG (long) or `↓` for a bearish one (short), for example `5m ↑` or `15m OTE ↓`.

Optional labels: `SWING HIGH` / `SWING LOW` (blue, swing mode with **Swing labels** on), and the `LONG` / `SHORT` and `OTE` markers (with **Show signals** and **Signals**).

4. Chart-timeframe FVGs

What you see

Boxes from the first candle of each gap to the candle that mitigated it. A box stops growing when the FVG is mitigated. Open FVGs keep growing to the current bar. FVGs taller than 20 points get a dotted C.E. line through the middle.

What it is

On every new bar the script looks at the three previous candles (candle 1 is the newest):

- **Bullish FVG**: the low of candle 1 is above the high of candle 3.
- **Bearish FVG**: the high of candle 1 is below the low of candle 3.

The gap is valid when its wick-to-wick height is larger than **Size: min** (3 points) and smaller than **max** (10000 points). The drawn zone is the wick gap, widened to a candle body when there is also a gap between bodies next to it (a suspension block, in the code's words "include suspension blocks"); this also captures volume imbalances at the edges of the gap. The C.E. (consequent encroachment) is the midpoint of the drawn zone.

An FVG is **mitigated** when a candle closes or opens beyond its far side: below the low of a bullish FVG, above the high of a bearish FVG. Its box is then fixed at that candle.

The script keeps the last **keep** (200) bullish and the last 200 bearish FVGs; older ones are deleted.

Merging near-identical FVGs

ICT price action often prints a second FVG at almost the same place as an existing one. With **Merge tol. %** at 10, a new FVG (of either bias) whose high and low are each within 10% of its height of an existing drawn FVG is not drawn. The existing box absorbs it: it is widened to the higher high and lower low, its C.E. moves, and if it had been mitigated it is opened again. The absorbed FVG still feeds the IFVG logic, so the merged box can become the IFVG box. A box currently shown as an IFVG is never widened. Set the tolerance to 0 to turn merging off.

FVG filter (liquidity sweeps)

With **FVG filter** = `none` every FVG is drawn. The other modes draw only the FVGs that matter around a liquidity sweep:

- A short-term high / low is a pivot with **sweep pivots L, R** candles on each side (3 / 3). A sweep is a candle that trades above the last short-term high or below the last short-term low.
- `sweeps`: on a sweep, the last FVG created before it is revealed (drawn from where it started), and the first FVG created after it is drawn when it forms. Other FVGs are hidden.
- `sweeps&mid`: also the largest FVG whose start lies near the middle of the arm, the move from the last opposite short-term pivot to the sweep (within 25% of the arm's length on each side of its middle).
- `relevant`: the FVGs that matter now. The first FVG after each sweep; the last FVG before a sweep, but only once price closes through it (it becomes an IFVG); every FVG that becomes an OTE FVG; and, on the last candle, live FVGs within **min swing ATR** × ATR of the price. FVGs smaller than the C.E. minimum size are drawn lighter (halfway to fully transparent) and with no border, and are hidden once filled unless a short-term pivot formed within a candle before or three after their start, or they were widened by a merge. No extra inputs.
- `recent relevant`: as `relevant`, but hidden FVGs older than 1000 candles are dropped and can no longer reappear. `relevant` is the slowest filter, since on every candle it checks every hidden live FVG; on long 1m histories `recent relevant` is noticeably faster.
- Nothing is drawn before the first sweep (except near-price boxes with `relevant` / `recent relevant`). The values "one FVG after the sweep" and "25%" are fixed, not inputs.
- 1PFVGs are not filtered. The close-mode IFVG logic still uses every FVG: a hidden FVG that becomes an IFVG candidate gets its own IFVG box. In swing mode, IFVG candidates come only from the drawn FVGs, so the filter also decides which FVGs can become IFVGs.

FVG style

- `Box`: filled box with a border.
- `Box, no fill`: border only.
- `Segments (hi / lo / C.E.)`: no box, three lines (high, low, C.E.). This uses up to three lines per FVG against the script's limit of 500 lines, so fewer FVGs stay visible.

How to use it

- In a bullish context, look for price to retrace into a bullish FVG and hold the C.E. or the far side; the reverse for bearish FVGs.
- Mitigated FVGs (closed boxes) show where an imbalance has already been traded through; the most recent of them are the IFVG candidates (section 7).
- Use **FVG bounce alerts** if you want to be told when price touches the high, low or C.E. of an open FVG and closes away from it.

5. 1st Presented FVGs

What you see

A cyan box (default) for the first FVG after the session open, extended to the right with its C.E. line, plus up to five previous days' 1PFVGs. Optionally, a dark magenta inverse 1PFVG.

What it is

- **Session time**: **Time** (default `0930`) in the **TZ** time zone. With TZ = `Auto` the script uses 09:30 America/New_York, except for symbols whose ticker or description contains `DAX`, `FDX` or `Germany`, where it uses 09:00 Europe/Madrid (the **Time** input is then ignored). With any other TZ value the **Time** input is used as typed.
- **Which FVG**: the first FVG whose three candles all opened at or after the session time, detected within the same clock hour as the session time (for 09:30, until 09:59). If no FVG forms in that hour there is no 1PFVG that day.
- **Charts**: minute charts up to **Show 1m 1PFVGs up to** (`60`, i.e. 1H), so the week and Friday 1PFVGs (see the 1PFVG filter) can be seen on 15m and 1H charts. **From 1m candles** (on): on charts above 1m the 1PFVG is found on the 1m candles of the chart bars (the same rule, applied to the 1m candles), so it is the same box as on a 1m chart; its left edge can fall inside a chart candle. The 1m candles are read when a chart bar closes. Off: on 1m to 5m charts only 1m to 3m charts show it, from the chart candles; above 5m the 1m candles are always used. The NinjaTrader port does the same with an added 1m series (**Show 1m 1PFVGs up to (minutes)**, 60); the Tradovate port cannot read 1m candles and always uses the chart candles (1m to 3m).
- **Week 1PFVG**: on Mondays the 1PFVG, bullish or bearish, is drawn in the week colors (blue).
- **Friday 1PFVG**: on Fridays the 1PFVG is drawn in the Friday colors (purple).
- **1PFVG filter** (`all`, next to the FVG filter): `all` keeps every day's 1PFVG; `week` keeps only the week 1PFVGs (Mondays); `week+fridays` keeps the Monday and the Friday ones. On the other days the first FVG is a plain FVG (it goes through the FVG filter like any other) and there is no inverse 1PFVG. **Keep** counts only the kept ones, so with `week` and Keep 6 you see the last six weeks.
- **Inverse 1PFVG** (**1PFVG inverse**, off by default): the first FVG of the opposite bias after the 1PFVG, in the same hour. With **From 1m candles** it also comes from the 1m candles.
- **Keep** (6): number of 1PFVGs kept; when a new one appears the oldest is removed. Inverse 1PFVGs share this list.
- 1PFVGs stay extended to the right even after price trades through them, until they drop out of the list. They always keep their 1PFVG colors, width and zone, whatever the filtering: they are not affected by the FVG filter or the displacement filter (inverse 1PFVG included), a regular FVG on the same zone never widens or moves them, and the Delivery Engine inversion rules, the displacement flag and the OTE highlight do not recolor them. Only **Draw** = `IFVGs` hides them.

How to use it

The 1PFVG is the first imbalance of the session's delivery and is used as a reference for the day: a draw on liquidity, a support / resistance, and a bias tell (price respecting it versus closing through it). If you keep several days, earlier 1PFVGs that are still unfilled are reference levels for the coming sessions. A 1PFVG can also become an IFVG: its box keeps the 1PFVG colors and extension and only gets the IFVG label. When it is invalidated it goes back to the plain 1PFVG (never the faded dead color).

6. Wick C.E.

What you see

Short black horizontal segments at the midpoint of large candle wicks.

What it is

When a candle closes, its upper wick (high minus body top) and lower wick (body bottom minus low) are measured. A wick larger than **Min size** (20 points) gets a line at its C.E., the midpoint between the wick tip and the body. The line is **Segment width** candles long (0 = auto: 4 candles below 15m, 1 candle from 15m up). The last **Keep** (30) lines are kept.

How to use it

The C.E. of a long wick is where price often reacts when it returns into the wick. Use them as targets or reaction levels; turn on **alerts on bounces** to be alerted when price touches a wick C.E. and closes away from it.

7. IFVGs

An IFVG (inversion FVG) is an FVG that price closes through. A bullish FVG closed through to the downside becomes a bearish IFVG, expected to act as resistance on a retest; a bearish FVG closed through to the upside becomes a bullish IFVG, expected to act as support.

The IFVG never gets a second box: the FVG's own box is restyled. If the FVG is not drawn (hidden by the draw mode or the filter, or merged), a box is created for it.

Close mode (default)

- **Candidates**: the newest bullish FVG is always the bearish IFVG candidate, and the newest bearish FVG the bullish candidate. The two candidates are shown in IFVG colors, without a label. When a newer FVG of the same bias forms, it takes over and the previous candidate is released (kept as an IFVG if it was confirmed, otherwise returned to a plain FVG).
- **Older candidates closed through together** (close mode): when a candle confirms a candidate, the previous candidates of the same side (up to 3, released unconfirmed and not closed through since) that the same candle also closed through are shown as confirmed IFVGs too. They get the IFVG box and label only: no signal, alert or OTE tracking.
- **Confirmation** (on a closed candle): with **IFVG confirmation** = `Close`, a close below the low of the bearish candidate confirms `IFVG-`, a close above the high of the bullish candidate confirms `IFVG+`. With `Full body`, both open and close must be beyond the FVG.
- **Signal**: the confirming candle is the signal candle: `SHORT` / `LONG` marker (if enabled) and alert `SHORT IFVG <tf>` / `LONG IFVG <tf>`.
- **Cancellation** (inversion rules off): if price then closes back through the other side (above the high of an `IFVG-`, below the low of an `IFVG+`), the label is removed and the OTE tracking stops. The candidate stays under watch and can be confirmed again. A close back through by no more than **Invalidation margin** ticks (4) with a wick beyond the close (a rejection) does not cancel it at once: the IFVG is on hold for up to **hold bars** (3). A close back inside the zone (or beyond it in its direction) ends the hold and it stays an IFVG; a close beyond the margin, or the hold running out with the close still past the zone, cancels it. Margin 0 cancels on the first close through. The same applies in swing mode and to kept IFVGs (confirmed ones that are no longer the candidate because a newer FVG took over).

Swing mode (Swings (else closes) on)

- One IFVG is under watch at a time.
- A swing high or low is a pivot with **Swing pivot left / right** candles (10 / 3). With **Significant swing** on, a swing counts only when its distance to the last opposite swing is at least **min swing (ATR)** (4) times the ATR (**ATR length** 14).
- A significant swing high selects the last drawn bullish FVG that starts before it as the bearish IFVG candidate; a significant swing low selects the last drawn bearish FVG as the bullish candidate.
- Confirmation and cancellation follow the same close (or full body) rules, on closed candles.
- **Signal**: not on the confirming candle but on a later retest: for an `IFVG-`, a candle whose high reaches into the IFVG (at or above its low, below its high); for an `IFVG+`, a candle whose low reaches into it (at or below its high, at or above its low).
- **Swing labels** draws `SWING HIGH` / `SWING LOW` at the significant swings (they appear 3 candles late, the pivot right length).

Kept IFVGs

With **Keep confirmed IFVGs, max** on (default, max 20), a confirmed IFVG stays drawn as an IFVG box, with its label, after its candidate role is taken over, and keeps extending to the current bar. It is returned to the plain FVG box when a candle closes back through it (above the high of an `IFVG-`, below the low of an `IFVG+`), or when there are too many (the oldest goes once the count passes the max plus 3). With the option off, only the current candidates are shown as IFVGs.

Inversion rules (close mode only)

With **Inversion rules, max inversions** on (off by default; max 1):

- The first close through the zone is the IFVG (inversion 1).
- Each later close through the zone in the opposite direction inverts it again, up to the max: inversion 2 is an IFVG in the other direction, labelled `×2` and recolored, inversion 3 flips again, and so on. Each inversion raises the IFVG signal and alert in its direction.
- The next close through after the max **invalidates** the zone. **Invalidated IFVG** = `Fade` freezes the box in the gray fade color (it stops growing, label removed); `Back to FVG` restores the plain FVG box.
- OTE is tracked only for the first inversion.

With the default max of 1, the first close back through the IFVG invalidates it instead of just cancelling the confirmation.

Draw modes

Draw	Shows	Hides
`all`	Everything	Nothing
`1PFVGs`	1PFVGs; regular FVGs are discarded	Regular FVGs (IFVG candidate boxes still appear while **IFVGs** is on)
`IFVGs`	IFVG boxes and OTE bands	All FVGs including 1PFVGs, wick C.E., swing labels, signal markers, A+ text on FVGs

Draw	Shows	Hides
`1PFVGs+IFVGs`	1PFVGs, IFVG boxes and OTE bands	Regular FVGs, wick C.E., swing labels, signal markers, A+ text on FVGs

In the IFVG modes the hidden objects are drawn fully transparent, not deleted, and all alerts keep working.

How to use it

- An `IFVG+` says that sellers failed to defend a bearish FVG; look for longs when price retests the IFVG from above and holds. An `IFVG-` is the mirror: shorts on a retest from below.
- The close-mode signal comes at the inversion itself, so it is an early warning: wait for the retest (or use swing mode, which signals on the retest).
- Prefer IFVGs that formed after a sweep of liquidity and in a killzone; that is what the A+ tag checks (section 9).
- Use **Full body** confirmation if you get too many inversions from candles that only close a tick beyond the FVG.

8. OTE IFVGs

ICT’s Optimal Trade Entry is the 0.62 - 0.79 retracement of a price leg (62% to 79% of the leg, measured back from its end). The indicator flags an IFVG as an **OTE IFVG** when it lines up with an OTE on the chart timeframe or on one of the next two higher timeframes. An IFVG is flagged once. The label then lists the timeframes that matched and the border turns yellow; the `OTE` diamond and the `LONG IFVG+OTE <tf>` / `SHORT IFVG+OTE <tf>` alert fire.

Each IFVG under watch is followed separately on the chart timeframe, the next higher timeframe and the second higher timeframe, and each runs two checks.

Check 1: prior-leg rejection (on the confirming candle)

Prior-leg rejection (on by default) measures the leg **before** the FVG:

- For a bearish IFVG: from the last swing high before the FVG down to the lowest low up to the FVG (the down leg that preceded it).
- For a bullish IFVG: from the last swing low before the FVG up to the highest high up to the FVG.

If the candle that confirms the IFVG wicks into that leg’s OTE band and closes back away from it (below the upper OTE level for a bearish IFVG, above the lower level for a bullish one), the IFVG is flagged on the confirming candle. The IFVG itself does not need to be inside the band. A dashed band labelled `<tf> OTE` is drawn.

- **any candle**: also count the furthest wick of any candle between the FVG and the confirming candle.
- **cap wick**: the wick must not go beyond the upper OTE level (0.79). Off: it may go deeper, as long as it does not take out the leg’s origin.

Check 2: retrace into the IFVG (after the confirmation)

After the confirmation, the leg is measured from its origin to the extreme reached since the inversion:

	Bearish IFVG	Bullish IFVG
Leg origin	Highest high from the FVG to the confirmation (close mode); the swing high (swing mode)	Lowest low from the FVG to the confirmation (close mode); the swing low (swing mode)
Leg end	Lowest low since the confirmation	Highest high since the confirmation
OTE band	0.62 to 0.79 of the leg measured up from its low	0.62 to 0.79 of the leg measured down from its high
Trigger	A later candle’s high reaches the IFVG while the IFVG matches the band	A later candle’s low reaches the IFVG while the IFVG matches the band

On the higher timeframes the leg origin is moved to the latest higher-timeframe swing when that swing lies beyond it. **match** decides when the IFVG matches the band: `Overlap` (any overlap), `Fully inside` (the whole IFVG inside the band) or `C.E. inside` (the IFVG midpoint inside the band). The band is updated every bar as the leg extends; it is yellow while the IFVG matches and gray while it does not.

Higher-timeframe ladder

The ladder is 3m (or lower), 5m, 15m, 1h, 4h, D. The chart sits on the highest rung that is at or below its timeframe, and the next two rungs are used (see the table in section 2). **Next higher TF** and **2nd higher TF** switch them on or off. Their swings are pivots of **HTF pivot left / right** (5 / 2) higher-timeframe candles, taken only from closed higher-timeframe candles.

OTE bands

The bands are drawn to the right of the last candle, **start** (5) candles after it and **width** (8) candles wide, and move with the chart. Each timeframe has its own column, the chart timeframe first and then each higher timeframe, one candle apart, so their bands and tags do not overlap. Up to two bands per timeframe can exist for each IFVG under watch (the retrace band and the prior-leg rejection band), and the bands of the bullish and the bearish candidate share the same column, so read the timeframe tag on each band. Bands are removed when the IFVG is cancelled or replaced.

OTE FVGs

With **Flag OTE FVGs** on (default), plain FVGs are flagged too. The leg of a bullish FVG runs from the lowest low since the last swing low before the FVG (pivots of **Swing pivot left / right**, chart timeframe only) to the highest high since the FVG; for a bearish FVG, from the highest high since the last swing high to the lowest low since. When price retraces into the FVG (a low at or below its high for a bullish FVG, a high at or above its low for a bearish one) while the FVG matches the OTE band of that leg, using the same **OTE retracement** levels and **match** rule as the IFVGs, the FVG is labeled `OTE`. The flag stays until the FVG is mitigated. It only shows on box styles (not Segments), is hidden with the regular FVGs in the `IFVGs` draw modes, and has no band, marker or alert of its own.

How to use it

- An OTE FVG is the classic ICT entry: a gap left by the displacement that price retraces into at the 0.62 - 0.79 of the move.
- An OTE IFVG combines the two ICT ideas: the inversion shows the change in order flow, the OTE says the retracement is at a premium (for shorts) or a discount (for longs).
- A match on a higher timeframe (for example `OTE 15m` on a 3m chart) carries more weight than a chart-only match.
- If you only want to be alerted on these, turn on **Alert only OTE**.

9. Delivery Engine (Nuno)

These features come from Nuno's Delivery Engine (V20, updated to V29). All are off by default.

Displacement

A candle is a **displacement candle** when its range (open to close, or high to low) is larger than **strength** (4.0) times the standard deviation of the last **Length** (100) candle ranges.

- **Displacement FVGs only**: an FVG is created only when its middle candle is a displacement candle. This applies to the drawn FVGs and to the IFVG candidates. FVGs that form in the 1PFVG window, and the inverse 1PFVG, are not filtered.
- **Flag displacement FVGs, border width**: FVGs whose middle candle is a displacement candle are drawn with this border width (3), with or without the filter.
- **Color displacement candles**: colors (yellow) the middle candle of each FVG that has a displacement middle candle, with or without the filter. This coloring checks only the gap itself, not the FVG size limits.

A+ setups

With **A+ setups** on:

- **Swing liquidity**: swing highs (buy-side liquidity) and swing lows (sell-side liquidity) are pivots with **swing length** (5) candles on each side. They stay active until price trades beyond them; that is a sweep.
- **A+ IFVG**: an `IFVG+` confirmed within **within** (50) candles after a swing low was swept, or an `IFVG-` within 50 candles after a swing high was swept. The label gets `A+`.
- **A+ FVG**: a bullish FVG born from a market structure shift (MSS) up after a swing low was swept, or a bearish FVG from an MSS down after a swing high was swept. The chart structure uses its own swings of **MSS swing length** (3) candles on each side. An MSS is a close beyond the last swing high / low against the structure, with a displacement candle in its direction (range above **MSS displacement** 2.0 standard deviations) among the last **candles** (2) candles. A break against the structure without such a candle is a CHoCH; a later break in the same direction with displacement, within 50 candles, is taken as the MSS. When the MSS happens within 50 candles after the sweep, the drawn FVGs in its direction born since the sweep, and the ones created in the next 3 candles, get `A+` on their boxes.
- **A+ only inside killzones** (on): the IFVG confirmation or the MSS must happen inside a killzone, in the TZ of the 1st Presented FVGs. Ignored on charts above 15m.

- **A+ only with the HTF structure** (off, 60 = 1h): the structure of that timeframe (last closed candle) must agree: bullish after a close above its last swing high, bearish after a close below its last swing low (swings of **swing length** candles). Ignored when the selected timeframe is not higher than the chart.

Killzones used:

Killzone	TZ = America/New_York (and any TZ other than Madrid)	TZ = Europe/Madrid
Asia	20:00 - 00:00	23:00 - 06:00
London	02:00 - 05:00	08:00 - 13:00
NY AM	07:00 - 11:30	13:30 - 18:00
NY PM	13:30 - 16:00	19:00 - 22:00

If you type your own TZ (for example Europe/Berlin), the New York hours are used in that time zone.

How to use it

The A+ sequence is the ICT delivery model: liquidity is taken (sweep), price shifts structure with displacement (MSS), and the FVG or IFVG left by that shift is the entry. Use the A+ tag to pick which IFVGs to trade, and the HTF option to trade only in the direction of the higher timeframe.

10. Breakers

This feature is on by default. It may be removed in a future version.

What it is

- **Swings:** pivots with **Swing length** (2) candles on each side, kept as an alternating high / low sequence: two highs (or lows) in a row are merged into the more extreme one, so the swing between them is the real one.
- **Bullish breaker:** a swing low, a swing high, then a lower swing low (the second low raids the first). It forms on the first candle closing above that swing high. The zone is the last up-close candle at the swing high or among the 3 candles before it, wick to wick. With **Zone** set to *Whole sequence*, it also includes the consecutive up-close candles before that one.
- **Bearish breaker:** a swing high, a swing low, then a higher swing high; it forms on the first close below that swing low, with the last down-close candle(s) there as the zone.
- A swing is used once, and it is dropped if no close goes through it within **Max bars to the pullback**.

Entries and the breaker rectangle

- **Long:** after the close above the swing (the break), price makes a swing high above the zone (a pivot of **Swing length** candles, formed after the break), and then pulls back into the zone (a low at or below the zone high).
- **Short:** after the close below the swing, price makes a swing low below the zone, and then pulls back into the zone (a high at or above the zone low).

- A small move beyond the zone and straight back is not a pullback: without that swing the breaker keeps waiting.
- When, on a pullback candle, a live bullish FVG or the confirmed `IFVG+` (long), or a live bearish FVG or the confirmed `IFVG-` (short), overlaps the zone, the breaker is drawn: a dashed rectangle over the zone, with its mid line, from the breaker candle(s) to that pullback candle. Every later candle trading back into the zone extends it to that candle, also on a second pullback after price left the zone.
- On that pullback, the label of an overlapping confirmed `IFVG+` (bullish breaker) or `IFVG-` (bearish breaker) turns **bold**, and an overlapping unmitigated FVG of the same direction that has no label (not an IFVG, no `A+`) gets the label `B↑` (bullish) or `B↓` (bearish).
- A drawn breaker fails when a candle **closes** below its low (bullish) or above its high (bearish); a wick through it is not enough. If no pullback had worked yet (price never closed out of the zone in the breaker direction after a pullback), the rectangle is erased; otherwise it stays, ending at its last pullback. It also ends when no pullback comes for **Max bars to the pullback** bars.
- An IFVG confirmed later in the same place as an FVG of its direction that a breaker already tagged (the FVG overlaps the IFVG and is still live, or was mitigated after the IFVG's FVG started) gets the breaker too: its label turns bold.
- A breaker not drawn yet is dropped when, after the break, a candle closes through the other side of its zone, or when its pullback has not come within **Max bars to the pullback** (60) bars from the zone. Only the last **keep** (3) breakers of each direction are followed.
- **Colors:** the rectangle has a color for bullish (↑) and one for bearish (↓) breakers.

How to use it

An FVG or IFVG inside a breaker rectangle sits on a breaker that price has just come back to, after breaking it. Use the tag to prefer IFVG entries backed by a breaker in the direction of the trade.

11. Mitigation blocks

Mitigation blocks work like breakers (section 10), with the opposite third swing: the structure failed instead of sweeping. They have their own **Mitigation blocks** group, on by default, with the same colors as breakers (orange bullish, fuchsia bearish).

What it is

- **Bullish mitigation block:** a swing low, a swing high, then a **higher** swing low (the second low fails to reach the first); it forms on the first close above that high. The zone is the **body** of the last up-close candle at the high or among the 3 before it, or with **Zone** *Whole sequence* also the consecutive up-close candles before it.
- **Bearish mitigation block:** a swing high, a swing low, then a **lower** swing high; it forms on the first close below that low. The zone is the body of the last down-close candle(s) there.
- Swings as for breakers: **Swing length** (2) candles on each side, alternating sequence.

Entries and labels

- **Long:** price closes above a bullish block's zone, makes a swing high above it, then pulls back into the zone. We expect it to continue up.

- **Short:** price closes below a bearish block's zone, makes a swing low below it, then pulls back into the zone. We expect it to continue down.
- On that pullback, a live FVG or the confirmed IFVG of the trade direction that overlaps the zone gets tagged:
  - the label of an overlapping confirmed `IFVG+` turns **bold** and gets an up arrow (`IFVG+ ↑`); an `IFVG-` gets a down arrow (`IFVG- ↓`);
  - an overlapping unmitigated FVG of the same direction with no label gets `M↑` (bullish) or `M↓` (bearish). If a breaker tagged the same FVG too (it had `B↑` / `B↓`, or gets it later), the label is `BM↑` / `BM↓`.
- An IFVG confirmed later in the same place as an FVG of its direction that a mitigation block already tagged (`M↑` / `M↓` / `BM↑` / `BM↓`; the FVG overlaps the IFVG and is still live, or was mitigated after the IFVG's FVG started) gets the mitigation block too: bold label with the arrow.
- The block is drawn once as a dashed rectangle with its mid line, from its candle(s) to that pullback. The rectangle is removed only if the pullback itself trades beyond the far side of the zone, otherwise it stays for reference. A block not drawn yet is dropped when a candle closes through the other side of its zone. Only the last **keep** (3) of each direction are followed.

How to use it

An IFVG with an arrow sits on a mitigation block that price has broken and come back to. Prefer IFVG entries in the direction of the arrow.

12. Settings reference

Inputs on one line in the settings dialog are listed together; a field without its own label is shown as "(2nd field)" and so on. Sizes are in price points.

Enable / Draw / Filter

Label	Default	What it does
1PFVGs	On	Track and draw the 1st presented FVGs.
IFVGs	On	Detect, draw and alert IFVGs (needed for OTE).
Wick C.E.	On	Draw the C.E. of large candle wicks.
Draw	`all`	`all`, `1PFVGs`, `IFVGs`, `1PFVGs+IFVGs` (see section 7, Draw modes). Alerts keep working in every mode.
FVG filter	`none`	`none`, `sweeps`, `sweeps&mid`, `relevant`, `recent relevant` (see section 4; `relevant` is the slowest). Does not filter 1PFVGs or the close-mode IFVG logic.

Label	Default	What it does
1PFVG filter	`all`	`all`, `week` (Mondays only), `week+fridays` (Mondays and Fridays). Which days keep their 1PFVG (section 5).

FVG Settings

Label	Default	What it does
Historic compute	Off	Off: keeps the last FVGs for real-time use; scroll-safe, older FVGs are discarded. On: computes FVGs up to the right edge of the visible chart; good for studying history, slower when scrolling.
FVG bounce alerts	Off	Alerts when price touches the high, low or C.E. of an open FVG and closes away from it.
Size: min	3 (1 - 1000)	Minimum FVG height (wick gap) to be valid.
max	10000 (min 100)	Ignore FVGs larger than this (bad data with huge gaps).
keep	200 (2 - 500)	Number of bullish and of bearish FVGs kept.
Merge tol. %	10 (0 - 50)	A new FVG whose high and low are within this % of its height of an older drawn FVG is merged into it. 0 = off.
sweep pivots L, R (2nd and 3rd field)	3, 3	Pivot lengths of the short-term highs / lows used by the FVG filter.
FVG style	`Box`	`Box`, `Box, no fill`, `Segments (hi / lo / C.E.)`.
C.E.: min height	20 (10 - 1000)	Minimum FVG height to draw its C.E. line.
width	2 (1 - 3)	C.E. line width.
style	`dotted`	C.E. line style: `solid`, `dashed`, `dotted`.
Long FVG color / border	`#FF6D00` 90% / 20% transparent	Bullish FVG fill and border.
Short FVG color / border	`#f7525f` 90% / 20% transparent	Bearish FVG fill and border.

1st Presented FVGs

Label	Default	What it does
Time	`0930`	Session open, as HHMM. Ignored for DAX symbols with TZ `Auto` (09:00 is used).
TZ	`Auto`	Time zone of the session time and of the killzones. `Auto`: 09:00 Europe/Madrid for DAX, 09:30 America/New_York otherwise. Any TradingView time zone string (for example `America/New_York`) can be typed.
Keep	6	Number of 1PFVGs kept.
From 1m candles	On	Find the 1PFVG on the 1m candles on charts above 1m (always above 5m).
Show 1m 1PFVGs up to	`60`	Highest chart timeframe that shows 1PFVGs found on the 1m candles.
Day 1PFVG / border	`#00fbff` 90% / `#0097a7` 20%	Day 1PFVG fill and border.
Week 1PFVG / border	`#2962ff` 90% / 20%	Monday 1PFVG fill and border.
Friday 1PFVG / border	`#9c27b0` 90% / 20%	Friday 1PFVG fill and border.
1PFVG inverse	Off	Also draw the first FVG of the opposite bias after the 1PFVG.
color / border	`#880e4f` 80% / 20%	Inverse 1PFVG fill and border.

Wick Settings

Label	Default	What it does
Keep	30	Number of wick C.E. lines kept.
Min size	20	Minimum wick size to draw its C.E.
Segment width	0	Line length in candles; 0 = auto (4 below 15m, 1 otherwise).
C.E. line style	`solid`	`solid`, `dashed`, `dotted`.
(2nd field: color)	Black	Line color.
alerts on bounces	Off	Alert when price touches a wick C.E. and closes away from it.

IFVG Settings

Label	Default	What it does
Alerts on IFVGs	On	Enables the IFVG and OTE IFVG alerts.

Label	Default	What it does
Show signals	Off	Debug: `LONG` / `SHORT` markers where the IFVG alerts fire.
Labels	On	Show the text labels on the IFVG boxes.
Label parts: OTE TF	On	Timeframes of the OTE match in the label (for example `5m+15m`).
+ / -	On	The sign in `IFVG+` / `IFVG-`.
A+	On	The `A+` tag of the Delivery Engine setups (IFVG labels and FVG boxes).
Keep confirmed IFVGs, max	On, 20 (1 - 100)	Keep confirmed IFVGs drawn as IFVGs until a close back through them, up to about this number. Off: only the current candidates are shown as IFVGs.
IFVG confirmation	`Close`	`Close`: the close is beyond the FVG. `Full body`: open and close both beyond it.
Invalidation margin (ticks), hold bars	4, 3	A close back through a confirmed IFVG within the margin, with a wick beyond the close, puts it on hold instead of cancelling it (section 7). 0 ticks: cancel at once.
Inversion rules, max inversions	Off, 1 (1 - 10)	Close mode only. Each close through the zone inverts it again up to the max; the next one invalidates it.
Invalidated IFVG	`Fade`	With inversion rules: `Fade` (freeze in the fade color) or `Back to FVG`.
(2nd field: color)	Gray, 85% transparent	Fade color.
Swings (else closes)	Off	On: swing mode, a single IFVG located using swings. Off: close mode.
Significant swing	On	Swing mode: only swings of at least min swing x ATR from the last opposite swing.
Swing labels	Off	Swing mode: `SWING HIGH` / `SWING LOW` labels.
Swing pivot left / right	10 / 3	Swing pivot lengths. Also used to find the leg before the FVG for the OTE prior-leg rejection. Larger values ignore smaller internal swings.
ATR length / min swing (ATR)	14 / 4.0	ATR length, and the minimum swing size in ATRs.

Label	Default	What it does
Bullish / Bearish IFVG colors	Orange / Aqua	First swatch: bullish IFVGs (`IFVG+`, `LONG` marker). Second: bearish IFVGs (`IFVG-`, `SHORT` marker).
Transparency: fill / border	80 / 20	IFVG box transparency.
Text size / align H, V	`small`, `right`, `center`	Label size (`auto`, `tiny`, `small`, `normal`, `huge`) and alignment.

IFVG + OTE (ICT Optimal Trade Entry)

Label	Default	What it does
Flag OTE FVGs	On	Labels plain FVGs `OTE` when price retraces into them while they match the OTE band of their leg (section 8).
Detect OTE IFVGs	On	Needs **IFVGs**. Flags confirmed IFVGs that match an OTE.
Alert only OTE	Off	Suppress the plain IFVG alerts; only OTE IFVG alerts fire.
Signals	Off	`OTE` diamond markers.
OTE retracement: lower	0.62	Lower OTE level.
upper	0.79	Upper OTE level.
match	`Overlap`	`Overlap`, `Fully inside`, `C.E. inside` (see section 8).
Prior-leg rejection	On	Check 1: confirming candle rejects the OTE of the leg before the FVG.
any candle	Off	Also count wicks of any candle between the FVG and the confirmation.
cap wick	Off	The wick must not go beyond the upper OTE level.
Next higher TF	On	Track the OTE on the next rung of the ladder.
2nd higher TF	On	Track the OTE on the second rung.
HTF pivot left / right	5 / 2	Pivot lengths, in higher-timeframe candles.
Band: draw / start / width	On / 5 / 8	Draw the OTE bands, starting this many candles right of the last candle, this many candles wide. Each timeframe gets its own column.
Colors: band / border / text	Yellow 85% / Yellow / Black	Matching band fill, OTE IFVG border and band border, band text.

Breakers

Label	Default	What it does
Breakers at FVG / IFVG pullbacks	on	Finds breakers and draws those that an FVG / IFVG overlaps on the pullback (section 10)
Zone	Last candle	*Last candle*: the last up-close (bullish) / down-close (bearish) candle making the high / low. *Whole sequence*: that candle and the consecutive ones of the same color before it
Swing length / keep	2 / 3	Pivot length (left and right) of the swings, and breakers followed per direction
Max bars to the pullback	60	Bars from the zone within which the pullback has to come; once drawn, it ends when no pullback comes for that many bars
Rectangle, ↑ (color), ↓ (color), (style), width	off / orange / fuchsia / dashed / 1	Draw the breaker rectangle and its mid line, with this color, line style and width. Off: nothing is drawn, but the bold IFVG labels and the B↑ / B↓ labels are still set
Flag candles	off	Color the breaker candle(s) with the rectangle color when it is tagged at the pullback, with or without the rectangle; removed together with the rectangle
Shadow rectangle (same line as Flag candles)	off	Draw the breaker as a grey transparent rectangle without border instead of the dashed one, also when Rectangle is off; the mid line stays

Mitigation blocks

Label	Default	What it does
Mitigation blocks at FVG / IFVG pullbacks	on	Finds mitigation blocks and draws those that an FVG / IFVG overlaps on the pullback (section 11)
Zone	Last candle	*Last candle*: the last up-close (bullish) / down-close (bearish) candle making the high / low. *Whole sequence*: that candle and the consecutive ones of the same color before it

Label	Default	What it does
Swing length / keep	2 / 3	Pivot length (left and right) of the swings, and blocks followed per direction
Max bars to the pullback	60	As for breakers
Rectangle, ↑ (color), ↓ (color), (style), width	off / orange / fuchsia / dashed / 1	Draw the rectangle and its mid line. Off: nothing is drawn, but the bold IFVG labels with arrows and the M↑ / M↓ labels are still set
Flag candles	off	Color the mitigation block candle(s) with the rectangle color when it is tagged at the pullback, with or without the rectangle; removed together with the rectangle
Shadow rectangle (same line as Flag candles)	off	Draw the mitigation block as a grey transparent rectangle without border instead of the dashed one, also when Rectangle is off; the mid line stays

Delivery Engine (Nuno)

Label	Default	What it does
Displacement FVGs only	Off	Only FVGs whose middle candle is a displacement candle.
(2nd field: range)	`Open to Close`	Candle range used: `Open to Close` or `High to Low`.
Length / strength (x std dev)	100 / 4.0	Standard deviation length and multiple for a displacement candle.
Color displacement candles	Off, yellow	Color the middle candle of displacement FVGs.
Flag displacement FVGs, border width	Off, 3 (1 - 4)	Thicker border for displacement FVGs.
A+ setups	Off	Tag A+ IFVGs and A+ FVGs.
swing length / within	5 / 50	Pivot length of the swing liquidity; candles allowed between the sweep and the IFVG / MSS (also the CHoCH-to-MSS window).
MSS swing length	3 (1 - 20)	Swing length of the structure broken by the MSS. Same as swing length = Delivery Engine V20 behaviour.
MSS displacement (x std dev) / candles	2.0 / 2	Strength of the MSS displacement candle, and how many candles before the break it may be.

Label	Default	What it does
A+ only inside killzones	On	Sweep-to-IFVG / MSS inside Asia, London, NY AM or NY PM. Ignored above 15m.
A+ only with the HTF structure	Off, `60`	Only A+ when the structure of that timeframe agrees. Ignored when not higher than the chart.

Poor liquidity

Label	Default	What it does
Poor liquidity	auto	For thin markets, where price often jumps from one candle to the next. **yes**: volume imbalances are ignored (FVG boxes are not extended over the body gaps of their candles), and two up-close candles in a row with a gap between them (the low of the second above the high of the first) make a bullish FVG, as if one more up candle had traded in the middle; two down-close candles with a gap make a bearish FVG. The regular three-candle FVG is used first. **auto**: yes only for nano futures (a symbol or description with “Nano” or NNQ). **no**: as before. On Tradovate, auto depends on the contract name being readable; set yes on NNQ if it is not detected.

Label	Default	What it does
Data from	auto, CME_MINI:MNQ1!	Only in the separate TradingView indicator “FVGs+IFVG+OTE5 PL” (file FVGS+IFVG+OTE+PL.txt), otherwise identical; use it only for thin markets such as NNQ. **auto**: on a nano future, the matching micro (NNQ: MNQ, NES: MES, NYM: MYM, N2K: M2K), otherwise the chart. **symbol**: the symbol next to it. **chart**: the chart itself. With another symbol, every FVG, IFVG, OTE, pivot, breaker and signal is computed from the candles of the chosen symbol at the chart timeframe and drawn on this chart, e.g. MNQ data on an NNQ chart. Candles are matched by time; a chart candle with no candle of the other symbol repeats the last one. **auto** poor liquidity is off while another symbol is used (yes / no still apply).

13. Alerts

All alerts use Pine’s `alert()` function. In TradingView, create an alert on this indicator with the condition **“Any alert() function call”**. Each message fires at most once per bar.

Message	When	Enabled by
`LONG IFVG <tf>`	IFVG+ signal: confirmation (close mode) or retest (swing mode), and each bullish inversion with inversion rules	**Alerts on IFVGs**; suppressed by **Alert only OTE**
`SHORT IFVG <tf>`	Same for IFVG-	Same
`LONG IFVG+OTE <tf>`	A bullish IFVG is flagged as OTE IFVG	**Alerts on IFVGs** and **Detect OTE IFVGs**
`SHORT IFVG+OTE <tf>`	Same for bearish	Same
`bounce on FVG hi`	Price touches the high of an open FVG and closes away	**FVG bounce alerts**
`bounce on fvg lo`	Same for the low	**FVG bounce alerts**
`bounce on CE`	Same for the C.E.	**FVG bounce alerts**
`bounce on wick C.E.`	Price touches a wick C.E. and closes away	**alerts on bounces** (Wick Settings)

`<tf>` is the chart timeframe, for example `1m`, `5m`, `1h`, `D`, `30s`. A “bounce” is a fixed rule: the low (or high) within 2 points of the level and the close at least 10 points away from that low (or high). These values suit NQ and DAX; on instruments with a much smaller price scale the bounce alerts will not fire.

A prior-leg OTE rejection fires on the confirming candle, so `LONG IFVG` and `LONG IFVG+OTE` can arrive together.

14. Limits, performance and repainting

Object limits

- The script allows 500 boxes, 500 lines and the default number of labels (TradingView removes the oldest objects beyond these limits).
- Boxes are shared by FVGs (up to 200 bullish and 200 bearish), 1PFVGs, IFVG boxes and OTE bands. Lines are shared by C.E. lines, wick C.E. lines and the segments style (two or three lines per FVG).
- Swing labels are limited by TradingView's default label count, so only the most recent ones remain.

History window

- With **Historic compute** off, the chart keeps the last **keep** FVGs of each bias; when you scroll far back, older FVGs are gone. Turn it on to study history: the script then computes FVGs up to the visible right edge and recalculates when you scroll.
- A kept IFVG disappears when its FVG drops out of the **keep** window.
- The OTE leg search looks back at most about 4,000 candles and the script references up to 5,000 bars back.

Repainting and confirmation

- FVGs are detected from closed candles only and do not repaint. With the FVG filter, an FVG can be revealed later (at the sweep), drawn from where it started.
- IFVG confirmation, swing-mode confirmation and inversions are evaluated on closed candles.
- Everything that confirms, cancels, signals or alerts is evaluated on closed candles only: IFVG confirmations, cancellations and inversions, the swing-mode retest signal, the OTE retrace trigger and the FVG / wick bounce alerts. Nothing fires before the candle closes.
- Higher-timeframe swings (OTE ladder) and the HTF structure (A+) are taken only from closed higher-timeframe candles, so they do not repaint. A higher-timeframe swing is known only after its right-side candles have closed (2 HTF candles by default).
- Swings are confirmed **right** candles after the pivot (3 for the IFVG swings, 3 for the filter and MSS, 5 for the liquidity), so swing-based decisions are made with that delay.

Performance

The script makes three `request.security` calls (two OTE ladder timeframes and the HTF structure). Mapping a higher-timeframe swing to the chart and measuring the prior leg can scan thousands of candles, which may slow loading on long histories with many FVGs. If the indicator is slow, turn off **Historic compute**, reduce **keep**, or switch off the higher-timeframe trackers.

15. Troubleshooting and FAQ

I see no 1PFVG. The chart must be a minute chart of 3m or lower, and an FVG must form within the session hour (09:30 - 09:59 New York, 09:00 - 09:59 Madrid for DAX). Check **TZ**: with `Auto`, non-DAX

symbols use New York. If your DAX symbol is not detected (ticker or description without `DAX`, `FDX` or `Germany`), set TZ to `Europe/Madrid` and Time to `0900`.

The Monday 1PFVG is cyan, not blue. The week color is applied by the exchange's day of week; check that the 1PFVG formed on Monday in the exchange time zone.

There are boxes in IFVG colors without a label. These are the IFVG candidates: the newest bullish and bearish FVG under watch. They get a label when a candle closes through them.

I chose Draw = 1PFVGs but still see other boxes. Regular FVGs are discarded, but the IFVG candidates and IFVGs are still drawn while **IFVGs** is on. Turn **IFVGs** off for 1PFVGs only.

No FVGs are drawn with the FVG filter. Nothing is shown before the first sweep, and then only one FVG on each side of each sweep. Lower **sweep pivots** for more frequent sweeps, or use `none`.

No FVGs at all. Check **Size: min** (3 points), and whether **Displacement FVGs only** is on: with strength 4.0 very few candles qualify. Try a lower strength (for example 2.0).

No OTE labels. IFVGs and **Detect OTE IFVGs** must be on. On D and above there are no higher-timeframe trackers. Prior-leg rejection needs a swing (Swing pivot left / right) before the FVG; with large pivot lengths there may be none nearby. Try **match** = `Overlap`.

The OTE bands overlap. Each timeframe has its own column, but the bands of the bullish and the bearish candidate, and the retrace and rejection bands of one timeframe, share it. Read the tag, or turn off **Band: draw**.

The IFVG label disappeared. The IFVG was cancelled (a close back through it), invalidated (inversion rules), or replaced while **Keep confirmed IFVGs** is off.

The Invalidated IFVG setting does nothing. It only applies with **Inversion rules** on. Without them, a kept IFVG that is closed back through is always restored to its FVG box.

I get both an IFVG and an IFVG+OTE alert. Use **Alert only OTE** to keep only the OTE alerts.

Bounce alerts never fire. The bounce rule uses fixed 2 / 10 point distances suited to NQ and DAX.

A+ never appears. A+ setups must be on; with **A+ only inside killzones** the event must be inside a killzone in the 1PFVG TZ; with **A+ only with the HTF structure** the HTF must agree. The sweep must be at most **within** (50) candles before.

16. Glossary

Term	Meaning
FVG	Fair value gap: a three-candle imbalance where the first and third candles' wicks do not overlap.
C.E.	Consequent encroachment: the midpoint of an FVG or of a wick.
Suspension block	Body gap next to an FVG; the drawn zone is widened to include it.

Term	Meaning
Mitigation	Price trading through the far side of an FVG (here, a close or open beyond it).
1PFVG	First presented FVG: the first FVG after the session open.
IFVG	Inversion FVG: an FVG closed through, expected to act in the opposite direction.
OTE	Optimal Trade Entry: the 0.62 - 0.79 retracement of a leg.
Leg	A move from a swing high to a swing low or the reverse.
HTF	Higher timeframe.
Swing high / low, pivot	A high (low) with a given number of lower highs (higher lows) on each side.
Liquidity, BSL / SSL	Resting orders above swing highs (buy-side) and below swing lows (sell-side).
Sweep	Price trading beyond a swing high or low, taking its liquidity.
Displacement	A strong candle, here a range above a multiple of the standard deviation of recent ranges.
MSS	Market structure shift: a close beyond the last swing against the structure, with displacement.
CHoCH	Change of character: a break against the structure without displacement.
Killzone	ICT session window: Asia, London, NY AM, NY PM.
A+	Delivery Engine tag for an IFVG or FVG that follows a sweep (and MSS) under the chosen conditions.
ATR	Average true range.