ALCOA

THERALIA
TARGETED THERAPEUTICS

Data Integrity Report

Experiment: Modularity of TOUCANs

Date: 08.12.2021

By: Baris Ata Borsa

APPROVED by Frank J. Hernandez, 2026-03-31 19:44

ALCOA

Experimental Conditions

Recording Report (96-Well Plate Reader)

Experiment Overview:

- **Study Title:** Modularity of TOUCANs
-
- **Experiment Date and time:** 08.12.2021
- **Laboratory:** Microbiology Lab at 2E:686
- **Type of Lab:** BSL-2
- **Lab Technician:** Baris Ata Borsa
- **Methodology:** Broth microdilution (BMD)
- **Measurement Type:** Naked eye and OD600 measurements
- **Protocol:** SOP-TL-AST

Other information: The aim of the experiment is to show the importance of the localization of threee moieties (resistant moiety, specific moiety, drug moiety) for TOUCAN approach.

APPROVED by Frank J. Hernandez, 2026-03-31 19:34

Sample Type:

- **Sample 1:** *Staphylococcus aureus* ATCC29213

Drug and concentrations used:

- RSD (TOUCAN-MRSA): mU-mU-mU-mU-T-T-Fx
- SRD: T-T-mU-mU-mU-mU-Fx
- RDS: mU-mU-mU-mU-Fx-T-T
- DRS: Fx-mU-mU-mU-mU-T-T
- SDR: T-T-Fx-mU-mU-mU-mU
- DSR: Fx-T-T-mU-mU-mU-mU
- RRD: mU-mU-mU-mU-Fx

➢ Final concentration was 40 µg/ml for all tested drugs.

ALCOA

Experiment design

Plate Layout (96-Well Format):



APPROVED by Frank J. Hernandez, 2026-03-31 19:44

ALCOA

Data acquisition

Raw Data: OD600 at 18h

	Media control	S. aureus ATCC29213			Growth control											
RSD 40 µg/ml		0,207*	0,211*	0,236*												
SRD 40 ug/ml		1,429	1,477	1,498												
RDS 40 ug/ml		1,423	1,464	1,462												
DRS 40 ug/ml		1,469	1,516	1,503												
SDR 40 ug/ml	0,086	1,395	1,417	1,455	1,533											
DSR 40 ug/ml	0,086	1,509	1,522	1,573	1,572											
RRD 40 ug/ml	0,085	1,587	1,584	1,595	1,595											

*See the notes and color codes below..



Growth

No Growth

Raw Data: Naked eye inspection

Notes:

Limited growth was observed (85,3% inhibition by OD600).
This type of growth ("tiny buttons") is disregarded for Gram-positive bacteria with bacteriostatic antibiotics based on EUCAST recommendations (see below).

https://www.eucast.org/fileadmin/src/media/PDFs/EUCAST_files/MIC_testing/Reading_guide_BMD_v_5.0_2024.pdf

APPROVED by Frank J. Hernandez, 2026-03-31 19:44

ALCOA

Data acquisition

Raw Data:
Growth curves from the device.



APPROVED by Frank J. Hernandez, 2026-03-31 19:44

ALCOA

Data visualization

- Graphic for **average OD600 values over 18h** are presented below.



Date: 09.12.2021
Signature

Researcher:
Baris Ata Borsa

Date:
Signature

Supervisor:

Date:
Signature

Principal Investig.:
Frank J Hernandez

APPROVED by Frank J. Hernandez, 2026-03-31 19:44