Product Feature Proposal

Enhanced Engagement Feature(s): Workplace Mental Health Wellness Platform

November 2025

PREPARED BY
FARHA JABIN OYSHEE

A. Problem Definition & Target User

1. Target Audience

- Primary Users: Employees (aged 25–55) in high-stress, tech-enabled corporate environments. They are digitally savvy but time-poor, seeking accessible and confidential well-being support that fits into their busy schedules.
- Secondary Users: HR managers and team leads who are responsible for monitoring and promoting overall workplace well-being and require visibility into platform engagement and impact.

2. The Core User Problem: "The Reactive Usage Trap"

Employees in high-stress environments (particularly in fast-growing markets like Bangladesh) currently perceive our mental health platform as a reactive, transactional tool; a resource to be used only during a crisis. This perception, compounded by the stigma around mental health, prevents the formation of proactive well-being habits.

The key symptoms of this problem are:

- High Sign-up, Low Engagement: Employees register, often due to HR initiatives, but fail to return and build a consistent habit.

- Overwhelm & Decision Fatigue: When users do visit the platform, they are confronted with an extensive library of 100+ resources. This creates high cognitive effort, making it difficult to choose what to use and leading to disengagement.
- Delayed Help-Seeking: Critical issues can escalate because employees, feeling stigmatized or overwhelmed, delay proactively seeking clinical sessions until they reach a crisis point.

3. Who We Are Solving For

- "The Time-Poor Operator" (Age 25-55, Middle Management):

This user is chronically busy, dealing with daily stress, and can only dedicate 5-10 minutes per day to their well-being. They need quick, personalized, and highly relevant interactions that deliver immediate value without a significant time investment.

-"The Hesitant Explorer or The Cautious Beginner":

This user is curious about mental well-being but feels intimidated by the prospect of clinical therapy or is unsure which resource (a tool, an article, or a session) is right for their current need. They require gentle guidance, low-commitment starting points, and clear pathways to build confidence.

B. Product Discovery & Validation Plan

Phase	Activity / Method	Stakeholder Involvement	Output / Validation
1. Insight Gathering	**Low-Friction Surveys (N=200):** Quick 2-question in-app survey: "What stops you from returning?" and "How many minutes do you have for well-being today?"	**Users, Clinicians:** Clinicians review qualitative feedback on common blockers and engagement patterns	Confirmation of time-poverty (avg. time: <5 min) and preference for quick, personalized tasks
2. Hypothesis Validation	**In-Depth Interviews (N=15):** Target employees who registered but haven't returned in 30+ days. **Test hypothesis:** Engagement increases when platform offers one relevant item based on mood	**HR/Client Success:** Ensure solution aligns with employer goals of "preventative care" and organizational health objectives	Validation of Daily Boost concept (no browsing required) and identification of optimal interaction times (e.g., lunch breaks)

C. Solution Concept

Novel Elements:

- **Proactive, AI-Driven Triage:** Moves beyond reactive libraries to a clinical safety guardrail that identifies at-risk users via data patterns for early intervention.
- **Hyper-Personalization:** Uses a simple rules-based engine to serve a single "Daily Boost," eliminating decision fatigue and building a 5-minute micro-habit.
- **"In-the-Flow-of-Work" Integration:** Designed as a lightweight, daily check-in, aligning with the trend of integrating wellbeing into existing work patterns rather than being a separate destination

Section(s)	Key Components	Specifications & Targets
Problem Statement	**Primary Issue:** Reactive usage pattern Key Symptoms: - High sign-up, low return - Decision fatigue from 100+ resources - Therapy stigma - No habit formation	**-Target User:** Time-poor employees (25-55); **Available Time:** 5 min max daily
Solution Features	**Daily Check-in:** 3-slider input (Energy/Stress/Sleep) **Daily Boost:** Single personalized activity **Clinical Guardrail:** Auto-risk detection	**Completion Time:** 15 sec + 2-5 min; **Localization:** Bangla language priority; **Trigger:** 3-day high-risk pattern
Success Metrics	**Engagement:** Daily Check-in Rate (>5x/week) **Quality:** Boost Completion Rate **Retention:** 30-Day Retention **Impact:** Stress Reduction **Clinical:** Guardrail Conversion	• **Engagement:** Daily Check-in Rate (Target: >50% of MAUs 5x/week), Daily Boost Completion Rate (Target: >70%). • **Retention:** 30-Day Retention Rate (Target: +20% increase). • **Impact:** Average reduction in self-reported stress scores over 30 days (Target: -1 point). • **Business:** Guardrail Conversion Rate (Target: 10-15%), Client Renewal Rate
Competitive Advantage	vs. Calm/Headspace: - Workplace integration - 5-min vs 30-min content vs. ClinicalExpanded Access Program(s): - Proactive triage - Low-friction daily support	**Differentiation:** Context-aware recommendations; **Localization:** Bangladeshi workplace themes
Risks & Mitigations	**Data Privacy:** Zero individual data sharing Poor Recommendations: Clinician-curated rules + A/B testing Clinical Safety: Clear escalation paths	**Compliance:** Data Protection Act: **Encryption:** AES-256 + TLS 1.3; **Access Control:** Role-based permissions
HR Integration	**Dashboard Shows:** - Team stress heatmaps - Top 5 trends - Engagement rates Never Shows: - Individual scores - Personal data	**Anonymization:** Min n=10 per group: **Value:** Targeted initiatives without compromising trust
8. Launch Plan	**Phase 1:** Beta (3 orgs, 4 weeks) **Phase 2:** Algorithm refinement **Phase 3:** Full rollout + localization	**Success Criteria:** - >50%; **Check-in rate:** - >70%; **Boost completion**: - 20% retention improvement