



```
In [1]: import numpy as np  
import pandas as pd  
import matplotlib.pyplot as plt
```

```
In [2]: pt = [10, 20, 45, 60, 44, 66, 34, 20]  
pt2 = [30, 40, 50, 70, 10, 80, 55, 78]
```


```
In [3]: plt.plot(pt)  
plt.show()
```



```
In [4]: plt.plot(pt, c='r', marker='o', mec='g', mfc='y')  
plt.plot(pt2, c='b', marker='X', mec='g', mfc='r')  
plt.xlabel('sample point')  
plt.ylabel('value')  
plt.title('value vs sample')  
plt.legend(['dbms', 'cn'])  
plt.show()
```



```
In [6]: plt.plot(pt, c='r', marker='s', ls='-.', mec='C1', mfc='y')
plt.plot(pt2, c='b', marker='X', ls=':', mec='C4', mfc='C8')
plt.xlabel('sample point')
plt.ylabel('value')
plt.title('value vs sample')
plt.legend(['dbms', 'cn'])
plt.show()
```



In [7]: `import seaborn as sns`

In [8]: `dataset = sns.load_dataset("titanic")`
`dataset.head()`

Out[8]:

	survived	pclass	sex	age	sibsp	parch	fare	embarked	class	who	adult_m
0	0	3	male	22.0	1	0	7.2500	S	Third	man	T
1	1	1	female	38.0	1	0	71.2833	C	First	woman	Fa
2	1	3	female	26.0	0	0	7.9250	S	Third	woman	Fa
3	1	1	female	35.0	1	0	53.1000	S	First	woman	Fa
4	0	3	male	35.0	0	0	8.0500	S	Third	man	T

In [9]: `sns.distplot(x=dataset['age'], bins=10)`

```
C:\Users\HP\AppData\Local\Temp\ipykernel_18660\3536518152.py:1: UserWarning:
```


```
`distplot` is a deprecated function and will be removed in seaborn v0.14.0.
```

Please adapt your code to use either ``displot`` (a figure-level function with similar flexibility) or ``histplot`` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>

```
sns.distplot(x=dataset['age'], bins=10)
```

```
Out[9]: <Axes: ylabel='Density'>
```



```
In [11]: sns.distplot(dataset['age'], bins = 10,kde=False)
```

```
C:\Users\HP\AppData\Local\Temp\ipykernel_18660\2142932053.py:1: UserWarning:
```


```
`distplot` is a deprecated function and will be removed in seaborn v0.14.0.
```

Please adapt your code to use either ``displot`` (a figure-level function with similar flexibility) or ``histplot`` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>


```
sns.distplot(dataset['age'], bins = 10,kde=False)
```

```
Out[11]: <Axes: xlabel='age'>
```




```
In [12]: sns.jointplot(x = dataset['age'], y = dataset['fare'], kind = 'scatter')
```

```
Out[12]: <seaborn.axisgrid.JointGrid at 0x1b866dd1400>
```




```
In [13]: sns.jointplot(x = dataset['age'], y = dataset['fare'], kind = 'hex')
```

```
Out[13]: <seaborn.axisgrid.JointGrid at 0x1b867398b90>
```




```
In [14]: sns.rugplot(dataset['fare'])
```

```
Out[14]: <Axes: xlabel='fare'>
```




```
In [16]: sns.barplot(x='sex', y='age', data=dataset, hue='sex')
```

```
Out[16]: <Axes: xlabel='sex', ylabel='age'>
```




```
In [18]: sns.barplot(x='sex', y='age', data=dataset, estimator=np.std, hue='sex')
```

```
Out[18]: <Axes: xlabel='sex', ylabel='age'>
```




```
In [19]: sns.countplot(x='sex', data=dataset, hue='sex')
```

```
Out[19]: <Axes: xlabel='sex', ylabel='count'>
```




```
In [20]: sns.boxplot(x='sex', y='age', data=dataset, hue='sex')
```

```
Out[20]: <Axes: xlabel='sex', ylabel='age'>
```




```
In [21]: sns.boxplot(x='sex', y='age', data=dataset, hue="survived")
```

```
Out[21]: <Axes: xlabel='sex', ylabel='age'>
```




```
In [22]: sns.violinplot(x='sex', y='age', data=dataset, hue='sex')
```

```
Out[22]: <Axes: xlabel='sex', ylabel='age'>
```




```
In [23]: sns.violinplot(x='sex', y='age', data=dataset, hue='survived')
```

```
Out[23]: <Axes: xlabel='sex', ylabel='age'>
```




```
In [24]: sns.stripplot(x='sex', y='age', data=dataset, jitter=False)
```

```
Out[24]: <Axes: xlabel='sex', ylabel='age'>
```




```
In [26]: sns.stripplot(x='sex', y='age', data=dataset, jitter=True, hue='sex')
```

```
Out[26]: <Axes: xlabel='sex', ylabel='age'>
```




```
In [27]: sns.stripplot(x='sex', y='age', data=dataset, jitter=True, hue='survived')
```

```
Out[27]: <Axes: xlabel='sex', ylabel='age'>
```




```
In [29]: sns.swarmplot(x='sex', y='age', data=dataset, hue='sex')
```

```
Out[29]: <Axes: xlabel='sex', ylabel='age'>
```



```
In [30]: sns.swarmplot(x='sex', y='age', data=dataset, hue='survived')
```

```
Out[30]: <Axes: xlabel='sex', ylabel='age'>
```



```
In [31]: import seaborn as sns
```

```
In [32]: dataset = sns.load_dataset('titanic')
dataset.head()
```


Out[32]:

	survived	pclass	sex	age	sibsp	parch	fare	embarked	class	who	adult_m
0	0	3	male	22.0	1	0	7.2500	S	Third	man	T
1	1	1	female	38.0	1	0	71.2833	C	First	woman	Fa
2	1	3	female	26.0	0	0	7.9250	S	Third	woman	Fa
3	1	1	female	35.0	1	0	53.1000	S	First	woman	Fa
4	0	3	male	35.0	0	0	8.0500	S	Third	man	T

◀ ▶


```
In [33]: corr = dataset.corr(numeric_only=True)
sns.heatmap(corr)
```

Out[33]: <Axes: >




```
In [34]: corr = dataset.corr(numeric_only=True)
sns.heatmap(corr, annot=True)
```

```
Out[34]: <Axes: >
```




```
In [36]: corr = dataset.corr(numeric_only=True)
sns.heatmap(corr, cmap='coolwarm')
```

```
Out[36]: <Axes: >
```



```
In [37]: import seaborn as sns
dataset = sns.load_dataset('titanic')
sns.histplot(dataset['fare'], kde=False, bins=10)
```

```
Out[37]: <Axes: xlabel='fare', ylabel='Count'>
```



In []: