quiz1

September 10, 2021

0.0.1 Quiz1

Submitted by: Fawad Kirmani Last Modified: 09/10/2021

```
[1]: import pandas as pd
import numpy as np
from sklearn.impute import SimpleImputer
import matplotlib.pyplot as plt
import seaborn as sns
```

Task 1 – Load data programmatically (10 points), summarize its statistics (10 points) and report on missing data (10 points). Note that a number of parameters are reported for the same date/time in successive rows. Load data

```
[2]: input data = pd.read csv('./data/WaterAtlas-OneLake.csv')
     input_data.head()
[2]:
        WBodyID
                         WaterBodyName
                                          DataSource StationID StationName
     0 2003889
                 Okaloacoochee Branch WIN_21FLSFWM
                                                          32275
                                                                      CRFW09
                 Okaloacoochee Branch WIN_21FLSFWM
     1 2003889
                                                          32275
                                                                      CRFW09
     2 2003889
                 Okaloacoochee Branch WIN_21FLSFWM
                                                          32275
                                                                      CRFW09
                 Okaloacoochee Branch WIN_21FLSFWM
     3 2003889
                                                          32275
                                                                      CRFW09
     4 2003889
                 Okaloacoochee Branch WIN_21FLSFWM
                                                          32275
                                                                      CRFW09
       Actual_StationID
                         Actual_Latitude
                                           Actual_Longitude DEP_WBID
     0
                  32275
                                  26.7629
                                                    -81.4001
                                                                32350
     1
                  32275
                                  26.7629
                                                    -81.4001
                                                                32350
     2
                  32275
                                  26.7629
                                                    -81.4001
                                                                32350
     3
                  32275
                                  26.7629
                                                    -81.4001
                                                                32350
     4
                  32275
                                  26.7629
                                                    -81.4001
                                                                32350
                                   DepthUnits
                                               Parameter
                   SampleDate
       5/18/2020 11:11:00 AM ...
                                                   TN_ugl
     1 5/18/2020 11:11:00 AM
                                               NH3_N_ugl
     2 5/18/2020 11:11:00 AM ...
                                                  NOx_ugl
                                            \mathbf{m}
     3 5/18/2020 11:11:00 AM
                                                   TP_ugl
                                            \mathbf{m}
```

```
4 5/18/2020 11:11:00 AM ... m OP_mgl
```

```
Characteristic Sample_Fraction Result_Value
0
                                         Nitrogen
                                                              Total
                                                                         1280.000
1
                          Nitrogen, ammonia as N
                                                         Dissolved
                                                                          203.000
2
   Nitrogen, Nitrite (NO2) + Nitrate (NO3) as N
                                                         Dissolved
                                                                            9.000
3
                                  Phosphorus as P
                                                                           52.000
                                                              Total
4
                Phosphorus, phosphate (PO4) as P
                                                         Dissolved
                                                                            0.002
   Result_Unit QACode Result_Comment Original_Result_Value
0
          ug/l
                                   NaN
                                                         1.280
                   NaN
1
          ug/l
                   NaN
                                   NaN
                                                        0.203
2
          ug/l
                     Ι
                                   NaN
                                                        0.009
                                                        0.052
3
          ug/l
                   NaN
                                   NaN
4
                     Ι
                                   NaN
                                                        0.002
          mg/l
   Original_Result_Unit
0
                    mg/L
1
                    mg/L
2
                    mg/L
3
                    mg/L
4
                    mg/L
```

[5 rows x 21 columns]

As data is for single lake, removing "WBodyID", "WaterBodyName", "DataSource", "StationID", "StationName", "Actual_StationID", "Actual_Latitude", "Actual_Longitude", "DEP_WBID".

Also not including for data exploration: "Sample_Fraction", "ActivityDepth", "DepthUnits", "QA-Code", "Original_Result_Comment", "Characteristic", "Original_Result_Unit", "Result_Unit".

Excluding Original Result Value and including Result Value as Result Value are updated units.

```
[3]: input_data_pivot = input_data.pivot_table(columns="Parameter", index=["SampleDate", "ActivityDepth"], values="Result_Value").reset_index() input_data_pivot
```

[3]:	Parameter	SampleDate	ActivityDepth	24D_ugl	Ag_ugl	Al_ugl \
	0	01-11-1978 0:00	0.500000	NaN	NaN	NaN
	1	01-11-2021 12:08	0.410000	NaN	NaN	NaN
	2	02-08-1978 0:00	0.500000	NaN	NaN	NaN
	3	02-08-2021 11:06	0.500000	NaN	NaN	NaN
	4	02-12-1979 0:00	0.500000	NaN	NaN	NaN
			•••		•••	
	98	9/13/1978 12:00:00 AM	0.500000	NaN	NaN	NaN
	99	9/16/1980 12:00:00 AM	0.500000	NaN	NaN	NaN
	100	9/19/2013 12:00:00 AM	0.152439	NaN	NaN	NaN

```
101
            9/20/2016 12:00:00 AM
                                             0.300000
                                                             NaN
                                                                      NaN
                                                                               NaN
102
            9/21/2020 11:43:00 AM
                                             0.500000
                                                             NaN
                                                                      NaN
                                                                               NaN
Parameter
            Alk_CaCO3_mgl
                             As_ugl
                                       BOD5_mgl
                                                  B_ugl
                                                           Ba_ugl
                                                                       TN_ugl
0
                     243.0
                                 NaN
                                             NaN
                                                     NaN
                                                              NaN
                                                                        464.0
                                                     NaN
                                                              NaN
1
                        NaN
                                 NaN
                                             NaN
                                                                        987.0
2
                     263.5
                                 NaN
                                             NaN
                                                     NaN
                                                              NaN
                                                                       1301.0
3
                                                     NaN
                                                                        879.0
                        NaN
                                 NaN
                                             NaN
                                                              NaN
4
                        NaN
                                 NaN
                                             NaN
                                                     NaN
                                                              NaN
                                                                           NaN
. .
                                              ...
                                                               •••
98
                     221.0
                                                                        978.0
                                 NaN
                                             NaN
                                                     NaN
                                                              NaN
99
                        NaN
                                 NaN
                                             NaN
                                                     NaN
                                                              NaN
                                                                       1660.0
100
                        NaN
                                 NaN
                                             NaN
                                                     NaN
                                                              NaN
                                                                           NaN
                                1.78
101
                        NaN
                                             NaN
                                                     NaN
                                                              NaN
                                                                       1210.0
102
                                 NaN
                                                     NaN
                                                              NaN
                                                                       1470.0
                        NaN
                                             NaN
Parameter
            TOC_mgl
                       TP_ugl
                                TSS_mgl
                                          TempW_C
                                                     TempW_F
                                                               Tl_ugl
                                                                        Turb_ntu
0
                 NaN
                         20.0
                                     NaN
                                             16.70
                                                      62.060
                                                                   NaN
                                                                              NaN
1
                         48.0
                                             19.30
                                                                              NaN
                 NaN
                                     NaN
                                                      66.740
                                                                   NaN
2
                 NaN
                         14.5
                                     NaN
                                             15.90
                                                      60.620
                                                                   NaN
                                                                              NaN
3
                 NaN
                         43.0
                                             20.80
                                                      69.440
                                     NaN
                                                                   NaN
                                                                              NaN
4
                 NaN
                         28.5
                                     NaN
                                             16.20
                                                      61.160
                                                                   NaN
                                                                              NaN
                                                                   {\tt NaN}
                         26.5
                                                      85.460
                                                                              NaN
98
                 {\tt NaN}
                                     \mathtt{NaN}
                                             29.70
99
                 NaN
                        131.0
                                     NaN
                                             27.60
                                                      81.680
                                                                   NaN
                                                                              NaN
100
                 NaN
                          NaN
                                     NaN
                                             27.26
                                                      81.068
                                                                   NaN
                                                                              NaN
101
                        170.0
                22.0
                                     6.0
                                             28.00
                                                      82.400
                                                                   NaN
                                                                              3.5
102
                 NaN
                        264.0
                                     NaN
                                             28.80
                                                      83.840
                                                                   NaN
                                                                              NaN
            Zn_ugl
Parameter
                         рΗ
                NaN
                     7.720
0
1
                     7.900
                NaN
2
                NaN
                     7.610
3
                     8.100
                NaN
4
                NaN
                     7.220
                     •••
. .
                •••
98
                NaN
                     7.500
99
                NaN
                     7.230
100
                NaN
                     7.445
101
                NaN
                     7.200
102
                NaN
                     7.500
```

[103 rows x 74 columns]

```
[4]: input_data_pivot.rename(columns={'Sucralose_ug/l':'Sucralose_ugl'}, ⊔

→inplace=True)
```

```
[5]: summary = input_data_pivot.describe()
     print(summary.columns)
     summary
    Index(['ActivityDepth', '24D_ugl', 'Ag_ugl', 'Al_ugl', 'Alk_CaCO3_mgl',
           'As_ugl', 'BOD5_mgl', 'B_ugl', 'Ba_ugl', 'C_organic_mgl', 'Ca_diss_mgl',
           'Ca_mgl', 'CarbAlk_mgl', 'Cd_ugl', 'ChlaC_ugl', 'Chla_ugl',
           'Cl_diss_mgl', 'Cl_mgl', 'Color_true_pcu', 'Cond_umhocm', 'Cr_ugl',
           'Cu_diss_ugl', 'Cu_ugl', 'DO_mgl', 'DO_percent', 'Depth_bott_ft',
           'Diuron_ugl', 'Ecoli_100ml', 'Endothall_ugl', 'F_mgl', 'Fe_diss_ugl',
           'Fe_ugl', 'Glyphosate_ugl', 'Hardnesscarbonate_mgl', 'K_mgl',
           'Linuron_ugl', 'MCPP_ugl', 'Mg_diss_mgl', 'Mg_mgl', 'Mn_diss_ugl',
           'Mn_ugl', 'NH3_N_diss_ugl', 'NH3_N_ugl', 'NO2_diss_ugl', 'NO3_diss_ugl',
           'NOx_ugl', 'Na_diss_mgl', 'Na_mgl', 'Ni_ugl', 'OP_mgl', 'Pb_ugl',
           'Pheo_ugl', 'SO4_diss_mgl', 'SO4_mgl', 'Salinity_PSS', 'Salinity_ppt',
           'Sb_ugl', 'Se_ugl', 'Secchi_ft', 'Si_ugl', 'Sucralose_ugl', 'TDS_mgl',
           'TKN_ugl', 'TN_ugl', 'TOC_mgl', 'TP_ugl', 'TSS_mgl', 'TempW_C',
           'TempW_F', 'Tl_ugl', 'Turb_ntu', 'Zn_ugl', 'pH'],
          dtype='object', name='Parameter')
                                                             Alk CaCO3 mgl
[5]: Parameter ActivityDepth
                                24D ugl Ag ugl
                                                     Al ugl
                   103.000000 5.000000
     count
                                           19.00
                                                   6.000000
                                                                 34.000000
                     0.385385 0.070100
                                            0.01
                                                  28.833333
                                                                230.823529
    mean
                                            0.00
    std
                     0.146083 0.128781
                                                  13.556056
                                                                 33.442597
    min
                     0.100000 0.002000
                                            0.01
                                                  11.000000
                                                                113.000000
    25%
                                            0.01
                                                  20.250000
                     0.290000 0.008500
                                                                205.750000
     50%
                     0.500000 0.016000
                                            0.01
                                                  30.000000
                                                                240.000000
     75%
                     0.500000 0.024000
                                            0.01
                                                  34.500000
                                                                250.000000
                     0.500000
                                            0.01
                                                  49.000000
                                                                289.000000
    max
                               0.300000
    Parameter
                   As_ugl
                           BOD5_mgl
                                          B_ugl
                                                    Ba_ugl
                                                            C_organic_mgl
                25.000000
                                                                19.000000
     count
                                1.0
                                      6.000000
                                                  6.000000
    mean
                 2.137200
                                1.0
                                     72.700000 18.466667
                                                                15.842105
     std
                 0.500995
                                {\tt NaN}
                                      10.409611
                                                  1.155278
                                                                 3.905312
                                     57.900000 16.900000
    min
                 1.410000
                                1.0
                                                                10.000000
     25%
                                1.0
                                     66.900000 17.850000
                                                                12.500000
                 1.780000
     50%
                 2.080000
                                1.0
                                     73.100000
                                                 18.500000
                                                                15.000000
     75%
                 2.430000
                                1.0
                                     78.025000
                                                18.850000
                                                                17.500000
                                     87.600000
    max
                 3.480000
                                1.0
                                                 20.300000
                                                                24.000000
    Parameter
                     TN ugl
                               TOC mgl
                                             TP ugl
                                                       TSS mgl
                                                                  TempW C
                  72.000000
                              6.000000
                                          94.000000
                                                     25.000000
                                                                95.000000
     count
    mean
                1175.430556
                             16.666667
                                          61.132979
                                                      5.840000
                                                                25.890333
     std
                 427.584135
                              4.366539
                                          50.033547
                                                      4.209909
                                                                 4.203510
    min
                 420.000000
                             11.000000
                                           8.000000
                                                      2.000000
                                                                15.900000
     25%
                 925.000000
                             13.250000
                                          23.625000
                                                      3.000000
                                                                23.350000
```

50% 75% max	1092.50000 1303.25000 2734.00000	0 19.500000	48.500000 82.000000 264.000000	5.000000 7.000000 22.000000	26.900000 28.993333 32.400000
Parameter	TempW_F	Tl_ugl	Turb_ntu	Zn_ugl	рН
count	95.000000	6.000000e+00	25.000000	21.000000	95.000000
mean	78.602600	1.000000e-01	6.344000	10.190476	7.557158
std	7.566317	1.520235e-17	3.446264	18.861652	0.336734
min	60.620000	1.000000e-01	2.900000	5.000000	6.790000
25%	74.030000	1.000000e-01	4.000000	5.000000	7.320000
50%	80.420000	1.000000e-01	5.200000	5.000000	7.500000
75%	84.188000	1.000000e-01	8.000000	5.000000	7.800000
max	90.320000	1.000000e-01	18.000000	89.000000	8.300000

[8 rows x 73 columns]

Not every parameter is measured on every date the survey of water is conducted.

[6]: input_data_pivot.isnull()

[6]:	Parameter	SampleDa	te Activ	ityDepth	24D_u	gl	Ag_ugl	Al_ugl	Alk_CaCO3	3_mgl	\
	0	Fal	.se	False	Tr	ue	True	True	F	alse	
	1	Fal	.se	False	Tr	ue	True	True		True	
	2	Fal	.se	False	Tr	ue	True	True	F	alse	
	3	Fal	.se	False	Tr	ue	True	True		True	
	4	Fal	.se	False	Tr	ue	True	True		True	
		•••		•••	•••		•••		•••		
	98	Fal	.se	False	Tr	ue	True	True	F	alse	
	99	Fal	.se	False	Tr	ue	True	True		True	
	100	Fal	.se	False	Tr	ue	True	True		True	
	101	Fal	.se	False	Tr	ue	True	True		True	
	102	Fal	.se	False	Tr	ue	True	True		True	
	Parameter	As_ugl	BOD5_mgl	B_ugl	Ba_ugl		TN_ugl	TOC_mgl	TP_ugl	\	
	0	True	True	True	True		False	True	False		
	1	True	True	True	True		False	True	False		
	2	True	True	True	True		False	True	False		
	3	True	True	True	True		False	True	False		
	4	True	True	True	True		True	True	False		
		•••					•••	•••			
	98	True	True	True	True		False	True	False		
	99	True	True	True	True		False	True	False		
	100	True	True	True	True		True	True	True		
	101	False	True	True	True		False	False	False		
	102	True	True	True	True	•••	False	True	False		
	Parameter	TSS mgl	TempW_C	TempW F	Tl ug	:1	Turb ntu	Zn ugl	Нq		
		_ 3	1 –	1 -		•	-	_ 3	1		

0	True	False	False	True	True	True	False
1	True	False	False	True	True	True	False
2	True	False	False	True	True	True	False
3	True	False	False	True	True	True	False
4	True	False	False	True	True	True	False
• •	•••		• •••	•••	•••		
98	 True	 False	 False	 True	 True	True	False
						True True	False False
98	True	False	False	True	True		
98 99	True True	False False	False False	True True	True True	True	False

[103 rows x 74 columns]

Percentage of missing values in each parameter

```
>0, missing entries: 0, percentage 0.00
>1, missing entries: 0, percentage 0.00
    missing entries: 98, percentage 95.15
>2,
    missing entries: 84, percentage 81.55
>3,
>4,
    missing entries: 97, percentage 94.17
    missing entries: 69, percentage 66.99
>6,
    missing entries: 78, percentage 75.73
    missing entries: 102, percentage 99.03
>7,
    missing entries: 97, percentage 94.17
>9,
    missing entries: 97, percentage 94.17
     missing entries: 84, percentage 81.55
>10,
>11.
     missing entries: 71, percentage 68.93
>12,
     missing entries: 78, percentage 75.73
     missing entries: 97, percentage 94.17
>14.
     missing entries: 84, percentage 81.55
     missing entries: 78, percentage 75.73
>15,
>16,
     missing entries: 63, percentage 61.17
     missing entries: 59, percentage 57.28
>17,
     missing entries: 78, percentage 75.73
>18,
     missing entries: 35, percentage 33.98
>19,
     missing entries: 6, percentage 5.83
>20,
>21,
     missing entries: 79, percentage 76.70
     missing entries: 90, percentage 87.38
>22,
     missing entries: 80, percentage 77.67
>23,
>24,
     missing entries: 6, percentage 5.83
>25,
     missing entries: 74, percentage 71.84
```


```
missing entries: 94, percentage 91.26
>26,
>27,
      missing entries: 98, percentage 95.15
>28,
     missing entries: 94, percentage 91.26
>29,
      missing entries: 98, percentage 95.15
     missing entries: 50, percentage 48.54
>30.
      missing entries: 87, percentage 84.47
>31,
>32,
      missing entries: 31, percentage 30.10
>33.
     missing entries: 98, percentage 95.15
     missing entries: 71, percentage 68.93
>34,
>35,
     missing entries: 46, percentage 44.66
     missing entries: 98, percentage 95.15
>36,
     missing entries: 98, percentage 95.15
>37,
     missing entries: 72, percentage 69.90
>38,
>39,
     missing entries: 78, percentage 75.73
>40,
     missing entries: 89, percentage 86.41
>41,
     missing entries: 102, percentage 99.03
>42,
     missing entries: 74, percentage 71.84
>43,
     missing entries: 53, percentage 51.46
>44,
      missing entries: 96, percentage 93.20
>45.
     missing entries: 88, percentage 85.44
>46,
     missing entries: 30, percentage 29.13
     missing entries: 71, percentage 68.93
>47,
>48.
     missing entries: 78, percentage 75.73
     missing entries: 78, percentage 75.73
>49,
>50,
     missing entries: 23, percentage 22.33
     missing entries: 79, percentage 76.70
>51,
     missing entries: 63, percentage 61.17
>52,
     missing entries: 88, percentage 85.44
>53,
>54,
     missing entries: 78, percentage 75.73
>55,
     missing entries: 95, percentage 92.23
>56,
     missing entries: 94, percentage 91.26
>57,
     missing entries: 97, percentage 94.17
>58,
     missing entries: 97, percentage 94.17
>59,
     missing entries: 74, percentage 71.84
      missing entries: 88, percentage 85.44
>60,
      missing entries: 98, percentage 95.15
>61,
     missing entries: 78, percentage 75.73
>62,
>63.
     missing entries: 36, percentage 34.95
     missing entries: 31, percentage 30.10
>64,
>65.
     missing entries: 97, percentage 94.17
>66,
     missing entries: 9, percentage 8.74
     missing entries: 78, percentage 75.73
>67,
>68,
     missing entries: 8, percentage 7.77
     missing entries: 8, percentage 7.77
>69,
>70,
     missing entries: 97, percentage 94.17
>71,
     missing entries: 78, percentage 75.73
>72,
     missing entries: 82, percentage 79.61
>73,
     missing entries: 8, percentage 7.77
```

Heatmap of missing values in each parameter/column

```
[8]: plt.rcParams["figure.figsize"] = [24, 12]
sns.heatmap(input_data_pivot.isna(), cbar=False, cmap='viridis', 

→yticklabels=False)
```

[8]: <AxesSubplot:xlabel='Parameter'>



From above figure, we can observe there are lot of missing data in every column except "Sample-Date" and "ActivityDepth" which have no missing value.

Task 2 - Create plots for all the parameters with X-axis showing time and Y-axis showing the parameter value.


Saving plots in plots folder.

```
[10]: input_data_pivot.set_index('SampleDate',inplace=True)
for i, col in enumerate(input_data_pivot.columns):
    input_data_pivot[col].plot(fig=plt.figure(i))
    plt.ion()
    plt.title(col)
    plt.xticks(rotation=90)
```

```
plt.tight_layout()
plt.savefig('./plots/'+str(col)+'.png', dpi=300)
plt.close()
```

Task 3 – List at least 3 feature pairs with strong correlations (> 0.5 or <-0.5) among them? Show heatmap of correlation, if possible. What does this indicate?

Correlation Heatmap



Two Highest correlation: One is self and other is with different feature. We are concented with other features not same feature for correlation.

```
top = pd.DataFrame(corr1[(corr1[col]>0.9) | (corr1[col]<-0.9)][col].</pre>
 →nlargest(2).to_frame()).reset_index()
        top = top.drop(top[top["Parameter"] == col].index)
         if top.empty:
            pass
        else:
            print(top)
            print("\n")
    except:
        pass
     Parameter 24D_ugl
O Ecoli_100ml
                    1.0
     Parameter Al_ugl
O Ecoli_100ml
                   1.0
        Parameter Alk_CaCO3_mgl
1 Glyphosate_ugl
                       -0.925814
 Parameter
                B_ugl
     K_mgl 0.950117
1
     Parameter Ba_ugl
O Ecoli_100ml
                   1.0
        Parameter C_organic_mgl
1 Color_true_pcu
                        0.939544
  Parameter Ca_diss_mgl
     Zn_ugl
                     1.0
     Parameter
                  Ca_mgl
1 CarbAlk_mgl 0.990536
  Parameter CarbAlk_mgl
                0.990536
     Ca_mgl
```

Parameter ChlaC_ugl 1 Chla_ugl 0.976938

Parameter Chla_ugl 1 NO3_diss_ugl 0.99939

Parameter Cl_diss_mgl
1 Zn_ugl -1.0

Parameter Cl_mgl
1 Na_mgl 0.983395

Parameter Color_true_pcu 1 TOC_mgl 0.94758

Parameter Cond_umhocm 1 Salinity_ppt 0.999392

Parameter Cr_ugl
1 CarbAlk_mgl -0.958928

Parameter Cu_ugl 1 Depth_bott_ft 0.926694

Parameter DO_mgl
1 DO_percent 0.988709

Parameter DO_percent 1 Fe_diss_ugl 0.998719

Parameter Depth_bott_ft
1 Secchi_ft 0.991882

Parameter Ecoli_100ml
0 24D_ugl 1.0
1 Al_ugl 1.0

Parameter F_mgl 1 Salinity_ppt 0.961899

Parameter Fe_diss_ugl
1 Zn_ugl 1.0

Parameter Fe_ugl
1 Sucralose_ugl -0.915896

Parameter Glyphosate_ugl
1 Ecoli_100ml 1.0

Parameter Hardnesscarbonate_mgl
1 Zn_ugl 1.0

Parameter K_mgl B_ugl 0.950117

Parameter MCPP_ugl 1 Ecoli_100ml 1.0

Parameter Mg_diss_mgl
1 Zn_ugl 1.0

Parameter Mg_mgl 1 Salinity_ppt 0.936817

Parameter Mn_diss_ugl 1 Zn_ugl 1.0

Parameter NO3_diss_ugl 1 Chla_ugl 0.99939

Parameter NOx_ugl 1 NO3_diss_ugl 0.998936

Parameter Na_diss_mgl
1 Zn_ugl -1.0

Parameter Na_mgl
1 Cl_mgl 0.983395

Parameter Ni_ugl 1 Sucralose_ugl 0.961861

Parameter OP_mgl 1 Si_ugl 0.910904

Parameter Pheo_ugl 1 Glyphosate_ugl 0.962065

Parameter SO4_diss_mgl
1 Zn_ugl -1.0

Parameter SO4_mgl
1 Salinity_ppt 0.913588

Parameter Salinity_PSS 1 Salinity_ppt 1.0

 $\begin{array}{ccc} & Parameter & Salinity_ppt \\ 0 & Salinity_PSS & 1.0 \end{array}$

Parameter Sb_ugl 1 Sucralose_ugl 0.936411

Parameter Secchi_ft
1 Depth_bott_ft 0.991882

Parameter Si_ugl 1 OP_mgl 0.910904

Parameter Sucralose_ugl
1 Ni_ugl 0.961861

Parameter TDS_mgl 1 Salinity_PSS 0.977539

Parameter TKN_ugl 1 TN_ugl 0.993621

Parameter TN_ugl 1 TKN_ugl 0.993621

Parameter TOC_mgl 1 Color_true_pcu 0.94758

Parameter TP_ugl 1 OP_mgl 0.902318

Parameter TSS_mgl 1 Pheo_ugl 0.915603

Parameter TempW_C
1 TempW_F 1.0

Parameter TempW_F
1 TempW_C 1.0

Parameter Zn_ugl
Fe_diss_ugl 1.0
Hardnesscarbonate_mgl 1.0

Top three correlated feature pairs are when considering ActivityDepth:

- 1. Ecoli_100ml and Al_ugl
- 2. Zn_ugl and Si_ugl
- 3. DO_percent and Fe_diss_ugl

Task 4 – If you are a resident living near this location and looking at this water data. You want to know answers for questions like if it safe to go to swim in the water, use water to irrigate your garden or event drink from it? Can this data answer any such questions? Discuss.

If I am residing near this location, I would be interested to know:

- 1. The pH value of the water, tells the acidic level of water.
- 2. The amount of dissolved calcium and magnesium in the water, it defines the hardness of water
- 3. The temperature of the water. It affects fish and aquatic plants in the water.
- 5. Salinity of water
- 6. Turbidity of water
- 7. Alkalinity of water
- 8. Dissolved oxygen content in water
- 9. Phosporius and Nirtrogen content of water.

Basically, by looking at this I want to know the quality of the water before using it to drink, cook food, swimming, fishing, etc. As the contains the parameters I will mostly be interested in to know, I think I will able to judge the quality of water in this location.

[]: