VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

WEB PROGRAMIRANJE PHP2 DOKUMENTACIJA PROJEKTA

https://kojicfilip.000webhostapp.com/

Student:

Kojić Filip

325/14

Contents

1.Opis funkcionalnosti	4
2.Skica struktura stranica	6
3.Dijagram baze podataka	15
4.MVC organizacija	16
Kontroleri	16
Modeli	17
View	18
4.JavaScript kod	19
4.PHP kod	20
Kontroleri	20
Modeli	57
View	66


•			

1.0pis funkcionalnosti

- Meni je dinamicki, povlaci se iz baze.
- Admin moze da upravlja korisnicima, postovima, slikama. Slike ubacene imaju svoja pravila preko kojih je dozvoljen format slike i ekstenzija, sto je uradjeno preko codeigniter koda.
- Logovanje se štiti sesijama i admin moze da vidi svoje postove, takodje ulogovani kao korisnik može da preko izbora u gornjoj navigaciji, "Profil", izvrsi promene na svom profilu.
- Korpa je uradjena preko koda i post tj izabrani proizvod se prenosi preko id uzetog iz url-a.
- Template je preuzet sa interneta i izvrsene su izmene na css-u da bi dobio zavrsni izgled.
- jQuerz je koriscen na pocetnoj strani za dropdown meni.


Korišćeni jezici	HTML, CSSJavaScriptPHPMySql
Korišćeni template	
Korišćeni jezici	HTML, CSSJavaScriptPHPMySql
Korišćeni template	
Korišćene biblioteke	jQueryfont-awsome
URL sajta	
Pristupni parametri	Admin(-admin -admin)Korisnik(-pera -pera)

2.Skica struktura stranica




.


Autor




Registracija



Proizvodi



Proizvod detalji




,


Korpa




Profil




Registracija




Admin




Korisnici




Unesi




Izmena



Obrisi



3.Dijagram baze podataka



4.MVC organizacija

Kontroleri

Frontend_Controller
construct()
load_view(\$view,\$data)

Administracija
construct()
index()
izmeni()
izmeniKorisnika()
korisnici()
obrisi()
unesi()

Home
construct()
index()
autor()
korpa()
profil()
proizvod_detalji()
proizvodi()
registracija()

Logovanje
construct()
login()
logout()

Modeli

Model_Kategorija
__construct()
dohvati()
dohvati_naslov()
proizvodjac

Model_Logovanje
construct()
autor()
izmeni(\$podaci)
korisnici()
korisniciIzmena(\$id)
obrisi()
prijava(\$username, \$password)
uloge()
unesi(\$podaci)

Model_Proizvod
construct()
izmeniProizvod(\$podaci)
obrisi()
proizvod(\$id_proizvod)
proizvodKategorija(\$id)
proizvodiSlajder()
proizvodi()
proizvodiac()
unesi Proizvod (\$podaci)

Model_Meni
construct()
meni(\$id)

View

Spisak view-a
administracija
autor
footer
header
kategorija
korpa
meni
profil
proizvod_detalji
proizvodi
registracija
sadrzaj
admin/izmeni
admin/obrisiProizvode
unesi

4.JavaScript kod

```
Shop.js
$(document).ready(function() {
  $("body").fadeIn(400);
$('#myCarousel').carousel()
$('#newProductCar').carousel()
$('.thumbnail').mouseenter(function() {
 $(this).children('.zoomTool').fadeIn();
});
$('.thumbnail').mouseleave(function() {
      $(this).children('.zoomTool').fadeOut();
});
      $(window).scroll(function(){
            if($(this).scrollTop()>200){
                  $(".gotop").fadeIn(200);
            }
            else{
                  $(".gotop").fadeOut(200);
```

```
}
     });
      $(".gotop").click(function(event){
           event.preventDefault();
           $.scrollTo('#gototop', 1500, {
      easing: 'easeOutCubic'
    });
     });
});
4.PHP kod
Kontroleri
Frontend_Controller
<?php
class Frontend_Controller extends CI_Controller{
  private $data = array();
  public function __construct() {
    parent::__construct();
```

```
$this->podaci['css data'][] = link tag("assets/css/bootstrap.css",
"stylesheet", "text/css");
    $this->podaci['css data'][] = link tag("assets/style.css", "stylesheet",
"text/css");
    $this->podaci['css data'][] = link tag("assets/font-awesome/css/font-
awesome.css", "stylesheet", "text/css");
    $this->podaci['meta data'][] = meta("viewport", "width=device-width,
initial-scale=1.0");
    $this->podaci['meta data'][] = meta("description", "Početna");
    $this->podaci['meta data'][] = meta("author", "Filip");
    $this->load->model("Model Kategorija");
    $this->load->model("Model Proizvod");
    $this->load->model("Model Meni");
    $this->load->model("Model Logovanje");
    $id = $this->session->userdata('id uloge');
    $this->podaci['meni'] = $this->Model Meni->meni($id);
    $this->load->library('cart');
  }
```

```
public function load view($view, $data)
  {
    $this->load->helper('form');
    $this->load->view('header', $data);
    $this->load->view('meni', $data);
    $this->load->view($view, $data);
    $this->load->view('footer', $data);
  }
}
Administracija
<?php
class Administracija extends Frontend_Controller{
  public function construct() {
    parent:: construct();
    $this->podaci['kategorija_naslov'] = $this->Model_Kategorija-
>dohvati naslov();
    $this->podaci['proizvodi'] = $this->Model_Proizvod->proizvodi();
    $this->podaci['proizvodjac'] = $this->Model Kategorija->proizvodjac();
    if($this->session->userdata("ulogovan")){
```

```
$this->podaci["ulogovan"] = true;
    $this->podaci["uloga"] = $this->session->userdata("uloga");
    if($this->podaci["uloga"]=="admin"){
      $this->podaci["ime"] = $this->session->userdata("ime");
  }
  else{
    $this->podaci["ulogovan"] = false;
    redirect();
  }
}
public function index()
{
  $this->podaci["title"] = "Administracija";
  $prezime = $this->session->userdata('prezime');
  $username = $this->session->userdata('username');
  $sifra = $this->session->userdata('password');
```

```
$mail = $this->session->userdata('email');
    $dugme = $this->input->post('btnUnesi');
         if($dugme!="")
         {
           $this->form validation->set rules('tbIme','Ime
ponovo', 'trim | required');
           $this->form validation->set rules('tbPrezime','Prezime
ponovo', 'trim | required');
           $this->form validation->set rules('tbUsername','Korisnicko
ime','trim|required|min length[3]');
           $this->form validation-
>set rules('tbLozinka','Lozinka','trim|required|matches[tbLozinkaPonovo]');
           $this->form validation->set rules('tbLozinkaPonovo','Lozinka
ponovo', 'trim | required');
           $this->form validation->set rules('tbEmail','E-
mail', 'trim | required | valid email');
           $this->form validation->set message('required','Poje %s je
prazno.');
           $this->form validation->set message('min length','Poje %s
mora imati minimalno %d karaktera.');
```

```
$this->form_validation->set_message('matches','Polja %s i %s se
ne poklapaju!');
           $this->form validation->set message('valid email','Poje %s je
neispravno.');
           if($this->form validation->run()== false)
           {
           }
           else {
             $id = $this->input->post('idKorisnik');
             $this->Model Logovanje->id = $id;
             $podaciUnos = array(
               'ime' => $this->input->post('tblme'),
               'prezime' => $this->input->post('tbPrezime'),
               'username' => $this->input->post('tbUsername'),
               'password' => md5($this->input->post('tbLozinka')),
               'email' => $this->input->post('tbEmail'),
             );
             $this->Model Logovanje->izmeni($podaciUnos);
             $this->podaci['obavestenje'] = "Podaci su promenjeni!";
```

```
}
     }
$this->podaci['tbIme']= array(
     'name'=>"tblme",
    'id'=>"tbIme",
     'value'=>$this->podaci["ime"],
     'size'=>"30",
     'class'=>'form-control'
  );
  $this->podaci['tbPrezime']= array(
     'name'=>"tbPrezime",
     'id'=>"tbPrezime",
     'value'=>$prezime,
     'size'=>"30",
     'class'=>'form-control'
  );
  $this->podaci['tbUsername']= array(
     'name'=>"tbUsername",
     'id'=>"tbUsername",
     'value'=>$username,
```

```
'size'=>"30",
     'class'=>'form-control'
  );
   $this->podaci['tbLozinka'] = array(
     "name"=>"tbLozinka",
     "id"=>"tbLozinka",
     "value"=>$sifra,
     "size"=>"30",
     'class'=>'form-control'
  );
   $this->podaci['tbEmail'] =array(
     "name"=>"tbEmail",
     "id"=>"tbEmail",
     "value"=>$mail,
     "size"=>"30",
     'class'=>'form-control'
  );
$this->load_view("administracija", $this->podaci);
```

```
public function unesi()
{
  $this->podaci["title"] = "Unesi";
  $is_post=$this->input->server('REQUEST_METHOD') == 'POST';
  $dugme = $this->input->post('btnUnesi');
  $uneti_podaci = array();
    if($is_post){
       if($dugme!="")
       {
         $config['upload path'] = './assets/img/';
         $config['allowed types'] = 'gif|jpg|png';
         $config['max_size']
                                 = '100';
         $config['max width'] = '1024';
         $config['max height'] = '768';
         $this->load->library('upload', $config);
         if(!$this->upload->do upload('tbSlike'))
         {
```

```
$error = array('error' => $this->upload->display errors());
   $this->podaci['greske'] = $error;
  }
 else {
   $data = array('upload data' => $this->upload->data());
   //
   $image path = $this->upload->data();
   $podaciUnos = array(
      'naslov' => $this->input->post('tbIme'),
      'opis' => $this->input->post('tbOpis'),
      'datum postavljanja' => $this->input->post('tbDatum'),
      'id kategorija' => $this->input->post('ddlKategorija'),
      'cena' => $this->input->post('tbCena'),
      'slika' => $image path['file name'],
      'id proizvodjac' => $this->input->post('ddlProizvodjac')
   );
   $this->Model Proizvod->unesiProizvod($podaciUnos);
 }
}
```

```
}
$this->podaci['tblme']= array(
  'name'=>"tblme",
  'id'=>"tbIme",
  'value'=>isset($uneti_podaci['ime']) ? $uneti_podaci['ime'] : ",
  'size'=>"30",
  'class'=>'form-control'
);
$this->podaci['tbOpis']= array(
  'id' => 'tbOpis',
  'name' => 'tbOpis',
  'size'=>"100",
  'class'=>'form-control'
);
$this->podaci['tbDatum']= array(
  'name'=>"tbDatum",
  'id'=>"tbDatum",
);
$this->podaci['tbKategorija'] = array(
  "name"=>"tbKategorija",
  "id"=>"tbKategorija",
```

```
"value"=>isset($uneti podaci['kategorija'])?
$uneti_podaci['kategorija']:",
         "size"=>"30",
         'class'=>'form-control'
      );
       $this->podaci['tbCena'] =array(
         "name"=>"tbCena",
         "id"=>"tbCena",
         "value"=>isset($uneti podaci['cena']) ? $uneti podaci['cena'] : ",
         "size"=>"30",
         'class'=>'form-control'
      );
       $this->podaci['tbProizvodjac'] =array(
         "name"=>"tbProizvodjac",
         "id"=>"tbProizvodjac",
         "value"=>isset($uneti_podaci['proizvodjac'])?
$uneti_podaci['proizvodjac']:",
         "size"=>"30".
         'class'=>'form-control'
      );
      $proizvodi = $this->Model Proizvod->proizvodi();
```

```
$this->load->library('table');
      $this->table->set_template(array('table_open'=>'<table
class="table">"));
      $this->table->set heading('ID', 'Ime', 'Opis', 'Datum postavljanja',
'Id K', 'Cena', 'Slika', 'Id P');
      foreach ($proizvodi as $proi)
      {
         $this->table->add row($proi->id proizvod, $proi->naslov, $proi-
>opis, $proi->datum postavljanja, $proi->id kategorija, $proi->cena.'
€','<img src="'.base_url('assets/img/').$proi->slika.'" width="100px"
height="100px">', $proi->id proizvodjac);
      }
      $this->podaci['tabela'] = $this->table->generate();
    $this->load view("admin/unesi", $this->podaci);
  }
  public function izmeni()
```

```
{
  $this->podaci['title'] = 'Izmeni';
 $is_post=$this->input->server('REQUEST_METHOD') == 'POST';
  $dugme = $this->input->post('btnUnesi');
  $uneti_podaci = array();
    if($is_post){
       if($dugme!="")
       {
         $config['upload path'] = './assets/img/';
         $config['allowed types'] = 'gif|jpg|png';
         $config['max_size'] = '100';
         $config['max width'] = '1024';
         $config['max height'] = '768';
         $this->load->library('upload', $config);
         if(!$this->upload->do upload('tbSlike'))
```

```
{
  $error = array('error' => $this->upload->display errors());
  $this->podaci['greske'] = $error;
}
else {
  $data = array('upload data' => $this->upload->data());
  $id = $this->input->post('idIzmena');
  $this->Model Proizvod->id proizvod = $id;
  $image path = $this->upload->data();
  $podaciUnos = array(
    'naslov' => $this->input->post('tblme'),
    'opis' => $this->input->post('tbOpis'),
    'datum postavljanja' => $this->input->post('tbDatum'),
    'id kategorija' => $this->input->post('ddlKategorija'),
    'cena' => $this->input->post('tbCena'),
    'slika' => $image path['file name'],
    'id proizvodjac' => $this->input->post('ddlProizvodjac')
  );
  $this->Model Proizvod->izmeniProizvod($podaciUnos);
```

```
}
   }
}
$id = $this->input->get('idIzmena');
$proizvodi = $this->Model Proizvod->proizvod($id);
foreach ($proizvodi as $proizvod) {
$this->podaci['tblme']= array(
   'name'=>"tblme",
   'id'=>"tbIme",
   'value'=>$proizvod->naslov,
   'size'=>"30",
   'class'=>'form-control'
);
$this->podaci['tbOpis']= array(
   'id' => 'tbOpis',
   'name' => 'tbOpis',
   'value'=>$proizvod->opis,
   'size'=>"100",
   'class'=>'form-control'
```

```
);
       $this->podaci['tbCena'] =array(
         "name"=>"tbCena",
         "id"=>"tbCena",
         "value"=>$proizvod->cena,
         "size"=>"30",
         'class'=>'form-control'
      );
      }
      $proizvodi = $this->Model Proizvod->proizvodi();
      $this->load->library('table');
      $this->table->set template(array('table open'=>'<table
class="table">"));
      $this->table->set_heading('ID', 'Ime', 'Opis', 'Datum postavljanja',
'Id_K', 'Cena', 'Slika', 'Id_P', 'Izmeni');
      foreach ($proizvodi as $proi)
      {
         $link = anchor('administracija/izmeni?idIzmena='.$proi-
>id proizvod, 'Izmeni');
```

```
$this->table->add row($proi->id proizvod, $proi->naslov, $proi-
>opis, $proi->datum_postavljanja, $proi->id_kategorija, $proi->cena.'
€','<img src="'.base_url('assets/img/').$proi->slika.'" width="100px"
height="100px">', $proi->id proizvodjac, $link);
      }
      $this->podaci['tabela'] = $this->table->generate();
    $this->load view('admin/izmeni', $this->podaci);
  }
  public function obrisi()
  {
    $this->podaci["title"] = "Obrisi";
    $proizvodi = $this->Model Proizvod->proizvodi();
    $id = $this->uri->segment(3);
    $this->Model Proizvod->id proizvod = $id;
    $this->Model Proizvod->obrisi();
    $this->load->library('table');
```

```
$this->table->set template(array('table open'=>'<table
class="table">"));
    $this->table->set_heading('Proizvod', 'Opis', 'Datum postavljanja',
'Kategorija', 'Cena', 'Slika', 'Obrisi');
    foreach ($proizvodi as $k)
    {
      $link = anchor('administracija/obrisi/'.$k->id_proizvod, 'Obrisi');
      $this->table->add row($k->naslov, $k->opis, $k->datum postavljanja,
$k->kategorija naziv, $k->cena, '<img src="'.base url('assets/img/').$k-
>slika.'" width="100px" height="100px">', $link);
    }
    $this->podaci['tabelaProizvodi'] = $this->table->generate();
    $this->load view('admin/obrisiProizvode', $this->podaci);
  }
  public function korisnici()
  {
    $this->podaci["title"] = "Korisnici";
    $idIzmena = $this->input->get('idIzmenaKorisnika');
```

```
$this->podaci['korisnicilzmena'] = $this->Model Logovanje-
>korisniciIzmena($idIzmena);
    $this->podaci['uloge'] = $this->Model Logovanje->uloge();
    $dugme = $this->input->post('btnlzmeni');
    if(!$dugme="){
      $this->form validation->set rules('ddlUloga','Uloga
ponovo', 'trim | required');
      $this->form_validation->set_message('required','Poje %s je prazno.');
      if($this->form validation->run()== false)
      {
      }
      else
      {
        $idIzmena = $this->input->post('idIzmenaKorisnika');
        $this->Model Logovanje->id = $idIzmena;
        $podaciUnos = array(
           'id uloge' => $this->input->post('ddlUloga')
        );
```

```
$this->Model Logovanje->izmeni($podaciUnos);
         $this->podaci['obavestenje'] = "Podaci su promenjeni!";
      }
    }
    $korisnici = $this->Model Logovanje->korisnici();
    $id = $this->uri->segment(3);
    $this->Model Logovanje->id = $id;
    $this->Model Logovanje->obrisi();
    $this->load->library('table');
    $this->table->set template(array('table open'=>'<table class="table
table-bordered table-striped">'));
    $this->table->set heading('Ime', 'Prezime', 'Username', 'Lozinka',
'Email', 'Uloga', 'Izmena', 'Obrisi');
    foreach ($korisnici as $k)
    {
```

```
$link = anchor('administracija/korisnici/'.$k->id_korisnik, 'Obrisi',
array('class' => 'brisanje'));
      $izmena = anchor('administracija/korisnici?idIzmenaKorisnika='.$k-
>id korisnik, 'Izmeni');
      $this->table->add row($k->ime, $k->prezime, $k->username, $k-
>password, $k->email, $k->naziv, $izmena, $link);
    }
    $this->podaci['tabelaKorisnici'] = $this->table->generate();
    $this->load view("admin/korisnici", $this->podaci);
  }
  public function izmeniKorisnika()
  {
  }
}
Home
<?php
class Home extends Frontend Controller{
```

```
public function construct() {
    parent:: construct();
    $this->podaci['kategorija naslov'] = $this->Model Kategorija-
>dohvati naslov();
    $this->podaci['proizvodi'] = $this->Model Proizvod->proizvodi();
    $sesija =$this->session->userdata('ulogovan');
    $uloga = $this->session->userdata('uloga');
    if($uloga =='admin'){
      redirect('administracija');
    }
  }
  public function index()
  {
    $this->podaci["title"] = "Pocetna";
    $this->podaci['proizvodSlajder'] = $this->Model_Proizvod-
>proizvodSlajder();
    $this->load view("sadrzaj", $this->podaci);
```

```
}
public function proizvod_detalji()
{
  $this->podaci["title"] = "Proizvod";
  $id = $this->input->get('idProizvod');
  $this->podaci['proizvod'] = $this->Model_Proizvod->proizvod($id);
  $this->load_view("proizvod_detalji", $this->podaci);
}
public function registracija()
{
  $this->podaci["title"] = "Registracija";
  $dugme = $this->input->post('btnUnesi');
  $uneti_podaci = array();
       if($dugme!="")
       {
```

```
$this->form validation->set rules('tbIme','Ime
ponovo', 'trim | required');
           $this->form validation->set rules('tbPrezime','Prezime
ponovo', 'trim | required');
           $this->form validation->set rules('tbUsername','Korisnicko
ime','trim|required|min length[3]');
           $this->form validation-
>set rules('tbLozinka','Lozinka','trim|required|matches[tbLozinkaPonovo]');
           $this->form validation->set rules('tbLozinkaPonovo','Lozinka
ponovo', 'trim | required');
           $this->form validation->set rules('tbEmail','E-
mail', 'trim | required | valid email');
           $this->form validation->set message('required','Poje %s je
prazno.');
           $this->form validation->set message('min length','Poje %s
mora imati minimalno %d karaktera.');
           $this->form validation->set message('matches','Polja %s i %s se
ne poklapaju!');
           $this->form validation->set message('valid email','Poje %s je
neispravno.');
           if($this->form validation->run()== false)
           {
```

```
else {
      $podaciUnos = array(
        'ime' => $this->input->post('tblme'),
        'prezime' => $this->input->post('tbPrezime'),
        'username' => $this->input->post('tbUsername'),
        'password' => md5($this->input->post('tbLozinka')),
        'email' => $this->input->post('tbEmail'),
        'id uloge' => '2'
     );
      $this->Model Logovanje->unesi($podaciUnos);
      $this->podaci['obavestenje'] = "Podaci su uneti u bazu!";
   }
  }
$this->podaci['tblme']= array(
  'name'=>"tblme",
  'id'=>"tbIme",
  'value'=>isset($uneti podaci['ime']) ? $uneti podaci['ime'] : ",
  'size'=>"30",
```

}

```
'class'=>'form-control'
      );
       $this->podaci['tbPrezime']= array(
         'name'=>"tbPrezime",
         'id'=>"tbPrezime",
         'value'=>isset($uneti podaci['prezime']) ? $uneti podaci['prezime']
: '',
         'size'=>"30",
         'class'=>'form-control'
      );
       $this->podaci['tbUsername']= array(
         'name'=>"tbUsername",
         'id'=>"tbUsername",
         'value'=>isset($uneti_podaci['username'])?
$uneti_podaci['username']:",
         'size'=>"30",
         'class'=>'form-control'
      );
       $this->podaci['tbLozinka'] = array(
         "name"=>"tbLozinka",
         "id"=>"tbLozinka",
```

```
"value"=>isset($uneti_podaci['lozinka']) ? $uneti_podaci['lozinka'] :
       "size"=>"30",
       'class'=>'form-control'
    );
     $this->podaci['tbEmail'] =array(
       "name"=>"tbEmail",
       "id"=>"tbEmail",
       "value"=>isset($uneti_podaci['email']) ? $uneti_podaci['email'] : ",
       "size"=>"30",
       'class'=>'form-control'
    );
  $this->load_view("registracija", $this->podaci);
}
public function kontakt()
{
  $this->podaci["title"] = "Kontakt";
  $this->load view("kontakt", $this->podaci);
```

```
}
  public function proizvodi()
  {
    $this->podaci["title"] = "Proizvodi";
    $id = $this->input->get('id');
    $idK = $this->input->get('idK');
    $this->podaci['proizvodKategorija'] = $this->Model Proizvod-
>proizvodKategorija($id);
    $this->podaci['proizvodjac'] = $this->Model_Proizvod->proizvodjac($id);
//
      $this->podaci['proizvodK'] = $this->Model Proizvod->proizvodK($idK);
    $this->load_view("proizvodi", $this->podaci);
  }
  public function korpa()
  {
    $uloga = $this->session->userdata('uloga');
    if($uloga =="korisnik")
    {
```

```
$this->podaci["title"] = "Korpa";
    $idKupljeno = $this->input->get('idKupljeno');
    $kupljeno = $this->Model Proizvod->proizvod($idKupljeno);
    $this->load->library('table');
         $this->table->set template(array('table open'=>'<table
class="table table-bordered table-striped">'));
         $this->table->set heading('Proizvod', 'Naziv', 'Cena', 'Ukloni');
         foreach ($kupljeno as $kupljen)
        {
           $link = anchor(", 'Ukloni', array('class' => 'brisanje', 'data-
id'=>$kupljen->id proizvod));
           $this->table->add row('<img
src="'.base url('assets/img/').$kupljen->slika." width="100px"
height="100px">', $kupljen->naslov, $kupljen->cena.' €', $link);
         }
         $this->podaci['tabelaKupljenih'] = $this->table->generate();
    $this->load view("korpa", $this->podaci);
    }
```

```
else
  {
    redirect('home/registracija');
  }
}
public function profil()
{
  $this->podaci["title"] = "Profil";
  $prezime = $this->session->userdata('prezime');
  $username = $this->session->userdata('username');
  $sifra = $this->session->userdata('password');
  $mail = $this->session->userdata('email');
  $ime = $this->session->userdata('ime');
  $dugme = $this->input->post('btnUnesi');
       if($dugme!="")
       {
```

```
$this->form validation->set rules('tbIme','Ime
ponovo', 'trim | required');
           $this->form validation->set rules('tbPrezime','Prezime
ponovo', 'trim | required');
           $this->form validation->set rules('tbUsername','Korisnicko
ime','trim|required|min length[3]');
           $this->form validation-
>set rules('tbLozinka','Lozinka','trim|required|matches[tbLozinkaPonovo]');
           $this->form validation->set rules('tbLozinkaPonovo','Lozinka
ponovo', 'trim | required');
           $this->form validation->set rules('tbEmail','E-
mail', 'trim | required | valid email');
           $this->form validation->set message('required','Poje %s je
prazno.');
           $this->form validation->set message('min length','Poje %s
mora imati minimalno %d karaktera.');
           $this->form validation->set message('matches','Polja %s i %s se
ne poklapaju!');
           $this->form validation->set message('valid email','Poje %s je
neispravno.');
           if($this->form validation->run()== false)
           {
```

```
else {
             $id = $this->input->post('idKorisnik');
             $this->Model Logovanje->id = $id;
             $podaciUnos = array(
               'ime' => $this->input->post('tbIme'),
               'prezime' => $this->input->post('tbPrezime'),
               'username' => $this->input->post('tbUsername'),
               'password' => md5($this->input->post('tbLozinka')),
               'email' => $this->input->post('tbEmail'),
             );
             $this->Model_Logovanje->izmeni($podaciUnos);
             $this->podaci['obavestenje'] = "Podaci su promenjeni! Da biste
videli rezultate promene morate se ponovo ulogovati, hvala.";
           }
         }
    $this->podaci['tbIme']= array(
         'name'=>"tblme",
         'id'=>"tblme",
```

}

```
'value'=>$ime,
  'size'=>"30",
  'class'=>'form-control'
);
$this->podaci['tbPrezime']= array(
  'name'=>"tbPrezime",
  'id'=>"tbPrezime",
  'value'=>$prezime,
  'size'=>"30",
  'class'=>'form-control'
);
$this->podaci['tbUsername']= array(
  'name'=>"tbUsername",
  'id'=>"tbUsername",
  'value'=>$username,
  'size'=>"30",
  'class'=>'form-control'
);
$this->podaci['tbLozinka'] = array(
  "name"=>"tbLozinka",
  "id"=>"tbLozinka",
```

```
"size"=>"30",
       'class'=>'form-control'
    );
     $this->podaci['tbEmail'] =array(
       "name"=>"tbEmail",
       "id"=>"tbEmail",
       "value"=>$mail,
       "size"=>"30",
       'class'=>'form-control'
    );
  $this->load_view("profil", $this->podaci);
}
public function autor()
{
 $this->podaci["title"] = "Autor";
 $this->podaci['autor'] = $this->Model_Logovanje->autor();
```

"value"=>\$sifra,

```
$this->load_view("autor", $this->podaci);
  }
}
Logovanje
<?php
class Logovanje extends Frontend_Controller{
  public function __construct() {
    parent:: construct();
  }
  public function login()
  {
    $is_post=$this->input->server('REQUEST_METHOD') == 'POST';
    if($is post){
    $username = $this->input->post('tbKorIme');
    $password = md5($this->input->post('tbLozinka'));
    $rezultat = $this->Model_Logovanje->prijava($username, $password);
```

```
if($rezultat->num rows()==1)
{
  $podaci korisnik = $rezultat->row array();
  $sesija = array(
    "ulogovan" => true,
    "id" => $podaci korisnik["id korisnik"],
    "uloga" => $podaci_korisnik["naziv"],
    "username" => $podaci korisnik["username"],
    "prezime" => $podaci_korisnik["prezime"],
    "ime" => $podaci korisnik["ime"],
    "id uloge" => $podaci_korisnik["id_uloge"],
    "email" => $podaci korisnik["email"],
    "password" => $podaci_korisnik["password"]
  );
  $this->session->set userdata($sesija);
  if($podaci korisnik["naziv"]=="admin"){
    redirect('administracija');
  }
  else if($podaci korisnik["naziv"]=="korisnik"){
```

```
redirect('home');
      }
    }
    else
    {
      redirect('home');
  }
  public function logout()
  {
    $this->session->sess_destroy();
    redirect();
  }
}
```

Modeli

Model_Meni

```
<?php
class Model_Meni extends CI_Model{
  private $id_meni;
  private $link;
  private $naziv;
  public function __construct() {
    parent::__construct();
  }
  public function meni($id) {
    if($this->session->userdata('id_uloge')!= null){
    $this->db->where('id uloge', $id);
    }
    else
    {
      $this->db->where('(id_uloge="2" or id_uloge="0")');
    }
    return $this->db->get('meni')->result();
  }
```

```
}
Model_Kategorija
<?php
class Model_Kategorija extends CI_Model{
  private $id_naslov;
  private $naslov;
  private $id_kategorija;
  private $kategorija_naziv;
  public function __construct() {
    parent:: construct();
  }
  public function dohvati naslov(){
    $upit = "SELECT * FROM kategorija_naslov";
    return $this->db->query($upit)->result();
  }
  public function dohvati(){
    $upit = "SELECT * FROM kategorija";
```

```
return $this->db->query($upit)->result();
  }
  public function proizvodjac() {
    return $this->db->get('proizvodjac')->result();
 }
}
Model_Logovanje
<?php
class Model_Logovanje extends CI_Model{
  //put your code here
  public $id;
  public $ime;
  public $prezime;
  public $username;
  public $password;
  public $email;
```

```
public function __construct() {
  parent:: construct();
}
public function korisnici() {
  $this->db->join("uloga","korisnik.id uloge = uloga.id uloge");
  return $this->db->get('korisnik')->result();
}
public function korisnicilzmena($id) {
  $this->db->where('id_korisnik', $id);
  $this->db->join("uloga","korisnik.id uloge = uloga.id uloge");
  return $this->db->get('korisnik')->result();
}
public function prijava($username, $password)
{
  $this->db->where('username', $username);
  $this->db->where('password', $password);
  $this->db->join("uloga","korisnik.id_uloge = uloga.id_uloge");
```

```
return $this->db->get('korisnik');
}
public function unesi($podaci) {
  $this->db->insert('korisnik', $podaci);
}
public function obrisi() {
  $uslov = array('id_korisnik'=> $this->id);
  $this->db->where($uslov);
  $this->db->delete('korisnik');
}
public function izmeni($podaci) {
  $this->db->where('id korisnik', $this->id);
  $this->db->update('korisnik', $podaci);
}
public function autor() {
  return $this->db->get('autor')->result();
```

```
}
  public function uloge() {
    return $this->db->get('uloga')->result();
  }
Model_Proizvod
<?php
class Model_Proizvod extends CI_Model{
  public $id_proizvod;
  public $naslov;
  public $opis;
  public $datum_postavljanja;
  public $id_kategorija;
  public $cena;
  public $slika = array();
  public function __construct() {
```

```
parent:: construct();
  }
  public function proizvodi() {
    $this->db->join('kategorija','proizvod.id kategorija =
kategorija.id kategorija');
    return $this->db->get('proizvod')->result();
  }
  public function proizvod($id proizvod) {
    $this->db->where('id proizvod',$id proizvod);
    return $this->db->get('proizvod')->result();
  }
  public function proizvodjac($id p) {
    $this->db->where('id_naslov',$id_p);
    return $this->db->get('kategorija')->result();
  }
  public function proizvodSlajder()
  {
```

```
//
      $this->db->limit(0,3);
    $this->db->order_by('datum_postavljanja', 'DESC');
    return $this->db->get('proizvod', 3, 0)->result();
  }
  public function proizvodKategorija($id) {
    $this->db->where('id kategorija',$id);
    return $this->db->get('proizvod')->result();
  }
  public function unesiProizvod($podaci) {
    $this->db->insert('proizvod', $podaci);
  }
  public function obrisi() {
    $uslov = array('id proizvod'=> $this->id proizvod);
    $this->db->where($uslov);
    $this->db->delete('proizvod');
  }
  public function izmeniProizvod($podaci) {
```

```
$this->db->where('id_proizvod', $this->id_proizvod);
    $this->db->update('proizvod', $podaci);
  }
}
View
header.php
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="utf-8">
  <title><?php echo $title; ?></title>
  <?php
    foreach ($css_data as $css)
    {
      echo $css;
    }
    foreach ($meta_data as $meta)
    {
      echo $meta;
```

```
}
  ?>
  <link rel="shortcut icon" href="<?php echo</pre>
base url();?>assets/ico/favicon.ico">
 </head>
<body>
<div class="navbar navbar-inverse navbar-fixed-top">
     <div class="topNav">
           <div class="container">
                 <div class="alignR">
                       <div class="pull-left socialNw">
                             <a href="#"><span class="icon-
twitter"></span></a>
                             <a href="#"><span class="icon-
facebook"></span></a>
                             <a href="#"><span class="icon-
youtube"></span></a>
                             <a href="#"><span class="icon-
tumblr"></span></a>
                       </div>
                       <?php $uloga = $this->session->userdata('uloga');
```

```
$ime = $this->session->userdata('ime');
                 if($uloga == 'korisnik'): ?>
                 <a href="<?php echo base_url('home/profil');?>"><span
class="icon-user"> <?php echo $ime;?></span></a>
                 <?php endif;?>
                      <a href="<?php echo
base_url('home/korpa');?>"><span class="icon-shopping-cart"></span>
Korpa <span class="badge badge-warning"> </span></a>
                 </div>
           </div>
     </div>
</div>
<div class="container">
<div id="gototop"> </div>
<header id="header">
<div class="row">
     <div class="span4">
     <h1>
    <?php $sesija = $this->session->userdata('ulogovan');
            if(empty($sesija))
            {;>
```

```
<a class="logo" href="<?php echo
base url();?>Home/"><span>Twitter Bootstrap ecommerce
template</span>
           <img src="<?php echo base url();?>assets/img/logo-bootstrap-
shoping-cart.png" alt="">
     </a>
            <?php } else { ?>
      <a class="logo" href="<?php echo
base_url();?>administracija/"><span>Twitter Bootstrap ecommerce
template</span>
           <img src="<?php echo base url();?>assets/img/logo-bootstrap-
shoping-cart.png" alt="">
     </a>
            <?php }?>
     </h1>
     </div>
     <div class="span4">
     </div>
     <div class="span4 alignR">
      <?php echo anchor('dokumentacija.pdf', 'Dokumentacija',
array('class'=>'btn btn-warning'));?>
     </div>
</div>
```

```
</header>
sadrzaj.php
<div class="span12">
     <div class="well np">
          <div id="myCarousel" class="carousel slide homCar">
      <div class="carousel-inner">
      </div>
     </div>
    </div>
    <div class="well well-small">
     <h3> Najnoviji proizvodi </h3>
     <hr class="soften"/>
     <div class="row-fluid">
     <?php
          if(isset($proizvodSlajder)){
            foreach ($proizvodSlajder as $p) {
              echo '
         <div class="thumbnail">
```

```
<a class="zoomTool"
href="'.base url('Home/proizvod detalji?idProizvod=').$p->id proizvod.""
title="add to cart"><span class="icon-search"></span> QUICK VIEW</a>
             <a href="".base url('Home/proizvod detalji?idProizvod=').$p-
>id proizvod."'><img src="'.base url('assets/img/').$p->slika." alt=""
width="210px" height="200px"></a>
            <div class="caption">
             <h5>'.$p->naslov.'</h5>
              <h4>
                  <a class="defaultBtn"
href="'.base_url('Home/proizvod_detalji?idProizvod=').$p->id_proizvod.'"
title="Click to view"><span class="icon-zoom-in"></span></a>
                  <a class="shopBtn"
href="'.base_url('Home/korpa?idKupljeno=').$p->id_proizvod.'" title="add to
cart"><span class="icon-plus"></span></a>
                  <span class="pull-right">€'.$p->cena.'</span>
             </h4>
             </div>
         </div>
        ';
          }
```

```
?>
     </div>
</div>
</div>
footer.php
     </div>
<footer class="footer">
<div class="row-fluid">
</div>
</footer>
</div><!-- /container -->
<div class="copyright">
<div class="container">
     <span>Copyright &copy; 2013<br> bootstrap ecommerce shopping
template</span>
</div>
```

```
</div>
<a href="#" class="gotop"><i class="icon-double-angle-up"></i>
<script src="<?php echo base_url();?>assets/js/jquery.js"></script>
<script src="<?php echo base url();?>assets/js/bootstrap.min.js"></script>
     <script src="<?php echo base url();?>assets/js/jquery.easing-
1.3.min.js"></script>
  <script src="<?php echo base url();?>assets/js/jquery.scrollTo-1.4.3.1-
min.js"></script>
  <script src="<?php echo base url();?>assets/js/shop.js"></script>
 </body>
</html>
administracija.php
<div class="span9">
     <h3> Administrator <?php echo $ime;?></h3>
     <hr class="soft"/>
    <?php
      print validation errors("<div class='alert alert-danger'>","</div>");
      if(isset($obavestenje))
      {
        echo "<div class='alert alert-success'>".$obavestenje."</div>";
      }?>
```

```
<?php
  echo form open('home/profil', array('class'=>'form-horizontal'));
  echo '<div class="control-group">'
  . '<label class="control-label">Ime:</label>';
  echo '<div class="controls">';
  echo form input($tblme);
  $id = $this->session->userdata("id");
  echo form hidden('idKorisnik', $id);
  echo '</div></div><div class="control-group">'
  . '<label class="control-label">Prezime:</label>';
  echo '<div class="controls">';
  echo form_input($tbPrezime);
  echo '</div></div><div class="control-group">'
  . '<label class="control-label">Username:</label>';
  echo '<div class="controls">';
```

```
echo form input($tbUsername);
echo '</div></div><div class="control-group">'
. '<label class="control-label">Lozinka:</label>';
echo '<div class="controls">';
echo form password($tbLozinka);
echo '</div></div><div class="control-group">'
. '<label class="control-label">Lozinka ponovo:</label>';
echo '<div class="controls">';
echo form_password(array(
      "name"=>"tbLozinkaPonovo",
      "id"=>"tbLozinkaPonovo",
      "value"=> set value('tbLozinkaPonovo'),
      "size"=>"30",
      'class'=>'form-control'
));
echo '</div></div><div class="control-group">'
```

```
. '<label class="control-label">Email:</label>';
      echo '<div class="controls">';
      echo form_input($tbEmail);
      echo '</div></div><div class="control-group">';
      echo '<div class="controls">';
      echo
form submit(array("id"=>"btnUnesi","name"=>"btnUnesi",'class'=>"exclusiv
e shopBtn", 'value'=>"Izmeni"));
      echo '</div>';
      echo form close();
    ?>
</div>
autor.php
<div class="span9">
  <?php if(isset($autor))</pre>
  {
  foreach ($autor as $a) {
     ?>
```

```
<h3><?php echo $a->ime.' '.$a->prezime; ?></h3>
     <hr class="soft"/>
    <div class="well well-small">
     <div class="row-fluid">
      <div class="span5">
    <?php
    echo img('assets/img/'.$a->slika);?>
        </div><div class="control-group">
        <h3><?php echo $a->ime.' '.$a->prezime; ?></h3>
      <?php
    echo '<div class="span7">'.$a->opis.'</div>';
    }
  }
  ?>
      </div>
</div>
    </div>
</div>
kategorije.php
<div id="sidebar" class="span3">
```

```
<div class="well well-small">
     <?php
         if(isset($kategorija_naslov)){
           foreach ($kategorija naslov as $naslov) {
            echo '<a href="products.html"><span class="icon-
chevron-right"></span>'.$naslov->naslov.'</a>';
           }
         }
       ?>
         <a href="products.html"><span class="icon-chevron-
right"></span>Svi proizvodi</a>
           
     </div>
</div>
korpa.php
<div class="span12">
 <div class="well well-small">
   <hr class="soften"/>
   <?php
```

```
if(isset($tabelaKupljenih))
    {
      echo $tabelaKupljenih;
    }
    ?>
  </div>
</div>
meni.php
<div class="navbar">
      <div class="navbar-inner">
           <div class="container">
            <a data-target=".nav-collapse" data-toggle="collapse"
class="btn btn-navbar">
                 <span class="icon-bar"></span>
                 <span class="icon-bar"></span>
                 <span class="icon-bar"></span>
            </a>
            <div class="nav-collapse">
           <?php
             $sesija = $this->session->userdata('ulogovan');
             $uloga = $this->session->userdata('uloga');
```

```
echo '';
            if(empty($sesija) || $uloga =="korisnik")
            {
               echo ''.anchor('home/index', 'Početna', array('class' =>
'icon-home')).'';
               echo '<div class="dropdown" style="float:left;">
                 <button class="dropbtn"><span class="icon-list">
Proizvodi</button>
                 <div class="dropdown-content" style="left:0;">';
                 if(isset($kategorija naslov)){
                   foreach ($kategorija naslov as $kategorija) {
                     echo
anchor(base url('home/proizvodi?id=').$kategorija->id naslov, $kategorija-
>naslov, array('class' => 'icon-chevron-right'));
                   }
                 }
               echo '</div>';
            }
               if(isset($meni))
```

```
{
                foreach($meni as $m)
                  {
                    echo ''.anchor($m->link, $m->naziv).'';
                  }
              }
              echo '';
            if(empty($sesija) || $uloga =="korisnik")
            {
//
                echo form_open('home/pretraga', array('id'=>'fPretraga',
'name'=>'fPretraga', 'class'=>'navbar-search pull-left', 'method'=>'POST'));
//
                echo form input(array('id'=>'tbPretraga',
'name'=>'tbPretraga', 'class'=>'search-query span2'));
//
                echo form_close();
            }
          ?>
                <?php
              $ulogovan = $this->session->userdata('ulogovan');
```

```
if(empty($ulogovan))
             {
               ?>
                 cli class="dropdown">
                       <a data-toggle="dropdown" class="dropdown-
toggle" href="#"><span class="icon-lock"></span> Login <b
class="caret"></b></a>
                       <div class="dropdown-menu">
                   <?php
                       echo
form open(base url().'Logovanje/login',array('id'=>'forma','name'=>'forma',
'class'=>'form-horizontal loginFrm','method'=>'POST'));
                        echo '<div class="control-group">';
                  echo
form input(array('id'=>'tbKorlme', 'name'=>'tbKorlme', 'class'=>'span2'));
                        echo '</div>
                        <div class="control-group">';
                  echo
form password(array('id'=>'tbLozinka','name'=>'tbLozinka','class'=>'span2'))
                        echo '</div>
                        <div class="control-group">';
```

echo

form_submit(array('id'=>'btnLogovanje','name'=>'btnLogovanje','class'=>'sh opBtn btn-block', 'value'=>'Uloguj se'));

```
echo '</div>';
                      echo form_close();
                ?>
                <?php
                  echo $this->session->flashdata('error');
                ?>
                      </div>
                <?php
            }
             else
            {
              echo ''. anchor(base_url('logovanje/logout'),'Odjava',
array('class'=>'dropbtn')).'';
            }
          ?>
                </div>
```

```
</div>
       </div>
      </div>
<div class="row">
profil.php
<div class="span9">
  <?php
  $prezime = $this->session->userdata('prezime');
  $ime = $this->session->userdata('ime');
  ?>
      <h3><?php echo $ime.' '.$prezime; ?></h3>
      <hr class="soft"/>
    <?php
      print validation_errors("<div class='alert alert-danger'>","</div>");
      if(isset($obavestenje))
      {
        echo "<div class='alert alert-success'>".$obavestenje."</div>";
      }?>
    <?php
```

```
echo form open('home/profil', array('class'=>'form-horizontal'));
echo '<div class="control-group">'
. '<label class="control-label">Ime:</label>';
echo '<div class="controls">';
echo form input($tblme);
$id = $this->session->userdata("id");
echo form hidden('idKorisnik', $id);
echo '</div></div><div class="control-group">'
. '<label class="control-label">Prezime:</label>';
echo '<div class="controls">';
echo form input($tbPrezime);
echo '</div></div><div class="control-group">'
. '<label class="control-label">Username:</label>';
echo '<div class="controls">';
echo form_input($tbUsername);
```

```
echo '</div></div><div class="control-group">'
. '<label class="control-label">Lozinka:</label>';
echo '<div class="controls">';
echo form password($tbLozinka);
echo '</div></div><div class="control-group">'
. '<label class="control-label">Lozinka ponovo:</label>';
echo '<div class="controls">';
echo form password(array(
      "name"=>"tbLozinkaPonovo",
      "id"=>"tbLozinkaPonovo",
      "value"=> set value('tbLozinkaPonovo'),
      "size"=>"30".
      'class'=>'form-control'
));
echo '</div></div><div class="control-group">'
. '<label class="control-label">Email:</label>';
```

```
echo '<div class="controls">';
      echo form input($tbEmail);
      echo '</div></div>class="control-group">';
      echo '<div class="controls">';
      echo
form_submit(array("id"=>"btnUnesi","name"=>"btnUnesi",'class'=>"exclusiv
e shopBtn", 'value'=>"Izmeni"));
      echo '</div></div>';
      echo form close();
    ?>
</div>
proizvod_detalji.php
<div class="span9">
  <?php foreach ($proizvod as $pr) { ?>
     <div class="well well-small">
     <div class="row-fluid">
                 <div class="span5">
                 <div id="myCarousel" class="carousel slide cntr">
        <div class="carousel-inner">
```

```
<div class="item active">
            <a href="#"> <img src="<?php echo base url('assets/img/').$pr-
>slika;?>" alt="" style="width:100%"></a>
         </div>
        </div>
      </div>
                 </div>
                 <div class="span7">
                       <h3><?php echo $pr->naslov;?></h3>
                       <hr class="soft"/>
                       <form class="form-horizontal qtyFrm">
                        <div class="control-group">
  <label class="control-label"><span><?php echo $pr-
>cena;}?>€</span></label>
                             <div class="controls">
                             <input type="number" class="span6"</pre>
placeholder="Qty.">
                             </div>
                        </div>
```

```
<h4>100 items in stock</h4>
                       Nowadays the lingerie industry is one of the
most successful business spheres.
                       Nowadays the lingerie industry is one of ...
                       >
                   <a class="shopBtn" href="<?php echo
base url('Home/korpa?idKupljeno=').$pr->id proizvod;?>" title="Click to
view"><span class="icon-shopping-cart"></span></a>
                     </form>
                </div>
                </div>
                     <hr class="softn clr"/>
</div>
</div>
proizvodi.php
<div id="sidebar" class="span3">
<div class="well well-small">
```

<?php

if(isset(\$kategorija naslov)){

```
foreach ($kategorija naslov as $naslov) {
              echo '<a href="'.base url('home/proizvodi?id=').$naslov-
>id naslov.'"><span class="icon-chevron-right"></span>'.$naslov-
>naslov.'</a>';
            }
          }
        ?>
            
     </div>
</div>
<div class="span10">
<?php
if(isset($proizvodKategorija)){
?>
<div class="well well-small">
  <?php foreach ($proizvodKategorija as $kat){ ?>
     <div class="row-fluid">
          <div class="span2">
          <img src="<?php echo base url('assets/img/').$kat->slika;?>"
alt="">
<!--
                <img src="assets/img/a.jpg" alt="">-->
```

```
</div>
           <div class="span6">
                <h5><?php echo $kat->naslov;?></h5>
                >
                <?php echo $kat->opis;?>
                </div>
           <div class="span4 alignR">
           <form class="form-horizontal qtyFrm">
           <h3><?php echo $kat->cena;?> €</h3>
           <br>
           <div class="btn-group">
            <a href="<?php echo base_url('Home/korpa/').$kat-
>id_proizvod;?>" class="defaultBtn"><span class=" icon-shopping-
cart"></span> Dodaj u KORPU</a>
            <a href="<?php echo
base url('Home/proizvod detalji?idProizvod=').$kat->id proizvod;?>"
class="shopBtn">VISE</a>
           </div>
                </form>
           </div>
     </div>
```

```
<hr class="soften">
  <?php } ?>
</div>
  <?php } ?>
</div>
registracija.php
<div class="span12">
      <h3><?php echo $title;?></h3>
      <hr class="soft"/>
      <div class="well">
           <h3>Podaci o korisniku</h3>
        <?php
           print validation_errors("<div class='alert alert-
danger'>","</div>");
           if(isset($obavestenje))
           {
             echo "<div class='alert alert-success'>".$obavestenje."</div>";
           }?>
         <?php
           echo form open('home/registracija', array('class'=>'form-
horizontal'));
```

```
echo '<div class="control-group">'
. '<label class="control-label">Ime:</label>';
echo '<div class="controls">';
echo form input($tblme);
echo '</div></div><div class="control-group">'
. '<label class="control-label">Prezime:</label>';
echo '<div class="controls">';
echo form input($tbPrezime);
echo '</div></div><div class="control-group">'
. '<label class="control-label">Username:</label>';
echo '<div class="controls">';
echo form input($tbUsername);
echo '</div></div><div class="control-group">'
. '<label class="control-label">Lozinka:</label>';
```

```
echo '<div class="controls">';
echo form password($tbLozinka);
echo '</div></div><div class="control-group">'
. '<label class="control-label">Lozinka ponovo:</label>';
echo '<div class="controls">';
echo form password(array(
      "name"=>"tbLozinkaPonovo",
      "id"=>"tbLozinkaPonovo",
      "value"=> set value('tbLozinkaPonovo'),
      "size"=>"30",
      'class'=>'form-control'
));
echo '</div></div><div class="control-group">'
. '<label class="control-label">Email:</label>';
echo '<div class="controls">';
echo form input($tbEmail);
```

```
echo '</div></div>class="control-group">';
          echo '<div class="controls">';
          echo
form_submit(array("id"=>"btnUnesi","name"=>"btnUnesi",'class'=>"exclusiv
e shopBtn", 'value'=>"Prijavi"));
          echo '</div>';
          echo form_close();
        ?>
</div>
</div>
izmeni.php
<div class="span12">
     <h3> Izmena</h3>
     <hr class="soft"/>
    <div class="well">
      <?php
      $id = $this->input->get('idIzmena');
      if(isset($id)){
```

```
echo form open multipart('administracija/izmeni',
array('class'=>'form-horizontal'));
           echo '<div class="control-group">'
           . '<label class="control-label">Ime proizvoda:</label>';
           echo '<div class="controls">';
           echo form input($tblme);
           echo '</div></div><div class="control-group">'
           . '<label class="control-label">Opis:</label>';
           echo '<div class="controls">';
           echo form textarea($tbOpis);
           echo '</div></div><div class="control-group">'
           . '<label class="control-label">Kategorija:</label>';
           echo '<div class="controls">';
           echo '<select id="ddlKategorija" name="ddlKategorija">';
           echo '<option value="">Izaber...</option>';
```

```
if(isset($kategorija naslov)){
             foreach ($kategorija naslov as $k) {
               echo '<option value="'.$k->id naslov.'">'.$k-
>naslov.'</option>';
             }
           }
           echo '</select>';
           echo '</div></div><div class="control-group">'
           . '<label class="control-label">Cena:</label>';
           echo '<div class="controls">';
           echo form_upload(array('id' => 'slika', 'name' => 'tbSlike', 'class'
=> 'form-control'));
           echo '</div></div><div class="control-group">'
           . '<label class="control-label">Cena:</label>';
           echo '<div class="controls">';
           $datum = date("Y-m-d");
           echo form hidden('tbDatum', $datum);
           echo form input($tbCena);
```

```
echo '</div></div><div class="control-group">'
           . '<label class="control-label">Proizvodjac:</label>';
           echo '<div class="controls">';
           echo '<select id="ddlKategorija" name="ddlProizvodjac">';
           echo '<option value="">Izaber...</option>';
           if(isset($proizvodjac)){
             foreach ($proizvodjac as $pr) {
               echo '<option value="'.$pr->id proizvodjac.'">'.$pr-
>naziv.'</option>';
           }
           echo '</select>';
           echo '</div></div><div class="control-group">';
           echo '<div class="controls">';
           echo
form submit(array("id"=>"btnUnesi","name"=>"btnUnesi",'class'=>"exclusiv
e shopBtn", 'value'=>"Unesi"));
           echo '</div></div>';
           echo form close();
      }
```

```
else{
         echo form_open('administracija/izmena');
         if(isset($tabela))
        {
           echo $tabela;
        }
         echo form_close();
      }
      ?>
</div>
</div>
korisnici.php
<div class="span12">
      <h3> Korisnici</h3>
      <hr class="soft"/>
    <div class="well">
      <?php
      $id = $this->input->get('idIzmenaKorisnika');
      if(isset($id)){
         echo validation_errors();
```

```
if(isset($korisnicilzmena)){
           foreach ($korisnicilzmena as $kor) {
         echo form open('Administracija/korisnici', array('class'=>'form-
horizontal'));
        echo '<div class="control-group">'
           . '<label class="control-label">Ime:</label>';
        echo '<div class="controls">';
         echo $kor->ime;
         echo '</div></div><div class="control-group">'
           . '<label class="control-label">Prezime:</label>';
         echo '<div class="controls">';
         echo $kor->prezime;
         echo '</div></div><div class="control-group">'
           . '<label class="control-label">Uloga:</label>';
         echo '<div class="controls">';
         echo '<select id="ddlUloga" name="ddlUloga">';
           echo '<option value="">Izaber...</option>';
           echo '<option value="1">Admin</option>';
```

echo '<option value="2">Korisnik</option>';

```
echo '</select>';
        echo '</div></div><div class="control-group">';
        echo '<div class="controls">';
        echo
form_submit(array("id"=>"btnIzmeni","name"=>"btnIzmeni",'class'=>"exclus
ive shopBtn", 'value'=>"Izmeni"));
        echo '</div>';
        echo form_close();
          }
        }
      }
      else
      {
        if(isset($tabelaKorisnici))
        {
          echo $tabelaKorisnici;
        }
      }
      >>
```

```
</div>
</div>
obrisiProizvode.php
<div class="span12">
     <h3> Proizvodi</h3>
     <hr class="soft"/>
    <div class="well">
      <div id="prikaz">
      <?php
        if(isset($tabelaProizvodi))
        {
          echo $tabelaProizvodi;
        }
      ?>
      </div>
    </div>
</div>
unesi.php
<div class="span12">
     <h3> Unos proizvoda</h3>
     <hr class="soft"/>
```

```
<div class="well">
    <?php
           if(isset($greske) && count($greske)>0)
           {
             foreach($greske as $greska)
             {
               echo "<div class='alert alert-danger'>".$greska."</div>";
             }
           }
         ?>
        <?php
           echo form_open_multipart('administracija/unesi',
array('class'=>'form-horizontal'));
           echo '<div class="control-group">'
           . '<label class="control-label">Ime proizvoda:</label>';
           echo '<div class="controls">';
           echo form input($tbIme);
```

```
echo '</div></div><div class="control-group">'
           . '<label class="control-label">Opis:</label>';
           echo '<div class="controls">';
           echo form textarea($tbOpis);
           echo '</div></div><div class="control-group">'
           . '<label class="control-label">Kategorija:</label>';
           echo '<div class="controls">';
           echo '<select id="ddlKategorija" name="ddlKategorija">';
           echo '<option value="">Izaber...</option>';
           if(isset($kategorija naslov)){
             foreach ($kategorija naslov as $k) {
               echo '<option value="'.$k->id naslov.'">'.$k-
>naslov.'</option>';
             }
           }
           echo '</select>';
           echo '</div></div><div class="control-group">'
           . '<label class="control-label">Cena:</label>';
```

```
echo '<div class="controls">';
           echo form upload(array('id' => 'slika', 'name' => 'tbSlike', 'class'
=> 'form-control'));
           echo '</div></div><div class="control-group">'
           . '<label class="control-label">Cena:</label>';
           echo '<div class="controls">';
           $datum = date("Y-m-d");
           echo form hidden('tbDatum', $datum);
           echo form input($tbCena);
           echo '</div></div><div class="control-group">'
           . '<label class="control-label">Proizvodjac:</label>';
           echo '<div class="controls">';
           echo '<select id="ddlKategorija" name="ddlProizvodjac">';
           echo '<option value="">Izaber...</option>';
           if(isset($proizvodjac)){
             foreach ($proizvodjac as $pr) {
               echo '<option value="'.$pr->id proizvodjac.'">'.$pr-
>naziv.'</option>';
```

```
}
          }
          echo '</select>';
          echo '</div></div>class="control-group">';
          echo '<div class="controls">';
          echo
form_submit(array("id"=>"btnUnesi","name"=>"btnUnesi",'class'=>"exclusiv
e shopBtn", 'value'=>"Unesi"));
          echo '</div>';
          echo form_close();
        ?>
    <div id="prikaz">
      <?php
        if(isset($tabela))
        {
          echo $tabela;
        }
      ?>
    </div></div>
```