



PT - N 10:00 11/11/2017





```
MINGW64:/c/xampp1/htdocs/xampp

42115152016.1@42DE173297 MINGW64 ~
$ pwd
/c/Users/42115152016.1

42115152016.1@42DE173297 MINGW64 ~
$ /c/xampp1/
bash: /c/xampp1/: Is a directory

42115152016.1@42DE173297 MINGW64 ~
$ cd /c/xampp1/htdocs/xampp

42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp
$ ls
old/

42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp
$ ]
```

create a new repository

```
- - X
MINGW64:/c/xampp1/htdocs/xampp
42115152016.1@42DE173297 MINGW64 ~
$ pwd
/c/Users/42115152016.1
42115152016.1@42DE173297 MINGW64 ~
$ /c/xampp1/
bash: /c/xampp1/: Is a directory
42115152016.1@42DE173297 MINGW64 ~
$ cd /c/xampp1/htdocs//xampp
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp
old/
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp
~$dex.html.docx'
                   index.html
                                index.html.docx old/
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp
```

```
×
MINGW64:/c/xampp1/htdocs/xampp
bash: /c/xampp1/: Is a directory
42115152016.1@42DE173297 MINGW64 ~
$ cd /c/xampp1/htdocs//xampp
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp
$ 1s
old/
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp
~$dex.html.docx'
                   index.html
                                index.html.docx old/
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp
$ git config --global user.name "flagarcia"
                                                                                Ε
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp
$ git ^C
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp
$ git config --global user.mail flagarcia32@gmail.com
2115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp
```

```
42115152016.1@42DE173297 MINGW64 ~
$ pwd
/c/users/42115152016.1
42115152016.1@42DE173297 MINGW64 ~
$ /c/xampp1/
bash: /c/xampp1/: Is a directory
42115152016.1@42DE173297 MINGW64 ~
$ cd /c/xampp1/htdocs//xampp
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp
$ 1s
old/
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp
$ ls
'~$dex.html.docx'
                       index.html
                                      index.html.docx
                                                           old/
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp $ git config --global user.name "flagarcia"
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp
$ git ^C
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp $ git config --global user.mail flagarcia32@gmail.com
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp
$ git add.
git: 'add.' is not a git command. See 'git --help'.
The most similar command is
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp
$ git init
Initialized empty Git repository in C:/xampp1/htdocs/xampp/.git/
```

```
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp (master)
$ git add.
git: 'add.' is not a git command. See 'git --help'.
The most similar command is
        add
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp (master)
$ git add .
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp (master)
$ git add .
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp (master)
$ git status
On branch master
No commits yet
Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:
                    index.html
                    index.html.docx
        new file:
        new file:
                    ~$dex.html.docx
```

```
42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp (master)

§ git commit -m "commit inicial"
[master (root-commit) 8924dbe] commit inicial
Committer: flagarcia <42115152016.1@senacrjedu.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

git config --global user.name "Your Name"
git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

git commit --amend --reset-author

3 files changed, 71 insertions(+)
create mode 100644 index.html
create mode 100644 index.html.docx
create mode 100644 ~$dex.html.docx

42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp (master)

§
```

```
**A2115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp (master)

* git commit -m "commit inicial"

[master (root-commit) 8924dbe] commit inicial

Committer: flagarcia <42115152016.1@senacrjedu.local>

Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.

You can suppress this message by setting them explicitly:

git config --global user.name "Your Name"
git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

git commit --amend --reset-author

3 files changed, 71 insertions(+)
create mode 100644 index.html
create mode 100644 index.html.docx
create mode 100644 ~$dex.html.docx

42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp (master)

* git remote add origin https://github.com/flagarcia/aula.git
```

```
[master (root-commit) 8924dbe] commit inicial
Committer: flagarcia <42115152016.1@senacrjedu.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

git config --global user.name "Your Name"
git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

git commit --amend --reset-author

3 files changed, 71 insertions(+)
create mode 100644 index.html
create mode 100644 index.html.docx
create mode 100644 ~$dex.html.docx

42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp (master)
$ git remote add origin https://github.com/flagarcia/aula.git

42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp (master)
$ git push origin master
```



```
After doing this, you may fix the identity used for this commit with:

git commit --amend --reset-author

3 files changed, 71 insertions(+)
create mode 100644 index.html
create mode 100644 index.html.docx
create mode 100644 ~$dex.html.docx

42115152016.1042DE173297 MINGW64 /c/xampp1/htdocs/xampp (master)
$ git remote add origin https://github.com/flagarcia/aula.git

42115152016.1042DE173297 MINGW64 /c/xampp1/htdocs/xampp (master)
$ git push origin master
Counting objects: 5, done.
Delta compression using up to 4 threads.
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 522.24 KiB | 19.34 MiB/s, done.
Total 5 (delta 0), reused 0 (delta 0)
To https://github.com/flagarcia/aula.git
* [new branch] master -> master

42115152016.1042DE173297 MINGW64 /c/xampp1/htdocs/xampp (master)
$ |
```

```
You can suppress this message by setting them explicitly:


git config --global user.name "Your Name"
git config --global user.email you@example.com


After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author


1 file changed, 2 insertions(+), 16 deletions(-)

42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp (master)
$ git push origin master
Counting objects: 3, done.
Delta compression using up to 4 threads.
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 348 bytes | 348.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/flagarcia/aula.git
8924dbe..81937fa master -> master


42115152016.1@42DE173297 MINGW64 /c/xampp1/htdocs/xampp (master)
$ |
```










Criar brach








Clonar





```
**A2115152016.1@42DE173297 MINGW64 ~/Desktop/BETA

$ git clone https://github.com/flagarcia/aula.git
Cloning into 'aula'...
remote: Counting objects: 8, done.
remote: Compressing objects: 100% (7/7), done.
remote: Total 8 (delta 1), reused 8 (delta 1), pack-reused 0
Unpacking objects: 100% (8/8), done.

42115152016.1@42DE173297 MINGW64 ~/Desktop/BETA

$ |
```

```
42115152016.1042DE173297 MINGW64 ~/Desktop/BETA
$ git clone https://github.com/flagarcia/aula.git
cloning into 'aula'...
remote: Counting objects: 8, done.
remote: Total 8 (delta 1), reused 8 (delta 1), pack-reused 0
Unpacking objects: 100% (8/8), done.

42115152016.1042DE173297 MINGW64 ~/Desktop/BETA
$ ls
aula/

42115152016.1042DE173297 MINGW64 ~/Desktop/BETA
$ cd aula

42115152016.1042DE173297 MINGW64 ~/Desktop/BETA/aula (master)
$ ls
'~$dex.html.docx' index.html index.html.docx

42115152016.1042DE173297 MINGW64 ~/Desktop/BETA/aula (master)
$ ls
'~$dex.html.docx' index.html index.html.docx

42115152016.1042DE173297 MINGW64 ~/Desktop/BETA/aula (master)
$ |
```

```
42115152016.1042DE173297 MINGW64 ~/Desktop/BETA
$ git clone https://github.com/flagarcia/aula.git
cloning into 'aula'...
remote: Counting objects: 8, done.
remote: Compressing objects: 100% (7/7), done.
remote: Total 8 (delta 1), reused 8 (delta 1), pack-reused 0
Unpacking objects: 100% (8/8), done.

42115152016.1042DE173297 MINGW64 ~/Desktop/BETA
$ ls
aula/
42115152016.1042DE173297 MINGW64 ~/Desktop/BETA
$ cd aula

42115152016.1042DE173297 MINGW64 ~/Desktop/BETA/aula (master)
$ ls
'~$dex.html.docx' index.html index.html.docx

42115152016.1042DE173297 MINGW64 ~/Desktop/BETA/aula (master)
$ git checkout -b beta|
```

```
42115152016.1@42DE173297 MINGW64 ~/Desktop/BETA
$ git clone https://github.com/flagarcia/aula.git Cloning into 'aula'...
remote: Counting objects: 8, done.
remote: Compressing objects: 100% (7/7), done. remote: Total 8 (delta 1), reused 8 (delta 1), pack-reused 0 Unpacking objects: 100% (8/8), done.
42115152016.1@42DE173297 MINGW64 ~/Desktop/BETA
$ 1s
aula/
42115152016.1@42DE173297 MINGW64 ~/Desktop/BETA
$ cd aula
42115152016.1@42DE173297 MINGW64 ~/Desktop/BETA/aula (master)
'~$dex.html.docx'
                        index.html
                                        index.html.docx
42115152016.1@42DE173297 MINGW64 ~/Desktop/BETA/aula (master)
$ git checkout -b beta
Switched to a new branch 'beta'
42115152016.1@42DE173297 MINGW64 ~/Desktop/BETA/aula (beta) $ git commit -m "altera 2"
On branch beta
Changes not staged for commit:
         modified:
                        index.html
no changes added to commit
42115152016.1@42DE173297 MINGW64 ~/Desktop/BETA/aula (beta)
$ git push origin
fatal: The current branch beta has no upstream branch.
To push the current branch and set the remote as upstream, use
    git push --set-upstream origin beta
42115152016.1@42DE173297 MINGW64 ~/Desktop/BETA/aula (beta)
$ git checkout beta
Already on 'beta'
```

```
index.html
```

```
42115152016.1@42DE173297 MINGW64 ~/Desktop/BETA/aula (beta)
$ git push origin beta
Total 0 (delta 0), reused 0 (delta 0)
To https://github.com/flagarcia/aula.git
 * [new branch]
                         beta -> beta
42115152016.1@42DE173297 MINGW64 ~/Desktop/BETA/aula (beta)
$ git add .
42115152016.1@42DE173297 MINGW64 ~/Desktop/BETA/aula (beta)
$ git commit -m "altera 2"
[beta dc885b8] altera 2
 Committer: flagarcia <42115152016.1@senacrjedu.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate. You can suppress this message by setting them explicitly:
     git config --global user.name_"Your Name"
     git config --global user.email you@example.com
After doing this, you may fix the identity used for this commit with:
     git commit --amend --reset-author
 1 file changed, 3 insertions(+), 6 deletions(-)
42115152016.1@42DE173297 MINGW64 ~/Desktop/BETA/aula (beta)
$ git push origin beta
Counting objects: 3, done.
Delta compression using up to 4 threads.
Compressing objects: 100% (3/3), done. Writing objects: 100% (3/3), 371 bytes | 371.00 KiB/s, done. Total 3 (delta 1), reused 0 (delta 0) remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/flagarcia/aula.git
   81937fa..dc885b8
                        beta -> beta
42115152016.1@42DE173297 MINGW64 ~/Desktop/BETA/aula (beta)
$ git diff beta master
```