



# Innovative Assignment

LAMP  
TECHNOLOGIES  
(2CSDE69)

Name: Param Nimbark  
Roll Number: 19BCE517  
Branch: CSE  
Semester: 6<sup>th</sup>  
Division: C

Date - 24/04/2021

Roll Number - 19BCE517

Name - Param Nimbark

Course code - 2CSDE69

Subject Name - LAMP TECHNOLOGIES

## **LAMPT INNOVATIVE ASSIGNMENT**

**Group Member 1: 19BCE517 Param Nimbark**

**Project Title: Online Result Displaying System**

### **Project Functionalities with Descriptoin:**

Online Result Displaying System, as the name suggests this project will manage results of students online.

Students can register, login and see their result where as faculties can register, login, assign subjects to students, give them marks and have some other basic functionalities like deleting, managing accounts etc.

Subjects and marks can be manually assigned to each student by faculty and in the result part, each student's performance can be evaluated by looking at the displayed result of that student and marks will be showed along with the calculation of percentage, total and grade as well as how well a student performed in all his allotted subjects. It would have mainly two modules which are :

**(i)Student module:**

Student module will be having registration facility which will store student's details like roll no, name, semester and email ID into a database. Then student can login to their account with Email ID and password to see their result(marks, total, percentage etc.)


**(ii)Faculty module:**

Faculty module will have comparatively more functionalities than student's module, once faculty has registered and logged in, he/she will have all the access to student's record so that subjects could be assigned to students. Once subjects are assigned and everything is set for each of the student, faculties can enter marks for each student in certain subjects that has been allotted to that student, once marks are given, upon retrieving result, records will be fetched from database and some operations will be performed to calculate grades, percentage, marks, average etc. Also, faculties will have a feature to manage all student's profiles and subjects that are assigned to them.

## Project Screenshots with Code:

### 1)Index.php


### Output:





## 2) Resgister.php

### Output:



### Code:

```
<?php
include("config.php");
$roll=$_POST['roll'];
$sem=$_POST['sem'];
$email=$_POST['email'];
$name=$_POST['name'];

if($roll==NULL || $sem==NULL || $email==NULL || $name==NULL)
{
    //
}
else
{
    $sql=mysqli_query($al,"INSERT INTO students(name,roll,sem,email) VALUES('$name','$roll','$sem','$email')");
    if($sql)
```



```
{
    $msg="Successfully Registered";
}
else
{
    $msg="Email Already Exists";
}
}
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Online Result</title>
<link href="style.css" rel="stylesheet" type="text/css" />
</head>


<body><br />

<div align="center">
<span class="head">Online Result Display Nirma University</span>
<hr class="hr" />
<br />
<br />
<span class="subhead">Registration</span>
<br />
<br />
<br />
<form method="post" action="">
<table border="0" cellpadding="5" cellspacing="5" class="design">
<tr><td colspan="2" align="center" class="msg"><?php echo $msg;?></td></tr>
<tr><td class="labels">Name :</td><td><input type="text" name="name" class="fields" required="required" size="15" placeholder="Enter Full Name" /></td></tr>
<tr><td class="labels">Roll No.:</td><td><input type="text" name="roll" class="fields" required="required" size="15" placeholder="Enter Roll No." /></td></tr>
<tr><td class="labels">Semester :</td><td><select name="sem" class="fields" style="background-color:#093d3d;" required>
<option value="" disabled="disabled" selected="selected">- - Semester - -
</option>
<option value="1">First Sem</option>
<option value="2">Second Sem</option>
<option value="3">Third Sem</option>
```

```
<option value="4">Fourth Sem</option>
<option value="5">Fifth Sem</option>
<option value="6">Sixth Sem</option>
<option value="7">Seventh Sem</option>
<option value="8">Eighth Sem</option>
</select>
</td></tr>
<tr><td class="labels">E-
Mail ID : </td><td><input type="email" name="email" class="fields" size="15" p
placeholder="Enter Email" required="required" /></td></tr>
<tr><td colspan="2" align="center"><input type="submit" value="Register" class
="fields" /></td></tr>
</table>
</form>
<br />
<br />
<a href="index.php" class="link">Main Page</a>
</div>
</body>
</html>
```

### 3)home.php

## Output:



## Code:

```
<?php
include("config.php");
session_start();
if(!isset($_SESSION['email']))
{
    header("location:index.php");
}
$email=$_SESSION['email'];
$a=mysqli_query($al,"SELECT * FROM faculty WHERE email='$email'");
$b=mysqli_fetch_array($a);
$name=$b['name'];
?>
<!DOCTYPE html PUBLIC "-
//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1
-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Online Result</title>
<link href="style.css" rel="stylesheet" type="text/css" />
</head>

<body><br />

<div align="center">
<span class="head">Online Result Display - Nirma University</span>
<hr class="hr" />
<br />
<br />
<span class="subhead">Welcome <?php echo $name;?></span>
<br />
<br />
<br />
<div class="design" style="width:300px;padding:20px 20px;">
<a href="submitMarks.php" class="cmd">Submit Marks</a>
<br />
<br />
<br />
<a href="viewUsers.php" class="cmd">View Users</a>
```



```
<br />
<br />
<br />
<a href="addSubjects.php" class="cmd">Add Subjects</a>
<br />
<br />
<br />

<a href="changePassword.php" class="cmd">Change Password</a>
<br />
<br />
<br />
<a href="logout.php" class="cmd">Logout</a>
</div>
<br />
<br />
</div>
</body>
</html>
```

## 4) ResgisterFaculty.php

### Output:

The screenshot shows a web browser window with the URL `localhost/OnlineResult/registerFaculty.php`. The page has a dark background with a wood-grain texture. At the top, the text "Online Result Display Nirma University" is displayed in red. Below it, the heading "Faculty Registration" is shown in green. The registration form is enclosed in a purple border and contains the following fields:

- Name :** A text input field containing "Daiwat Vyas".
- Semester :** A dropdown menu with "Third Sem" selected.
- E-Mail ID :** A text input field containing "daiwat.vyas@nirmaui".
- Password :** A text input field with masked characters "\*\*\*\*\*".

Below the form fields is a green "Register" button. At the bottom of the page, there is a link labeled "Main Page" in green. The Windows taskbar is visible at the bottom of the browser window.

## Code:

```
<?php
include("config.php");
$name=$_POST['name'];
$sem=$_POST['sem'];
$email=$_POST['email'];
$pass=sha1($_POST['pass']);

if($name==NULL || $sem==NULL || $email==NULL || $_POST['pass']==NULL)
{
    //
}
else
{
    $sql=mysqli_query($al,"INSERT INTO faculty(name,sem,email,password) VALUES
('$name','$sem','$email','$pass')");
    if($sql)
    {
        $msg="Successfully Registered";
    }
    else
    {
        $msg="Email or Sem Already Exists";
    }
}
?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Marksheet Generator</title>
<link href="style.css" rel="stylesheet" type="text/css" />
</head>

<body><br />

<div align="center">
<span class="head">Online Result Display Nirma University</span>
<hr class="hr" />
```

```
<br />
<br />
<span class="subhead">Faculty Registration</span>
<br />
<br />
<br />
<form method="post" action="">
<table border="0" cellpadding="5" cellspacing="5" class="design">
<tr><td colspan="2" align="center" class="msg"><?php echo $msg;?></td></tr>
<tr><td class="labels">Name :</td><td><input type="text" name="name" class="fields" required="required" size="15" placeholder="Enter Full Name" /></td></tr>
<tr><td class="labels">Semester :</td><td><select name="sem" class="fields" style="background-color:#093d3d;" required>
<option value="" disabled="disabled" selected="selected">- - Semester - -
</option>
<option value="1">First Sem</option>
<option value="2">Second Sem</option>
<option value="3">Third Sem</option>
<option value="4">Fourth Sem</option>
<option value="5">Fifth Sem</option>
<option value="6">Sixth Sem</option>
<option value="7">Seventh Sem</option>
<option value="8">Eighth Sem</option>
</select>
</td></tr>
<tr><td class="labels">E-Mail ID :</td><td><input type="email" name="email" class="fields" size="15" placeholder="Enter Email" required="required" /></td></tr>
<tr><td class="labels">Password :</td><td><input type="password" name="pass" class="fields" size="15" placeholder="Enter Password" required="required" /></td></tr>
<tr><td colspan="2" align="center"><input type="submit" value="Register" class="fields" /></td></tr>
</table>
</form>
<br />
<br />
<a href="index.php" class="link">Main Page</a>

</div>
</body>
</html>
```

## 5) Config.php

**Output: NONE**

**Code:**

```
<?php
error_reporting(0);
$a1=mysqli_connect("localhost","root","","onlineresult");
?>
```

## 6) addSubjects.php

**Output:**

Online Result Display Nirma University

[Add Subjects](#)

Subject 1 : Enter Subject Name

Subject 2 : Enter Subject Name

Subject 3 : Enter Subject Name

Subject 4 : Enter Subject Name

Subject 5 : Enter Subject Name

[SAVE](#)

[HOME](#)

## Code:

```
<?php
include("config.php");
session_start();
if(!isset($_SESSION['email']))
{
    header("location:index.php");
}
$email=$_SESSION['email'];
$a=mysqli_query($al,"SELECT * FROM faculty WHERE email='$email'");
$b=mysqli_fetch_array($a);
$name=$b['name'];
$sem=$b['sem'];
$s1=$_POST['s1'];
$s2=$_POST['s2'];
$s3=$_POST['s3'];
$s4=$_POST['s4'];
$s5=$_POST['s5'];
if($s1==NULL || $s2==NULL || $s3==NULL || $s4==NULL || $s5==NULL)
{
    //
}
else
{
    $sql=mysqli_query($al,"INSERT INTO subjects(s1,s2,s3,s4,s5,sem) VALUES('$s1','$s2','$s3','$s4','$s5','$sem')");
    if($sql)
    {
        $msg="Successfully Saved";
    }
    else
    {
        $msg="Already Saved for Your Sem";
    }
}

?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
```

```
<title>Online Result</title>
<link href="style.css" rel="stylesheet" type="text/css" />
</head>

<body><br />

<div align="center">
<span class="head">Online Result Display Nirma University</span>
<hr class="hr" />
<br />
<br />
<span class="subhead">Add Subjects</span>
<br />
<br />
<form method="post" action="">
<table border="0" cellpadding="5" cellspacing="5" class="design">
<tr><td colspan="2" align="center" class="msg"><?php echo $msg;?></td></tr>
<tr><td class="labels">Subject 1 : </td><td><input type="text" required="required" size="20" class="fields" placeholder="Enter Subject Name" name="s1" /></td></tr>

<tr><td class="labels">Subject 2 : </td><td><input type="text" required="required" size="20" class="fields" placeholder="Enter Subject Name" name="s2" /></td></tr>

<tr><td class="labels">Subject 3 : </td><td><input type="text" required="required" size="20" class="fields" placeholder="Enter Subject Name" name="s3" /></td></tr>

<tr><td class="labels">Subject 4 : </td><td><input type="text" required="required" size="20" class="fields" placeholder="Enter Subject Name" name="s4" /></td></tr>


<tr><td class="labels">Subject 5 : </td><td><input type="text" required="required" size="20" class="fields" placeholder="Enter Subject Name" name="s5" /></td></tr>
<tr><td colspan="2" align="center"><input type="submit" class="fields" value="SAVE" /></td></tr>
</table>
</form>
<br />
<br />
<br />
<a href="home.php" class="cmd">HOME</a>
</div>
```



```
</body>
</html>
```

## 7)viewUsers.php

### Output:



### Code:

```
<?php
include("config.php");
session_start();
if(!isset($_SESSION['email']))
{
    header("location:index.php");
}
$email=$_SESSION['email'];
$a=mysqli_query($al,"SELECT * FROM faculty WHERE email='$email'");
$b=mysqli_fetch_array($a);
$sem=$b['sem'];
```

```
?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Online Result</title>
<link href="style.css" rel="stylesheet" type="text/css" />
</head>


<body><br />

<div align="center">
<span class="head">Online Result Display Nirma University</span>
<hr class="hr" />
<br />
<br />
<span class="subhead">View Users</span>
<br />
<br />
<table cellpadding="3" cellspacing="3" class="design" align="center">
<tr class="labels" style="text-decoration:underline;color:#C60;"><th>Sr.No.</th><th>Roll No.</th><th>Name</th>
<th>Email</th><th>Delete</th></tr>
<?php
$i=1;
$x=mysqli_query($al,"SELECT * FROM students WHERE sem='$sem'");
while($y=mysqli_fetch_array($x))
{
    ?>
<tr class="labels" style="font-size:14px;color:#3FF;">
<td><?php echo $i;$i++;?></td>
<td><?php echo $y['roll'];?></td>
<td><?php echo $y['name'];?></td>
<td><?php echo $y['email'];?></td>
<td><a href="delete.php?del=<?php echo $y['id'];?>" onclick="return confirm('Are You Sure..?');" class="link" style="font-size:14px;">Delete</a></td>
</tr>
<?php } ?>
</table>
<br />
<br />
<br />
```

```
<a href="home.php" class="cmd">HOME</a>
</div>
</body>
</html>
```

## 8)delete.php

### Output:




### Code:

```
<?php
include("config.php");
$d=$_GET['del'];
$sql=mysqli_query($al,"DELETE FROM students WHERE id='$d'");
if($sql)
{
    ?>
    <script type="text/javascript" language="javascript">
    alert('Successfully Deleted');
```

```
window.location="viewUsers.php";  
</script>  
<?php  
}  
?>
```

## 9)changePassword.php

### Output:



### Code:

```
<?php  
include("config.php");  
session_start();  
if(!isset($_SESSION['email']))  
{  
    header("location:index.php");  
}
```

```
$email=$_SESSION['email'];
$a=mysqli_query($al,"SELECT * FROM faculty WHERE email='$email'");
$b=mysqli_fetch_array($a);
$pass=$b['password'];
$old=sha1($_POST['old']);
$p1=sha1($_POST['p1']);
$p2=sha1($_POST['p2']);
if($_POST['old']==NULL || $_POST['p1']==NULL || $_POST['p2']==NULL)
{
    //ASL Do Nothing
}
else
{
    if($old!=$pass)
    {
        $msg="Incorrect Old Password";
    }
    elseif($p1!=$p2)
    {
        $msg="New Password Didn't Matchd";
    }
    else
    {
        mysqli_query($al,"UPDATE faculty SET password='$p2' WHERE email='$email'");
        $msg="Successfully Changed your Password";
    }
}
?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<title>Online Result</title>
<link href="style.css" rel="stylesheet" type="text/css" />

</head>

<body><br />
```

```
<div align="center">
<span class="head">Online Result Display Nirma University</span>
<hr class="hr" />
<br />
<br />
<span class="subhead">Change Password</span>
<br />
<br />
<form method="post" action="">

<table cellpadding="3" cellspacing="3" class="design" align="center">
<tr><td colspan="2" class="msg" align="center"><?php echo $msg;?></td></tr>
<tr><td class="labels">Old Password :</td><td><input type="password" name="old"
" size="25" class="fields" placeholder="Enter Old Password" required="required"
" /></td></tr>
<tr><td class="labels">New Password :</td><td><input type="password" name="p1"
size="25" class="fields" placeholder="Enter New Password" required="required"
/></td></tr>

<tr><td class="labels">Re-
Type Password :</td><td><input type="password" name="p2" size="25" class="fields"
placeholder="Re-Type New Password" required="required" /></td></tr>
<tr><td colspan="2" align="center"><input type="submit" value="Change Password"
class="fields" /></td></tr>
</table>

</form>

<br />
<br />
<br />

<a href="home.php" class="cmd">HOME</a>
</div>


</body>

</html>
```



## 10) faculty.php

### Output:



### Code:

```
<?php
include("config.php");
session_start();
if(isset($_SESSION['email']))
{
    header("location:home.php");
}
$email=mysqli_real_escape_string($al,$_POST['email']);
$pass=mysqli_real_escape_string($al,sha1($_POST['pass']));
if($_POST['email']==NULL || $_POST['pass']==NULL)
{
}
else
{

```

```
$sql=mysqli_query($al,"SELECT * FROM faculty WHERE email='$email' AND pass
word='$pass'");
if(mysqli_num_rows($sql)==1)
{
    $_SESSION['email']=$email;
    header("location:home.php");
}
else
{
    $msg="Incorrect Email ID or Password";
}
}

?>
<!DOCTYPE html PUBLIC>
<html xmlns="">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Online Result</title>
<link href="style.css" rel="stylesheet" type="text/css" />
</head>


<body><br />

<div align="center">
<span class="head">Online Result Display Nirma University</span>
<hr class="hr" />
<br />
<br />
<span class="subhead">Faculty Login</span>
<br />
<br />
<br />
<form method="post" action="">
<table border="0" cellpadding="5" cellspacing="5" class="design">
<tr><td colspan="2" align="center" class="msg"><?php echo $msg;?></td></tr>
<tr><td class="labels">Email ID :</td><td><input type="text" required="require
d" name="email" class="fields" size="15" placeholder="Enter Email ID" /></td><
/tr>
<tr><td class="labels">password :</td><td><input type="password" required="req
uired" name="pass" class="fields" size="15" placeholder="Enter Password" /></t
d></tr>
<tr><td colspan="2" align="center"><input type="submit" value="Login" class="f
ields" /></td></tr>
</table>
```

```
</form>
<br />
<br />
<a href="index.php" class="link">Main Page</a>
</div>
</body>
</html>
```

## 11) viewResult.php

### Output:



### Code:

```
<?php
include("config.php");
$roll=$_POST['roll'];
$x=mysqli_query($al,"SELECT * FROM students WHERE roll='$roll'");
$y=mysqli_fetch_array($x);
$sem=$y['sem'];
```

```
$name=$y['name'];
$a=mysqli_query($al,"SELECT * FROM marks WHERE roll='$roll' AND sem='$sem'");
$b=mysqli_fetch_array($a);
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Online Result</title>
<link href="style.css" rel="stylesheet" type="text/css" />
</head>

<body><br />

<div align="center">
<span class="head">Online Result Display Nirma University</span>
<hr class="hr" />
<br />
<br />
<span class="subhead">View Result</span>
<br /><br />

<span class="labels" style="color:#C9F;">Name : <?php echo $name;?><br>Roll No
.: <?php echo $roll;?><br>Semester : <?php echo $sem;?></span>

<br />
<br />
<?php $m=mysqli_query($al,"SELECT * FROM subjects WHERE sem='$sem'");
$n=mysqli_fetch_array($m);
?>
<table border="0" cellpadding="5" cellspacing="5" class="design">
<tr><td class="labels" style="text-decoration:underline;color:#0F0;">Subject</td><td class="labels" style="text-decoration:underline;color:#0F0;">Marks out of 100</td></tr>
<tr><td class="labels"><?php echo $n['s1'];?></td><td class="labels"><?php echo $b['s1'];?></td></tr>
<tr><td class="labels"><?php echo $n['s2'];?></td><td class="labels"><?php echo $b['s2'];?></td></tr>
<tr><td class="labels"><?php echo $n['s3'];?></td><td class="labels"><?php echo $b['s3'];?></td></tr>
<tr><td class="labels"><?php echo $n['s4'];?></td><td class="labels"><?php echo $b['s4'];?></td></tr>
```

```
<tr><td class="labels"><?php echo $n['s5'];?></td><td class="labels"><?php echo $b['s5'];?></td></tr>
<tr style="text-decoration:underline;color:#0F0;"><td class="labels">Total : </td><td class="labels"><?php echo $b['total'];?> %</td></tr>
<tr><td class="labels">Result : </td><td style="color:#0F0;"><?php echo $b['result'];?></td></tr>
</table>

<br />
<br />
<a href="index.php" class="link">EXIT</a>
</div>
</body>
</html>
```

## 12) submitMarks.php

### Output:

Online Result Display Nirma University

Submit Marks

Roll No. : 19BCE517

LAMP TECHNOLOGIES 20

AGILE SOFTWARE DEVELOPMENT 20

ADVANCE JAVA 20

FINANCE MANEAGEMENT 20

CHEMICAL ANALYTICS 20

Submit

HOME

## Code:

```
<?php
include("config.php");
session_start();
if(!isset($_SESSION['email']))
{
    header("location:index.php");
}
$email=$_SESSION['email'];
$a=mysqli_query($al,"SELECT * FROM faculty WHERE email='$email'");
$b=mysqli_fetch_array($a);
$name=$b['name'];
$sem=$b['sem'];
if(!empty($_POST))
{
    $s1=$_POST['s1'];
    $s2=$_POST['s2'];
    $s3=$_POST['s3'];
    $s4=$_POST['s4'];
    $s5=$_POST['s5'];
    $roll=$_POST['roll'];
    if($s1==NULL || $s2==NULL || $s3==NULL || $s4==NULL || $s5==NULL || $roll=
=NULL)
    {
        //
    }
    else
    {
        $total=$s1+$s2+$s3+$s4+$s5;
        $per=($total/100)*100;
        if($per<=35)
        {
            $result="Overall Average Grade : D";
        }elseif($per>=36 && $per<=50)
        {
            $result="Overall Average Grade : C";
        }
        elseif($per>=51 && $per<=70)
        {
            $result="Overall Average Grade : B";
        }
        else
        {

```



```
        $result="Overall Average Grade : A";
    }
    $sql=mysqli_query($al,"INSERT INTO marks(roll,sem,s1,s2,s3,s4,
s5,total,percent,result) VALUES('$roll','$sem','$s1','$s2','$s3','$s4','$s5','$
$total','$per','$result')");
    if($sql)
    {
        $msg="Successfully Saved Marks";
    }
    else
    {
        $msg="Marks Already Submitted to this Roll No.";
    }
}
?>
<!DOCTYPE html PUBLIC "-
//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1
-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Online Result</title>
<link href="style.css" rel="stylesheet" type="text/css" />
</head>

<body><br />

<div align="center">
<span class="head">Online Result Display Nirma University</span>
<hr class="hr" />
<br />
<br />
<span class="subhead">Submit Marks</span>
<br />
<br />

<?php
$x=mysqli_query($al,"SELECT * FROM subjects WHERE sem='$sem'");
$y=mysqli_fetch_array($x);
$m=mysqli_query($al,"SELECT * FROM students WHERE sem='$sem'");
?>

<form method="post" action="">
<table border="0" cellpadding="5" cellspacing="5" class="design">
```

```
<tr><td colspan="2" align="center" class="msg"><?php echo $msg;?></td></tr>

<tr><td class="labels">Roll No. : </td><td>

<select name="roll" class="fields" style="background-color:#093d3d;" required>

<option value="" selected="selected" disabled="disabled">- - Select Roll - -
</option>
<?php
while($n=mysqli_fetch_array($m))
{
    ?>
<option value="<?php echo $n['roll'];?>"><?php echo $n['roll'];?></option>
<?php } ?>

</select></td></tr>

<tr><td class="labels"><?php echo $y['s1'];?></td><td><input type="text" name=
"s1" class="fields" size="5" placeholder="20" required="required" /></td></tr>
<tr><td class="labels"><?php echo $y['s2'];?></td><td><input type="text" name=
"s2" class="fields" size="5" placeholder="20" required="required" /></td></tr>
<tr><td class="labels"><?php echo $y['s3'];?></td><td><input type="text" name=
"s3" class="fields" size="5" placeholder="20" required="required" /></td></tr>
<tr><td class="labels"><?php echo $y['s4'];?></td><td><input type="text" name=
"s4" class="fields" size="5" placeholder="20" required="required" /></td></tr>
<tr><td class="labels"><?php echo $y['s5'];?></td><td><input type="text" name=
"s5" class="fields" size="5" placeholder="20" required="required" /></td></tr>
<tr><td colspan="2" align="center"><input type="submit" class="fields" value="
Submit" /></td></tr>

</table>
</form>
<br />
<br />
<br />

<a href="home.php" class="cmd">HOME</a>

</div>
</body>
</html>
```

## 13) style.css

### Code:

```
@charset "utf-8";
/* CSS Document */
body
{
    background-image:url(images/nirma.png);
    margin:0px;
}
.head
{
    font-family:"Trebuchet MS";
    font-size:40px;
    color:rgb(255, 0, 0);
    /*
Header Text- Nirma*/
    margin-left:50px;
}

.hr
{
    width:80%;
    height:5px;
    border-radius:100px;
    background-
color:#FFF;
    /*Underline*/
}

.subhead
{
    font-family:"Segoe UI";
    color:rgb(0, 255, 221);
    /*
View Result*/
    font-size:24px;
    text-decoration:underline;
}

.labels
{
```

```
font-family:"Segoe UI";
color:rgb(43, 255, 0); /*
"Roll No"*/
font-size:16px;
font-style:italic;
}

.fields
{
font-family:"Segoe UI";
font-size:14px;
padding:2px 5px;
color:rgb(0, 255, 34); /*
show*/
background-color:transparent;
border:1px solid #be0eb0; /*
textbox and show borders*/
border-radius:5px;
}

.design
{
background-color:transparent;
border:1px solid #be0eb0; /*
box border*/
border-radius:5px;
padding:10px 10px;
box-
shadow:0px 0px 40px #000000; /*Box Shad
ow*/
}

a.link:link{text-decoration:none;font-family:"Trebuchet MS";font-
size:14px;color:#28a3a6;}
a.link:active{text-decoration:none;font-family:"Trebuchet MS";font-
size:14px;color:#28a3a6;}
a.link:visited{text-decoration:none;font-family:"Trebuchet MS";font-
size:14px;color:#28a3a6;}
a.link:hover{text-decoration:none;font-family:"Trebuchet MS";font-
size:15px;color:#FFFFFF;}

.msg
{
font-family:"Segoe UI";
font-size:14px;
color:#FF3;
}
```

```
a.cmd:link{text-decoration:none;font-family:"Trebuchet MS";font-size:15px;color:#28a3a6;padding:5px 6px;background-color:transparent;border:1px solid #066;}
a.cmd:active{text-decoration:none;font-family:"Trebuchet MS";font-size:15px;color:#28a3a6;padding:5px 6px;background-color:transparent;border:1px solid #066;}
a.cmd:visited{text-decoration:none;font-family:"Trebuchet MS";font-size:15px;color:#28a3a6;padding:5px 6px;background-color:transparent;border:1px solid #066;}
a.cmd:hover{text-decoration:none;font-family:"Trebuchet MS";font-size:15px;color:#FFFFFF;padding:5px 6px;background-color:transparent;border:1px solid #066;box-shadow:0px 0px 10px #066;}
```

## 14) OnlineResult.sql

### Code:

```
-- phpMyAdmin SQL Dump
-- version 4.1.14
-- http://www.phpmyadmin.net
--
-- Host: 127.0.0.1
-- Server version: 5.6.17
-- PHP Version: 5.5.12

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET time_zone = "+00:00";

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8 */;

--
-- Database: `onlineresult`
--
--
-- -----
```

```
--
-- Table structure for table `faculty`
--

CREATE TABLE IF NOT EXISTS `faculty` (
  `id` int(255) NOT NULL AUTO_INCREMENT,
  `name` varchar(255) NOT NULL,
  `sem` varchar(255) NOT NULL,
  `email` varchar(255) NOT NULL,
  `password` varchar(255) NOT NULL,
  PRIMARY KEY (`id`),
  UNIQUE KEY `email` (`email`),
  UNIQUE KEY `sem` (`sem`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=6 ;

-----

--
-- Table structure for table `marks`
--

CREATE TABLE IF NOT EXISTS `marks` (
  `id` int(255) NOT NULL AUTO_INCREMENT,
  `roll` varchar(255) NOT NULL,
  `sem` varchar(255) NOT NULL,
  `s1` varchar(255) NOT NULL,
  `s2` varchar(255) NOT NULL,
  `s3` varchar(255) NOT NULL,
  `s4` varchar(255) NOT NULL,
  `s5` varchar(255) NOT NULL,
  `total` varchar(255) NOT NULL,
  `percent` varchar(255) NOT NULL,
  `result` varchar(255) NOT NULL,
  PRIMARY KEY (`id`),
  UNIQUE KEY `roll` (`roll`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=7 ;

-----

--
-- Table structure for table `students`
--

CREATE TABLE IF NOT EXISTS `students` (
```



```
`id` int(255) NOT NULL AUTO_INCREMENT,  
`name` varchar(255) NOT NULL,  
`roll` varchar(255) NOT NULL,  
`sem` varchar(255) NOT NULL,  
`email` varchar(255) NOT NULL,  
PRIMARY KEY (`id`),  
UNIQUE KEY `roll` (`roll`,`email`)  
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=6 ;  
  
-----  
  
--  
-- Table structure for table `subjects`  
--  
  
CREATE TABLE IF NOT EXISTS `subjects` (  
  `id` int(255) NOT NULL AUTO_INCREMENT,  
  `s1` varchar(255) NOT NULL,  
  `s2` varchar(255) NOT NULL,  
  `s3` varchar(255) NOT NULL,  
  `s4` varchar(255) NOT NULL,  
  `s5` varchar(255) NOT NULL,  
  `sem` varchar(255) NOT NULL,  
  PRIMARY KEY (`id`),  
  UNIQUE KEY `sem` (`sem`)  
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=6 ;  
  
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;  
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;  
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```

## Conclusion:

Learned how to create real-time web application using all PHP object oriented objects as well as learned fascinating HTML, CSS and MYSQL concepts which are extremely useful in today's world.