

PS VIBE Sales Bot

User Manual Guide

Play The Game. Share The VIBE!

Version 1.0 - June 10, 2026

Telegram Bot - Python / FastAPI / MySQL

PS VIBE - PS5 Gaming Lounge

(Internal Use - Confidential)

. Table of Contents

1	System Overview	3
2	Installation & Setup	4
3	Console Session Management	5
4	Daily Sale Recording	7
5	Food Menu & Sale	8
6	Member Management	9
7	Cash Inject / Eject	10
8	Game Library	11
9	Coupon System	12
10	Booking System	13
11	Admin Notifications	14
12	Command Reference	15
13	Keyboard & Menu Layout	17
14	Database Schema	18
15	Troubleshooting	19

1. System Overview

1.1 What is PS VIBE Sales Bot?

PS VIBE Sales Bot is a Telegram-based point-of-sale and management bot designed for PS VIBE - PS5 Gaming Lounge. It enables staff to manage console sessions, record sales, handle member topups, manage food/drink orders, track inventory, and generate reports all from within Telegram.

1.2 Architecture

The system consists of three main components:

- 1) Sales Bot (Telegram Bot) - Python-based Telegram bot using python-telegram-bot library. Handles all staff-facing interactions via inline keyboards and commands.
- 2) API Server - FastAPI application (localhost:8000) that provides REST endpoints for all database operations. Uses MySQL as the primary data store.
- 3) Customer Bot - Separate Telegram bot for customer-facing booking flow, food menu inquiries, and balance checks.

The Sales Bot communicates exclusively with the API Server via HTTP (localhost) - it never accesses the database directly.

Bot Username:	@psvibe_sale_bot
API Server:	http://localhost:8000
Database:	MySQL - psvibe_api
VPS Host:	Dedicated Server
Systemd Service:	psvibe-sale-bot.service

1.3 Key Features

- Console Session Management - Start, monitor, extend, and end PS5 gaming sessions
- Daily Sale Recording - Record sales with payment tracking (Cash/WavePay/KBZ Pay/AYA Pay)
- Food Menu & Sales - Browse categorized menu and sell food/drinks
- Member Management - Topup wallet, check balance, view transaction history
- Cash Inject/Eject - Track cash movements between cash box and bank/withdrawals
- Game Library - Browse and manage PS5 game library by console/SSD
- Coupon System - Generate and redeem promotional coupons
- Booking Management - View, confirm, and manage customer reservations
- Auto Session Reminders - Notify staff when sessions are ending
- Daily Reports - Auto-generated daily sales reports
- Admin Notifications - Real-time alerts for bookings, topups, and system events

1.4 Access Control

The bot recognizes two tiers of access:

- Boss (Admin): Full access to all commands including cash inject/eject, reports, broadcast, payroll.
- Staff: Access to session management, daily sales, food menu, and member management.

Access is controlled via the admin_id and staff_ids in the API server configuration.

2. Installation & Setup

2.1 Prerequisites

Python 3.10+, MySQL 8.0+, pip packages (python-telegram-bot, FastAPI, PyMySQL, etc.)

2.2 Installation Steps

- Clone the bot repository to /root/psvibe-sales-bot/
- Install dependencies: pip install -r requirements.txt
- Configure /etc/psvibe/secrets.env with BOT_TOKEN, API_KEY, MYSQL_PASSWORD
- Set up MySQL database: psvibe_api with all required tables
- Deploy API server: uvicorn app:app (systemd service: psvibe-api)
- Deploy Sales Bot: systemd service psvibe-sale-bot.service

2.3 Configuration Files

Secrets:	/etc/psvibe/secrets.env (chmod 600)
Bot Code:	/root/psvibe-sales-bot/
API Code:	/root/psvibe_api_server/
Logs:	journalctl -u psvibe-sale-bot
Reminder Store:	/root/psvibe-sales-bot/data/session_reminders.json

2.4 Service Management

Restart API Server:	systemctl restart psvibe-api
Restart Sales Bot:	systemctl restart psvibe-sale-bot
Restart Customer Bot:	systemctl restart psvibe-customer-bot
Check Status:	systemctl status psvibe-sale-bot
View Logs:	journalctl -u psvibe-sale-bot -n 50 -f
API Health:	curl http://localhost:8000/api/fetch_console_status

3. Console Session Management

3.1 Starting a Session

Staff can start a new gaming session through:

- Main menu: Console button -> Select console -> Select game -> Enter duration
- Command: No direct command - always via menu flow

Flow: Main Menu > (Select Console) > Game Selection > Duration > Confirm > Active Session

When a session starts:

- A booking record is created with status 'Active'
- Console status updates to 'Active' with current member and game
- A session timer is scheduled to remind staff 5 minutes before the end
- Dashboard reflects the active session

3.2 Session Timer & Reminders

Automatic reminders fire at: planned end time - 5 minutes, then every 5 minutes thereafter.

Inline keyboard options on reminder:

- 'Extend +15 mins' - Adds 15 minutes and resets reminder
- 'Extend +30 mins' - Adds 30 minutes and resets reminder
- 'End Session' - Immediately ends the session

Reminders persist through bot restarts (stored in session_reminders.json). Stale reminders are cleaned up every 15 minutes.

3.3 Ending a Session

Sessions can be ended manually via:

- Active session inline buttons (End Session button on console status)
- Ending from the reminder notification
- The system auto-ends sessions when the timer expires ($\text{end_time} = \text{start} + \text{duration}$)

When a session ends:

- Booking status updated to 'Done'
- Console status set to 'Free'
- Reminder cancelled and removed from persistent store

3.4 Session Extend / Recalculate

During an active session, the timer button on the console status panel offers:

- Extend +15 min - Adds 15 minutes to the scheduled end time
- Extend +30 min - Adds 30 minutes to the scheduled end time
- Recalc - Recalculates remaining time and resets the reminder loop

Extension updates the duration_mins field in the booking record and resets the reminder.

3.5 Merged Console Display

When SSD consoles (C-01, C-02) are active with a specific game, the display may show "C-01/C-01-1" format indicating sub-consoles that share a main console unit. The bot automatically detects connected SSD IDs and merges them for display.

4. Daily Sale Recording

4.1 Recording a Daily Sale

Access via Main Menu > 'Daily Sale' button.

Flow:

1. Enter customer name (or type 'Guest' for walk-ins)
2. Enter phone number (optional, can skip)
3. Select or enter the amount (duration in minutes)
4. Select payment method (Cash / WavePay / KBZ Pay / AYA Pay)
5. The bot saves the sale to the database

The system saves a sales_daily record with:

- customer name and phone
- console type and game (from the session, if applicable)
- amount and payment method
- staff name who processed the sale
- timestamp of the transaction

4.2 Food Sale Mode

Access via Main Menu > 'Food Sale' button.

Allows standalone food/drink sales without a console session:

1. Select items from the food menu (categorized by Drinks, Instant Noodles, Other)
2. Select quantity for each item
3. Review and confirm the items
4. Select payment method (Cash / WavePay / KBZ Pay / AYA Pay)
5. Sale is recorded as type 'food_only' in the database

Multiple items can be combined in a single sale.

4.3 Payment Methods

The system supports four payment methods:

- Cash (KBZ) - Physical cash payment
- WavePay - Wave Money mobile payment
- KBZ Pay - KBZ mobile banking app
- AYA Pay - AYA mobile banking app

Mixed payments are supported using pipe delimiter format: e.g., 'Cash:30000|WavePay:20000'

5. Food Menu & Sale

5.1 Menu Structure

The food menu is divided into three categories:

Drinks (12 items): Water, Coca-Cola, Sprite, Sting, M-150, Red Bull, Monster, Beer, Iced Coffee, Milk Tea, Fruit Juice, Soda Water

Instant Noodles (3 items): Regular, Spicy, Cup Noodles

Other (1 item): Snacks

Each item has a name, price, and emoji icon for easy identification.

5.2 Food Menu Display

Access via Main Menu > 'Food Menu' button. The bot fetches menu items via the API endpoint `/api/fetch_food_menu` and displays them grouped by category with emoji headers. Each item shows name and price.

5.3 Selling Food

Two ways to sell food:

- 1) Daily Sale Flow: After entering customer details and amount, you can add food items before finalizing the sale.
- 2) Food Sale Standalone: Main Menu > 'Food Sale' - independent food sale without a console session.

5.4 Food Menu Management

Food menu items are stored in the `food_menu` MySQL table. Items can be added or updated directly in the database. The menu supports different categories with emoji icons. Customer Bot can also display the food menu to customers upon request.

6. Member Management

6.1 Topup Wallet

Access via Main Menu > 'Member' > 'Topup'.

Flow:

1. Enter or select the member name
2. Enter the topup amount in Kyats
3. The system calculates bonus minutes based on the amount
4. Select payment method
5. Confirmation and receipt are sent to the admin group

Topup records are saved in topup_log and member_wallets tables.

6.2 Balance Check

Access via Main Menu > 'Member' > 'Check Balance'.

Enter the member phone number or name. The bot queries the API and returns the current balance in minutes. Customer balance is checked from member_wallets.balance_mins.

6.3 Member Registration

Members are registered through the topup flow - when a new phone number is encountered, a member record is automatically created in the members table. The system tracks:

- Member ID and name
- Phone number
- Total spend (in Kyats)
- Total bought minutes
- Current balance minutes
- Last topup date

6.4 Referral System

Access via Main Menu > 'Referral'.

Members can refer friends and earn bonus minutes. The referral code is linked to the referring member's wallet. When a new member enters a referral code during topup, both parties receive bonus minutes.

7. Cash Inject / Eject

7.1 Cash Inject

Command: /inject (Boss only)

Records cash being added to the cash box from external sources (e.g., bank withdrawal, owner injection).

Flow:

1. Enter the amount in Kyats
2. Select the account (KBZ / WavePay / KBZ Pay / AYA Pay)
3. Enter a note (reason for injection)
4. Record is saved to cash_movements table

Inject increases the cash box balance.

7.2 Cash Eject

Command: /eject (Boss only)

Records cash being removed from the cash box (e.g., bank deposit, expense payment, stock purchase).

Flow:

1. Enter the amount in Kyats
2. Select the account (KBZ / WavePay / KBZ Pay / AYA Pay)
3. Enter a note (reason for ejection)
4. Record is saved to cash_movements table

Eject decreases the cash box balance.

7.3 Cash Movements History

All inject/eject records are stored in the cash_movements table. A web admin page is available at /admin/cash with:

- Full movement history table with date, type, amount, account, staff, note
- Current cash box balance
- Inject and Eject form for quick entry

Reports use cash_movements data for cash flow calculations.

8. Game Library

8.1 Viewing Games

Access via Main Menu > 'Games'.

The bot displays the game library filtered by the selected console. Games are organized by:

- Console ID (e.g., C-01, C-02)
- SSD/HDD classification (SSD-prefixed IDs = SSD games)
- Install type (Local, External HDD, Session)

SSD games are filtered out for non-SSD consoles.

8.2 Game List Command

Command: /games - Shows available games with install type filtering.

Dual-screen (SSD) consoles show games from both screens (C-01 + C-01-1).

8.3 Game Status Management

Games have status fields (available, playing, maintenance) tracked in the console_games table. Staff can update game status through the bot.

9. Coupon System

9.1 Generating Coupons

Coupons can be generated for members with bonus minutes. The coupon includes:

- Unique coupon code
- Original minute balance
- Expiry date
- Linked promo/marketing campaign

Coupons are stored in the member_coupons table.

9.2 Redeeming Coupons

Access via payment flow after a session ends.

Flow:

1. Staff selects 'Redeem Coupon' during payment
2. Enter the coupon code
3. System validates: checks expiry, balance, and status
4. Coupon balance is deducted from the session fee
5. Coupon status updates to 'Redeemed'

If the coupon code is invalid or expired, an error message is shown.

9.3 Coupon Validation

The system validates coupons against:

- Expiry date (must not be expired)
- Status (must be 'active')
- Balance (must have remaining minutes)
- The coupon flow includes keyboard-based input for coupon code entry.

10. Booking System

10.1 Customer Booking Flow

Customers book via the Customer Bot (@psvibe_customer_bot):

1. Browse console types (PS5 / PS4)
2. Select date and time slot
3. Choose duration
4. Enter name and phone
5. Receive confirmation

Bookings appear in the Staff Admin Chat for review.

10.2 Admin Booking Management

Access via Sale Bot Main Menu > 'Bookings'.

Staff can:

- View all pending and confirmed bookings
- Confirm or reject booking requests
- Auto-check-in confirmed bookings when the time arrives
- End no-show bookings

10.3 Check-in Process

When a customer arrives:

1. Staff selects the booking from the list
2. Confirms check-in
3. Booking status updates to 'Active'
4. Console is marked 'Active' with the customer's game
5. Session timer starts

If no confirmed booking exists for a console, a new active session is created.

10.4 No-Show Auto-Cancellation

A background script (/root/psvibe-sales-bot/scripts/auto_cancel_no_shows.py) automatically cancels bookings that pass their scheduled start time without check-in. This runs as a cron job.

11. Admin Notifications

11.1 Notification Types

The bot sends real-time notifications to the Admin Group Chat:

- New Booking Alert - When a customer books via the Customer Bot
- Topup Confirmation - When a member topup is processed
- Session Reminder - 5 min before session end
- Session Auto-End - When timer expires
- Daily Report - Auto-generated end-of-day summary
- System Error - API failures, connection issues
- Cash Movement - Inject/eject confirmations

11.2 Staff Attendance Logging

Staff can log their attendance via the Attendance button. Login times are recorded in the attendance_log table with staff name, login time, date, and status.

12. Command Reference

12.1 Bot Commands

Command	Format	Description
/start	/start	Initialize bot and show main menu
/help	/help	Show help information
/cancel	/cancel	Cancel current operation
/inject	/inject	Record cash injection (Boss only)
/eject	/eject	Record cash ejection (Boss only)
/report	/report [date]	Generate daily sales report
/games	/games	Show game library
/members	/members	Member management
/broadcast	/broadcast <msg>	Broadcast message (Boss only)
/discount	/discount	Set discount rate (Boss only)

12.2 Admin Only Commands

Command	Format	Description
/inject	/inject <amount>	Cash inject (admin_id filtered)
/eject	/eject <amount>	Cash eject (admin_id filtered)
/broadcast	/broadcast <text>	Send message to all staff
/discount	/discount <rate>	Set discount percentage
/salary	/salary	Payroll management
/opex	/opex	Operating expense entry
/payroll	/payroll	Staff salary management

13. Keyboard & Menu Layout

13.1 Main Menu

Main Menu (shown on /start):

[PlayStation] [Daily Sale] [Members]
[Games] [Food Menu] [Food Sale]
[Bookings] [Cash / Balance] [Coupon]
[Reports] [Attendance] [Referral]
[Stock] [Help]

Each button opens a sub-menu or starts a specific workflow.

13.2 Console Sub-Menu

After selecting a console type:

[C-01] [C-02] [C-03] [C-04] [C-05]
[C-06] [C-07] [C-08] [C-09] [C-10]
[Back to Main Menu]

Each console button shows current status and active game.

13.3 Food Menu Layout

Food Menu displays:

Drinks

[Water] [Coke] [Sprite] [Sting]
[M-150] [Red Bull] [Monster] [Beer]
[Coffee] [Milk Tea] [Juice] [Soda]

Instant Noodles

[Regular] [Spicy] [Cup]

Other

[Snacks]

[Back to Main Menu]

13.4 Session Active Inline Keyboard

When a session is active, the console status message shows:

[Timer: remaining 15:00] [Extend +15] [Extend +30]
[End Session] [Refresh]

These inline buttons update in real-time.

14. Database Schema (Key Tables)

Table Name	Key Columns
console_status	console_id, status, console_type, current_game, current_member, start_time, last_updated
console_booking	id, console_id, member_id, booking_date, start_time, end_time, status, staff_name, duration_mins, game_name, phone, telegram_chat_id
members	id, name, phone, total_spend, join_date
member_wallets	member_id, balance_mins, total_bought_mins, total_spend, last_updated
sales_daily	id, customer_name, phone, console_type, game_name, amount, payment_method, staff_name, sale_date
topup_log	id, member_id, amount, mins_added, topup_date, staff_name, payment_method, balance_before, balance_after
cash_movements	id, movement_type, account, amount, note, staff_name, created_at
food_menu	id, name, price, category, emoji, is_available
member_coupons	id, coupon_code, member_id, original_minutes, balance_minutes, issued_date, expiry_date, status
inventory	id, item_name, quantity, unit, unit_price, last_updated

15. Troubleshooting

15.1 Common Issues

Issue	Solution
Bot not responding	Check systemctl status psvibe-sale-bot. Restart with systemctl restart. Check journalctl logs.
API not responding	Check systemctl status psvibe-api. Ensure MySQL is running. Check /tmp/api_debug.log
Session timer not firing	Check reminders in session_reminders.json. The bot must be restarted after modifying reminder code.
Start_time / end_time mismatch	MySQL timestamps should match application timezone. All times stored in MMT (Asia/Yangon UTC+6:30).
Duplicate food menu items	The API endpoint /api/fetch_food_menu has duplicate protection via SELECT DISTINCT.
Popup not saving	Check that payment_method parameter is exactly one of: cash, wavepay, kbzpay, ayapay (lowercase).
Coupon stuck on confirmation	Race condition with keyboard taps. Re-enter the coupon code.

For persistent issues, check journalctl -u psvibe-sale-bot -n 100 for error traces.

15.2 Restart Procedures

When restarting the API server:

- systemctl restart psvibe-api
- Wait 3 seconds for startup
- Verify: curl http://localhost:8000/api/console/status
- If still failing: pkill -HUP -f 'uvicorn app:app'; systemctl restart psvibe-api

15.3 Data Recovery

All transaction data is stored in MySQL psvibe_api database. The database is backed up via cron jobs. Daily reports are stored both in MySQL and in Google Sheets for redundancy.

For accidental data loss, restore from the latest MySQL dump.