# ORACLE Academy



3-2 Sorting Rows

ORACLE Academy



## **Objectives**

- This lesson covers the following objectives:
  - Construct a query to sort a result set in ascending or descending order
  - State the order in which expressions are evaluated and calculated based on the rules of precedence
  - -Construct a query to order a result set using a column alias
  - Construct a query to order a result set for single or multiple columns



DP 3-2 Sorting Rows

#### Marin Dilla

#### Purpose

- By nature, most of us need order in our lives
- Imagine if each time you had dinner, you had to look in every kitchen drawer or cabinet to find a knife and a fork?
- Ordering, grouping, and sorting makes finding things easier
- Biologists group animals in phyla, astronomers order brightness of stars by magnitude, and Java programmers organize code in classes



DP 3-2 Sorting Rows

#### **Purpose**

- Our everyday lives are ordered in many situations:
  - -Library books in library
  - -Grocery-store shelves
  - -Documents stored in file cabinets
- Being able to sort results is a convenient feature in SQL and enables programmers to display information in many different ways
- For database design, business functions are ordered by entities and attributes; in database information, SQL uses the ORDER BY clause



DP 3-2 Sorting Rows

#### Walling Sillar

#### **ORDER BY Clause**

- Information sorted in ascending order is familiar to most of us
- It's what makes looking up a number in a phone book, finding a word in the dictionary, or locating a house by its street address relatively easy
- SQL uses the ORDER BY clause to order data
- The ORDER BY clause can specify several ways in which to order rows returned in a query



DP 3-2 Sorting Rows

#### **ORDER BY Clause**

- The default sort order is ascending
- Numeric values are displayed lowest to highest
- Date values are displayed with the earliest value first
- Character values are displayed in alphabetical order
- Null values are displayed last in ascending order and first in descending order
- NULLS FIRST Specifies that NULL values should be returned before non-NULL values
- NULLS LAST Specifies that NULL values should be returned after non-NULL values



DP 3-2 Sorting Rows

Copyright © 2020, Oracle and/or its affiliates. All rights reserved.

7

If using NULLS FIRST or NULLS LAST, they should be at the end of the ORDER BY clause, after th column name(s). For example:

SELECT last name, hire date, department id

FROM employees

ORDER BY department id NULLS LAST;

#### **ORDER BY Clause**

- The following employees example uses the ORDER BY clause to order hire\_date in ascending (default) order
- Note: The ORDER BY clause must be the last clause of the SQL statement

SELECT last\_name, hire\_date
FROM employees
ORDER BY hire date;

LAST_NAME	DATE
King	17-Jun-1987
Whalen	17-Sep-1987
Kochhar	21-Sep-1989
Hunold	03-Jan-1990
Ernst	21-May-1991
De Haan	13-Jan-1993
Gietz	07-Jun-1994
Higgins	07-Jun-1994
Rajs	17-Oct-1995
Hartstein	17-Feb-1996



DP 3-2 Sorting Rows

## Sorting in Descending Order

 You can reverse the default order in the ORDER BY clause to descending order by specifying the DESC keyword after the column name in the ORDER BY clause

SELECT last\_name, hire\_date FROM employees ORDER BY hire date DESC;

LAST_NAME	HIRE_DATE
Zlotkey	29-Jan-2000
Mourgos	16-Nov-1999
Grant	24-May-1999
Lorentz	07-Feb-1999
Vargas	09-Jul-1998
Taylor	24-Mar-1998
Matos	15-Mar-1998
Fay	17-Aug-1997
Davies	29-Jan-1997
Abel	11-May-1996



DP 3-2 Sorting Row

Copyright © 2020, Oracle and/or its affiliates. All rights reserved.

If you use ASC or DESC in your ORDER BY clause it will influence the placement of NULL values: null values are displayed last in ascending order and first in descending order.

Furthermore, you can use NULLS FIRST to specify that NULL values should be returned before non-NULL values. NULLS LAST specifies that NULL values should be returned after non-NULL values.

## **Using Column Aliases**

- You can order data by using a column alias
- The alias used in the SELECT statement is referenced in the ORDER BY clause

SELECT last\_name, hire\_date
AS "Date Started"
FROM employees
ORDER BY "Date Started";

LAST_NAME	Date Started
King	17-Jun-1987
Whalen	17-Sep-1987
Kochhar	21-Sep-1989
Hunold	03-Jan-1990
Ernst	21-May-1991
De Haan	13-Jan-1993
Gietz	07-Jun-1994
Higgins	07-Jun-1994
Rajs	17-Oct-1995
Hartstein	17-Feb-1996



DP 3-2 Sorting Rows

### Sorting with Other Columns

- It is also possible to use the ORDER BY clause to order output by a column that is not listed in the SELECT clause
- In the following example, the data is sorted by the last\_name column even though this column is not listed in the SELECT statement

```
SELECT employee_id,
first_name
FROM employees
WHERE employee_id < 105
ORDER BY last_name;
```

EMPLOYEE_ID	FIRST_NAME
102	Lex
104	Bruce
103	Alexander
100	Steven
101	Neena



Academy

DP 3-2

Copyright © 2020, Oracle and/or its affiliates. All rights reserved.

11

It is difficult to verify your results when you sort by a column that you're not SELECTing. In the real world, you would run your query selecting the last\_name column until you were sure you were getting the right data. Then you could remove that column from your SELECT statement.

#### Order of Execution

- The order of execution of a SELECT statement is as follows:
  - -FROM clause: locates the table that contains the data
  - -WHERE clause: restricts the rows to be returned
  - SELECT clause: selects from the reduced data set the columns requested
  - -ORDER BY clause: orders the result set





DP 3-2 Sorting Rows

Copyright  $\ensuremath{\mathbb{C}}$  2020, Oracle and/or its affiliates. All rights reserved.

## Sorting with Multiple Columns

- It is also possible to sort query results by more than one column
- In fact, there is no limit on how many columns you can add to the ORDER BY clause





DP 3-2 Sorting Rows

## Sorting with Multiple Columns

- An example of sorting with multiple columns is shown below
- Employees are first ordered by department number (from lowest to highest), then for each department, the last names are displayed in alphabetical order (A to

Z)

SELECT department\_id,
last\_name
FROM employees
WHERE department\_id <= 50
ORDER BY department\_id,
last\_name;



Academy

DP 3-2 Sorting Rows

DEPARTMENT_ID	LAST_NAME
10	Whalen
20	Fay
20	Hartstein
50	Davies
50	Matos
50	Mourgos
50	Rajs
50	Vargas

## Sorting with Multiple Columns

- To create an ORDER BY clause to sort by multiple columns, specify the columns to be returned and separate the column names using commas
- If you want to reverse the sort order of a column, add DESC after its name

```
SELECT department_id,
last_name
FROM employees
WHERE department_id <= 50
ORDER BY department_id DESC,
last_name;
```

DEPARTMENT_ID	LAST_NAME
50	Davies
50	Matos
50	Mourgos
50	Rajs
50	Vargas
20	Fay
20	Hartstein
10	Whalen

ORACLE Academy

DP 3-2 Sorting Power

Copyright © 2020, Oracle and/or its affiliates. All rights reserved.

The ORDER BY for the department\_id has been reversed (from the previous slide) using DESC, so are now shown from highest to lowest, the order of last name is still alphabetical, A to Z.

## Terminology

- Key terms used in this lesson included:
  - -ORDER BY Clause
  - -ASCENDING
  - -DESCENDING
  - -Order of Execution



DP 3-2 Sorting Rows

Copyright  $\ensuremath{\mathbb{C}}$  2020, Oracle and/or its affiliates. All rights reserved.

### Summary

- In this lesson, you should have learned how to:
  - Construct a query to sort a result set in ascending or descending order
  - -Construct a query to order a result set using a column alias
  - Construct a query to order a result set for single or multiple columns



DP 3-2 Sorting Rows

Copyright  $\ \ \, \mathbb{C}$  2020, Oracle and/or its affiliates. All rights reserved.

# ORACLE Academy