

FashionMNIST: init sweep at $wd=0.01$

Automated comparison

March 19, 2026

FashionMNIST — $wd = 0.01$: training curve

init = 1

init = 2

init = 4

init = 6

init = 8

FashionMNIST — $wd = 0.01$: κ

init = 1

init = 2


init = 4

init = 6


init = 8

FashionMNIST — $wd = 0.01$: ϕ_{-1} moment


init = 1




init = 2




init = 4



init = 6




init = 8




FashionMNIST — $wd = 0.01$: ϕ_{-2} -moment


init = 1




init = 2




init = 4



init = 6



init = 8



FashionMNIST — $wd = 0.01$: $\phi_{\{\}}_{\text{mean}}$

init = 1

init = 2

init = 4

init = 6

init = 8

FashionMNIST — $wd = 0.01$: ϕ_{var}

init = 1

init = 2


init = 4

init = 6


init = 8

FashionMNIST — $wd = 0.01$: $\phi \backslash \{ \} \text{-pos} \backslash \{ \} \text{-neg} \backslash \{ \} \text{-ratio}$


init = 1




init = 2




init = 4



init = 6




init = 8




FashionMNIST — $wd = 0.01$: $mass \setminus \{\}$ _gt1


init = 1




init = 2




init = 4



init = 6




init = 8




FashionMNIST — $wd = 0.01$: $\text{weight}\backslash\{\}_\text{norms}$


init = 1




init = 2




init = 4



init = 6




init = 8




FashionMNIST — $wd = 0.01$: last\{\}_layer\{\}_weight\{\}_norms


init = 1




init = 2



init = 4



init = 6



init = 8

