https://flelievre.github.io/OC-project5-photograph/

96 100 100

96 Performance

100 Accessibility

100 SEO

96

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49 50–89 90–100



METRICS

Expand view

First Contentful Paint
0.9 s

Time to Interactive
1.5 s

Speed Index
1.2 s

Total Blocking Time
0 ms

Largest Contentful Paint
2.8 s

Cumulative Layout Shift
0.027

View Treemap View Original Trace



Show audits relevant to: All FCP TBT LCP CLS

DIAGNOSTICS

Serve static assets with an efficient cache policy — 9 resources found

A long cache lifetime can speed up repeat visits to your page. Learn more.

URL	Cache TTL	Transfer Size
…slider/ryoji-iwa….jpg.webp (flelievre.github.io)	10 m	39 KiB
…concerts/aaron-pau….webp (flelievre.github.io)	10 m	39 KiB
…images/nina.png.webp (flelievre.github.io)	10 m	16 KiB
…entreprise/ali-morsh….jpg.webp (flelievre.github.io)	10 m	8 KiB
…bootstrap/bootstrap.min.css (flelievre.github.io)	10 m	6 KiB
…assets/maugallery.js (flelievre.github.io)	10 m	2 KiB
…assets/style.min.css (flelievre.github.io)	10 m	1 KiB
…images/instagram.png.webp (flelievre.github.io)	10 m	1 KiB
…assets/scripts.js (flelievre.github.io)	10 m	0 KiB

Avoid chaining critical requests — 5 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. Learn more. FCP LCP

Maximum critical path latency: **250 ms**

Initial Navigation

/OC-project5-photograph/ (flelievre.github.io)

- …bootstrap/bootstrap.min.css (flelievre.github.io) **- 80 ms, 6.16 KiB**
- …assets/style.min.css (flelievre.github.io) **- 100 ms, 1.46 KiB**
- /jquery-3.4.1.min.js (code.jquery.com) **- 170 ms, 30.19 KiB**
- …assets/maugallery.js (flelievre.github.io) **- 90 ms, 1.75 KiB**
- …assets/scripts.js (flelievre.github.io) **- 90 ms, 0.42 KiB**

Keep request counts low and transfer sizes small — 16 requests • 207 KiB

To set budgets for the quantity and size of page resources, add a budget.json file. Learn more.

Resource Type	Requests	Transfer Size
Total	16	207.0 KiB
Image	5	102.7 KiB
Font	4	59.8 KiB
Script	3	32.4 KiB
Stylesheet	3	8.5 KiB
Document	1	3.6 KiB
Media	0	0.0 KiB
Other	0	0.0 KiB
Third-party	6	90.9 KiB

Largest Contentful Paint element — 1 element found

This is the largest contentful element painted within the viewport. Learn More LCP

Element


Avoid large layout shifts — 5 elements found

These DOM elements contribute most to the CLS of the page. CLS

Element	CLS Contribution
	0.025

Element	CLS Contribution
	0.001
	0
	0
	0

Avoid long main-thread tasks — 3 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. Learn more TBT

Show 3rd-party resources (1)

URL	Start Time	Duration
/OC-project5-photograph/ (flelievre.github.io)	858 ms	146 ms
/OC-project5-photograph/ (flelievre.github.io)	787 ms	57 ms
/jquery-3.4.1.min.js (code.jquery.com)	2,057 ms	51 ms

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (34) Hide

Eliminate render-blocking resources

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. Learn more. FCP LCP

Properly size images

Serve images that are appropriately-sized to save cellular data and improve load time. Learn more.

Defer offscreen images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. Learn more.

Minify CSS

Minifying CSS files can reduce network payload sizes. Learn more. FCP LCP

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. Learn more. FCP LCP

Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn more. FCP LCP

Reduce unused JavaScript

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn more. LCP

Efficiently encode images

Optimized images load faster and consume less cellular data. Learn more.

Serve images in next-gen formats

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. Learn more.

Enable text compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. Learn more. FCP LCP

Preconnect to required origins

Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. Learn more. FCP LCP

Initial server response time was short — Root document took 50 ms

Keep the server response time for the main document short because all other requests depend on it. Learn more. FCP LCP

URL	Time Spent
/OC-project5-photograph/ (flelievre.github.io)	50 ms

Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. Learn more. FCP LCP

Preload key requests

Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load. Learn more. FCP LCP

Use HTTP/2

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. Learn more.

Use video formats for animated content

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. Learn more LCP

Remove duplicate modules in JavaScript bundles

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. TBT

Avoid serving legacy JavaScript to modern browsers

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. Learn More TBT

Preload Largest Contentful Paint image

Preload the image used by the LCP element in order to improve your LCP time. Learn more. LCP

	URL	Potential Savings
	…slider/ryoji-iwa….jpg.webp (flelievre.github.io)	0 ms

Avoids enormous network payloads — Total size was 207 KiB

Large network payloads cost users real money and are highly correlated with long load times. Learn more. LCP

Show 3rd-party resources (5)

URL	Transfer Size
…slider/ryoji-iwa….jpg.webp (flelievre.github.io)	39.1 KiB
…concerts/aaron-pau….webp (flelievre.github.io)	38.8 KiB
/jquery-3.4.1.min.js (code.jquery.com)	30.2 KiB
…v12/UcCO3FwrK….woff2 (fonts.gstatic.com)	16.4 KiB
…images/nina.png.webp (flelievre.github.io)	16.3 KiB
…v13/rnCu-xNNw….woff2 (fonts.gstatic.com)	15.3 KiB
…v13/rnCu-xNNw….woff2 (fonts.gstatic.com)	14.5 KiB
…v13/rnCr-xNNw….woff2 (fonts.gstatic.com)	13.5 KiB
…entreprise/ali-morsh….jpg.webp (flelievre.github.io)	7.8 KiB
…bootstrap/bootstrap.min.css (flelievre.github.io)	6.2 KiB

Avoids an excessive DOM size — 138 elements

A large DOM will increase memory usage, cause longer style calculations, and produce costly layout reflows. Learn more. TBT

Statistic	Element	Value
Total DOM Elements		138
Maximum DOM Depth		10
Maximum Child Elements	body	9

User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. Learn more.

JavaScript execution time — 0.2 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn more. TBT

Show 3rd-party resources (1)

URL	Total CPU Time	Script Evaluation	Script Parse
/OC-project5-photograph/ (flelievre.github.io)	463 ms	25 ms	3 ms
/jquery-3.4.1.min.js (code.jquery.com)	326 ms	149 ms	6 ms
`Unattributable`	161 ms	7 ms	0 ms

Minimizes main-thread work — 1.0 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn more TBT

Category	Time Spent
Style & Layout	310 ms
Other	289 ms
Script Evaluation	183 ms

Category	Time Spent
Rendering	150 ms
Parse HTML & CSS	26 ms
Script Parsing & Compilation	9 ms

All text remains visible during webfont loads

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. Learn more. FCP LCP

Minimize third-party usage — Third-party code blocked the main thread for 20 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. Learn more. TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
jQuery CDN	30 KiB	17 ms
/jquery-3.4.1.min.js (code.jquery.com)	30 KiB	17 ms
Google Fonts	61 KiB	0 ms
…v12/UcCO3FwrK….woff2 (fonts.gstatic.com)	16 KiB	0 ms
…v13/rnCu-xNNw….woff2 (fonts.gstatic.com)	15 KiB	0 ms
…v13/rnCu-xNNw….woff2 (fonts.gstatic.com)	15 KiB	0 ms
…v13/rnCr-xNNw….woff2 (fonts.gstatic.com)	14 KiB	0 ms

Lazy load third-party resources with facades

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. Learn more. TBT

Largest Contentful Paint image was not lazily loaded

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. Learn more.

Element




Uses passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. Learn more.

Avoids `document.write()`

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. Learn more.

Avoid non-composited animations

Animations which are not composited can be janky and increase CLS. Learn more CLS

Image elements have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn more CLS

Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents a 300 millisecond delay to user input. Learn more. TBT

Avoids `unload` event listeners

The `unload` event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Use `pagehide` or `visibilitychange` events instead. Learn more

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

- The page has a logical tab order

  Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. Learn more.

- Interactive controls are keyboard focusable

  Custom interactive controls are keyboard focusable and display a focus indicator. Learn more.

- Interactive elements indicate their purpose and state

  Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. Learn more.

- The user's focus is directed to new content added to the page

  If new content, such as a dialog, is added to the page, the user's focus is directed to it. Learn more.

- User focus is not accidentally trapped in a region

  A user can tab into and out of any control or region without accidentally trapping their focus. Learn more.

- Custom controls have associated labels

  Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. Learn more.

- Custom controls have ARIA roles

  Custom interactive controls have appropriate ARIA roles. Learn more.

- Visual order on the page follows DOM order

  DOM order matches the visual order, improving navigation for assistive technology. Learn more.

- Offscreen content is hidden from assistive technology

  Offscreen content is hidden with display: none or aria-hidden=true. Learn more.

- HTML5 landmark elements are used to improve navigation

  Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. Learn more.

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (19) Hide

- `[aria-*]` attributes match their roles

  Each ARIA `role` supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. Learn more.

- `[aria-hidden="true"]` is not present on the document `<body>`

  Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true"` is set on the document `<body>`. Learn more.

- `[aria-*]` attributes have valid values

  Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. Learn more.

- `[aria-*]` attributes are valid and not misspelled

  Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. Learn more.

- Buttons have an accessible name

  When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn more.

- ARIA IDs are unique

  The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn more.

- Image elements have `[alt]` attributes

  Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more.

- Form elements have associated labels

  Labels ensure that form controls are announced properly by assistive technologies, like screen readers. Learn more.

- `[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. Learn more.

`[aria-hidden="true"]` elements do not contain focusable descendents

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. Learn more.

The page contains a heading, skip link, or landmark region

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more.

Background and foreground colors have a sufficient contrast ratio

Low-contrast text is difficult or impossible for many users to read. Learn more.

Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more.

`<html>` element has a `[lang]` attribute

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. Learn more.

`<html>` element has a valid value for its `[lang]` attribute

Specifying a valid BCP 47 language helps screen readers announce text properly. Learn more.

Links have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. Learn more.

Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. Learn more.

List items (`<li>`) are contained within `<ul>` or `<ol>` parent elements

Screen readers require list items (`<li>`) to be contained within a parent `<ul>` or `<ol>` to be announced properly. Learn more.

Heading elements appear in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. Learn more.

NOT APPLICABLE (25)

Hide

- `[accesskey]` values are unique

  Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more.

- `button`, `link`, and `menuitem` elements have accessible names

  When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more.

- ARIA input fields have accessible names

  When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more.

- ARIA `meter` elements have accessible names

  When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more.

- ARIA `progressbar` elements have accessible names

  When a `progressbar` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more.

- `[role]`s have all required `[aria-*]` attributes

  Some ARIA roles have required attributes that describe the state of the element to screen readers. Learn more.

- Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.

  Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. Learn more.

- `[role]`s are contained by their required parent element

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. Learn more.

- `[role]` values are valid

  ARIA roles must have valid values in order to perform their intended accessibility functions. Learn more.

- ARIA toggle fields have accessible names

  When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more.

- ARIA `tooltip` elements have accessible names

  When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more.

- ARIA `treeitem` elements have accessible names

  When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more.

- `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements.

  When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn more.

- Definition list items are wrapped in `<dl>` elements

  Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. Learn more.

- `[id]` attributes on active, focusable elements are unique

  All focusable elements must have a unique `id` to ensure that they're visible to assistive technologies. Learn more.

- No form fields have multiple labels

  Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn more.

- `<frame>` or `<iframe>` elements have a title

  Screen reader users rely on frame titles to describe the contents of frames. Learn more.

- `<input type="image">` elements have `[alt]` text

  When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. Learn more.

- The document does not use `<meta http-equiv="refresh">`

  Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. Learn more.

- `<object>` elements have alternate text

  Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. Learn more.

- No element has a `[tabindex]` value greater than 0

  A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. Learn more.

- Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.

  Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. Learn more.

- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.

  Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. Learn more.

- `[lang]` attributes have a valid value

  Specifying a valid BCP 47 language on elements helps ensure that text is pronounced correctly by a screen reader. Learn more.

- `<video>` elements contain a `<track>` element with `[kind="captions"]`

  When a video provides a caption it is easier for deaf and hearing impaired users to access its information. Learn more.

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

- Structured data is valid

  Run the Structured Data Testing Tool and the Structured Data Linter to validate structured data. Learn more.

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (12)

Hide

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

  A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents a 300 millisecond delay to user input. Learn more. TBT

- Document has a `<title>` element

  The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more.

- Document has a meta description

  Meta descriptions may be included in search results to concisely summarize page content. Learn more.

- Page has successful HTTP status code

  Pages with unsuccessful HTTP status codes may not be indexed properly. Learn more.

- Links have descriptive text

  Descriptive link text helps search engines understand your content. Learn more.

- Links are crawlable

  Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. Learn More

- Page isn't blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. Learn more.

Image elements have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more.

Document has a valid `hreflang`

hreflang links tell search engines what version of a page they should list in search results for a given language or region. Learn more.

Document uses legible font sizes — 100% legible text

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text ≥12px. Learn more.

Source	Selector	% of Page Text	Font Size
`Legible text`		100.00%	≥ 12px

Document avoids plugins

Search engines can't index plugin content, and many devices restrict plugins or don't support them. Learn more.

Tap targets are sized appropriately — 100% appropriately sized tap targets

Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be easy enough to tap without overlapping onto other elements. Learn more.

NOT APPLICABLE (2)

Hide

robots.txt is valid

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. Learn more.

Document has a valid `rel=canonical`

Canonical links suggest which URL to show in search results. Learn more.

- Captured at Aug 7, 2023, 5:20 PM GMT+2
- Initial page load
- Emulated Moto G4 with Lighthouse 9.6.8
- Slow 4G throttling
- Single page load
- Using Chromium 110.0.0.0 with devtools

Generated by **Lighthouse** 9.6.8 | File an issue