

Cryptol: Multiplier specification

Description Create a specification for an assembly program snippet that purports to multiply

two 8 bit numbers. Show that the specification is verified to multiply two input numbers and return the correct output. State of a multiplier is defined in terms of registers and flags and State changes by execution of a function applied to State, corresponding to a line of code, where the output is directed to another

function corresponding to another line of code.

Purpose Shows some features of Cryptol that do not exist in most other languages and

shows how to set up a specification for low-level programs.

Audience This module is intended for:

1 The general public

2 K-12 and college classes on cyber defense

3 preparation for proficiency in the use of tools and a computing environment

suitable for the study of cyber defense

Objectives After completing the module:

1 setup of a line of code as part of a code specification is understood

2 the value of some Cryptol features, obscure before, now can be appreciated

3 writing access code for a specification, setting up for properties, is revealed

Keywords multiplier, assembly code, State, tuple

Category cybersecurity > education

Delivery java applets and written documentation in pdf format

Team John Franco and Ethan Link

Assessment The applets provide the means for experimentation. Questions are asked in the

documentation that help with the set up of experiments. The ideas that learners

come up with is evidence that the module was successful.

Workflow No particular schedule was established

Environment All materials are contained in a single jar file. The jar file can be run on any

computer where java version 14 or higher and some pdf reader such as acroread

or evince are available. The jar file may be executed in the cyber range or

learners may download the jar file (which is considered to be an executable file)

and run it on their personal computers.