

W-2C Automator

User Guide

Payroll Operations Team
Version 1.2 | May 2026

W-2C AUTOMATOR v1.2

Clear Session

PAYROLL OPS SUITE

Install Dependencies

Run once on first setup

Deploy

W-2C AUTOMATOR

PASTE MIDS · PICK YEAR · RUN AUTOMATION

Open User Guide (PDF)

1

Paste MIDs

2

Save

Run

Results

One MID per line. Blank lines and # comments are ignored. Duplicates are removed automatically.

M12345

M67890

M24680

0 unique MID(s) ready to save

EXECUTE

python3 /Users/franciscolums/apps/w2c-automator/w2c-run.py --year 2024

Tax Year

2024

The script will click Generate W2c on the 2024 row and Upload W2c on the highest 2024 Correction.

Save to mids.txt

Paste at least one MID first

1. Overview

The W-2C Automator automates the process of generating and uploading W-2C corrections in CS Tools (cstools-workforce.justworks.com). It takes a list of MIDs and a tax year, then uses Playwright browser automation to click 'Generate W2c' and 'Upload W2c' for each employee.

Page 1/3

What It Does

- Navigates to each employee's tax forms page in CS Tools
- Clicks 'Generate W2c' on the specified tax year row
- Waits for generation to complete
- Clicks 'Upload W2c' on the highest correction number for that year
- Logs success/failure for each MID to results.csv
- Writes failed MIDs to failed_mids.txt for retry

2. Setup

Dependencies

Click 'Install Dependencies' in the sidebar, or run manually:

```
pip install playwright streamlit pandas && python -m playwright install chromium
```

This installs the Playwright browser automation library and downloads the Chromium browser binary.

No Special Folders Needed

The tool saves mids.txt, results.csv, and failed_mids.txt in the same directory as the script. No additional folders need to be created.

3. Step-by-Step Usage

1. Paste MIDs: Enter one MID per line in the text area. Blank lines and # comments are ignored. Duplicates are removed automatically.
2. Select Tax Year: Choose the year for W-2C generation (2024 is default).
3. Save to mids.txt: Click the Save button. The count of saved MIDs is confirmed.
4. Run the automation: Either click 'Run Now' in the dashboard or copy the terminal command and run it manually.
5. Okta Authentication: When Chromium opens, log in via Okta Verify if prompted, then press Enter in the terminal to start processing.
6. Monitor progress: The automation streams progress live. Each MID is processed and results save to results.csv after every row.
7. Review results: Click 'Refresh Results' to see the outcome. Filter by All, Failures only, or Successes only.
8. Retry failures: If any MIDs failed, edit the retry list and click 'Retry Now' or copy the retry command.

4. Understanding Results

Status Values

ok: W-2C was successfully generated and uploaded.

not_found: The MID was not found in CS Tools.

error: An unexpected error occurred during processing.

The results panel shows metric cards for Processed, Successful, Not Found, and Errors counts.

Retry Logic

Failed MIDs are written to failed_mids.txt. You can:

- Edit the list to remove MIDs you don't want to retry
- Click 'Retry Now' to reprocess them
- A successful retry overwrites the original row in results.csv