

Voucher Reversal Automator

User Guide

Payroll Operations Team

Version 1.2 | May 2026

VOUCHER REVERSAL v1.2

Clear Session

PAYROLL OPS SUITE

Install Dependencies

Run once on first setup

Deploy ⋮

VOUCHER REVERSAL AUTOMATOR

PASTE TABLE · SAVE · RUN AUTOMATION

Open User Guide (PDF)

1

Paste Table

2

Save

✓

Run

✓

Results

Expected columns: MID, VoucherID, SettlementDate, AdjComment (tab or comma separated, headers on the first line). Duplicates are auto-removed. Dates in MM/DD/YYYY format.

MID	VoucherID	SettlementDate	AdjComment
M123456	V789012	03/15/2025	Reverse per client request
M234567	V890123	03/15/2025	Duplicate payment

Paste a table above — preview will appear here.

Save to vouchers.csv

1. Overview

The Voucher Reversal Automator processes voucher reversals in CS Tools (cstools-workforce.justworks.com). It takes a table of voucher data (MID, VoucherID, SettlementDate, AdjComment) and automates the reversal form submission for each row.

Page 1/3

What It Does

- Navigates to the voucher management page for each MID
- Locates the specified voucher by ID
- Fills in the settlement date and adjustment comment
- Submits the reversal form
- Logs success/failure for each voucher to results.csv
- Writes failed rows to failed_vouchers.csv for retry

2. Setup

Dependencies

Click 'Install Dependencies' in the sidebar, or run manually:

```
pip install playwright streamlit pandas && python -m playwright install chromium
```

No Special Folders Needed

The tool saves vouchers.csv, results.csv, and failed_vouchers.csv in the same directory as the script. No additional setup required.

3. Step-by-Step Usage

1. Paste Table: Enter a 4-column table with headers: MID, VoucherID, SettlementDate, AdjComment. Tab or comma separated.
2. Verify Preview: Check that columns were parsed correctly. Duplicates are auto-removed.
3. Save to vouchers.csv: Click the Save button. Row count is confirmed.
4. Run the automation: Click 'Run Now' or copy the terminal command.
5. Okta Authentication: Log in via Okta Verify if prompted, then press Enter.
6. Monitor progress: Progress streams live in the terminal.
7. Review results: Click 'Refresh Results' to see outcomes.
8. Retry failures: Edit failed rows and click 'Retry Now'.

4. Input Format

Required Columns

MID: Member ID for the employee (e.g., M123456).

VoucherID: The voucher identifier to reverse (e.g., V789012).

SettlementDate: Date in MM/DD/YYYY format (e.g., 03/15/2025).

AdjComment: Adjustment comment explaining the reversal.

Column Name Flexibility

The parser accepts various column name formats:

- MID: also accepts 'MemberID'
- VoucherID: also accepts 'Voucher'
- SettlementDate: also accepts 'SettleDate', 'Settlement'
- AdjComment: also accepts 'AdjustmentComment', 'Comment', 'Comments', 'Note', 'Notes'

5. Understanding Results

Status Values

ok: Voucher was successfully reversed.

placeholder: Voucher exists but is a placeholder (not reversible).

not_found: The voucher was not found for the given MID.

error: An unexpected error occurred.

Metric cards show: Processed, Successful, Placeholder, Not Found, Errors.

Retry

Failed rows are saved in CSV format. You can edit the CSV directly in the retry text area to remove rows before retrying. A successful retry overwrites the original row in results.csv.