Philosophy of Science (720A04), VT2019, Exam

Teacher: Valdi Ingthorsson (`valdi.ingthorsson@gmail.com`**)**

Maximilian Pfundstein

May 3, 2019

Contents

1 Assignments

Please answer the following questions in essay format. Answers are graded on the basis of completeness and depth, not length, but as a rule of thumb 1 - 1,5 (+/- 20%) pages per question should be about right. I award up to 8 points per answer. 50% for Pass, 75% for Pass with distinction. Deadline is 24 May at 17:00. Hand-in via Lisam.

1.1 Hypothetico-Deductive Method

Question: What is the hypothetico-deductive method, and what are its strengths and weaknesses with respect to its ability to verify and/or falsify hypotheses? Do you think science revolves around the use of the H-D method?

Answer: In general it can be said that inductivism is preferred over deductivism as it leaves no doubts in the chain of logic once applied. Still deductivism is sometimes preferred over inductivism as inductivism is infeasible to apply under some cirumstances. The problem with applying inductivism is well described in Understanding Philosophy of Science from James Ladyman [1, p. 40]: "Since it is logically possible that any regularity will fail to hold in the future, the only basis we have for inductive inference is the belief that the future will resemble the past."

So it seems that it is not possible to use the true principles of induction, but science needs a way to circumvent this problem, otherwise it would be impossible to build any chain of validity. The resources for checking out all possibilities and outcomes are either too demanding or not possible at all. That's when the Hypothetico-Deductive methods comes in, as it shapes a way of handling this problem. It does not solve the problem directly, but rather shows how to deal with a theory or hypothesis to still make it useful and applicable in science.

As it is easier to describe this method with an example, we will use the following logical statement throughout this answer to have a more comprehensible hypothesis: "All swans are white".

Depending on where one looks up information about the Hypothetico-Deductive method, the methods consist of three or four steps.

- Hypothesis

- Prediction

- Test of Predictions

Literature relying on four steps include, that for finding a hypothesis, previous knowledge and experience must be used and therefore results in an additional first step. Thus from a hypothesis is being phrased by observing a pattern that could be used to make predictions. In our example the hypothesis is, that all swans are white, presumably because the observer has only seen white swans so far. It is assumed that there is at least a strong hint towards the hypothesis and no obvious contradiction against it. Note

that the method itself will also hold for a random hypothesis if the steps are correctly and thoroughly applied even if this leads to a larger rejection rate.

The presented hypothesis needs one crucial property which is that it must be falsifiable. It's important that this property is falsifiable by science in general (maybe in the future) as we otherwise leave no room for our hypothesis being invalid and thus making the method itself inapplicable for science. In our example, we could phrase a statement that if true, falsifies the hypothesis: "If we see at least one non-white swan, the hypothesis is wrong".

The next step is that we use the hypothesis (in science mostly a theory) to make predictions and then either use them directly in a scientific context or further fortify the hypothesis. The latter one is usually done first to strengthen the hypothesis. When stating a hypothesis or theory it makes sense to try to falsify it, because if we fail doing so, we have strong assumption that the hypothesis is actually true. to some extend. Note that this method will never yield in evidence as long as we don't observe every possible outcome.

These trials in falsifying the hypothesis belong to the last step which is testing if the predictions hold. Keep in mind that this Hypothetico-Deductive method does not say anything about the usefulness of a theory or hypothesis. For instance we know that Newtons laws of motions are wrong from a scientific point of view, but that the predictions for low velocities are so close to the actual model of general relativity, that they are still incredible useful and widely used.

This shows that this method has some flaws as it does not include a measure of usefulness for instance. Also the assumption that the hypothesis must be falsifiable is not always given in applied science. If we take religions for an example, they mostly do not phrase a logical statement for falsifying them but are still accepted throughout the world. This tends towards assuming that this method is not that useful, but I think that in a scientific context this method is a really good basement for getting started in creating a theory. Missing aspects like the mentioned usefulness are left for us humans to evaluate.

To conclude this answer I say that I agree that science in general evolves around this method but that there are many exceptions to this and the given hypothesis are not always clearly stated. If we look at research papers they rarely following this method in a direct way. Therefore I think that sciences evolves around the method, but does not strictly follow it.

1.2 Scientific Paradigms

Question: What is a scientific paradigm and how do they influence scientific practice? Is it good or bad that science is guided by paradigms? Do you think the programme you have chosen is schooling you into a particular programme?

Answer: There exists no exact definition for the scientific paradigm but according to Kuhn there are two applications of scientific paradigms that can be identified: The

paradigm as a *disciplinary matrix* and the paradigm as an *exemplar.* I will briefly discuss both of them.

"A disciplinary matrix is a set of answers to such questions that are learned by scientists in the course of the education that prepares them for research, [...]" [1, p. 98]. So the disciplinary matrix is anticipated as a base to work with and is passed on over generations of scientists. The matrix consists of more or less explicit assumptions and aspects and a consensus exists that some explanations and ways of tackling problems are preferred over others. This distinguishes this paradigm from a theory. James Ladyman calls these specific skills, because that's what results from applying this paradigm over time, *tacit knowledge* which is for example the skill to focus a telescope or experimental skills [1, p. 99].

The second application is being called *exemplar* and tries to provide the skillset and models for handling future problems. For obtaining this skillset, well-known problems are given to the inexperienced scientists where they learn how to approach a new problem and the problem-solving process itself. This way they can use their obtained skillset, which is not necessarily the knowledge about the previous problems themselves, to make scientific progress in this specific domain of science.

The term *normal science* refers to most science as it describes working within the field of a well-established paradigm according to Kuhn [1, p. 100]. If the paradigm was checked thoroughly, this drastically reduces the amount of possibilities in the field of research. This utilisation of the paradigm can result in faster progress because usually this tends to less questioning. Nevertheless this is also susceptible in missing out solutions that are contrary to the currently accepted paradigm.

Sometimes we find a paradigm which is more useful then the previous one, so what do we do with the old one? Kuhn is critical to Poppers falsificationism [1, p. 101] as Popper implies that scientists should abandon neglected theories and paradigms. I agree with Kuhn being critical as the earlier mentioned example about Newtons theory of motion are the perfect example where simply because a theory or paradigm is proven wrong it's not implied that it's useless.

So in case that a paradigm has too many serious flaws it happens that the paradigm is given up upon in favour of another. We have seen this in the past, albeit rarely. This is called *Paradigm Shift.* We should also be aware that paradigms are sociological and psychological constructs. So I agree with James Ladyman when he says that paradigms are intellectual properties of rules (even though they do not have something like a right of ownership).

To conclude the question if paradigms are good or bad, I want to emphasise that I don't favour one side. The benefits are that paradigms mirror our human perception of the world, trying to simplify things to make them comprehendible. We rely on simplifications to function as humans, but it also raises the issue missing out on important aspects. Paradigms itself are not intended to be social constructs by default, but it lies in the human nature to shape them in a way that they are.

As we study Statistics we have these paradigms as well, the most common one probable the difference between the Bayesian and the Frequentist approach about observations and true believes. While the Bayesian way assumes that the data is given and the model

parameters are to be set, the Frequentists assume that the model parameters are fixed and produce the data. Both have their benefits and are easier to apply in different areas.

1.3 Falsifiability

Question: What does it mean for a scientific hypothesis to be falsifiable, and: (i) why is it good that they are falsifiable, and (ii) why is even better that they can be falsified in many different ways?

Answer: For a scientific hypothesis being falsifiable means that there is at least one logical statement that refutes the hypothesis. This statement must be scientifically falsifiable. We will talk more about what is to be considered scientific in on of the following paragraphs [1]. James Ladyman gives the following examples of statements that are not falsifiable [1, p. 69]:

- Either it is raining or it is not raining.

- God has no cause.

- All bachelors are unmarried.

- It is logically possible that space is infinite.

- Human beings have free will.

The issue with these statements is that the number of observations will never be enough to either accept or refute any of the hypothesis. According to him a hypothesis is scientific, if it is falsifiable. The amount of supporting observations is irrelevant. This leads us to the question why it actually is good for a scientific hypothesis to be falsifiable.

If a scientific hypothesis is falsifiable it adds value to the hypothesis because it shows us on the one hand that the scientific knowledge is justified and and the other hand it shows its limits. If we look at the statements above we actually see that the more general they are, the less value they add. The statement "Either it is raining or it is not raining" is always true, non-falsifiable and thus not scientific.

The reason to value a hypothesis based on falsification instead of the amount of *positive* observed events is that in general it is very easy "[...] to accumulate positive instances which support some theory, especially when the theory is so general in its claims that its seems not to rule anything out" [1, p. 66]. This means that these hypothesis do not rule anything out and thus are of lesser value.

This directly brings us to the next question why it is even better if a scientific hypothesis can be falsified in many different ways. The reason for that is, that is adds more value to the hypothesis. Popper calls these "novel-predictions" [1, p. 68] as they make predictions about so far undiscovered phenomenas. One of the very best examples of this is the recent confirmation of gravitational waves with "significance greater than 5.1σ"

---

[1]According to Popper.

[2]. This hypothesis had ans still has a remarkable value as there are many observations which could have shown the contrary. Even now it's not yet 100 percent confirmed. As we have learned in an earlier question, this will actually be really hard, but science follows the paradigm that at a specific significance level something is being considered as confirmed.

1.4 Theory-Dependency of Observation

Question: In what way are observations theory-dependent, and why does that challenge the idea that hypotheses are generated inductively from observations?

Answer: TBA.

1.5 Difference between Natural and Human Sciences

Question: What is the difference between the natural and the human sciences according to Ingthorsson? Include a reflection on what Ingthorsson says about the nature of the phenomena that the natural and human sciences study, and relate to what that nature implies about differences in method.

Answer: TBA.

1.6 Difference Between Science and Pseudo-Science

Question: What is the difference between science and pseudo-science according to Sven-Ove Hansson, and why should we care?

Answer: TBA.

1.7 Being a Scientific Realist

Question: What does it involve to be a scientific realist, and what reasons can we have for adopting that position? Do you think those reasons are convincing, and do think it would make any difference for you to take a realist or anti-realist approach to research in your discipline?

Answer: TBA.

2 Sources

References

[1] J. Ladyman, *Understanding Philosophy of Science.* Routledge, 2001.

[2] B. P. Abbott, R. Abbott, T. D. Abbott, M. R. Abernathy, F. Acernese, K. Ackley, C. Adams, T. Adams, P. Addesso, R. X. Adhikari, V. B. Adya, C. Affeldt, M. Agathos, K. Agatsuma, N. Aggarwal, O. D. Aguiar, L. Aiello, A. Ain, P. Ajith, B. Allen, A. Allocca, P. A. Altin, S. B. Anderson, W. G. Anderson, K. Arai, M. A. Arain, M. C. Araya, C. C. Arceneaux, J. S. Areeda, N. Arnaud, K. G. Arun, S. Ascenzi, G. Ashton, M. Ast, S. M. Aston, P. Astone, P. Aufmuth, C. Aulbert, S. Babak, P. Bacon, M. K. M. Bader, P. T. Baker, F. Baldaccini, G. Ballardin, S. W. Ballmer, J. C. Barayoga, S. E. Barclay, B. C. Barish, D. Barker, F. Barone, B. Barr, L. Barsotti, M. Barsuglia, D. Barta, J. Bartlett, M. A. Barton, I. Bartos, R. Bassiri, A. Basti, J. C. Batch, C. Baune, V. Bavigadda, M. Bazzan, B. Behnke, M. Bejger, C. Belczynski, A. S. Bell, C. J. Bell, B. K. Berger, J. Bergman, G. Bergmann, C. P. L. Berry, D. Bersanetti, A. Bertolini, J. Betzwieser, S. Bhagwat, R. Bhandare, I. A. Bilenko, G. Billingsley, J. Birch, R. Birney, O. Birnholtz, S. Biscans, A. Bisht, M. Bitossi, C. Biwer, M. A. Bizouard, J. K. Blackburn, C. D. Blair, D. G. Blair, R. M. Blair, S. Bloemen, O. Bock, T. P. Bodiya, M. Boer, G. Bogaert, C. Bogan, A. Bohe, P. Bojtos, C. Bond, F. Bondu, R. Bonnand, B. A. Boom, R. Bork, V. Boschi, S. Bose, Y. Bouffanais, A. Bozzi, C. Bradaschia, P. R. Brady, V. B. Braginsky, M. Branchesi, J. E. Brau, T. Briant, A. Brillet, M. Brinkmann, V. Brisson, P. Brockill, A. F. Brooks, D. A. Brown, D. D. Brown, N. M. Brown, C. C. Buchanan, A. Buikema, T. Bulik, H. J. Bulten, A. Buonanno, D. Buskulic, C. Buy, R. L. Byer, M. Cabero, L. Cadonati, G. Cagnoli, C. Cahillane, J. C. Bustillo, T. Callister, E. Calloni, J. B. Camp, K. C. Cannon, J. Cao, C. D. Capano, E. Capocasa, F. Carbognani, S. Caride, J. C. Diaz, C. Casentini, S. Caudill, M. Cavaglià, F. Cavalier, R. Cavalieri, G. Cella, C. B. Cepeda, L. C. Baiardi, G. Cerretani, E. Cesarini, R. Chakraborty, T. Chalermsongsak, S. J. Chamberlin, M. Cha, "Observation of gravitational waves from a binary black hole merger," *Phys. Rev. Lett.*, vol. 116, p. 061102, Feb 2016.