



THP Search Engine



How this API works




POST `https://thp-search.herokuapp.com/search`

```
{
  "token": "aMaZiNgToKeN",
  "query": "awesome+query"
}
```




JSON {

```
  "query": "awesome query",
  "results": [
    {
      "title": "most significant result's title",
      "url": "most significant result's url"
    },
    .....
    {
      "title": "less significant result's title",
      "url": "less significant result's url"
    }
  ]
}
```



How this Backend works



Based on Ruby on Rails 7

1. The « Scraper » class :

Based on Selenium, this class contains all the methods to

- log in to "The Hacking Project" platform
- retrieve all available course urls for the registered account
- retrieve course content separated into "title", "subheadings" and "contents"

2. The « Db » class :

Automates the database population process.

3. The « Search » controller :

Process the POST request sent to /search and send the response in JSON format.

How this database works

Table pages :

Stores « url », « title » and the « signature » which is the digest of the article, this for all pages founded.

Table words :

Stores each word founded in articles. Each word is uniq.

Tables titles, subheadings and contents :

Are join tables for the Many-to-Many relationship between « pages » and « words ».





This work is licensed under a Creative Commons
Attribution-ShareAlike 3.0 Unported License.
It makes use of the works of Mateus Machado Luna.

