COCA-COLA® FREESTYLE EQUIPMENT

DAILY/WEEKLY/MONTHLY

SUPPLIES:



KAY-5® Sanitizer/ Cleaner



KAY® SolidSense™ Sanitizer



KAY® SolidSense™ All-Purpose Super Concentrate (APSC)



KAY® Daily Beverage Tower Drain Cleaner



Clean Sanitizer-Soaked Towels


Other supplies needed:
Clean Bucket
Small Clean Nozzle Brush
Nylon-Bristled Valve Brush
2 Clean 1/6 Size Pans
Microfiber Cloth

IMPORTANT: This procedure covers cleaning and sanitizing procedures for the Freestyle machine. See the Preventative Maintenance (PM) Manual for yearly maintenance procedures.

CLEANING PROCEDURE—DAILY




- Unit requires daily cleaning to maintain a clean appearance and reduce the chance of mold growing on any parts; each component should be thoroughly cleaned




- Wash hands before preparing Sanitizer Solution
- Prepare Sanitizer Solution by dissolving 1 KAY-5 Sanitizer/Cleaner packet in 9.5 L (2.5 gal) of **lukewarm** (85-105 °F) water (100 ppm); mix thoroughly and distribute into two, clean 1/6 size pans


NOZZLE ASSEMBLY—DAILY




- Looking from the front, remove nozzle tip by rotating it left and pulling down
- Place in first clean 1/6 sized pan filled with KAY-5 Sanitizer Solution; allow to soak if needed



- Use a clean brush dampened with KAY-5 Sanitizer Solution to clean under assembly, including nozzle lower ring and collar area
- Wipe assembly area with a clean, sanitizer-soaked towel; discard towel into soiled towel bucket after use



- Brush nozzle clean with KAY-5 Sanitizer Solution
- Rinse at 3-compartment sink; place rinsed nozzle in second container of KAY-5 Sanitizer Solution and allow to soak for one minute



NOTE: Wash hands before reinstalling cleaned and sanitized nozzle

- Replace nozzle by pushing up and rotating right until it is locked

495/7504 MCD US 495/7/8004/1025 ©2025 Ecolab USA Inc. All rights reserved.

ECOLAB®
Kay Chemical Company
8300 Capital Drive
Greensboro, NC 27409-9790, USA
CUSTOMER SERVICE 800.529.5458

COCA-COLA® FREESTYLE EQUIPMENT (CONTINUED)


DAILY/WEEKLY/MONTHLY

NOZZLE ASSEMBLY—DAILY (CONTINUED)




- Pour remaining KAY-5 Sanitizer Solution down drain; ensure drain empties properly

ICE LEVER—DAILY



- Wipe down ice lever with a clean, sanitizer-soaked towel
- Discard towel into soiled towel bucket after use


DRIP TRAY AREA—DAILY



- Remove cup rest
- Wash, rinse and sanitize cup rest at 3-compartment sink



- Wipe down drip tray area and ice lever with clean, sanitizer-soaked towel
- Discard towel into soiled towel bucket after use



- Spray drip tray area and ice lever with SolidSense Sanitizer Solution; allow to air dry
- Install cup rest back into drip tray

EXTERIOR SURFACES—DAILY




- Spray a clean microfiber cloth with APSC Solution and gently wipe all exterior surfaces until clean
- Use a clean dry microfiber cloth to remove smudge marks, finger prints and soils as needed on upper door and user interface touch screen

DRIP TRAY DRAIN—DAILY




- Follow daily procedure for beverage tower drain maintenance using Daily Beverage Tower Drain Cleaner


ICE CHUTE AREA—WEEKLY




- Turn off power to dispenser; unplug unit
- Remove lower chute by carefully pulling on front lip of lower chute; it should disengage and pull forward




- Remove upper chute by carefully pulling on upper lip of upper chute; it should disengage and pull forward



- Wash, rinse and sanitize upper and lower chute at 3-compartment sink



- Spray area with SolidSense Sanitizer Solution; allow to air dry



- Wash hands before proceeding


ECOLAB®
Kay Chemical Company
8300 Capital Drive
Greensboro, NC 27409-9790, USA
CUSTOMER SERVICE 800.529.5458

92272303.09 MCD US 29914/8009/1025 ©2025 Ecolab USA Inc. All rights reserved.


COCA-COLA® FREESTYLE EQUIPMENT (CONTINUED)

DAILY/WEEKLY/MONTHLY

ICE CHUTE AREA—WEEKLY (CONTINUED)




- Re-install upper ice chute by pushing up and into ice chute body




- Re-install lower ice chute by pushing up and into bottom of upper ice chute until a click sound is made
- Plug in unit; turn on power to dispenser


ICE BIN SANITIZING—MONTHLY



- Remove ice by activating ice lever; dispense ice out of chute until no more ice dispenses




- Turn power off to unit and unplug dispenser
- Remove ice bin lid




- Pour **lukewarm** (85-105 °F) water slowly into bin to melt remaining ice on cold plate


  NOTE: Water must be poured slowly to prevent overflowing ice bin drain




- Spray internal surfaces with APSC Solution; allow to drain




- Using a clean long brush, brush to clean areas within reach inside bin



- Pour **lukewarm** (85-105°F) water slowly into bin to rinse; allow to drain



- Spray internal surfaces with SolidSense Sanitizer Solution; allow to air dry



- Plug in unit; turn power to dispenser ON and fill bin with ice

ECOLAB®
Kay Chemical Company
8300 Capital Drive
Greensboro, NC 27409-9790, USA

CUSTOMER SERVICE 800.529.5458

4957504 MCD US 49575/8004/1025 ©2025 Ecolab USA Inc. All rights reserved.