McFLURRY®, SHAKE AND SUNDAE MACHINES—DAILY

IMPORTANT: Follow local regulatory requirements that may require additional cleaning.

EVERY 4 HOURS AND DAILY AT OPEN/CLOSE

SUPPLIES:



KAY® SolidSense™ All Purpose Super Concentrate (APSC)



KAY® SolidSense™ Sanitizer



KAY® Rapid Multi Surface Disinfectant Cleaner Solution



KAY® Heavy Duty Degreaser Solution




KAY-5® Sanitizer/Cleaner and Squeeze Bottle




Clean Sanitizer-Soaked Towels

Other supplies needed:
Shake Machine Brushes
Syrup Hole Plugs
Valve Cap
(2) Small Clean Containers

McFLURRY—EVERY 4 HOURS




- After blending McFlurry, remove reusable spindle and place into used spindle container




- When reusable spindle container is full, wash/rinse/sanitize in 3-compartment sink or in warewash machine

AS NEEDED




- If spindle connection is soiled, spray a smallware brush with Degreaser Solution and scrub to remove soil



- Wash, rinse and sanitize spindles and used spindle storage container in 3-compartment sink or in warewash machine every 4 hours (or more often if needed)
- Use No-Scratch Pad or Sanitizer-Soaked towel to remove soils




- Wipe any splashes or spills with a clean, sanitizer-soaked towel
- Pay special attention to these areas:
  - Shaft area where reusable spindle connects to machine
  - Back wall area
  - Splash guard




- Discard used towel in soiled towel bucket


McFLURRY—DAILY



- Wash McFlurry unit with a clean, sanitizer-soaked towel to clean
- Pay special attention to shaft area and back wall; splash guard can be removed and washed in 3-compartment sink



- Spray a sanitizer-soaked towel with Degreaser Solution to clean shaft (reusable spindle connection point) of McFlurry machine
- Discard towel in soiled towel bucket
- Rinse McFlurry unit with a clean, sanitizer-soaked towel



- Sanitize McFlurry unit by spraying all surfaces with Sanitizer Solution
- Let Solution sit for 1 minute before wiping with a clean paper towel or allow to air dry

ECOLAB®
Kay Chemical Company
8300 Capital Drive
Greensboro, NC 27409-9790, USA

CUSTOMER SERVICE 800.529.5458


5744806 MCD US 5744/8006/1025 ©2025 Ecolab USA Inc. All rights reserved.

McFLURRY®, SHAKE AND SUNDAE MACHINES—DAILY (CONTINUED)


EVERY 4 HOURS AND DAILY AT OPEN/CLOSE

IMPORTANT: Follow local regulatory requirements that may require additional cleaning.


SHAKE AND SUNDAE—DAILY AT CLOSE




- Set both sides of freezer controls to STANDBY or AUTO mode
- Set topping heater switch to OFF position



- Prepare cleaning supplies
- Prepare bucket of KAY-5 Sanitizer/Cleaner Solution by mixing 1 packet to 2.5 gallons of **lukewarm** (85-105°F) water
- Dip KAY-5 squeeze bottle into Solution to fill




- Wash hands




- Select calibrate icon to stop agitator from turning before removing from mix hopper
- With clean hands, remove hopper covers
- Remove agitator from mix hoppers




- Fill both mix hoppers with fresh shake mix up to fill-line




- Fill a small container with **hot** APSC Solution from 3-compartment sink




- Remove parts such as hopper cover, shake cup holder, drip tray, splash shield and drip pans




- Remove restrictor caps from shake door



- Wash, rinse and sanitize removable parts in 3-compartment sink; allow to air dry
  NOTE: Do not place parts in dishmachine
- Keep restrictor cap, shake cup holder, drip tray and splash shield on a clean, dry surface until heat treat cycle is complete (at opening or when cycle is complete)



- Wash hands



- Reinstall clean agitators and replace hopper covers

ECOLAB®
Kay Chemical Company
8300 Capital Drive
Greensboro, NC 27409-9790, USA
CUSTOMER SERVICE 800.529.5458


57448.06 MCD US 57448/8006/1025 ©2025 Ecolab USA Inc. All rights reserved.

McFLURRY®, SHAKE AND SUNDAE MACHINES—DAILY (CONTINUED)

EVERY 4 HOURS AND DAILY AT OPEN/CLOSE


IMPORTANT: Follow local regulatory requirements that may require additional cleaning.

DAILY AT CLOSE (continued)




- Remove syrup lines from shake freezer door; place APSC Solution container under shake area


  NOTE: Leave syrup lines uninstalled and spout cap on overnight during heating cycle **(STEP 20)**; leaving syrup lines connected during heating cycle can damage syrup valve tips




- Clean shake door areas
- Dip shake brush into APSC Solution and scrub freezer door, door spouts and bottom of draw valve nozzles
- Scrub each syrup port until all soil is removed




- Clean soft serve areas
- Dip brush in APSC Solution and scrub freezer door, bottom of draw valve nozzles and draw valve handles
- Scrub nozzles until all soil is removed




- Rinse AND SANITIZE shake door area
- Place an empty container under shake door area
- Squeeze KAY-5 Sanitizer/Cleaner squeeze bottle to rinse off APSC Solution from all areas
- Squeeze bottle to flush areas AGAIN with KAY-5 Sanitizer/Cleaner Solution
- Air dry to sanitize




- Place spout cap o-ring into spout cap and fill with KAY-5 Sanitizer/Cleaner from squeeze bottle
- Hold draw valve closed and install cap over end of door spouts




- Reinstall clean syrup hole plugs into syrup ports of freezer door



- RinsE AND SANITIZE soft serve door area
- Place an empty container under soft serve door area
- Squeeze KAY-5 Sanitizer/Cleaner squeeze bottle to rinse off APSC Solution from all areas
- Squeeze bottle to flush areas AGAIN with KAY-5 Sanitizer/Cleaner Solution
- Air dry to sanitize



- Clean exterior of machine with Rapid MSDC Solution and a sanitizer-soaked towel



- Make sure machine is in AUTO or STANDBY
- Put machine into HEAT TREAT mode

ECOLAB®
Kay Chemical Company
8300 Capital Drive
Greensboro, NC 27409-9790, USA
CUSTOMER SERVICE 800.529.5458


5744806 MCD US 5744/8006/1025 ©2025 Ecolab USA Inc. All rights reserved.

McFLURRY®, SHAKE AND SUNDAE MACHINES—DAILY (CONTINUED)


EVERY 4 HOURS AND DAILY AT OPEN/CLOSE

IMPORTANT: Follow local regulatory requirements that may require additional cleaning.


DAILY AT OPEN—After Heat Treat is Complete




- Prepare cleaning supplies
- Prepare bucket of KAY-5 Sanitizer/Cleaner Solution by mixing 1 packet to 2.5 gallons of **lukewarm** (85-105°F) water
- Dip KAY-5 squeeze bottle into Solution to fill




- Fill a small container with **hot** APSC Solution from 3-compartment sink



- Remove parts such as shake cup holder, drip tray, splash shield and drip pans




- Remove syrup hole plugs from shake door
- Remove spout cap o-ring from shake door




- Wash, rinse and sanitize removable parts in 3-compartment sink; allow to air dry


  NOTE: Do not place parts in dishmachine



- Repeat steps 12-15 and 18 from the DAILY AT CLOSE procedure




- Wash hands



- Install clean restrictor cap, syrup lines, shake cup holder, drip tray and splash shield

  NOTE: Install syrup hole plugs for unused syrup lines



- Select AUTO button (SNOWFLAKE) for both shake and soft serve to turn machine on for production

ECOLAB®

Kay Chemical Company
8300 Capital Drive
Greensboro, NC 27409-9790, USA

CUSTOMER SERVICE 800.529.5458

57448.06 MCD US 57448/8006/1025 ©2025 Ecolab USA Inc. All rights reserved.