```
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
      1 0.000000000
                      127.0.0.1
                                            127.0.0.1
                                                                           60
                                                                                  Read Request, File:
ensea.png, Transfer type: octet
Frame 1: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48529, Dst Port: 1069
Trivial File Transfer Protocol
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
      2 0.002254622
                      127.0.0.1
                                                                  TFTP
                                                                           558
                                            127.0.0.1
                                                                                  Data Packet, Block: 1
Frame 2: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 42799, Dst Port: 48529
Trivial File Transfer Protocol
Data (512 bytes)
                                                       .PNG.....IHDR
     89 50 4e 47 0d 0a 1a 0a 00 00 00 0d 49 48 44 52
0000
0010
     00 00 01 2c 00 00 01 56 08 03 00 00 01 93 1d 60
                                                       ..., ....V......
0020
     76 00 00 00 09 70 48 59 73 00 00 0b 13 00 00 0b
                                                       v....pHYs.....
0030 13 01 00 9a 9c 18 00 00 0a 4f 69 43 43 50 50 68
                                                       ....OiCCPPh
0040 6f 74 6f 73 68 6f 70 20 49 43 43 20 70 72 6f 66
                                                       otoshop ICC prof
0050 69 6c 65 00 00 78 da 9d 53 67 54 53 e9 16 3d f7
                                                       ile..x..SgTS..=.
0060 de f4 42 4b 88 80 94 4b 6f 52 15 08 20 52 42 8b
                                                       ..BK...KoR.. RB.
0070 80 14 91 26 2a 21 09 10 4a 88 21 a1 d9 15 51 c1
                                                       ...&*!..J.!...Q.
0080 11 45 45 04 1b c8 a0 88 03 8e 8e 80 8c 15 51 2c
                                                       .EE.....Q,
0090
     Oc 8a 0a d8 07 e4 21 a2 8e 83 a3 88 8a ca fb e1
                                                       . . . . . . ! . . . . . . . . .
00a0
     7b a3 6b d6 bc f7 e6 cd fe b5 d7 3e e7 ac f3 9d
                                                       {.k....>...
00b0 b3 cf 07 c0 08 0c 96 48 33 51 35 80 0c a9 42 1e
                                                       .......H3Q5...B.
00c0 11 e0 83 c7 c4 c6 e1 e4 2e 40 81 0a 24 70 00 10
                                                       ..d!s.#...~<<+".
00d0 08 b3 64 21 73 fd 23 01 00 f8 7e 3c 3c 2b 22 c0
00e0 07 be 00 01 78 d3 0b 08 00 c0 4d 9b c0 30 1c 87
                                                       ....×....M..0..
                                                       ...B.\....t.8K.
00f0 ff 0f ea 42 99 5c 01 80 84 01 c0 74 91 38 4b 08
0100
     80 14 00 40 7a 8e 42 a6 00 40 46 01 80 9d 98 26
                                                       ...@z.B..@F....&
0110
     53 00 a0 04 00 60 cb 63 62 e3 00 50 2d 00 60 27
                                                       S....`.cb..P-.
     7f e6 d3 00 80 9d f8 99 7b 01 00 5b 94 21 15 01
0120
                                                       0130 a0 91 00 20 13 65 88 44 00 68 3b 00 ac cf 56 8a
                                                       ... .e.D.h;...V.
                                                       E.X0..fK.9..-.0I
0140 45 00 58 30 00 14 66 4b c4 39 00 d8 2d 00 30 49
0150 57 66 48 00 b0 b7 00 c0 ce 10 0b b2 00 08 0c 00
                                                       WfH........
0160 30 51 88 85 29 00 04 7b 00 60 c8 23 23 78 00 84
                                                       0Q..)..{.`.##x..
0170 99 00 14 46 f2 57 3c f1 2b ae 10 e7 2a 00 00 78
                                                       ...F.W<.+...*..x
0180
     99 b2 3c b9 24 39 45 81 5b 08 2d 71 07 57 57 2e
                                                       ..<.$9E.[.-q.WW.
     1e 28 ce 49 17 2b 14 36 61 02 61 9a 40 2e c2 79
0190
                                                       .(.I.+.6a.a.@..y
01a0 99 19 32 81 34 0f e0 f3 cc 00 00 a0 91 15 11 e0
                                                       ..2.4.......
01b0 83 f3 fd 78 ce 0e ae ce ce 36 8e b6 0e 5f 2d ea
                                                       ...x....6..._-.
01c0 bf 06 ff 22 62 62 e3 fe e5 cf ab 70 40 00 00 e1
                                                       ..."bb....p@...
01d0 74 7e d1 fe 2c 2f b3 1a 80 3b 06 80 6d fe a2 25
                                                       t~..,/...;..m..%
01e0 ee 04 68 5e 0b a0 75 f7 8b 66 b2 0f 40 b5 00 a0
                                                       ..h^..u..f..@...
01f0 e9 da 57 f3 70 f8 7e 3c 3c 45 a1 90 b9 d9 d9 e5
                                                       ..W.p.~<<E.....
   Data: 89504e470d0a1a0a0000000d494844520000012c000001560803000001931d6076000000...
    [Length: 512]
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
      3 0.002475948
                      127.0.0.1
                                            127.0.0.1
                                                                  TFTP
                                                                                  Acknowledgement, Block:
                                                                           46
Frame 3: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48529, Dst Port: 42799
Trivial File Transfer Protocol
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
                                            127.0.0.1
      4 0.002518371
                      127.0.0.1
                                                                  TFTP
                                                                           558
                                                                                  Data Packet, Block: 2
Frame 4: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 42799, Dst Port: 48529
Trivial File Transfer Protocol
Data (512 bytes)
     e4 e4 d8 4a c4 42 5b 61 ca 57 7d fe 67 c2 5f c0
0000
                                                        ...J.B[a.W}.g.
     57 fd 6c f9 7e 3c fc f7 f5 e0 be e2 24 81 32 5d
0010
                                                       W.l.~<.....$.2]
0020
     81 47 04 f8 e0 c2 cc f4 4c a5 1c cf 92 09 84 62
                                                       .G.....b
                                                       ...G.....".Ib.
0030
     dc e6 8f 47 fc b7 0b ff fc 1d d3 22 c4 49 62 b9
0040
     58 2a 14 e3 51 12 71 8e 44 9a 8c f3 32 a5 22 89
                                                       X*..Q.q.D...2.".
     42 92 29 c5 25 d2 ff 64 e2 df 2c fb 03 3e df 35
0050
                                                       B.).%..d..,..>.5
0060
     00 b0 6a 3e 01 7b 91 2d a8 5d 63 03 f6 4b 27 10
                                                       ..j>.{.-.]c..K'.
0070
     58 74 c0 e2 f7 00 00 f2 bb 6f c1 d4 28 08 03 80
```

h...w..?.G.%..fI

.q..^D\$.T..?...

68 83 e1 cf 77 ff ef 3f fd 47 a0 25 00 80 66 49

92 71 00 00 5e 44 24 2e 54 ca b3 3f c7 08 00 00

0080

0000 e4 e4 d8 4a c4 42 5b 61 ca 57 7d fe 67 c2 5f c0

```
D...*.A...., .....
00a0
     44 a0 81 2a b0 41 1b f4 c1 18 2c c0 06 1c c1 05
                                                         ....`6.B$..B.B.d
00h0
     dc c1 0b fc 60 36 84 42 24 c4 c2 42 10 42 0a 64
0.000
      80 1c 72 60 29 ac 82 42 28 86 cd b0 1d 2a 60 2f
                                                         ..r`)..B(....*`/
00d0
      d4 40 1d 34 c0 51 68 86 93 70 0e 2e c2 55 b8 0e
                                                         .@.4.Qh..p...U..
00e0
     3d 70 Of fa 61 08 9e c1 28 bc 81 09 04 41 c8 08
                                                         =p..a...(....A..
                                                         .a!...b.X#.....
     13 61 21 da 88 01 62 8a 58 23 8e 08 17 99 85 f8
00f0
                                                         !.H...$ ...Q"K.5
0100
     21 c1 48 04 12 8b 24 20 c9 88 14 51 22 4b 91 35
0110
     48 31 52 8a 54 20 55 48 1d f2 3d 72 02 39 87 5c
                                                         H1R.T UH..=r.9.\
0120
     46 ha 91 3b c8 00 32 82 fc 86 bc 47 31 94 81 b2
                                                         F..;..2....G1...
0130
      51 3d d4 0c b5 43 b9 a8 37 1a 84 46 a2 0b d0 64
                                                         Q=...C..7..F...d
      74 31 9a 8f 16 a0 9b d0 72 b4 1a 3d 8c 36 a1 e7
0140
                                                         t1....r..=.6..
     d0 ab 68 0f da 8f 3e 43 c7 30 c0 e8 18 07 33 c4
0150
                                                         ..h...>C.0....3.
     6c 30 2e c6 c3 42 b1 38 2c 09 93 63 cb b1 22 ac
                                                         l0...B.8,..c..".
0160
                                                         .....V.....c..w.
0170  Oc ab c6 1a b0 56 ac 03 bb 89 f5 63 cf b1 77 04
0180 12 81 45 c0 09 36 04 77 42 20 61 1e 41 48 58 4c
                                                         ..E..6.wB a.AHXL
0190 58 4e d8 48 a8 20 1c 24 34 11 da 09 37 09 03 84
                                                        XN.H. .$4...7...
                                                         Q.'"..K.&....b2
01a0
     51 c2 27 22 93 a8 4b b4 26 ba 11 f9 c4 18 62 32
01b0
     31 87 58 48 2c 23 d6 12 8f 13 2f 10 7b 88 43 c4
                                                         1.XH,#..../.{.C.
01c0
      37 24 12 89 43 32 27 b9 90 02 49 b1 a4 54 d2 12
                                                         7$..C2'...I..T..
     d2 46 d2 6e 52 23 e9 2c a9 9b 34 48 1a 23 93 c9
01d0
                                                         .F.nR#.,..4H.#..
     da 64 6b b2 07 39 94 2c 20 2b c8 85 e4 9d e4 c3
01e0
                                                         .dk..9., +.....
     e4 33 e4 1b e4 21 f2 5b 0a 9d 62 40 71 a4 f8 53
                                                         .3...!.[..b@q..S
    Data: e4e4d84ac4425b61ca577dfe67c25fc057fd6cf97e3cfcf7f5e0bee22481325d814704f8...
    [Length: 512]
No.
        Time
                       Source
                                             Destination
                                                                    Protocol Length Info
      5 1.003830529
                       127.0.0.1
                                             127.0.0.1
                                                                             558
                                                                    TFTP
                                                                                    Data Packet, Block: 2
Frame 5: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 42799, Dst Port: 48529
Trivial File Transfer Protocol
Data (512 bytes)
     e4 e4 d8 4a c4 42 5b 61 ca 57 7d fe 67 c2 5f c0
0000
                                                         ...J.B[a.W}.g.
0010
      57 fd 6c f9 7e 3c fc f7 f5 e0 be e2 24 81 32 5d
                                                         W.l.~<....$.2]
0020
     81 47 04 f8 e0 c2 cc f4 4c a5 1c cf 92 09 84 62
                                                         .G.....b
                                                         ...G.....".Ib.
     dc e6 8f 47 fc b7 0b ff fc 1d d3 22 c4 49 62 b9
0030
0040
     58 2a 14 e3 51 12 71 8e 44 9a 8c f3 32 a5 22 89
                                                         X*..Q.q.D...2.".
     42 92 29 c5 25 d2 ff 64 e2 df 2c fb 03 3e df 35
0050
                                                         B.).%..d..,..>.5
0060
     00 b0 6a 3e 01 7b 91 2d a8 5d 63 03 f6 4b 27 10
                                                         ..j>.{.-.]c..K'.
0070
     58 74 c0 e2 f7 00 00 f2 bb 6f c1 d4 28 08 03 80
                                                        0800
      68 83 e1 cf 77 ff ef 3f fd 47 a0 25 00 80 66 49
                                                         h...w..?.G.%..fI
0090
     92 71 00 00 5e 44 24 2e 54 ca b3 3f c7 08 00 00
                                                         .q..^D$.T..?...
     44 a0 81 2a b0 41 1b f4 c1 18 2c c0 06 1c c1 05
                                                         D..*.A...,....
00a0
00b0
     dc c1 0b fc 60 36 84 42 24 c4 c2 42 10 42 0a 64
                                                         ....`6.B$..B.B.d
                                                         ..r`)..B(....*`/
00c0
     80 1c 72 60 29 ac 82 42 28 86 cd b0 1d 2a 60 2f
00d0
     d4 40 1d 34 c0 51 68 86 93 70 0e 2e c2 55 b8 0e
                                                         .@.4.Qh..p...U..
00e0
     3d 70 0f fa 61 08 9e c1 28 bc 81 09 04 41 c8 08
                                                         =p..a...(....A..
00f0
     13 61 21 da 88 01 62 8a 58 23 8e 08 17 99 85 f8
                                                         .a!...b.X#.....
0100
     21 c1 48 04 12 8b 24 20 c9 88 14 51 22 4b 91 35
                                                         !.H...$ ...Q"K.5
0110
     48 31 52 8a 54 20 55 48 1d f2 3d 72 02 39 87 5c
                                                         H1R.T UH..=r.9.\
     46 ba 91 3b c8 00 32 82 fc 86 bc 47 31 94 81 b2
0120
                                                         F..;..2....G1...
     51 3d d4 0c b5 43 b9 a8 37 1a 84 46 a2 0b d0 64
0130
                                                         Q=...C..7..F...d
0140
     74 31 9a 8f 16 a0 9b d0 72 b4 1a 3d 8c 36 a1 e7
                                                         t1....r..=.6..
0150
     do ab 68 of da 8f 3e 43 c7 30 co e8 18 07 33 c4
                                                         ..h...>C.0....3.
0160
     6c 30 2e c6 c3 42 b1 38 2c 09 93 63 cb b1 22 ac
                                                         l0...B.8,..c..".
     0c ab c6 1a b0 56 ac 03 bb 89 f5 63 cf b1 77 04
                                                         .....V.....c..w.
0170
0180
      12 81 45 c0 09 36 04 77 42 20 61 1e 41 48 58 4c
                                                         ..E..6.wB a.AHXL
      58 4e d8 48 a8 20 1c 24 34 11 da 09 37 09 03 84
                                                         XN.H. .$4...7...
0190
                                                         Q.'"..K.&....b2
01a0
      51 c2 27 22 93 a8 4b b4 26 ba 11 f9 c4 18 62 32
01b0
     31 87 58 48 2c 23 d6 12 8f 13 2f 10 7b 88 43 c4
                                                         1.XH,#..../.{.C.
                                                         7$..C2'...I..T..
01c0
     37 24 12 89 43 32 27 b9 90 02 49 b1 a4 54 d2 12
      d2 46 d2 6e 52 23 e9 2c a9 9b 34 48 1a 23 93 c9
                                                         .F.nR#.,..4H.#..
                                                         .dk..9., +.....
     da 64 6b b2 07 39 94 2c 20 2b c8 85 e4 9d e4 c3
01e0
0.1 \, \text{f} \, 0
      e4 33 e4 1b e4 21 f2 5b 0a 9d 62 40 71 a4 f8 53
                                                         .3...!.[..b@q..S
    Data: e4e4d84ac4425b61ca577dfe67c25fc057fd6cf97e3cfcf7f5e0bee22481325d814704f8...
    [Length: 512]
No.
        Time
                       Source
                                             Destination
                                                                    Protocol Length Info
      6 1.003884763
                       127.0.0.1
                                             127.0.0.1
                                                                    ICMP
                                                                             586
                                                                                    Destination unreachable
(Port unreachable)
Frame 6: 586 bytes on wire (4688 bits), 586 bytes captured (4688 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Internet Control Message Protocol
Trivial File Transfer Protocol
Data (512 bytes)
```

...J.B[a.W}.g._.

HTTPS mobile.events.data.microsoft.com

```
0010 57 fd 6c f9 7e 3c fc f7 f5 e0 be e2 24 81 32 5d
                                                       W.l.~<.....$.2]
     81 47 04 f8 e0 c2 cc f4 4c a5 1c cf 92 09 84 62
0020
                                                       .G.....b
     dc e6 8f 47 fc b7 0b ff fc 1d d3 22 c4 49 62 b9
                                                       ...G....".Ib.
0040
     58 2a 14 e3 51 12 71 8e 44 9a 8c f3 32 a5 22 89
                                                       X*..Q.q.D...2.".
     42 92 29 c5 25 d2 ff 64 e2 df 2c fb 03 3e df 35
0050
                                                       B.).%..d..,..>.5
     00 b0 6a 3e 01 7b 91 2d a8 5d 63 03 f6 4b 27 10
0060
                                                       ..j>.{.-.]c..K'.
0070
     58 74 c0 e2 f7 00 00 f2 bb 6f c1 d4 28 08 03 80
                                                       0800
     68 83 e1 cf 77 ff ef 3f fd 47 a0 25 00 80 66 49
                                                       h...w..?.G.%..fI
                                                       .q..^D$.T..?....
0090
     92 71 00 00 5e 44 24 2e 54 ca b3 3f c7 08 00 00
                                                       D..*.A...,....
00a0
     44 a0 81 2a b0 41 1b f4 c1 18 2c c0 06 1c c1 05
                                                       ....`6.B$..B.B.d
..r`)..B(....*`/
     dc c1 0b fc 60 36 84 42 24 c4 c2 42 10 42 0a 64
00h0
00c0
     80 1c 72 60 29 ac 82 42 28 86 cd b0 1d 2a 60 2f
     d4 40 1d 34 c0 51 68 86 93 70 0e 2e c2 55 b8 0e
00d0
                                                       .@.4.Qh..p...U..
00e0 3d 70 0f fa 61 08 9e c1 28 bc 81 09 04 41 c8 08
                                                       =p..a...(....A..
00f0 13 61 21 da 88 01 62 8a 58 23 8e 08 17 99 85 f8
                                                       .a!...b.X#.....
0100 21 c1 48 04 12 8b 24 20 c9 88 14 51 22 4b 91 35
                                                       !.H...$ ...Q"K.5
     48 31 52 8a 54 20 55 48 1d f2 3d 72 02 39 87 5c
0110
                                                       H1R.T UH..=r.9.\
0120
     46 ba 91 3b c8 00 32 82 fc 86 bc 47 31 94 81 b2
                                                       F..;..2....G1...
0130
     51 3d d4 0c b5 43 b9 a8 37 1a 84 46 a2 0b d0 64
                                                       Q=...C..7..F...d
     74 31 9a 8f 16 a0 9b d0 72 b4 1a 3d 8c 36 a1 e7
0140
                                                       t1....r..=.6..
0150 d0 ab 68 0f da 8f 3e 43 c7 30 c0 e8 18 07 33 c4
                                                       ..h...>C.0....3.
0160
     6c 30 2e c6 c3 42 b1 38 2c 09 93 63 cb b1 22 ac
                                                       l0...B.8,..c..".
.....V.....c..w.
..E..6.wB a.AHXL
                                                       XN.H. .$4...7...
     58 4e d8 48 a8 20 1c 24 34 11 da 09 37 09 03 84
0190
                                                       Q.'"..K.&....b2
01a0
     51 c2 27 22 93 a8 4b b4 26 ba 11 f9 c4 18 62 32
01b0
     31 87 58 48 2c 23 d6 12 8f 13 2f 10 7b 88 43 c4
                                                       1.XH,#..../.{.C.
                                                       7$..C2'...I..T..
     37 24 12 89 43 32 27 b9 90 02 49 b1 a4 54 d2 12
01c0
01d0 d2 46 d2 6e 52 23 e9 2c a9 9b 34 48 1a 23 93 c9
                                                       .F.nR#.,..4H.#..
01e0 da 64 6b b2 07 39 94 2c 20 2b c8 85 e4 9d e4 c3
                                                       .dk..9., +.....
     e4 33 e4 1b e4 21 f2 5b 0a 9d 62 40 71 a4 f8 53
                                                       .3...!.[..b@q..S
   Data: e4e4d84ac4425b61ca577dfe67c25fc057fd6cf97e3cfcf7f5e0bee22481325d814704f8...
    [Length: 512]
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
      7 75.976992526
                      127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0xffad
A metrics.ubuntu.com OPT
Frame 7: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49423, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
      8 75.977020815
                      127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0xb4aa
AAAA metrics.ubuntu.com OPT
Frame 8: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49423, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
      9 75.985175901
                      127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           105
                                                                                 Standard query response
Oxffad A metrics.ubuntu.com A 162.213.33.48 OPT
Frame 9: 105 bytes on wire (840 bits), 105 bytes captured (840 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49423
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
     10 75.985315102
                      127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           150
                                                                                  Standard query response
0xb4aa AAAA metrics.ubuntu.com SOA ns1.canonical.com OPT
Frame 10: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49423
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
     11 111.787950353 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           92
                                                                                 Standard query 0xb7c6
A mobile.events.data.microsoft.com
Frame 11: 92 bytes on wire (736 bits), 92 bytes captured (736 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52727, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    12 111.788028014 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           92
                                                                                  Standard query 0xe969
```

```
Frame 12: 92 bytes on wire (736 bits), 92 bytes captured (736 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60824, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
                                            Destination
No.
       Time
    13 111.792134858 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           217
                                                                                  Standard query response
0xb7c6 A mobile.events.data.microsoft.com CNAME mobile.events.data.trafficmanager.net CNAME
onedscolprdneu10.northeurope.cloudapp.azure.com A 20.50.73.13
Frame 13: 217 bytes on wire (1736 bits), 217 bytes captured (1736 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52727
Domain Name System (response)
                                                                  Protocol Length Info
                                            Destination
    14 111.795074442 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           262
                                                                                  Standard query response
0xe969 HTTPS mobile.events.data.microsoft.com CNAME mobile.events.data.trafficmanager.net CNAME
onedscolprdneu10.northeurope.cloudapp.azure.com SOA ns1-201.azure-dns.com
Frame 14: 262 bytes on wire (2096 bits), 262 bytes captured (2096 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60824
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    15 157.096192828 127.0.0.1
                                            127.0.0.1
                                                                  TFTP
                                                                           60
                                                                                  Read Request, File:
ensea.png, Transfer type: octet
Frame 15: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 1069
Trivial File Transfer Protocol
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    16 157.097847626 127.0.0.1
                                            127.0.0.1
                                                                  TFTP
                                                                           558
                                                                                  Data Packet, Block: 1
Frame 16: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
     89 50 4e 47 0d 0a 1a 0a 00 00 00 0d 49 48 44 52
0000
                                                        .PNG.....IHDR
                                                       ..., ....V......
0010
     00 00 01 2c 00 00 01 56 08 03 00 00 01 93 1d 60
     76 00 00 00 09 70 48 59 73 00 00 0b 13 00 00 0b
                                                        v....pHYs.....
0020
0030 13 01 00 9a 9c 18 00 00 0a 4f 69 43 43 50 50 68
                                                        ....OiCCPPh
0040 6f 74 6f 73 68 6f 70 20 49 43 43 20 70 72 6f 66
                                                       otoshop ICC prof
0050 69 6c 65 00 00 78 da 9d 53 67 54 53 e9 16 3d f7
                                                        ile..x..SgTS..=.
0060 de f4 42 4b 88 80 94 4b 6f 52 15 08 20 52 42 8b
                                                        ..BK...KoR.. RB.
0070 80 14 91 26 2a 21 09 10 4a 88 21 a1 d9 15 51 c1
                                                        ...&*!..J.!...Q.
0080
     11 45 45 04 1b c8 a0 88 03 8e 8e 80 8c 15 51 2c
                                                        .EE.....Q,
0090
     Oc 8a 0a d8 07 e4 21 a2 8e 83 a3 88 8a ca fb e1
                                                        . . . . . . ! . . . . . . . . .
00a0
     7b a3 6b d6 bc f7 e6 cd fe b5 d7 3e e7 ac f3 9d
                                                        {.k....>...
00b0 b3 cf 07 c0 08 0c 96 48 33 51 35 80 0c a9 42 1e
                                                        .......H3Q5...B.
00c0 11 e0 83 c7 c4 c6 e1 e4 2e 40 81 0a 24 70 00 10
                                                        00d0 08 b3 64 21 73 fd 23 01 00 f8 7e 3c 3c 2b 22 c0
                                                        ..d!s.#...~<<+".
00e0 07 be 00 01 78 d3 0b 08 00 c0 4d 9b c0 30 1c 87
                                                        ....×....M..0..
00f0 ff 0f ea 42 99 5c 01 80 84 01 c0 74 91 38 4b 08
                                                        ...B.\....t.8K.
     80 14 00 40 7a 8e 42 a6 00 40 46 01 80 9d 98 26
                                                        ...@z.B..@F....&
0100
0110
     53 00 a0 04 00 60 cb 63 62 e3 00 50 2d 00 60 27
                                                       S....`.cb..P-.`
     7f e6 d3 00 80 9d f8 99
                             7b 01 00 5b 94 21 15 01
0120
                                                        a0 91 00 20 13 65 88 44 00 68 3b 00 ac cf 56 8a
0130
                                                        ... .e.D.h;...V.
0140 45 00 58 30 00 14 66 4b c4 39 00 d8 2d 00 30 49
                                                        E.X0..fK.9..-.0I
                                                       WfH.....
0150 57 66 48 00 b0 b7 00 c0 ce 10 0b b2 00 08 0c 00
     30 51 88 85 29 00 04 7b 00 60 c8 23 23 78 00 84
                                                        0Q..)..{.`.##x..
0170 99 00 14 46 f2 57 3c f1 2b ae 10 e7 2a 00 00 78
                                                        ...F.W<.+...*..x
0180
     99 b2 3c b9 24 39 45 81 5b 08 2d 71 07 57 57 2e
                                                        ..<.$9E.[.-q.WW.
                                                        .(.I.+.6a.a.@..y
0190
     1e 28 ce 49 17 2b 14 36 61 02 61 9a 40 2e c2 79
     99 19 32 81 34 0f e0 f3 cc 00 00 a0 91 15 11 e0
                                                        ..2.4.......
01a0
     83 f3 fd 78 ce 0e ae ce ce 36 8e b6 0e 5f 2d ea
01b0
                                                        ...x....6..._-.
     bf 06 ff 22 62 62 e3 fe e5 cf ab 70 40 00 00 e1
                                                        ..."bb....p@...
01c0
01d0
     74 7e d1 fe 2c 2f b3 1a 80 3b 06 80 6d fe a2 25
                                                        t~..,/...;..m..%
     ee 04 68 5e 0b a0 75 f7 8b 66 b2 0f 40 b5 00 a0
                                                        ..h^..u..f..@...
     e9 da 57 f3 70 f8 7e 3c 3c 45 a1 90 b9 d9 d9 e5
                                                        ..W.p.~<<E....
   Data: 89504e470d0a1a0a0000000d494844520000012c000001560803000001931d6076000000...
    [Length: 512]
No.
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    17 157.098037431 127.0.0.1
                                            127.0.0.1
                                                                  TFTP
                                                                           46
                                                                                  Acknowledgement, Block:
```

```
Frame 17: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
                                                                   Protocol Length Info
       Time
                                             Destination
No.
                       Source
     18 157.098137762 127.0.0.1
                                            127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 2
Frame 18: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000 e4 e4 d8 4a c4 42 5b 61 ca 57 7d fe 67 c2 5f c0
                                                        ...J.B[a.W}.g._.
0010 57 fd 6c f9 7e 3c fc f7 f5 e0 be e2 24 81 32 5d
                                                        W.l.~<....$.2]
                                                        .G.....b
0020 81 47 04 f8 e0 c2 cc f4 4c a5 1c cf 92 09 84 62
0030 dc e6 8f 47 fc b7 0b ff fc 1d d3 22 c4 49 62 b9
                                                        ...G.....".Ib.
0040
     58 2a 14 e3 51 12 71 8e 44 9a 8c f3 32 a5 22 89
                                                        X*..Q.q.D...2.".
                                                        B.).%..d..,..>.5
0050
     42 92 29 c5 25 d2 ff 64 e2 df 2c fb 03 3e df 35
0060 00 b0 6a 3e 01 7b 91 2d a8 5d 63 03 f6 4b 27 10
                                                        ..j>.{.-.]c..K'.
0070 58 74 c0 e2 f7 00 00 f2 bb 6f c1 d4 28 08 03 80
                                                        Xt......o..(...
0080 68 83 e1 cf 77 ff ef 3f fd 47 a0 25 00 80 66 49
                                                        h...w..?.G.%..fI
0090 92 71 00 00 5e 44 24 2e 54 ca b3 3f c7 08 00 00
                                                        .q..^D$.T..?...
00a0 44 a0 81 2a b0 41 1b f4 c1 18 2c c0 06 1c c1 05
                                                        D...*.A...., .....
     dc c1 0b fc 60 36 84 42 24 c4 c2 42 10 42 0a 64
                                                        ....`6.B$..B.B.d
00b0
00c0
     80 1c 72 60 29 ac 82 42 28 86 cd b0 1d 2a 60 2f
                                                        ..r`)..B(....*`/
00d0
     d4 40 1d 34 c0 51 68 86 93 70 0e 2e c2 55 b8 0e
                                                        .@.4.Qh..p...U..
00e0 3d 70 0f fa 61 08 9e c1 28 bc 81 09 04 41 c8 08
                                                        =p..a...(....A..
                                                        .a!...b.X#.....
00f0 13 61 21 da 88 01 62 8a 58 23 8e 08 17 99 85 f8
0100 21 c1 48 04 12 8b 24 20 c9 88 14 51 22 4b 91 35
                                                        !.H...$ ...Q"K.5
0110 48 31 52 8a 54 20 55 48 1d f2 3d 72 02 39 87 5c
                                                        H1R.T UH..=r.9.\
0120 46 ba 91 3b c8 00 32 82 fc 86 bc 47 31 94 81 b2
                                                        F..;..2....G1...
0130
     51 3d d4 0c b5 43 b9 a8 37 1a 84 46 a2 0b d0 64
                                                        Q=...C..7..F...d
0140
     74 31 9a 8f 16 a0 9b d0 72 b4 1a 3d 8c 36 a1 e7
                                                        t1....r..=.6..
0150 d0 ab 68 0f da 8f 3e 43 c7 30 c0 e8 18 07 33 c4
                                                        ..h...>C.0....3.
0160 6c 30 2e c6 c3 42 b1 38 2c 09 93 63 cb b1 22 ac
                                                        l0...B.8,..c..".
                                                        .....V.....c..w.
0170  Oc ab c6 1a b0 56 ac 03 bb 89 f5 63 cf b1 77 04
0180 12 81 45 c0 09 36 04 77 42 20 61 1e 41 48 58 4c
                                                        ..E..6.wB a.AHXL
                                                        XN.H. .$4...7...
0190 58 4e d8 48 a8 20 1c 24 34 11 da 09 37 09 03 84
                                                        Q.'"..K.&....b2
01a0 51 c2 27 22 93 a8 4b b4 26 ba 11 f9 c4 18 62 32
                                                        1.XH,#..../.{.C.
01b0
     31 87 58 48 2c 23 d6 12 8f 13 2f 10 7b 88 43 c4
     37 24 12 89 43 32 27 b9 90 02 49 b1 a4 54 d2 12
                                                        7$..C2'...I..T..
01c0
01d0 d2 46 d2 6e 52 23 e9 2c a9 9b 34 48 1a 23 93 c9
                                                        .F.nR#.,..4H.#..
01e0 da 64 6b b2 07 39 94 2c 20 2b c8 85 e4 9d e4 c3
                                                        .dk..9., +.....
01f0 e4 33 e4 1b e4 21 f2 5b 0a 9d 62 40 71 a4 f8 53
                                                        .3...!.[..b@q..S
   Data: e4e4d84ac4425b61ca577dfe67c25fc057fd6cf97e3cfcf7f5e0bee22481325d814704f8...
    [Length: 512]
No.
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     19 157.098265881 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            46
                                                                                   Acknowledgement, Block:
Frame 19: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
                                                                   Protocol Length Info
        Time
                       Source
                                             Destination
     20 157.098373318 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 3
Frame 20: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000
     e2 28 52 ca 6a 4a 19 e5 10 e5 34 e5 06 65 98 32
                                                        .(R.jJ....4..e.2
0010
     41 55 a3 9a 52 dd a8 a1 54 11 35 8f 5a 42 ad a1
                                                        AU..R...T.5.ZB..
0020
     b6 52 af 51 87 a8 13 34 75 9a 39 cd 83 16 49 4b
                                                        .R.Q...4u.9...IK
     a5 ad a2 95 d3 1a 68 17 68 f7 69 af e8 74 ba 11
0030
                                                        ....h.h.i..t..
     dd 95 1e 4e 97 d0 57 d2 cb e9 47 e8 97 e8 03 f4
0040
                                                        ...N..W...G....
     77 Oc Od 86 15 83 c7 88 67 28 19 9b 18 07 18 67
                                                        w....g(....g
0060
     19 77 18 af 98 4c a6 19 d3 8b 19 c7 54 30 37 31
                                                        .w...L....T071
0070
     eb 98 e7 99 0f 99 6f 55 58 2a b6 2a 7c 15 91 ca
                                                        .....oUX*.*|...
     0a 95 4a 95 26 95 1b 2a 2f 54 a9 aa a6 aa de aa
                                                        ..J.&..*/T.....
0080
0090
     0b 55 f3 55 cb 54 8f a9 5e 53 7d ae 46 55 33 53
                                                        .U.U.T...^S}.FU3S
00a0
     e3 a9 09 d4 96 ab 55 aa 9d 50 eb 53 1b 53 67 a9
                                                        .....U..P.S.Sg.
00b0
     3b a8 87 aa 67 a8 6f 54 3f a4 7e 59 fd 89 06 59
                                                        ;...g.oT?.~Y...Y
```

.L.0C.Q.._... .c

c3 4c c3 4f 43 a4 51 a0 b1 5f e3 bc c6 20 0b 63

00c0

```
00d0 19 b3 78 2c 21 6b 0d ab 86 75 81 35 c4 26 b1 cd
                                                        ..x,!k...u.5.&..
                                                        .|v*....=...9C
     d9 7c 76 2a bb 98 fd 1d bb 8b 3d aa a9 a1 39 43
0.0e0
      33 4a 33 57 b3 52 f3 94 66 3f 07 e3 98 71 f8 9c
                                                        3J3W.R..f?...q..
0100
      74 4e 09 e7 28 a7 97 f3 7e 8a de 14 ef
                                             29 e2 29
                                                        tN..(...~...).)
0110
     1b a6 34 4c b9 31 65 5c 6b aa 96 97 96 58 ab 48
                                                        ..4L.1e\k....X.H
     ab 51 ab 47 eb bd 36 ae ed a7 9d a6 bd 45 bb 59
0120
                                                        .Q.G..6....E.Y
                                                        ...A.J'\'Gg....
0130
     fb 81 0e 41 c7 4a 27 5c 27 47 67 8f ce 05 9d e7
0140
     53 d9 53 dd a7 0a a7 16 4d 3d 3a f5 ae 2e aa 6b
                                                        S.S.....M=:....k
0150
     a5 1b a1 bb 44 77 bf 6e a7 ee 98 9e be 5e 80 9e
                                                        ....Dw.n....^..
0160
     4c 6f a7 de 79 bd e7 fa 1c 7d 2f fd 54 fd 6d fa
                                                        Lo..y....}/.T.m.
      a7 f5 47 0c 58 06 b3 0c 24 06 db 0c ce 18 3c c5
0170
                                                        ..G.X...$....<.
     35 71 6f 3c 1d 2f c7 db f1 51 43 5d c3 40 43 a5
0180
                                                        5qo<./...QC].@C.
0190 61 95 61 97 e1 84 91 b9 d1 3c a3 d5 46 8d 46 0f
                                                        a.a....<..F.F.
01a0 8c 69 c6 5c e3 24 e3 6d c6 6d c6 a3 26 06 26 21
                                                        .i.\.$.m.m..&.&!
01b0 26 4b 4d ea 4d ee 9a 52 4d b9 a6 29 a6 3b 4c 3b
                                                        &KM.M..RM..).;L;
01c0 4c c7 cd cc cd a2 cd d6 99 35 9b 3d 31 d7 32 e7
                                                        L.......5.=1.2.
01d0
     9b e7 9b d7 9b df b7 60 5a 78 5a 2c b6 a8 b6 b8
                                                        .....`ZxZ,....
01e0
      65 49 b2 e4 5a a6 59 ee b6 bc 6e 85 5a 39 59 a5
                                                        eI..Z.Y...n.Z9Y.
01f0 58 55 5a 5d b3 46 ad 9d ad 25 d6 bb ad bb a7 11
                                                        XUZ].F...%.....
   Data: e22852ca6a4a19e510e534e5066598324155a39a52dda8a15411358f5a42ada1b652af51...
    [Length: 512]
No.
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     21 157.098504611
                      127.0.0.1
                                             127.0.0.1
                                                                            46
                                                                                   Acknowledgement, Block:
Frame 21: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
                                             Destination
                                                                   Protocol Length Info
     22 157.098594214 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 4
Frame 22: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
     a7 b9 4e 93 4e ab 9e d6 67 c3 b0 f1 b6 c9 b6 a9
                                                        ..N.N...g.....
0010
     b7 19 b0 e5 d8 06 db ae b6 6d b6 7d 61 67 62 17
                                                        .....agb.
0020
     67 b7 c5 ae c3 ee 93 bd 93 7d ba 7d 8d fd 3d 07
                                                        0030
     0d 87 d9 0e ab 1d 5a 1d 7e 73 b4 72 14 3a 56 3a
                                                        .....Z.~s.r.:V:
     de 9a ce 9c ee 3f 7d c5 f4 96 e9 2f 67 58 cf 10
0040
                                                        .....?}..../gX..
     cf d8 33 e3 b6 13 cb 29 c4 69 9d 53 9b d3 47 67
0050
                                                        ..3....).i.S..Gg
0060
     17 67 b9 73 83 f3 88 8b 89 4b 82 cb 2e 97 3e 2e
                                                        .g.s....K....>.
                                                        .....Jt.q].z..
0070 9b 1b c6 dd c8 bd e4 4a 74 f5 71 5d e1 7a d2 f5
0080 9d 9b b3 9b c2 ed a8 db af ee 36 ee 69 ee 87 dc
                                                        .........6.i...
0090 9f cc 34 9f 29 9e 59 33 73 d0 c3 c8 43 e0 51 e5
                                                        ..4.).Y3s...C.Q.
00a0
     d1 3f 0b 9f 95 30 6b df ac 7e 4f 43 4f 81 67 b5
                                                        .?...0k..~0CO.g.
00b0
     e7 23 2f 63 2f 91 57 ad d7 b0 b7 a5 77 aa f7 61
                                                        .#/c/.W....w..a
00c0
      ef 17 3e f6 3e 72 9f e3 3e e3 3c 37 de 32 de 59
                                                        ..>.>r..>.<7.2.Y
     5f cc 37 c0 b7 c8 b7 cb 4f c3 6f 9e 5f 85 df 43
00d0
                                                        _.7....C
     7f 23 ff 64 ff 7a ff d1 00 a7 80 25 01 67 03 89
0.0e0
                                                        .#.d.z....%.g..
                                                        .A.[...z|!..?:.e
00f0
     81 41 81 5b 02 fb f8 7a 7c 21 bf 8e 3f 3a db 65
0100
     f6 b2 d9 ed 41 8c a0 b9 41 15 41 8f 82 ad 82 e5
                                                        ....A...A.A....
0110
     c1 ad 21 68 c8 ec 90 ad 21 f7 e7 98 ce 91 ce 69
                                                        ..!h....!....i
     0e 85 50 7e e8 d6 d0 07 61 e6 61 8b c3 7e 0c 27
0120
                                                        ..P~....a.a..~.'
0130
     85 87 85 57 86 3f 8e 70 88 58 1a d1 31 97 35 77
                                                        ...W.?.p.X..1.5w
      d1 dc 43 73 df 44 fa 44 96 44 de 9b 67 31 4f 39
0140
                                                        ..Cs.D.D.D..g109
0150
     af 2d 4a 35 2a 3e aa 2e 6a 3c da 37 ba 34 ba 3f
                                                        .-J5*>..j<.7.4.?
0160
     c6 2e 66 59 cc d5 58 9d 58 49 6c 4b 1c 39 2e 2a
                                                        ..fY..X.XIlK.9.*
0170
     ae 36 6e 6c be df fc ed f3 87 e2 9d e2 0b e3 7b
                                                        0180
     17 98 2f c8 5d 70 79 a1 ce c2 f4 85 a7 16 a9 2e
                                                        ../.]py.....
     12 2c 3a 96 40 4c 88 4e 38 94 f0 41 10 2a a8 16
0190
                                                        .,:.@L.N8..A.*..
01a0
      8c 25 f2 13 77 25 8e 0a 79 c2 1d c2 67 22 2f d1
                                                        .%..w%..y...g"/.
01b0
      36 d1 88 d8 43 5c 2a 1e 4e f2
                                   48 2a 4d 7a 92 ec
                                                        6...C\*.N.H*Mz..
      91 bc 35 79 24 c5 33 a5 2c e5 b9 84 27 a9 90 bc
                                                        ..5y$.3.,...'...
01c0
      4c 0d 4c dd 9b 3a 9e 16 9a 76 20 6d 32 3d 3a bd
01d0
                                                        L.L..:..v m2=:.
      31 83 92 91 90 71 42 aa 21 4d 93 b6 67 ea 67 e6
01e0
                                                        1....qB.!M..g.g.
      66 76 cb ac 65 85 b2 fe c5 6e 8b b7 2f 1e 95 07
                                                        fv..e...n../...
    Data: a7b94e934eab9ed667c3b0f1b6c9b6a9b719b0e5d806dbaeb66db67d6167621767b7c5ae...
    [Length: 512]
No.
        Time
                                                                   Protocol Length Info
                       Source
                                             Destination
     23 157.098711725 127.0.0.1
                                             127.0.0.1
                                                                            46
                                                                                   Acknowledgement, Block:
```

```
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    24 157.098794690 127.0.0.1
                                            127.0.0.1
                                                                  TFTP
                                                                           558
                                                                                 Data Packet, Block: 5
Frame 24: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000
     c9 6b b3 90 ac 05 59 2d 0a b6 42 a6 e8 54 5a 28
                                                       .k....Y-..B...TZ(
0010 d7 2a 07 b2 67 65 57 66 bf cd 89 ca 39 96 ab 9e
                                                       .*..geWf....9...
0020 2b cd ed cc b3 ca db 90 37 9c ef 9f ff ed 12 c2
                                                       +......7......
0030 12 e1 92 b6 a5 86 4b 57 2d 1d 58 e6 bd ac 6a 39
                                                       .....j9
0040 b2 3c 71 79 db 0a e3 15 05 2b 86 56 06 ac 3c b8
                                                       .<qy....+.V..<.
0050 8a b6 2a 6d d5 4f ab ed 57 97 ae 7e bd 26 7a 4d
                                                       ..*m.O..W..~.&zM
0060
     6b 81 5e c1 ca 82 c1 b5 01 6b eb 0b 55 0a e5 85
                                                       k.^....k..U...
                                                       }....]0X/Y..a...
0070
     7d eb dc d7 ed 5d 4f 58 2f 59 df b5 61 fa 86 9d
0080 1b 3e 15 89 8a ae 14 db 17 97 15 7f d8 28 dc 78
                                                       .>....(.x
0090 e5 1b 87 6f ca bf 99 dc 94 b4 a9 ab c4 b9 64 cf
                                                       ...o.....d.
00a0 66 d2 66 e9 e6 de 2d 9e 5b 0e 96 aa 97 e6 97 0e
                                                       f.f...-.[......
00b0 6e 0d d9 da b4 0d df 56 b4 ed f5 f6 45 db 2f 97
                                                       n.....V....E./.
00c0 cd 28 db bb 83 b6 43 b9 a3 bf 3c b8 bc 65 a7 c9
                                                       .(....C...<..e..
     ce cd 3b 3f 54 a4 54 f4 54 fa 54 36 ee d2 dd b5
                                                       ..;?T.T.T.T6....
00d0
00e0
     61 d7 f8 6e d1 ee 1b 7b bc f6 34 ec d5 db 5b bc
                                                       a..n...{..4...[.
00f0
     f7 fd 3e c9 be db 55 01 55 4d d5 66 d5 65 fb 49
                                                       ..>...U.UM.f.e.I
0100 fb b3 f7 3f ae 89 aa e9 f8 96 fb 6d 5d ad 4e 6d
                                                       ...?....m].Nm
0110 71 ed c7 03 d2 03 fd 07 23 0e b6 d7 b9 d4 d5 1d
                                                       q....#.....
0120 d2 3d 54 52 8f d6 2b eb 47 0e c7 1f be fe 9d ef
                                                       .=TR..+.G.....
0130 77 2d 0d 36 0d 55 8d 9c c6 e2 23 70 44 79 e4 e9
                                                       w-.6.U...#pDy..
0140 f7 09 df f7 1e 0d 3a da 76 8c 7b ac e1 07 d3 1f
                                                       .....:.v.{....
0150
     76 1d 67 1d 2f 6a 42 9a f2 9a 46 9b 53 9a fb 5b
                                                       v.g./jB...F.S..[
0160
     62 5b ba 4f cc 3e d1 d6 ea de 7a fc 47 db 1f 0f
                                                       b[.0.>...z.G...
0170 9c 34 3c 59 79 4a f3 54 c9 69 da e9 82 d3 93 67
                                                       .4<YyJ.T.i....g
0180 f2 cf 8c 9d 95 9d 7d 7e 2e f9 dc 60 db a2 b6 7b
                                                       .c..j.o...t..E..
0190 e7 63 ce df 6a 0f 6f ef ba 10 74 e1 d2 45 ff 8b
01a0 e7 3b bc 3b ce 5c f2 b8 74 f2 b2 db e5 13 57 b8
                                                       .;.;.\..t....W.
01b0 57 9a af 3a 5f 6d ea 74 ea 3c fe 93 d3 4f c7 bb
                                                       W..:_m.t.<...0..
01c0 9c bb 9a ae b9 5c 6b b9 ee 7a bd b5 7b 66 f7 e9
                                                       .....\k..z..{f..
01d0
     1b 9e 37 ce dd f4 bd 79 f1 16 ff d6 d5 9e 39 3d
                                                       ..7...y....9=
     dd bd f3 7a 6f f7 c5 f7 f5 df 16 dd 7e 72 27 fd
                                                       ...zo.....~r'.
01f0 ce cb bb d9 77 27 ee ad bc 4f bc 5f f4 40 ed 41
                                                       ....w'...0._.@.A
   Data: c96bb390ac05592d0ab642a6e8545a28d72a07b267655766bfcd89ca3996ab9e2bcdedcc...
    [Length: 512]
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    25 157.098935164 127.0.0.1
                                            127.0.0.1
                                                                  TFTP
                                                                           46
                                                                                 Acknowledgement, Block:
Frame 25: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
       Time
                                            Destination
                                                                  Protocol Length Info
    26 157.099016865 127.0.0.1
                                            127.0.0.1
                                                                 TFTP
                                                                          558
                                                                                 Data Packet, Block: 6
Frame 26: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000 d9 43 dd 87 d5 3f 5b fe dc d8 ef dc 7f 6a c0 77
                                                       .C...?[.....j.w
0010 a0 f3 d1 dc 47 f7 06 85 83 cf fe 91 f5 8f 0f 43
                                                       0020
     05 8f 99 8f cb 86 0d 86 eb 9e 38 3e 39 39 e2 3f
                                                       .....8>99.?
                                                       r....C.d.&....
0030
     72 fd e9 fc a7 43 cf 64 cf 26 9e 17 fe a2 fe cb
0040
     ae 17 16 2f
                 7e f8 d5 eb d7 ce d1 98 d1 a1 97 f2
                                                       .../~........
     97 93 bf 6d 7c a5 fd ea c0 eb 19 af db c6 c2 c6
0050
                                                       ...m|.......
     1e be c9 78 33 31 5e f4 56 fb ed c1 77 dc 77 1d
                                                       ...x31^.V...w.w.
0060
0070
     ef a3 df 0f 4f e4 7c 20 7f 28 ff 68 f9 b1 f5 53
                                                       ....0.| .(.h...S
0800
     d0 a7 fb 93 19 93 93 ff 04 03 98 f3 fc 63 33 2d
                                                       .....c3-
0090
     db 00 00 00 04 67 41 4d 41 00 00 b1 8e 7c fb 51
                                                       ....gAMA....|.Q
                                                       .... cHRM..z%...
     93 00 00 00 20 63 48 52 4d 00 00 7a 25 00 00 80
00a0
                                                       ....u0...
00b0
     83 00 00 f9 ff 00 00 80 e9 00 00 75 30 00 00 ea
00c0
     60 00 00 3a 98 00 00 17 6f 92 5f c5 46 00 00 03
                                                        ..:...o._.F...
00d0
     00 50 4c 54 45 90 91 95 fc fc fc b6 00 50 8c 8e
                                                       .PLTE.....P..
```

.....V.

92 f8 f8 f9 99 9a 9d cb 49 82 fa f0 f4 cf 56 8a

00e0

User Datagram Protocol, Src Port: 34988, Dst Port: 48545

```
....)k.......
     e1 e1 e2 c1 29 6b fa fa fa e9 b4 cb e2 9b ba fc
     f6 f8 f4 da e5 9c 9d a0 a4 a5 a8 bc bd c0 f1 d3
0100
                                                        . . . . . . . . . . . . . . . .
0110
      e1 b8 07 55 88 8a 8e ed c2 d4 d5 6c 9a a1 a2 a5
                                                        ...U.....l...
      b9 ba bc b5 b6 b8 b1 b1 b4 fd f8 fa ad ae b1 b9
0120
0130
     0e 58 e6 aa c4 d9 7b a4 b6 00 4e d4 d5 d6 d9 d9
                                                        .X....{...N....
     da be 1d 63 b4 00 49 ec ec ed c9 43 7d dd dd de
0140
                                                        ...c..I....C}...
0150
     db 84 aa e9 e9 ea b4 00 4c b2 00 46 f0 cc db c4
                                                        ...F...L..F...
0160
     33 72 eb bc d1 e5 e5 e6 a9 aa ad c8 c9 ca f2 f2
0170
     f3 bb 10 5a e0 94 b5 b9 0a 56 f9 ed f2 c1 c2 c4
                                                        ...Z....V.....
0180
     d1 d1 d3 d6 71 9d de 8d b1 dd 89 ad b3 00 48 f6
                                                        e0 e9 f4 f4 f4 f6 f6 f6 df 91 b3 8f 90 94 93 94
0190
     98 f9 ea f0 f0 f0 f0 fa ee f3 f2 d4 e1 ce ce d0
01a0
01b0 bc bc bf c5 c6 c8 ef c9 d9 d2 d2 d4 fd fa fc ca
01c0 ca cc e3 a0 bd bf 23 66 cc cc ce d6 d6 d8 f7 e4
01d0 ed c5 38 75 cc 51 86 c4 c5 c6 e5 a5 c1 ae af b2
01e0 cf 59 8c fe fc fd 97 98 9c da da db a6 a7 ab b4
01f0 00 4e b1 00 44 bf c0 c2 f5 dd e8 8b 8c 90 f1 cf
                                                        .N..D......
   Data: d943dd87d53f5bfedcd8efdc7f6ac077a0f3d1dc47f7068583cffe91f58f0f43058f998f...
    [Length: 512]
No.
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     27 157.099040613 127.0.0.1
                                             127.0.0.1
                                                                            46
                                                                                  Acknowledgement, Block:
                                                                   TFTP
Frame 27: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     28 157.099067019 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                                   Data Packet, Block: 7
                                                                            558
Frame 28: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
     de 85 86 8a fb f2 f6 d0 5b 8d d1 60 91 de de df
0000
                                                        .......[...`....
0010 b7 04 51 94 95 98 f8 e6 ee ea b8 ce 95 96 9a d2
                                                        ..Q..........
     65 95 d0 5d 90 d2 63 94 ee ee ef f8 e8 ef fc f4
0020
                                                        e..]..c......
0030
     f7 c7 3c 78 ec ed ee ee c6 d8 94 96 99 e6 e6 e7
                                                        ..<x......
0040
     fe fe fd ff fc fe b7 09 52 87 88 8c 9e 9f a3 b7
                                                        . . . . . . . . R . . . . . . .
0050
     b8 ba b0 00 42 b6 b7 b9 95 96 98 bc 15 5e e2 e2
                                                        ....B.....^..
     e3 eb eb ec ab ac af d7 74 9f d8 77 a1 b6 00 4c
0060
                                                        ......t..w...L
     d4 6a 98 be bf c1 ac ad af b0 00 44 f6 e2 eb cb
0070
                                                        0080 cc cd bc 19 5f a2 a3 a6 b2 b3 b6 c7 c8 c9 c3 c3
                                                        0090 c5 ba bb bd d3 d3 d5 a3 a4 a7 b4 b5 b7 c7 3f 7a
                                                        ....?z
00a0 f2 f2 f4 ee ee f0 b7 02 51 da 80 a7 b5 00 4f fb
                                                        ....Q.....0.
00b0 f4 f7 bb 15 5c 92 93 96 af b0 b3 e7 ad c6 ae 00
                                                        . . . . \ . . . . . . . . . . .
00c0
     3d bb 11 5b eb ec ec b7 02 52 d3 67 97 ba 13 5a
                                                        =..[....R.g...Z
00d0
     df df e0 d8 d8 d9 b5 05 4e bc 13 5d fd fe fe b1
                                                        00e0
     00 46 8e 8f 93 a0 a1 a4 fb f1 f5 e8 ae c7 f7 e8
     ee fb f2 f5 94 95 99 8a 8b 8f ed ee ef 80 81 85
00f0
                                                        . . . . . . . . . . . . . . . .
0100
     a8 a9 ac bb 12 5b 92 93 97 d8 79 a2 b7 00 52 e1
                                                        .....[....y...R.
0110
     97 b8 c2 31 6f e8 e8 e8 e4 e4 e5 f3 d6 e3 b7 06
                                                        ...10........
0120
     53 d7 d7 d8 96 97 9b b3 00 4b d2 64 92 e1 99 b8
                                                        S..........K.d....
0130
     b5 01 4e af 00 40 b6 02 4e b8 10 56 b5 02 4b fe
                                                        ..N..@..N..V..K.
     fe fe fe ff ff ff fe ff fe ff fe ff fe
0140
                                                        . . . . . . . . . . . . . . . .
0150
     fe fe fe ff f7 f7 f8 f1 f1 f1 f5 f5 f5 fb fb fb
      f7 f8 f8 cf
                 d0 d1 b3 00 47
                                   fc fb f9 f9 fd
0160
                                 fc
     fd fd fb f3 f7 fd fe fd f9
0170
                                fa fa f3 f3 f5 fb fc
     fc db dc dd fa f9 fa fa f9 f9 f8 f8 f7 f2 f1 f2
0180
0190
     f5 f6 f6 f3 f4 f4 fa ef f3 96 97 9a f1 f2 f2 f3
      d8 e4 f6 f5 f6 e7 e7 e8 f4 f4 f3 b5 02 50 e3 e3
      e4 c2 2e 6e f9 fa f9 e8 b1 c9 ed ed ed fb fc fb
01b0
0.100
      da 7e a7 94 94 97 ec eb ec 90 91 93 d0 5f 8e ff
                                                        ....P`....E.IDA
01d0
      ff ff b7 00 50 60 15 10 c3 00 00 45 b9 49 44 41
      54 78 da ac 94 bd 6b 14 51 14 c5 7f 6f 26 09 88
                                                        Tx....k.Q...o&..
01e0
     28 18 0b 25 7e e1 6a b6 30 1b 0b c3 36 12 9b 6d
01f0
                                                        (...\%~.j.0...6..m
    Data: de85868afbf2f6d05b8dd16091dededfb70451949598f8e6eeeab8ce95969ad26595d05d...
    [Length: 512]
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     29 157.099083640 127.0.0.1
                                                                                   Acknowledgement, Block:
                                             127.0.0.1
                                                                   TFTP
                                                                            46
Frame 29: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
```

```
Trivial File Transfer Protocol
       Time
                                            Destination
                                                                 Protocol Length Info
No.
                      Source
     30 157.099175066 127.0.0.1
                                            127.0.0.1
                                                                 TFTP
                                                                          558
                                                                                 Data Packet, Block: 8
Frame 30: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
     44 04 91 48 1a 51 04 4b 11 34 f9 03 ec 52 ee 5f
                                                      D..H.Q.K.4...R._
0000
     20 09 68 9b 54 16 7e 14 7e 82 c1 26 82 8b 62 4c
0010
                                                       .h.T.~.~..&..bL
                                                       ".6...eds.....
     22 c8 36 8b b8 8d 65 64 73 8f c5 ec ec bc d9 99
0020
0030 cd ae e0 a9 ee bc 7b e6 de 77 cf bd f7 61 19 1c
                                                       ......{..w...a..
                                                       .e.P.J6...h.i(p.
0040 ad 65 cf 50 17 4a 36 91 fa 8e 68 01 69 28 70 9f
0050 c9 c2 c9 ff 0a 5b ae 9b 10 f9 53 d1 4a ad d7 e4
                                                       .....[....S.J...
0060 c3 8f 56 f8 ee b2 84 c8 3f b4 6b c6 0e bc a4 ad
                                                       ..V....?.k....
0070 d4 2d 7b d2 38 d5 b1 b6 ee ee 40 29 95 3b c6 84
                                                       .-{.8....@).;..
0800
     05 6d 2b d8 7f 59 2a db b4 a7 5b 42 db 34 b3 b6
                                                       .m+..Y*...[B.4..
0090
     63 f6 6a 6c c7 34 af d2 94 82 ae a7 6e 67 13 8e
                                                       c.jl.4....ng..
00a0 cb aa ec a1 6c 66 f7 ba 7a 9c 49 0a 84 2d 5c ff
                                                       ....lf..z.I..-\.
00b0 66 d1 62 b1 7f b3 40 0c d2 fa 93 d9 30 05 ba 7b
                                                       f.b...@....0..{
..n...j.m..e.|..
00d0 25 7d 0f 48 93 af 08 09 f7 48 34 5c ae 6e 4a ad
                                                      %}.H.....H4\.nJ.
00e0 c9 6c 6e 4f 25 49 1f 62 ce 7c 90 fa 33 b3 59 1a
                                                       .ln0%I.b.|..3.Y.
00f0 df ec db 05 7a 0d 79 c0 40 f8 07 9a 24 81 3e d1
                                                       ....z.y.@...$.>.
0100
     14 a8 26 31 27 69 09 24 5f 90 68 52 cd de fd 32
                                                       ..&1'i.$_.hR...2
0110 5d 34 e9 82 ee c7 73 6c a9 c7 41 02 86 a6 81 e7
                                                       ]4....sl..A....
0120 48 cd f6 c9 e1 64 52 83 f6 b8 02 3b 1c 84 b2 73
                                                      H....dR....;...s
0130 c7 bf b4 4f 1a d4 d8 f2 69 d1 25 1c f0 50 aa bf
                                                       ...0...i.%..P..
..%p.^Jg.[..9..6
0150 72 0b 0e 51 1d 0d 4f 70 9e 27 db 57 3a ce 64 de
                                                       r..Q..Op.'.W:.d.
0160  2a ac cd 7c 5b 83 9f fc 19 fb 5d 65 95 e5 b7 cf
                                                       *..|[....]e....
0170
     92 70 9d b9 39 67 66 f6 c8 f2 81 67 3f 78 61 56
                                                       .p..9gf....g?xaV
0180 b0 9b 66 1f 33 b4 54 a5 1b c5 01 2a bd 3d 5a 84
                                                       ..f.3.T....*.=Z.
0190 97 41 13 16 86 8f 8c c1 8f c7 7b 93 3d dd 45 b7
                                                       01a0 c0 72 a2 ad 5e 87 e1 af b0 af 42 c8 31 56 a0 ce
                                                       .r..^....B.1V..
01b0 c2 36 1b ac 8f 70 c7 2b e1 92 4d 55 66 cc 0e dc
                                                       .6...p.+..MUf...
01c0 88 ea 5a 7f 5a 37 9b 33 b3 33 14 ed 2f a9 55 cf
                                                       ..Z.Z7.3.3../.U.
01d0 12 47 14 45 cf 8c d1 d5 42 88 5f 8d ac a0 c1 0f
                                                       .G.E....B._....
01e0 44 65 2d 2c 6c b4 11 83 04 c1 45 8c 8d c4 55 92
                                                      De-, l.....E...U.
01f0 4a 16 fc 09 62 69 65 a3 62 63 a3 20 58 58 6c e1
                                                      J...bie.bc. XXl.
   Data: 440491481a51044b1134f903ec52ee5f2009689b54167e147e82c126828b624c22c8368b...
    [Length: 512]
No.
       Time
                                            Destination
                                                                 Protocol Length Info
                      Source
     31 157.099196308 127.0.0.1
                                           127.0.0.1
                                                                          46
                                                                                 Acknowledgement, Block:
Frame 31: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
                                                                 Protocol Length Info
                      Source
No.
       Time
                                            Destination
     32 157.099211826 127.0.0.1
                                            127.0.0.1
                                                                 TFTP
                                                                          558
                                                                                 Data Packet, Block: 9
Frame 32: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000
     b6 96 96 eb 26 4d 8c b2 6e 61 27 98 26 4d 2c ce
                                                       ....&M..na'.&M,.
0010 b1 d8 71 67 de cc 1b 5d 71 aa f7 86 cb 7d f7 9e
                                                       ..qg...]q....}..
0020 77 cf 39 af b6 cb 72 9d d0 87 ef c6 b6 c3 c2 52
                                                       w.9...r.....R
0030 4d 30 c4 b2 36 92 a4 a1 0c e8 3a 8e f1 05 83 8f
                                                      MO..6....:...
0040
     db 11 c6 46 73 69 b4 f8 3a fe 33 88 0b 0a ca a4
                                                       ...Fsi..:.3.....
0050
     6c 35 b5 df 9b b9 3e 06 cf
                                5e 04 0c f9 0d 48 c9
                                                       15....>..^...H.
0060
     f3 6a 8b 52 9f b7 6d 8b 58 b7 9a 01 a0 5f a5 11
                                                       .j.R..m.X..._..
                                                       .j.."1..=.D..y\.
0070
     e9 6a c0 b1 22 31 19 9c 3d d7 44 02 16 79 5c 88
     e0 15 44 f5 9a 64 61 c2 86 aa 79 8f 05 da b1 37
0080
                                                       ..D..da...y....7
0090
     f8 fb 35 15 2b 92 86 ae 0e d6 90 0b f8 1c 4e f2
                                                       ..5.+....N.
00a0
     db 96 2b 54 d7 af ac a5 fa 7d 32 e3 ef 32 cc cd
                                                       ..+T.....}2..2..
00b0
     d9 7a bc 24 c9 b4 2b 49 3d 24 7f c6 20 61 70 ff
                                                       .z.$..+I=$.. ap.
     20 0e 2f 3f 6c cc e8 31 6a 27 c3 8f 7f 22 f3 f5
                                                       ./?l..1j'..."..
00c0
00d0
      9a e9 84 a7 f0 fd 0a 5b 75 9c 46 5d 40 55 f7 91
                                                       ....[u.F]@U..
00e0
     84 80 e3 b8 fe 83 66 bc e2 f4 ce 07 00 ab 8e 63
                                                       .....f.....c
                                                      <.*..+..).,V..8.
00f0
     3c 8c 2a ed b7 2b c1 02 29 91 2c 56 00 91 38 c4
```

n./JR..?\...o(..

6e 1f 2f 4a 52 82 1e 3f 5c f6 89 19 6f 28 19 88

```
"......".?..E.._
0110 22 a9 04 95 a5 c4 cb 22 bd 3f a4 e4 45 d5 a8 5f
0120
     6f c3 6b bd 9c 9e 05 be 20 b9 bc 8e 3d ec ee ac
                                                        o.k.... ...=...
0130
      a5 81 9d 48 d4 d4 d8 bf
                              53 e0 11 3a 79 40 16 c9
                                                        ...H....S..:y@..
      f3 d4 59 00 8a 6a 5d 47 37 9b 00 80 bb e4 4b 27
0140
                                                        ..Y..j]G7....K'
0150
     7e 13 80 7a e0 13 70 d8 9b 0b 2b d3 db 7a fc 01
                                                        ~..z..p...+..z..
     00 38 ac bc bb 00 b4 ee 02 ff a7 eb 5e cc 55 ee
                                                        0160
0170
     8e c3 ab 01 cb 68 46 03 ca 7f 81 8d 5b 5c 01 c0
                                                        ....hF.....[\..
0180
     6d 0e c0 82 6f a6 f9 d2 f3 aa 44 92 4b 27 64 53
                                                        m...o....D.K'dS
     9e 2b f9 ce 16 72 fe 89 16 6b 09 a9 22 8c c2 9f
                                                        .+...r...k.."...
0190
                                                        .....,.&#.....
01a0
     93 e9 88 91 d2 15 2c bb 26 23 bd d0 11 d2 a6 07
     84 95 8b 90 1e 24 92 09 a1 26 21 59 8b 20 17 51
01b0
                                                        ....$...&!Y. .Q
                                                        ...+..X..ED..."
01c0
     d1 a6 08 2b 82 1e 58 86 85 45 44 8b 16 89 22 11
     11 51 46 0f 2b 88 ca 47 72 61 b2 45 81 12 41 e4
                                                        .QF.+..Gra.E..A.
01d0
                                                        .h.wZ.\..;3.....
01e0 a2 68 e3 77 5a cc 5c bd b7 3b 33 ce 94 9d d5 fc
01f0 8f f3 71 e6 70 5e df 9f 38 6d 25 48 3d 99 d1 eb
                                                        ..q.p^{..8m\%H=...}
   Data: b69696eb264d8cb26e612798264d2cceb1d87167decc1b5d71aaf786cb7df79e77cf39af...
    [Length: 512]
No.
                                             Destination
       Time
                       Source
                                                                   Protocol Length Info
     33 157.099241080 127.0.0.1
                                             127.0.0.1
                                                                            46
                                                                                   Acknowledgement, Block:
Frame 33: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
                                             Destination
                                                                   Protocol Length Info
                       Source
     34 157.099429949 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                                   Data Packet, Block: 10
                                                                            558
Frame 34: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
     76 18 8a 49 ba 64 6f 17 3c fa b1 05 bd 49 f8 ee
                                                        v..I.do.<...I..
      6f b2 f0 b2 a8 ac ff 0f b2 e5 6d 97 7b 7c e5 8b
0010
                                                        o.....m.{|..
     84 8a 1c 19 59 50 bb 7a 49 5d 7c 48 c8 8b 43 8a
                                                        ....YP.zI]|H..C.
0020
                                                        .H;Y.2-X.>...UJ.
     88 48 3b 59 2e 32 2d 58 a5 3e 8d f2 81 55 4a a6
0030
     38 2a ea 79 db 82 62 c5 f6 c7 c9 21 bf fb 0e 0b
                                                        8*.y..b....!....
0050
     45 44 91 15 b1 cd 63 0a ac 4e 92 1f b5 b8 ad ed
                                                        ED....c..N.....
     ef 48 5d 11 6d 65 78 90 dc ac f8 b7 4b e9 b3 cf
0060
                                                        .H].mex....K...
0070
     76 87 67 37 1c 7c 93 7d 35 b6 a1 54 3d 74 ff 47
                                                        v.g7.|.}5..T=t.G
      c7 ae e0 d8 29 4e df 19 fd e8 d6 35 9c e8 60 74
0080
                                                        ....)N.....5..`t
     b6 2e e8 8f 5b 2f 48 1b 1e f7 ec 40 0e 2c 2f 2a
0090
                                                        ....[/H....@.,/*
     e3 93 f6 65 8e 01 f8 fc cf 04 a9 47 80 65 63 01
00a0
                                                        ...e.....G.ec.
00b0
     52 c8 bd 4e a4 fe 02 d6 f7 05 49 47 57 bb 8a 5e
                                                        R..N....IGW..^
     01 78 19 04 ca dd ae 9e 10 80 46 6f 65 7d ac a7
                                                        .x.....Foe}..
00d0
     d8 4f fd 0a 85 49 b2 c9 e5 54 31 bf 51 9d b5 d6
                                                        .0...I...T1.Q...
     4f 9d 10 91 95 15 d6 85 0a 2d 21 9b b2 39 b8 8f
0.0e0
                                                        0.........
00f0
     a4 e6 af e6 88 88 ec 88 b9 b5 aa e2 5b de 01 45
                                                        ....[..E
0100
      dd 35 b1 d1 a0 f8 ae 5f 0e d3 58 54 06 e2 cb f6
                                                        .5...._.XT....
     94 39 34 99 00 7b de 3f b6 3f e7 2e 2e 7a 3a 34
0110
                                                        .94..{.?.?...z:4
0120
     1e 3c ee 13 12 00 c0 97 69 e3 c1 d3 c9 a9 83 60
                                                        .<....i....
                                                        ...X.....*..RD.
0130
     a9 b6 00 58 a7 aa e5 00 ce a9 2a 00 a0 52 44 e4
0140
     do 5a 00 4d f6 1d eb 89 28 4b 55 33 9d 7b 1a 49
                                                        .Z.M....(KU3.{.I
0150
     c3 30 0c 43 44 52 2d 0e f3 95 14 91 14 72 8d a6
                                                        .0.CDR-...r..
                                                        .?..4....9....$y
     d5 3f a1 88 34 91 af 0d c3 30 14 11 91 eb 24 79
0160
0170
      dc 31 26 ec 55 96 85 15 26
                                75 0b 6b 09 49 f2 64
                                                        .1&.U...&u.k.I.d
      a1 58 58 a4 5d eb 35
                          f2 54 03 07 34 17 2c d3 34
0180
                                                        .XX.].5.T..4.,.4
0190
      cd 6b 16 96 54 4d 28 49 e1 d9 e8 b0 df 44 de 34
                                                        .k..TM(I....D.4
     4d 53 b7 ef eb 3a 49 c5 19 4b d7 75 bd d3 c6 b2
                                                        MS...:I..K.u....
01a0
      26 5a 11 79 cb 9d 8a 28 61 52 b3 b0 74 5d d7 db
01b0
                                                        &Z.y...(aR..t]..
      45 32 a2 ea fb e2 62 d5 8c 7b e5 1c 06 32 43 18
                                                        E2....b..{...2C.
     b6 76 86 81 97 19 5b ac 11 bc 0b 68 3d 6f 3f 3b
01d0
                                                        .v....[....h=o?;
     76 55 f6 e3 e7 28 80 c6 87 d8 dd 1e 74 7a fc db
                                                        vU...(.....tz..
01e0
      f8 9a a3 6c 8e ce 89 00 80 f9 18 01 80 0f d1 35
                                                        Data: 76188a49ba646f173cfab105bd49f8ee6fb2f0b2a8acff0fb2e56d977b7ce58b848a1c19...
    [Length: 512]
No.
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     35 157.099451484 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            46
                                                                                   Acknowledgement, Block:
10
Frame 35: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
                                                                   Protocol Length Info
No.
       Time
                       Source
                                             Destination
```

```
36 157.099468290 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 11
Frame 36: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000 00 60 a9 3f ac 3a de 5d 0e 74 e3 0c 90 db 01 20
                                                        .`.?.:.].t....
0010 09 cf 91 1d c1 0b 8c 23 0f e9 06 72 31 d2 8d be
                                                        ....#...r1...
0020
     8b 1d 23 89 dc fd bf fe e3 86 11 00 61 dc bb 85
                                                        ..#....a...a...
      1c 94 2f bc 8d 94 45 b8 0c 28 d8 9f 7e 14 65 de
0030
                                                        ../...E..(..~.e.
0040 60 09 05 ea 4a 2b 79 6c 2f eb aa c9 56 16 90 11
                                                         ...J+yl/...V...
0050 6e 4c 7e d3 56 c2 02 72 1e 3d 05 1e 67 95 bc 9f
                                                        nL~.V..r.=..g...
0060 3e 71 e1 30 49 a7 d7 2a 4f ac 07 64 5b f4 bb 98
                                                        >q.0I..*0..d[...
                                                        ......`.3....!X;
0070 04 9b c9 16 b2 96 60 0b 33 c9 b9 bc 18 21 58 3b
0080 94 a0 eb e1 fb 93 47 82 3a 3f c1 ae 99 97 92 6f
                                                        .....G.:?....o
0090 90 4c e3 0c e6 97 90 6c 23 f3 57 73 13 49 56 5f
                                                        .L....l#.Ws.IV_
00a0
     60 0d 5b 22 bc cb 4f 69 3c 41 a6 15 73 06 73 f8
                                                         `.["..0i<A..s.s.
00b0
     8c 04 9b b7 a6 bb fa cb c5 33 35 64 c4 4d e5 37
                                                        .....35d.M.7
00c0 b9 56 1b db 54 15 86 9f 7e 8c 95 cd cd ad 38 61
                                                        .V..T...~....8a
00d0 43 61 2d 6b 09 ac 65 63 ae 43 24 6c ca 10 99 02
                                                        Ca-k..ec.C$1....
00e0 42 82 71 61 23 12 8c 90 99 b1 04 43 04 8d 43 92
                                                        B.qa#.....C..C.
00f0 19 51 7e 08 c1 2c fb 21 4c 87 60 26 43 41 94 45
                                                        .Q~..,.!L.`&CA.E
0100 62 98 41 01 b3 11 b6 b2 4e 20 5b d7 f1 a5 21 84
                                                        b.A....N [...!.
0110  90  28  30  50  d9  73  fc  71  ef  6d  bb  f5  76  bd  1d  c5
                                                        .(0P.s.q.m..v...
                                                        h.Is{>.s...s....
0120
     68 bc 49 73 7b 3e ee 73 df fb 9e 73 de 8f e7 9c
0130 98 ce 2f 5d a4 eb a4 a5 13 fd e1 1a 27 45 65 ef
                                                        ../]....'Ee.
0140 e3 5d 7d 57 77 26 6a 92 2b 82 7f 9c e2 81 18 ee
                                                        .]}Ww&j.+.....
0150 75 d6 5e cd 72 3d e4 81 53 1f 13 9f f6 93 b8 f2
                                                        u.^.r=..S.....
                                                        .1..*|8QAw..OX.)
0160 a2 31 9a e4 2a 7c 38 51 41 77 a4 8c 4f 58 a8 29
0170 e7 3b 52 81 53 5d b1 f1 db 99 69 8e c6 95 51 4e
                                                        .;R.S]....i...QN
0180 b0 30 c2 3f 47 6a 49 d3 b4 7c 63 eb d7 11 22 20
                                                        .0.?GjI..|c...'
0190
     ed df f8 49 01 26 0f 44 8d a5 fa 76 87 07 93 bb
                                                        ...I.&.D...v....
01a0
      63 14 33 e5 a0 bc 37 46 f1 97 77 f7 e9 e2 81 91
                                                        c.3...7F..w....
01b0 18 0a 95 d8 7d 59 b8 31 34 55 d9 a2 1c c7 89 bb
                                                        ....}Y.14U.....
01c0 51 a5 f6 d6 cd df f4 e7 48 5a dc 66 d5 2a d7 3a
                                                        Q......HZ.f.*.:
01d0 72 55 28 cb 30 6a 19 e7 09 21 c4 47 2f 90 6e 87
                                                        rU(.0j...!.G/.n.
01e0 aa 5c 2a 58 cb c8 ac d0 b5 39 97 0e 21 84 fe 63
                                                        .\*X....9..!..c
01f0 32 98 70 88 84 45 72 c8 d6 c1 6c 92 99 52 f6 42
                                                        2.p..Er...l..R.B
    Data: 0060a93fac3ade5d0e74e30c90db012009cf911dc10b8c230fe9067231d28dbe8b1d2389...
    [Length: 512]
No.
        Time
                                             Destination
                                                                   Protocol Length Info
                       Source
     37 157.099483877 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            46
                                                                                   Acknowledgement, Block:
Frame 37: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     38 157.099584970 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 12
Frame 38: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
      b2 42 2f a2 c2 22 17 4e 50 86 e2 f7 a7 c8 d3 ab
                                                        .B/..".NP.....
                                                        ..J.l..^.*X.+m..
     f4 fa 4a 92 6c df 1c 5e f7 2a 58 cf 2b 6d f5 be
0010
     85 af 8f 99 db 18 dc bd cf 36 cc 38 aa d8 68 87
0020
                                                        ....h.
                                                        '..IO.Ei.., n.J.s
0030 27 dc fc 49 4f f0 45 69 a3 bb 2c 6e 95 4a bc 73
0040 40 77 c5 17 bd cd 59 18 ea 47 6d 23 b5 39 7b a6
                                                        @w....Y..Gm#.9{.
0050 Of 2e bf f6 bd ae 7b e4 b6 50 bf 34 59 8e 03 16
                                                        ......{..P.4Y...
0060
     5b 34 db 42 e3 30 c9 5e db e5 dc 9f 5f fd 21 26
                                                        [4.B.0.^.....!&
0070
      7e 28 db a3 b2 4b 32 02 b9 94 e1 3e 13 9b fc f1
                                                        ~(...K2....>....
0080
     08 00 53 6c 7c 5a 4b 26 80 f1 51 61 85 8d 4d 12
                                                        ..Sl|ZK&..Qa..M.
     6f 02 30 46 32 af da 62 93 9b 43 72 f7 7b ce b7
0090
                                                        o.0F2..b..Cr.{..
     77 44 7a dc a0 65 4e 48 83 3d ec 3c 15 fa 82 aa
00a0
                                                        wDz..eNH.=.<....
00b0
     13 da 62 93 88 a4 c4 92 bb 53 0e 96 69 fa c6 99
                                                        ..b.....S..i...
00c0
     00 70 dc 10 ee db e2 85 c8 41 53 9f 26 fe cb 27
                                                        .p......AS.&...'
00d0
     00 20 a7 d4 a0 a6 fe 7a 71 17 2d 73 1e 2d ba a5
                                                        . .....zq.-s.-..
                                                        q..eI..BZ&...P.l
      71 0d f1 65 49 09 fb 42 5a 26 b0 b3 a3 50 a6 6c
00e0
00f0
      23 d9 68 e9 9a f2 be d2 65 e2 67 36 21 84 d0 eb
                                                        #.h....e.g6!...
0100
      85 10 7a 5b bd 5c eb d0 64 ef 15 da 3d e8 94 d7
                                                        ..z[.\..d...=...
0110
     c0 c3 95 3b 7e dc da 92 ec af c8 d6 e8 3b 14 52
                                                        ...;~....;.R
```

|u.\.3[....|.*8.

7c 75 b8 5c c5 33 5b b3 1f f2 b3 7c c9 2a 38 1d

```
0130  1c 6b 89 c2 a7 05 1d 53 0b b9 5a 1c d1 f9 b4 a0
                                                        .k....S..Z....
                                                        .>V1....@..
     cb 3e 56 31 ab f3 c6 9c 8a ef bf 10 b2 40 07 ad
0140
     ed 88 47 76 60 35 a2 79 9e 4f 8b 9d 88 1c e1 fa
                                                        ..Gv`5.y.0.....
0160
     e4 df 7f 9e e3 fb 1f 60 d9 24 86 f2 9a 1d b0 9a
                                                        . . . . . . . ` . $ . . . . .
0170
     4c a6 fd 80 d5 64 72 01 80 63 ac 10 62 d1 2c 00
                                                        L....dr..c..b.,.
                                                        ...,.&..t...w...
0180 06 99 c6 2c 92 26 83 c9 74 cd a1 9e 77 dc 0e d4
0190 dc 56 6e 05 80 e1 8d dd 39 80 e7 2b cc 68 f5 37
                                                        .Vn....9..+.h.7
01a0 8c 06 00 f4 df 06 ca c3 e5 30 f6 14 00 4a 34 d3
                                                        ....J4.
                                                        X*....J(."...8.
01b0 58 2a ff a9 01 a6 dd 4a 28 d9 22 17 0b 00 38 01
01c0
     48 67 ee d6 0f 31 94 7e ac 94 93 41 b5 d9 b2 f8
                                                        Hg...1.~...A....
     13 01 78 00 b4 b5 4a 65 7f 1f 67 27 4c 77 b0 3c
01d0
                                                        ..x...Je..g'Lw.<
01e0 8c ee db e4 33 00 00 8e 77 3a 3c 09 00 80 0b 00
                                                        ....3...w:<....
01f0 84 58 77 63 66 90 11 f6 02 80 19 a8 f3 1f d4 18
                                                        .Xwcf.....
   Data: b2422fa2c222174e5086e2f7a7c8d3abf4fa4a926cdf1c5ef72a58cf2b6df5be85af8f99...
    [Length: 512]
No.
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
     39 157.099605674 127.0.0.1
                                             127.0.0.1
                                                                           46
                                                                                  Acknowledgement, Block:
                                                                   TFTP
12
Frame 39: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00:00:00:00:00:00:00
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
     40 157.099623087 127.0.0.1
                                             127.0.0.1
                                                                  TFTP
                                                                           558
                                                                                   Data Packet, Block: 13
Frame 40: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000
     6c a3 b3 02 34 ac 85 cc df 45 4e 90 0e 47 34 76
                                                        l...4...EN..G4v
     51 71 6e 7a b9 4f 8f 10 a2 b5 83 af 08 92 6a 36
                                                        Qqnz.0....j6
0010
                                                         ...iX../..-,.H.
0020
     27 8b ac 90 69 58 0b 99 2f 02 07 2d 2c b3 48 92
0030
     Of 4a 58 3d 3d 3d 3d 42 08 51 40 be e4 d8 47 66
                                                        .JX====B.Q@...Gf
0040 ab 63 e5 07 2c 52 be 38 29 63 e9 2d 42 08 d1 46
                                                        .c..,R.8)c.-B..F
0050 52 c2 52 9c ac ff 71 f5 78 d5 e5 74 3a 9d 4a 21
                                                        R.R...q.x..t:.J!
0060 ff bc 74 9f f4 c5 a7 85 40 2d 90 2a ab 5c ea e4
                                                        ..t....@-.*.\..
0070 e7 67 3d 6f 85 d7 97 4d 96 4b ec 94 e4 b2 91 a4
                                                        .g=o...M.K.....
0080 9b 64 6b 40 98 78 21 9e 20 67 0b 21 b6 92 a3 06
                                                        .dk@.x!. g.!....
                                                        ..^.x0...E!....?
0090
     c5 85 5e 00 78 4f 06 de e8 45 21 e0 f2 a2 b0 3f
     01 2e 2f 9a 8f 16 01 d3 4e 57 fe b6 df 8b 59 72
                                                        ../....NW....Yr
00a0
00b0 9f cb 5e 1c 03 ea bd c0 ce 62 c7 9d 2e c7 3f c5
                                                        ..^....b....?.
00c0 af fe 5b b1 76 ed 92 ff 7c a8 f4 c8 02 80 b3 78
                                                        ..[.v...|....x
                                                        ;.g.F...i...n
00d0 3b d0 67 93 46 1e f3 92 8e 69 d3 b9 cd c0 0c 6e
00e0 8f 23 e9 a3 95 8b d2 7d 19 5c ce 8c 6a 1e 8a e3
                                                        .#....}.\..j...
00f0 9a 0c 9a d9 5c 17 ea 3c 43 e5 1a 3f 80 a9 a7 50
                                                        ....\...<C..?...P
0100 b5 09 78 73 dc 1e 00 f6 6f 91 94 31 35 33 1d e5
                                                        ..xs....0..153..
0110
     ae cb 06 f7 9a 69 68 cc 06 50 e9 d4 22 d7 a1 62
                                                        .....ih..P.."..b
0120
     4e 9f c3 39 0d 4c 27 ca 48 f6 f2 18 f7 a7 d0 c0
                                                        N..9.L'.H.....
                                                        R....".S.....
0130 52 1a f2 b8 f7 22 ab 53 b9 82 1b 0d f7 99 13 0d
0140 25 2e cd d2 dd 8d f3 00 10 7f 2f 58 69 d7 11 87
                                                        %..../Xi...
0150 51 86 f5 cf 60 7e 06 f4 79 0f 60 53 1e cc c0 e2
                                                        Q...`~..y.`S....
0160 26 1c 3e 18 2d 1f 4d d2 40 a3 8e 6b 48 b2 9c a9
                                                        &.>.-.M.@..kH...
                                                        $.".&...wo.K....
0170 24 99 22 9f 26 8d 92 bf 77 6f d9 4b 2e d2 e9 cc
     e4 82 0f 68 e7 02 16 99 b9 b6 86 47 c9 99 4b 86
0180
                                                        ...h......G..K.
0190
     c7 ba cf eb f1 69 e9 16 87 ba a4 a4 24 40 22 05
                                                        .....$@".
     56 c2 4f 0e b8 35 eb ab 9d 7f f2 8c a4 34 26 16
                                                        V.0..5......4&.
01a0
01b0
     1b c8 74 8e ab e1 c5 2d e4 39 d6 24 32 8d ed a3
                                                        ..t....-.9.$2...
     59 4d 9a 69 6e 67 4a 84 79 9f 80 12 5c 55 0a df
01c0
                                                        YM.ingJ.y...\U..
01d0
     fd 05 18 f1 6b 07 1e f9 12 b0 c3 7a 03 ab 01 20
                                                        ....k....z...
     19 98 01 a4 e0 7a a4 fd 21 77 6e ec f4 a5 05 ea
                                                        ....z..!wn....
     6a 40 67 ee e1 b0 1c c0 1f 00 e0 02 ea 00 a0 09
                                                        j@g......
   Data: 6ca3b30234ac85ccdf454e900e47347651716e7ab94f8f10a2b583af08926a36278bac90...
    [Length: 512]
No.
        Time
                                             Destination
                       Source
                                                                   Protocol Length Info
     41 157.099640014 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            46
                                                                                   Acknowledgement, Block:
Frame 41: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
        Time
                                             Destination
                                                                   Protocol Length Info
                       Source
     42 157.099657332 127.0.0.1
                                            127.0.0.1
                                                                  TFTP
                                                                            558
                                                                                   Data Packet, Block: 14
```

Frame 42: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
     a8 03 9a 94 74 d2 85 a4 13 38 9c 0b bc 8b 33 4d
                                                        ....t....8....3M
0000
0010
     e8 ee cb 05 96 02 48 c2 d9 a4 10 dd f7 d6 56 f3
                                                        ......H......V.
0020
     31 92 db c9 e6 da c7 c9 f9 bf 70 65 ed 87 a9 e7
                                                        1....pe....
0030
     48 6e a0 9d be b5 2c a3 af 81 25 89 24 d3 b7 93
                                                        Hn...,...%.$...
0040
     34 ae 60 1a 59 ca 3a 95 fd a1 27 ed dc 40 32 ce
                                                        4.`.Y.:...'..@2.
0050
     ce c3 1c 4d 5a 79 a9 9a 9f 3f 4b 1f 09 1a 98 38
                                                        ...MZy...?K....8
0060 9e d7 ce b1 81 25 64 f7 72 e6 91 34 ae e5 01 b2
                                                        .....%d.r..4....
0070 81 2c 45 a4 85 31 64 3f c6 47 96 85 6b ff 9b 9d
                                                        .,E..1d?.G..k...
                                                        k.j.J.O.% b....U
0080 6b 0d 6a f2 4a c3 4f f2 25 20 62 15 a8 a8 a0 55
0090 13 05 d4 04 a9 82 16 74 01 b9 58 44 5d c5 b1 ae
                                                        ....t..XD]...
00a0 54 54 ba 8c ae 5a 4b 75 d4 ae 97 01 75 b6 64 6c
                                                        TT...ZKu....u.dl
00b0 45 67 51 50 a6 b5 2a a0 d5 8a 76 d9 69 0b 56 1d
                                                        EgQP..*...v.i.V.
00c0
     b5 5a 2f e5 87 10 2e 72 11 c4 cb 3a ba ae ae e3
                                                        .Z/....r...:...
00d0
     08 48 71 cb 93 fd 91 0b 09 05 cd d5 d2 19 df 5f
                                                        .Hq...._
00e0 27 27 e7 7c 79 f2 9e f7 3b e7 bd 9d 57 a4 b4 87
                                                        ''.|y...;...W...
00f0 c4 07 2e 39 b4 13 40 c8 e2 cf 9f 5a 36 4f b2 c7
                                                        ...9..@....Z60..
0100 62 77 8e 79 74 48 1c fa 29 59 c1 55 cb 14 96 4f
                                                        bw.ytH..)Y.U...0
0110 96 bd de d5 2e a1 b1 89 4d fb c4 89 00 6e cd 6d
                                                        ....n.m
0120 ae b4 6a ba fc c9 03 fb 1f da 72 67 4d 60 00 02
                                                        ..j....rgM`..
0130 f6 4b 86 16 57 c2 ce 64 e5 da 89 c5 fb 59 4a f6
                                                        .K..W..d....YJ.
0140
     51 da 24 01 5d 2e a2 c4 ba 3f 53 ef fe 00 95 1b
                                                        Q.$.]....?S.....
                                                        ....1d."fh.>....
0150
     cb ee b4 c1 31 64 d5 22 66 68 9e 3e c0 0f cb bf
0160 b9 e5 28 54 b0 5c e4 95 99 93 00 e4 37 2e b2 c3
                                                        ..(T.\....7...
0170 af 77 29 f2 96 2e a2 6f cf 0a 00 a9 5b 1c c6 27
                                                        .w)....[...
0180 6b 16 d1 77 ed b1 d2 72 a4 9e 4d 73 30 2a 8b b8
                                                        k..w...r..Ms0*..
0190 25 cc ae 05 70 28 a1 12 0e 27 0b 60 f9 ff 72 15
                                                        %...p(...'.`..r.
01a0 65 01 a3 2b 3e 45 37 82 25 48 7e 86 02 39 a3 2b
                                                        e..+>E7.%H~..9.+
     80 6e 04 4b e8 d1 04 20 ea 0c 5e 0e 99 2b f2 9e
                                                        .n.K... ..^..+..
01h0
01c0
     4d 40 45 88 ca a2 f7 e3 23 df c3 8e 85 25 cc b9
                                                        M@E....#...%..
                                                       ...).\.*..7..s~.
$.`..5....5
01d0
     07 c0 df 29 c4 5c de 2a 9f 05 37 d7 9e 73 7e d7
01e0 24 e6 60 09 ab 35 e6 a7 0c 9c 11 9b 35 d8 c7 8f
                                                        ..".j.-V...6.Tl.
01f0 bd df 22 bf 6a 1f 2d 56 fe d8 7f 36 f9 54 6c f6
    Data: a8039a9474d285a413389c0bbc8b334de8eecb05960248c2d9a410ddf7d656f33192dbc9...
    [Length: 512]
        Time
No.
                       Source
                                             Destination
                                                                   Protocol Length Info
     43 157.099673642 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            46
                                                                                   Acknowledgement, Block:
Frame 43: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
No.
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     44 157.099690468 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 15
Frame 44: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
     99 68 16 2c 99 bf 9a 24 c7 bf 18 d6 e9 d0 7d 9c
0000
                                                        .h.,...$.....}.
0010
     d6 50 ce 95 a1 62 43 4f 04 d7 93 24 43 c5 1a fb
                                                        .P...bCO...$C...
     c2 d2 b9 c7 ff ac 14 3f 57 a7 50 8e 23 59 52 ca
                                                        .....?W.P.#YR.
0020
     77 74 3e 78 b1 4f 8f c5 ba 9f 89 08 b5 4c 83 30
0030
                                                        wt>x.0....L.0
     0b d6 36 c3 70 ff b3 89 9d 87 69 c5 cb a2 49 96
0040
                                                        ..6.p....i...I.
                                                        2.G.F....~..I.
0050
     32 ec 47 8d 46 a3 11 87 2e e9 d7 7e 7f bd 49 e6
0060
     18 ed f4 72 d6 41 63 a3 2d 35 23 e9 11 9e c1 e9
                                                        ...r.Ac.-5#....
0070
                                                        ./.$NO?....Xc|..
     d9 2f 00 24 4e 4f 3f 9c 10 7f b7 58 63 7c f7 ac
     dc 70 a9 75 cd 89 4a 6b 8e 6a f3 44 7e 0f 2d a6
0080
                                                        .p.u..Jk.j.D~.-.
0090
     4a b2 df df 14 8e d5 e5 85 ed 2b 2c 78 b9 07 7f
                                                        J....+, x...
00a0
     1b 10 e0 f2 d4 9c e3 a0 4b 6e 99 ab 6f 85 e5 0d
                                                        .......Kn..o...
     31 6b dc cc 5e 91 4b cc 0f c2 da 0c 0b c2 fa 8f
00b0
                                                        1k..^.K......
00c0
     d5 82 ff 73 87 cc 1d d2 bc fb 65 ab 81 6d 40 a9
                                                        ...s....e..m@.
00d0
     fb c6 82 ce be 5a 77 76 68 df c9 a9 95 c8 ff cd
                                                        .....Zwvh.....
00e0
     94 66 a1 4d 18 f9 cf b4 30 df 59 70 d3 46 2d c2
                                                        .f.M....0.Yp.F-.
00f0
                                                        ..../b..G.!9.
     2e b5 09 d6 eb 84 b6 2f 62 07 cb 47 97 21 39 ac
     c1 26 a6 d8 d7 7c 0d 0b 6e 02 80 f2 c1 e1 b7 ba
0100
                                                        .&...|..n.....
                                                        ..._H.9..y..y...
0110
     81 d2 ac 5f 48 d5 39 ed 9e 79 a0 cf
                                          79 07 a1 b2
0120
     66 11 7d f4 b1 b0 70 9b 51 d9 cd 20 03 94 23 75
                                                        f.}...p.Q.. ..#u
0130
     0d d9 bf e0 30 b2 58 b6 e4 c1 1f eb 5a 53 1c 68
                                                        ....0.X.....ZS.h
```

.Y..s..S...cU.G.

95 59 bc 88 73 0c bb 53 8f d6 ee 63 55 cb 47 19

```
..m..l...V.o.E.i
0150 9a e3 6d c4 a4 6c 0d 9d dc 56 e1 6f 9f 45 cc 69
                                                        ?...F.E.....lh
     3f 91 c3 ac 46 f4 45 98 f3 1a b7 a0 bc c2 6c 68
0160
0170
     ec e3 df 92 c5 b0 52 af ba 38 87 5a e1 17 93 29
                                                        ......R..8.Z...)
0180
     b6 b4 91 7f f1 99 db 2b d1 56 ed d4 98 86 b0 5d
                                                        .....+.V.....]
0190
     ef e4 15 b1 45 73 95 7e 24 f9 41 53 6f fe b1 b5
                                                        ....Es.~$.ASo...
     4e ac b1 27 2c 3f 3e 31 9e 7f 74 ef 69 b3 7c 87
                                                        N..',?>1..t.i.|.
01a0
     ca be 7f 65 19 1b 86 2e 27 2b d4 fc 49 61 0f 5d
                                                        ...e....'+..Ia.]
01c0
     de 24 9d b0 37 e7 98 3e e2 7c 93 72 ef 73 10 29
                                                        .$..7..>.|.r.s.)
01d0 14 13 57 9b 8c f7 93 39 c2 d3 ec 5f 8e de 4f 3a
                                                        ..W....9..._..0:
                                                        ....30.'.0..x..Q
01e0
     f4 95 05 00 33 6f ca 27 a4 4f bb 12 78 c9 fd 51
01f0 dc c8 24 c8 7b 7a fc db 45 d6 7c 12 55 a3 8c 06
                                                        ..$.{z..E.|.U...
   Data: 9968162c99bf9a24c7bf18d6e9d07d9cd650ce95a162434f04d7932443c51afbc2d2b9c7...
    [Length: 512]
No.
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     45 157.099706504 127.0.0.1
                                             127.0.0.1
                                                                            46
                                                                                   Acknowledgement, Block:
15
Frame 45: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
       Time
                                             Destination
                                                                   Protocol Length Info
                       Source
     46 157.099724165 127.0.0.1
                                                                   TFTP
                                                                            558
                                             127.0.0.1
                                                                                   Data Packet, Block: 16
Frame 46: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000 be 5b b9 6a 71 9b 63 34 08 e5 78 af ac 0b 56 44
                                                        .[.jq.c4..x...VD
0010
     19 66 3d ba d3 60 5f 13 a3 a3 dd cc fe 2c b3 c4
                                                        .f=..`_....,.
     de e8 f7 77 1f cb 4c 0c ab 14 9b 6b a2 ef cc 1e
0020
                                                        ...w..L...k...
                                                        .;5|....k.>|.5A.
.!e..&.`...[..c.
     db 3b 35 7c af e4 fe ca 6b 0e 3e 7c da 35 41 ff
0030
0040
     ea 21 65 9d 14 26 a9 60 00 80 b7 5b 94 db 63 ef
0050
     34 58 7b f8 d8 16 5c 11 f6 84 7d b7 76 f3 91 52
                                                        4X{...\...}.v..R
0060 00 28 3c f8 1f ff 7b b5 2d 21 07 db ec 70 26 da
                                                        .(<...{.-!...p&.
                                                        ..q.Q-F..W.^.z..
0070 18 f3 71 d4 51 2d 46 b7 a4 57 b0 5e c1 7a 19 0e
0080 70 c1 c4 fb 91 92 d6 60 d2 ab db 83 e4 46 6d 6d
                                                        0090 c7 49 bf cd 79 78 e6 8c eb 38 15 a9 73 de 76 70
                                                        .I..yx...8..s.vp
00a0 a3 18 47 d2 74 d7 75 be 88 34 db a5 3b bc d3 eb
                                                        ..G.t.u..4..;...
00b0
     19 32 67 ed a7 c3 c5 1a 8d 46 23 7b 60 5c ca 48
                                                        .2g.....F#{`\.H
     a3 9c 6d 32 63 bc 56 69 58 69 fa 1c 67 23 05 43
00c0
                                                        ..m2c.ViXi..g#.C
00d0 a1 eb 4b b4 d7 e1 33 f7 c3 5f 15 5a 0b db 5f 7e
                                                        ..K...3.._.Z.._~
00e0 14 00 8a 3c dd dd 9e 33 f3 03 a3 19 07 d4 da c6
                                                        ...<...3......
00f0 3d a5 85 dc d2 73 42 af de e9 b9 45 35 97 99 72
                                                        =....sB....E5..r
0100 4b 3c 97 24 1b f4 aa b3 2c 8e 83 8d b9 95 d8 89
                                                        K<.$....
                                                        ....%.G..,(.x..a
0110 f2 d5 8b d4 25 89 47 ec b5 2c 28 fc 78 9c ae 61
0120 9c 00 8a ff 49 31 1a bb 9a 4d 2f 80 fe 0c 00 43
                                                        ....I1...M/....C
0130
     cf 15 6f fb c7 a8 cf 43 d0 a0 cd e9 34 50 b2 fe
                                                        ..o....C....4P..
0140
     41 25 06 d1 5a b5 15 40 ce 6b 9b 00 9c de 61 a5
                                                        A%..Z..@.k....a.
0150 6c f5 35 e6 d6 41 05 49 96 cd 54 18 cb 56 dd a0
                                                        l.5..A.I..T..V..
                                                        ..s5...<. [u....
0160 f6 d4 73 35 a3 e3 f4 3c e9 20 5b 75 c6 f5 cb c8
0170 3a 71 90 3e 11 df 2c a5 f9 79 b0 82 34 89 da de
                                                        :q.>..,..y..4...
0180 ed 26 22 5f 37 4d 9b 75 a9 a3 9e e2 76 58 e5 bf
                                                        .&"_7M.u...vX..
0190 82 a5 58 4e 92 4b 34 1a cd 99 4a 92 ce 0a 4b 60
                                                        ..XN.K4...J...K
                                                        .uT.t.42...E..&.
     05 75 54 d5 74 b0 34 32 ff f2 8e 45 c5 b4 26 96
01a0
01b0
     52 13 d7 8b 5f b7 cb 53 57 b2 d5 da 21 9d e6 0f
                                                        R..._..SW...!...
      c5 f6 50 03 1b ca 97 76 78 11 35 d3 fd 81 b6 86
                                                        ..P....vx.5....
01c0
                                                        ..4.._8.Ki{.M.8.
     0a 14 34 8a ea 5f 38 ff 4b 69 7b fb 4d 00 38 9f
01d0
      60 f3 be a5 e5 4f 4f 96 1a 71 cb a7 94 24 2b 22
                                                         ....00..q...$+"
01e0
     56 38 2d 89 d0 15 db 11 77 26 5b da a2 6e da 08
                                                        V8-....w&[..n..
01f0
   Data: be5bb96a719b633408e578afac0b564419663dbad3605f13a3a3ddccfe2cb3c4dee8f777...
    [Length: 512]
No.
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     47 157.099745887 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            46
                                                                                   Acknowledgement, Block:
Frame 47: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
        Time
                                             Destination
                                                                   Protocol Length Info
                       Source
     48 157.099760554 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 17
Frame 48: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
```

Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1

```
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000
      cd 9a d0 ba ba ba ba ba 3a 6d 11 51 a5 7d d2 33
                                                        .....m.Q.}.3
0010
     9a 37 1b a5 8e 62 40 00 00 28 4e 43 57 c2 41 21
                                                        .7...b@..(NCW.A!
     ee 3c 62 e1 b2 1b 80 72 d2 55 05 b0 ee 6b dd 01
0020
                                                        .<b...r.U...k..
     91 74 a3 d0 1f f0 eb b2 a8 6e d7 76 81 ba d3 de
                                                        .t....n.v...
0040
     52 d3 8f fb 0c d7 11 2d 0d 73 a8 49 96 1a 3c 07
                                                        R..........s.I...<.
0050
     0e cc 5b 7c a5 d8 74 4a e5 dd 01 96 3e 0a 35 ee
                                                        ..[|..tJ....>.5.
0060
     06 80 1b ad 00 82 06 41 8d da 18 5d ff a0 a9 d9
                                                        58 38 1c b8 39 ae 1a 6a 1c 88 d1 5d 22 ab 8d 01
                                                        X8..9..j...]
0070
                                                        p......"..m...Sm.
     70 13 11 11 00 d4 e3 22 01 f4 6d 05 10 53 6d d6
0800
0090 bf 7a b1 6c 4a 33 32 32 76 32 f3 1c 49 a6 b0 64
                                                        .z.lJ322v2..I..d
                                                        ..J...+.9...[2#s
00a0 c6 14 4a bc 19 98 2b aa 39 a1 fd de 5b 32 23 73
                                                        ..%.v."......".
00b0 be 9c 25 ac 76 89 22 07 06 92 a2 13 ac 89 22 dd
                                                        &....\.W..H..n}
00c0 26 95 8c bd c0 aa 5c 92 57 1b 0b 48 8f 16 6e 7d
00d0
     5c d3 50 60 c6 fb 60 06 ac b5 24 c9 61 b3 c8 6a
                                                        \.P`..`...$.a..j
00e0
     0a 64 f6 39 4a bc 59 23 e8 aa e9 91 de 12 7e 99
                                                        .d.9J.Y#....~.
00f0
     23 e7 30 2f 32 87 cc bd 4d 8a 4e 90 29 64 64 09
                                                        #.0/2...M.N.)dd.
     c7 ca 19 38 90 c7 07 90 02 19 db c2 10 15 19 6e
0100
                                                        ...8.....n
0110 06 ac df f1 9b 78 73 44 27 1e 84 2d fa a2 30 4e
                                                        ....xsD'..-..0N
0120
     ea df 06 d6 c6 a1 35 be 00 66 03 ef 0b 50 fb c4
                                                        ......5..f...P...
0130 65 56 03 08 72 ba 08 8c b8 73 6c 21 0e 05 02 ae
                                                        eV..r...sl!....
0140 db a7 03 c8 06 a6 02 4f 56 0f f7 01 b2 b6 b8 da
                                                        ....^.U.O.....
0150
     84 cb 8c 85 5e ea 55 18 4f 0a a4 b7 84 a2 13 a4
0160
     94 2c 50 a9 dc ff 44 f9 08 92 ee 12 2e 48 57 bd
                                                        .,P...D.....HW.
0170
     21 90 6e 24 58 32 f6 02 c9 82 74 d5 80 a9 b4 9e
                                                        !.n$X2....t....
                                                        .....1.tTZ..."7
0180 cc 80 15 f9 d8 f5 bd 31 a4 74 54 5a a4 84 22 37
0190 d7 61 a9 64 fa 7b a2 a5 23 28 9f af 85 d5 08 d7
                                                        .a.d.{..#(.....
01a0 ab a9 64 ca d5 29 02 4b c6 ca 49 8e c9 ac bf b3
                                                        ..d..).K..I....
01b0 d4 06 58 96 8a bc 30 3f b7 fb ec f2 97 0d ad b6
                                                        ..X...0?......
01c0 5c 40 0c a8 8f 43 18 f4 d9 67 6f 18 b2 f5 f5 34
                                                        \@...C...go....4
01d0
     a2 53 fb cf 75 aa fd 65 2b 3f 29 a1 80 e4 c3 05
                                                        .S..u..e+?)....
01e0
     c2 6d fd cd 08 7a 91 ae 63 0c 52 50 b8 40 08 2f
                                                        .m...z..c.RP.@./
01f0 a1 57 54 ce 0c 0a a7 04 b2 28 7d 11 19 95 5a 24
                                                        .WT.....(}...Z$
   Data: cd9ad0babababababa3a6d1151a57dd2339a371ba58e62400000284e4357c24121ee3c62e1...
    [Length: 512]
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     49 157.099780128 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            46
                                                                                   Acknowledgement, Block:
17
Frame 49: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
                                                                   Protocol Length Info
        Time
                                             Destination
     50 157.099793799 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 18
Frame 50: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000
     21 17 3d 4c 4e 25 8f 6c 25 b7 26 27 a4 90 1b 8f
                                                        !.=LN%.l%.&'...
0010
     30 6d 23 39 3f 39 35 b7 c4 26 d9 fa 6f 3a 19 45
                                                        0m#9?95..&..o:.E
                                                        JU*U....a%..U...
0020
     4a 55 2a 55 b6 01 16 8d 61 25 a8 d2 55 d9 0c fe
0030
     b8 92 a4 87 8b ee a1 19 22 12 64 0a 39 a0 84 2e
                                                        .......".d.9...
      99 9c 7c 8d 04 e9 e1 c2 16 0f 56 49 55 aa 78 57
0040
                                                        ..|.....VIU.xW
0050
     db 44 7e 41 32 3c 49 26 b9 3d dc ad ed 58 a4 85
                                                        .D~A2<I&.=...X..
0060
     55 14 19 59 44 7a 92 2c 72 4b de 4d 5e 94 26 c7
                                                        U..YDz.,rK.M^.&.
0070
     f2 76 52 82 b6 8f 9e 63 52 02 c9 ef 49 b7 f5 3c
                                                        .vR....cR...I..<
0080
     b2 95 4c 58 0b 90 92 22 69 82 17 19 1c 39 c0 b3
                                                        ..LX..."i....9..
     db ec f2 79 0b ed ae d8 6c d3 97 d7 52 03 52 d3
0090
                                                        ...y....l...R.R.
     af 8c b6 79 b5 a1 1d d1 7f 6c c7 da 8e 07 22 51
00a0
                                                        ...y....l...."Q
                                                        .a:...).U.6.o..h
00b0
      ef 61 3a cd 1b c0 29 a5 55 b0 36 d5 6f f8 1e 68
00c0
      6c 9d ae fd 98 35 3b 2b 1c 98 98 19 f3 8d b6 c4
                                                        1....5;+......
     d9 c2 79 85 a7 80 09 03 5b a3 6f 60 da ce ba d7
00d0
                                                        ..y....[.o`...
     75 b3 aa ee 4f 0f 00 9c 3d b2 9d 37 e0 9a 74 5b
00e0
                                                        u...0...=..7..t[
00f0
     bc f6 af 94 a6 01 2b e2 27 ee c4 ea 09 ef ff 14
                                                        . . . . . . + . ' . . . . . . .
0100
     83 85 9f 64 8d 42 c3 35 dc 94 de 3d 90 05 1c 4f
                                                        ...d.B.5...=...0
                                                        ._T.c.T.^,[..%..
     ac 5f 54 85 63 f3 54 f3 5e 2c 5b b7 dd 25 b5 12
0110
      35 73 03 b5 1f 2f ec 22 05 d2 f3 7a ad 44 57 d1
                                                        5s.../."...z.DW.
0120
0130
      2a 7f 87 67 09 3d 25 b5 92 1a 72 4a ba ee 32 97
                                                        *..g.=%...rJ..2.
0140
      fb c5 c2 8b 09 64 42 0d ab c6 b0 26 81 bc 28 62
                                                        .....dB....&..(b
0150
      ee 6d ba c4 f2 7a 36 49 7a 04 f3 a3 9d 64 81 56
                                                        .m...z6Iz....d.V
```

...H..;<_..

03 d9 d1 48 16 91 20 07 fa 92 f9 3b 3c 5f cc ad

Trivial File Transfer Protocol

```
0170 41 a7 7b 5d f6 1a 8d 05 9f 44 03 00 26 b4 45 4f
                                                       A.{].....D..&.EO
                                                       ...?.'J..<...ko.
0180
     df 0e dc 3f e9 27 4a 06 00 3c f9 a1 cf 6b 6f e2
0190
     fe 3b 97 d7 2f 45 76 bc e7 21 00 c0 d1 d0 90 d8
                                                       .;../Ev..!.....
     90 b7 66 20 bf 38 7a dd 15 c0 23 ef b8 4b 1b ee
                                                        ..f .8z...#..K..
     37 63 45 2c 64 5f 1d 8f 1e 8e 4b ae e2 6f 0f 03
01b0
                                                       7cE, d_....K..o..
     77 a3 77 61 70 2d 92 df ce db 34 05 d8 0d b4 0c
01c0
                                                       w.wap-...4....
     c1 86 b8 3e eb ff cf de 95 c7 45 55 f5 fd 2f 77
                                                        ...>....EU../w
01e0 44 04 d4 00 51 50 54 98 11 48 f6 c9 ad 14 21 63
                                                       D...QPT..H....!c
                                                       I..4....c.f..-0
01f0 49 cd d4 34 b1 12 cd 8d ea 63 0f 66 fa 9a 2d 4f
   Data: 21173d4c4e258f6c25b72627a4901b8f306d23393f3935b7c426d9fa6f3a19454a552a55...
    [Length: 512]
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    51 157.099809790 127.0.0.1
                                            127.0.0.1
                                                                                  Acknowledgement, Block:
                                                                  TFTP
                                                                           46
18
Frame 51: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    52 157.099823126 127.0.0.1
                                            127.0.0.1
                                                                  TFTP
                                                                           558
                                                                                  Data Packet, Block: 19
Frame 52: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
     2e a5 a6 b9 a5 12 65 af 81 66 69 d9 a2 46 1f 7c
0000
                                                        ....e..fi..F.|
     35 1e 4d d1 4c 7b 6a 1c d6 99 04 07 2a b2 52 23
                                                       5.M.L{j....*.R#
0010
                                                        [.7....3#..s..
     5b 04 37 be f7 fd e3 ce 8c 33 23 cb 0c 73 c7 87
0030 f7 fd 78 fe 99 3b e7 9e 73 ee 77 ce 3d f3 3b bf
                                                        ..x..;..s.w.=.;.
0040 fd c8 b5 e4 ab 43 80 d2 6b 6a 47 bb 59 d9 a9 2c
                                                        .....C..kjG.Y..,
     b5 81 b1 72 80 ca 1d fa 51 08 10 dd 79 cd f6 dc
                                                        ...r....Q...y...
0050
0060
     71 8e f4 13 4b 64 37 ae 58 98 cc 14 4b 47 03 e8
                                                       q...Kd7.X...KG..
     1e fe a5 a3 2e 08 5d cf ba 4a 20 53 4c 3d 3a 5c
0070
                                                        .....]..J SL=:\
                                                        .\..O.R(.cD;'...
     1b 5c 8a a7 4f ff 52 28 9f 63 44 3b 27 fb ab 9e
0080
                                                       P.. 6j...r.^'_be
0090 50 c4 fb 20 36 6a d0 a3 a1 72 12 5e 27 5f 62 65
00a0 4a 15 80 28 ff 69 33 5a d5 bd c9 97 e8 d4 6c a9
                                                        J..(.i3Z.....l.
0000
     fa 7f 58 05 74 8d 2c 87 dc c5 99 b5 55 99 f6 61
                                                        ..X.t.,....U..a
00c0 79 11 3a 04 7e e9 82 ed b3 d5 a1 43 c2 6b 24 59
                                                       y.:.~....C.k$Y
00d0
     eb 54 fc 91 3f e5 0d 3f 52 20 f2 5f c3 00 78 f5
                                                        .T..?..?R ._..x.
     71 4d 60 46 6b 5f 62 70 b1 6f 39 7c 62 af e8 5c
00e0
                                                        qM`Fk_bp.o9|b..\
00f0 6f f3 71 80 aa 87 e9 10 87 e4 b8 2f 5d e5 c2 d5
                                                       o.q..../]...
0100 2a 58 5f e5 ea 50 1a fd df 87 5d e7 57 d6 1a ba
                                                        *X_..P....].W...
0110 95 78 a1 08 c0 27 13 9c 7f ba 9c 74 2b a6 e2 df
                                                        .x...'....t+...
0120 c0 cc d1 7e 37 cb 9e 68 e7 5c 15 03 c5 53 eb 72
                                                        ...~7..h.\...S.r
0130 d1 96 60 1d 3c 78 18 c0 d4 ce eb d0 a6 60 3d 71
                                                        ...`.<x.....`=q
.@..B..r.n....
0150
     5c 1e dc e6 10 ac 83 c1 d5 00 56 5e 78 ac 6d 29
                                                        \....V^x.m)
0160
     c0 3d ab 01 f8 9c d1 35 b4 29 58 89 5b 80 72 bc
                                                        .=....5.)X.[.r.
                                                        T.zT.p.Q3y.."
0170 54 e8 7a 54 8e 70 10 51 33 79 92 dc 22 88 f2 95
0180 26 39 08 fb 61 09 01 c5 24 e7 c8 89 aa 69 58 f6
                                                       &9..a...$....iX.
0190 bf c4 1d 3f 47 03 97 f2 6e c6 1b 74 60 6d 25 6e
                                                       ...?G...n..t`m%n
01a0 07 80 59 06 b4 2d 58 67 3f 05 e0 35 fc 26 a9 9c
                                                        ..Y...-Xg?..5.&..
01b0
     ec a4 f2 8a f8 6a 00 08 7d 04 6d 6a b6 de 3a 51
                                                        ....j..}.mj..:Q
     Of 94 04 3a 24 e2 28 5c Of 6b c3 25 00 31 43 1c
01c0
                                                        ...:$.(\.k.%.1C.
01d0
     92 d6 e2 9f 3e ea 62 58 6f 8f 00 00 ac b6 ff 6f
                                                        ....>.bXo.....o
     a8 7a 32 ed 0f dd 06 17 93 d3 30 16 b3 e5 84 ad
                                                        .z2.....0....
01f0 d7 e3 06 95 b1 29 21 03 f9 b2 8d 17 b8 ec 02 d9
                                                        . . . . . ) ! . . . . . . . .
   Data: 2ea5a6b9a51265af816669d9a2461f7c351e4dd14c7b6a1cd69904072ab252235b0437be...
    [Length: 512]
                                            Destination
No.
                      Source
                                                                  Protocol Length Info
    53 157.099849865 127.0.0.1
                                            127.0.0.1
                                                                  TFTP
                                                                           46
                                                                                  Acknowledgement, Block:
19
Frame 53: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
        Time
                                            Destination
                                                                  Protocol Length Info
    54 157.099863742 127.0.0.1
                                            127.0.0.1
                                                                  TFTP
                                                                           558
                                                                                  Data Packet, Block: 20
Frame 54: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
```

```
Data (512 bytes)
      65 44 03 98 6f ef 4c 6d ab 3d 7d 74 e8 6b 56 f1
0000
                                                        eD..o.Lm.= t.kV.
                                                        6....I1..
0010
      36 8a c8 8c df 1d 89 ea b2 eb e7 e7 49 31 b5 f6
0020
      ed 06 39 c1 3c 37 9a c1 16 07 83 29 a3 bd 82 49
                                                        ..9.<7....)...I
0030
      1e 93 79 f3 09 9b 44 f2 a4 5d 07 59 09 09 63 b9
                                                        ..y...D..].Y..c.
     b6 b3 96 69 26 a7 78 41 f4 7a a5 90 24 19 70 42
0040
                                                         ...i&.xA.z..$.pB
     66 58 b3 48 b2 28 51 69 c7 0f 08 60 d5 83 a4 47
                                                        fX.H.(Qi...`...G
0060
     98 39 e6 20 e1 b5 4f 25 47 8f a1 51 82 bc b0 84
                                                        .9. ..0%G..Q....
0070
     09 24 59 f4 58 4b 91 ac c2 b1 d0 44 3e 48 32 cd
                                                        .$Y.XK.....D>H2.
0080
      d4 32 27 ec f1 7f 48 cf b9 6d 80 20 3b 07 31 47
                                                        .2'...H..m. ;.1G
      6a 1b 2a 34 1b 57 ad fc 20 85 34 90 79 51 a2 d4
                                                        j.*4.W.. .4.yQ..
0090
00a0
     2e e7 c8 58 e3 c1 41 4d e5 82 76 6e b6 86 18 1b
                                                        ...X..AM..vn...
00b0 c7 37 b3 ba 84 59 a3 a8 25 99 38 40 fc 53 14 45
                                                        .7...Y..%.8@.S.E
00c0 51 19 f6 c5 4c d3 43 de 4f 38 e0 0a 7e eb 15 b3
                                                        Q...L.C.08..~...
00d0 db 4f 7c 54 42 e3 af 32 21 42 6a d0 21 4a 14 45
                                                        .0|TB..2!Bj.!J.E
00e0 21 ea 81 88 7f 98 1d c8 86 1e 73 9c df b2 47 d8
                                                        !......s...g.
00f0 cf 3d b1 c9 e2 db e0 3b 0f d8 08 3e 8a f7 26 3f
                                                        .=....;...>..&?
0100
     e1 bb 0c 00 e6 ff f0 f3 d5 8b 78 c0 7b e5 05 e3
                                                        0110
     ad a2 38 9f 2e 86 56 08 fb f6 c0 7a 3b f4 6e ab
                                                        ..8...V...z;.n.
0120 ef 21 9d c5 ba 76 c6 20 74 78 b9 fd 39 aa f0 d1
                                                        .!...v. tx..9...
                                                        gJE).L.?/.2..^.i
0130 67 4a 45 29 18 4c 8a 3f 2f 8b 32 93 d6 5e cd 69
0140 75 9c 82 a5 e8 f3 9d 4d 4d ef 73 5d 3f bb fb c8
                                                        u.....MM.s]?...
0150 fa ae 28 4b 7a 29 e8 b4 f2 f7 5f 9a e8 79 68 76
                                                        ..(Kz)..._..yhv
0160 f3 52 92 53 b0 a0 ea 58 e4 e8 56 ab 85 7a ec 9c
                                                        .R.S...X..V..z..
0170
     77 b7 ba d4 5c 60 a8 77 98 03 50 67 1f be 70 ef
                                                        w...\`.w..Pg..p.
0180
     bb 2e 66 6c 3c 46 d8 3f e2 3f e1 83 6a af 98 83
                                                        ..fl<F.?.?..j...
0190
     c3 0a 1b 1a 5c 0c ab d4 de e9 2a 2e c5 f7 df fc
                                                        . . . . \ . . . . . * . . . . .
01a0 b2 63 78 7d a9 93 b2 88 9d 2c d4 04 3b dd 3d c6
                                                        .cx}....,..;.=.
01b0 7a 55 88 82 e0 b4 9c 68 b7 92 f2 83 87 ec 68 74
                                                        zU....h....ht
01c0 9b da 31 25 af f3 16 b2 65 89 2d 1d 01 30 7a 41
                                                        ..1%....e.-..0zA
01d0 47 7f b9 f4 13 76 c3 2a fd 69 e2 8e 66 41 fd ab
                                                        G....v.*.i..fA..
01e0
                                                        z.%..[G4.....
     7a dd 25 d9 84 5b 47 34 cd 89 df 8e fc a8 91 ea
01f0
      b4 a9 65 39 1d 7c 6b 5a 03 a9 c9 97 e8 98 cd 47
                                                        ..e9.|kZ.....G
    Data: 654403986fef4c6dab3d7d74e86b56f1368ac88cdf1d89eab2ebe7e74931b5f6ed0639c1...
    [Length: 512]
No.
        Time
                                                                   Protocol Length Info
                       Source
                                             Destination
     55 157.099879593 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                                   Acknowledgement, Block:
                                                                            46
20
Frame 55: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
No.
        Time
                                             Destination
                                                                   Protocol Length Info
                       Source
     56 157.099892959 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 21
Frame 56: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000
      39 e8 ab e9 56 ae 31 da b5 b7 0b 4a e1 3f a9 b1
                                                        9...V.1...J.?..
0010
     31 8a 2f 39 61 d1 61 a2 bf ff ac 3a c9 8b 78 97
                                                        1./9a.a...:.x.
0020
     20 b8 42 63 d3 4a 33 67 6e 94 47 1c 00 74 bc e4
                                                         .Bc.J3gn.G..t..
0030
     d4 1a 97 d9 56 ad 12 07 c5 01 c0 73 01 2e d2 2b
                                                        ....V.....s...+
     b5 0a 96 a2 6e 86 e4 29 b0 d7 55 7a a5 56 c1 8a
0040
                                                        ....n..)..Uz.V..
0050
     fe 59 ca 7d 3e b1 dc 45 a8 5a 65 21 fb 58 2b 7d
                                                        .Y.}>..E.Ze!.X+}
0060
      de eb ba 74 86 ad 98 ad 69
                                73 8b
                                       01 a0 18 1d 4f
                                                        ...t....is.....0
0070
     a1 ed cc 56 78 87 1f 24 42 8c d5 8a 36 34 5b 33
                                                        ...Vx..$B...64[3
0080
     03 24 09 23 e6 ce 50 d7 a9 77 1d 87 f5 de e7 46
                                                        .$.#..P..w....F
0090
     27 26 b7 b6 62 5c 91 38 68 18 9d 98 2e b6 25 58
                                                        '&..b\.8h....%X
00a0
      d1 e6 18 a4 01 6d 09 56 e2 1a d3 d5 b7 6d 08 56
                                                        ....m.V....m.V
      6e 7f f3 a5 6f 1b 82 b5 b2 5f 5b d2 cb 5f 17 cd
00b0
                                                        n...o..._[.._.
00c0
      d4 e6 cb df 9d 7e 78 e5 33 45 32 91 d3 04 f9 66
                                                        .....~x.3E2....f
00d0
      24 c6 f3 52 fd 33 32 cd 96 45 e4 a9 53 fb b4 22
                                                        $..R.32..E..S.."
00e0
      31 32 70 ae e8 25 2b 07 21 95 37 5a 0d 09 8a c4
                                                        12p..%+.!.7Z....
                                                        ..o.:~v..`.....
00f0
     ad 87 6f 0f 3a 7e 76 82 0b 60 e5 87 b7 b2 e3 e6
     f0 5e 87 27 bc 64 e8 72 fc fc 46 b9 60 55 9b af
                                                        .^.'.d.r..F.`U..
0100
0110
     8a 3e 8d 6a d5 cb 4b 7b c2 fd bb fa 97 ee 38 73
                                                        .>.j..K{.....8s
0120
      ef fe 13 0d 32 6e 3e a6 c3 28 e3 e0 55 f9 b6 83
                                                        ....2n>..(..U...
0130
      98 72 c3 47 1f fe 70 d3 e1 4f
                                    ee ce d1 09 b7 97
                                                        .r.G..p..O.....
0140
      ca a0 83 b8 1e dc fe fe 75 f9
                                    24 4f e9 98 38 77
                                                        ....u.$0..8w
0150
      6c 26 4b 39 da 6b 2c b9 20 54 90 53 20 13 a3 39
                                                        l&K9.k,. T.S ..9
0160
      d0 a2 f7 8a 47 ed ef 99 10 3a 93 1a 76 69 5f c7
                                                        ....G....:..vi_.
      93 dd ba 79 e5 c8 2a 27 8a 09 25 0f 1e b7 e8 3e
                                                        ...y..*'..%....>
0170
```

...Ŕ..."j8=..<y.

d4 ce a4 52 c2 b1 b4 22 6a 38 3d be 84 3c 79 fd

0000 ce 02 7a c0 7a 6d 91 c1 ca cd 56 6b 4b 4a 12 ba

```
0190 Oc 49 d9 60 e5 d4 d2 ea f0 3c b6 af 68 19 53 c5
                                                        .I.`....<..h.S.
01a0 a6 6e e4 49 ed 0b 11 52 cc eb ab 09 9b e5 86 25
                                                        .n.I...R.....%
      78 71 88 cd 10 03 77 35 27 ee 0b 15 5e 71 56 cd
                                                        xq....\w5'...\qV.
                                                        3....E.....'.)
      33 c3 e4 17 f6 45 b1 82 bc e1 ec b9 94 27 06 29
01d0
      77 29 73 4c e0 4e fc 69 9e db 68 ff 4c cb 86 c5
                                                        w)sL.N.i..h.L...
     7c e1 83 28 d1 15 b0 c4 39 bc ad c4 66 90 62 92
                                                        |..(....9...f.b.
01e0
01f0 9c 97 39 74 42 c5 d4 a9 d1 e2 cb 5e 0f 08 a2 10
                                                        ..9tB....^...
    Data: 39e8abe956ae31dab5b70b4ae13fa9b1318a2f3961d161a2bfffac3ac98b789720b84263...
    [Length: 512]
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     57 157.099908717 127.0.0.1
                                             127.0.0.1
                                                                            46
                                                                                   Acknowledgement, Block:
21
Frame 57: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
                                                                   Protocol Length Info
        Time
                       Source
                                             Destination
     58 157.099922220
                      127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 22
Frame 58: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000
      15 16 ed bf 62 81 ed e3 36 85 fd 29 ba 06 56 05
                                                        ....b...6..)..V.
0010
      8b 3f 69 74 a8 80 88 ba c2 2e 99 c7 df ef bd e3
                                                        .?it........
     48 ec 8a cc c7 0c 96 d9 04 a4 d2 a1 c2 45 1a 1b
0020
                                                        H....E..
0030 51 14 c5 2d 9c e9 78 08 5d 31 a7 cf 4f 70 a9 c6
                                                        Q...-..x.]1..0p..
0040 46 91 99 5c f6 9c a3 9d 94 33 2b 1b 49 9e 24 a7
                                                        F..\....3+.I.$.
0050 83 67 83 ea ab 9f 7b c6 c4 39 d0 a3 f7 93 c3 aa
                                                        .g....{..9.....
                                                        .G".[.A....l..X.
0060 01 47 22 08 5b c3 41 18 ea fe 98 6c af 90 58 02
     8c 3e ac 7c 7e b0 83 8f 68 15 63 53 da fb 11 7b
                                                        .>.|~...h.cS...{
0070
0080
      03 5e b6 75 88 19 9f ec b8 df 65 2b b5 81 0a d5
                                                        .^.u....e+....
0090
     ac b9 2d b7 0a 7c 24 f3 dc e0 9b a0 d2 b5 64 25
                                                        ..-..|$.....d%
     42 8f b3 d1 b4 09 a5 24 69 88 5b d1 7e 50 b4 f2
00a0
                                                        B.....$i.[.~P..
00b0 66 a9 74 ad 95 bb 7f 77 b4 1d 6e 74 61 e6 c1 c7
                                                        f.t...w..nta...
00c0 07 89 15 09 4a 51 b8 89 9a 66 5b 07 91 84 23 b1
                                                        ....JQ...f[...#.
00d0 73 e2 3f 93 b2 dd 8d 5d f1 48 fb de 39 82 2c 9a
                                                        s.?...].H..9.,.
00e0 66 a7 cf f3 11 45 51 19 bd 32 ac 62 6a c5 4a a5
                                                        f....EQ...2.bj.J.
                                                        .=.V..T\....4..`
..u..-X.`...e..+
00f0
     c3 3d e5 56 80 cb 54 5c 17 ac d5 86 34 cd b7 60
      dd 82 75 0b d6 2d 58 b7 60 fd 1f 81 65 c1 cb 2b
0100
0110 36 2f b3 31 57 48 d5 52 ca 44 93 91 4e 05 78 d5
                                                        6/.1WH.R.D..N.x.
0120 59 67 59 4c af c5 12 e1 95 8b df 9b 0f 9e 50 59
                                                        YgYL.....PY
0130 3f c3 ca be 27 dd 33 b4 60 c5 b2 80 15 bc f7 8c
                                                        ?...'.3.`.....
0140 e5 9d 9a be 7a 00 50 f4 3c 63 d9 70 e0 19 00 77
                                                        ....z.P.<c.p...w
0150 aa cc b8 62 7c fa f4 39 0e 00 0f cf ae 71 5b 6d
                                                        ...b|..9....q[m
0160 b4 28 9c b1 7e 86 a5 ce 7c a7 74 6f 69 4b 56 2c
                                                        .(..~...|.toiKV,
0170
     0b 7e d3 3a cb 33 db 4b 3c d5 00 53 ba c6 3f 45
                                                        .~.:.3.K<..S..?E
0180
     51 14 07 90 e4 39 13 0b 93 d3 c1 aa c7 3c 65 a3
                                                        Q.....9......<e.
0190 e7 bd 5b fa 76 1a 19 c7 a1 82 5c b1 18 9d 6e 74
                                                        ..[.v....\...nt
01a0 cd 50 e5 d6 59 29 d6 bf 69 71 90 70 63 e2 e9 c2
                                                        .P..Y)..iq.pc...
01b0 8f e5 5a f2 1b 3f bb a1 aa fd 11 c4 01 98 9c d6
                                                        ..Z..?......
01c0 d5 b3 cc 3e c9 64 ac e9 6a 81 dd 4b 5e 2a 9e 01
                                                        ...>.d..j..K^*..
01d0 dd 8c 57 07 ac 6f 94 ed 4a b4 11 ac 12 a5 c0 d7
                                                        ..W..o..J.....
     bb d6 a7 77 ee fc 64 ad d7 09 eb bb 07 cd 92 f7
01e0
                                                        ...w..d......
                                                        <s.D.o..m....:g
01f0 3c 73 a8 44 c4 6f c6 0b 6d 88 ca e0 d0 da 3a 67
    Data: 1516edbf6281ede33685fd29ba0656058b3f6974a88088bac22e99c7dfefbde348ec8acc...
    [Length: 512]
No.
                       Source
                                             Destination
                                                                   Protocol Length Info
        Time
                                                                                   Acknowledgement, Block:
     59 157.099937619 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            46
Frame 59: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
No.
        Time
                                             Destination
                                                                   Protocol Length Info
                       Source
     60 157.099951373 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 23
Frame 60: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
```

..z.zm....VkKJ..

```
0010 49 4a ca 27 0a 09 43 3f b5 5c 5b 43 1a d5 bc 9a
                                                        IJ.'..C?.\[C....
0020
     93 19 ee b2 97 97 37 c2 b2 e1 c8 2d 60 71 80 60
                                                        .....7....-`q.
0030
      05 4b 1a 34 2e da 2c 0b 85 89 2d c0 7a f5 24 c9
                                                        .K.4..,...-.z.$.
0040
      05 06 92 0c 71 cc 8d bf 67 80 31 f1 e6 59 cb 74
                                                        ....q...g.1..Y.t
0050
      9c 69 0b 63 01 2c b4 76 e4 97 2c 77 5b 4f 72 f9
                                                        .i.c.,.v..,w[Or.
     87 be 35 df db 7a 02 be 6c 4a e0 29 98 df 6e e2
0060
                                                        ..5..z..lJ.)..n.
     c6 38 00 1d 3f 1a 11 03 04 44 97 b6 8a 40 14 2a
0070
                                                        .8..?...D...@.*
0800
     2d 66 cb 43 ca c0 18 20 58 ce 56 c2 f5 93 5a 4b
                                                        -f.C... X.V...ZK
                                                        ..V.6'^..=.'....
0090
     16 84 56 08 36 27 5e 99 ca 3d e6 27 f4 96 dc ee
00a0
      67 91 24 5f de dc 2a 02 61 95 06 a3 c6 23 10 80
                                                        g.$_..*.a...#..
      f6 e7 9d 96 95 85 0f 99 ad 78 51 93 4f f5 f9 bc
00h0
                                                        ....xQ.0...
00c0
     89 23 16 ae 98 af 16 01 10 92 4b f6 cd 07 50 f4
                                                         .#.....K...P.
00d0 85 e0 3c 81 e8 59 77 3b 8a a1 46 56 b5 15 9d fa
                                                        ..<..Yw;..FV....
                                                        .|..t..|"ZE...1?
00e0 da 7c 19 0d 74 e9 d5 7c 22 5a 45 cc 0c 00 31 3f
00f0 c2 e0 0f 20 ee c0 56 47 60 69 4d 17 bb ad 4f 9b
                                                        ... ..VG`iM...O.
                                                        /|:..!..R.G".3A.
0100 2f 7c 3a 16 c0 21 ab 04 52 86 47 22 00 33 41 8d
     9b ff 63 a3 c6 a9 f6 c6 cf 02 89 94 76 00 d2 00
0110
                                                        ..C.....v...
0120
      00 e3 1d a1 5b cf 75 37 c2 f9 e7 97 d6 a9 27 66
                                                        ....[.u7.....'f
0130
      7f 1f 0c 60 7b 99 a5 01 ca a0 88 cd 7c 33 ca 74
                                                        ....`{......|3.t
0140    1a 98 fb 85 6e 16 f7 56 1b 1f 3b ce 24 20 67 44
                                                        ....n..V..;.$ gD
0150 00 c0 53 d3 62 90 3b 62 1f 50 7e ba b9 ed da 3e
                                                        ..S.b.;b.P~....>
0160 02 e1 a1 14 c5 41 e6 05 69 d5 26 e7 58 d8 a0 57
                                                        ....A..i.&.X..W
0170 3b 4b f1 16 2b 9a 23 10 53 6d d7 75 b4 2c 89 17
                                                        ;K..+.#.Sm.u.,..
0180 be 51 56 59 57 3c 39 e0 b1 06 60 06 4e 01 db 3a
                                                        .QVYW<9...`.N..:
     5c 02 80 e3 cd 74 cf bd 21 65 cd 29 59 d8 c0 86
0190
                                                        \....t..!e.)Y...
01a0
      de 36 15 39 d3 33 4c 8b a9 54 da 5f ce 35 d3 7d
                                                        .6.9.3L..T._.5.}
01b0
      d9 0f 5a 9b 9a cc 68 fb d7 56 7a a2 e9 70 96 b9
                                                        ..Z...h..Vz..p..
01c0 b6 69 4d a6 a9 6d 07 de 34 d6 5b 75 f1 fb 06 28
                                                         .iM..m..4.[u...(
                                                        ""n..cc,....fY..
01d0 22 22 6e f8 fd 63 63 2c f4 a7 00 ba 66 59 fd b3
01e0 d4 c0 9a f3 7b 9d e4 b7 3c 94 a2 28 8a 61 55 5a
                                                        ....{...<...(.aUZ
01f0 cb b5 d5 9e 24 39 7c 48 5a 87 21 89 24 59 dc 39
                                                        ....$9|HZ.!.$Y.9
    Data: ce027ac07a6d91c1cacd566b4b4a12ba494aca270a09433fb55c5b431ad5bc9a9319eeb2...
    [Length: 512]
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     61 157.099967988 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            46
                                                                                   Acknowledgement, Block:
23
Frame 61: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
        Time
                                             Destination
                                                                   Protocol Length Info
                       Source
     62 157.099981649 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 24
Frame 62: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000
      ac 51 7e eb 3d 41 14 45 71 05 49 ed a4 af a5 9c
                                                        .Q~.=A.Eq.I....
     b5 8b 49 92 21 f6 ef 89 cd c1 12 c2 78 23 2c 92
0010
                                                        ..I.!.....x#,.
     2c 91 c8 7d 94 d8 34 1b 58 41 92 a5 9d 04 f3 59
                                                         ,..}..4.XA....Y
0020
0030
     24 24 a9 74 9e 0d 04 d0 70 6a a8 95 09 c0 7c 15
                                                        $$.t....pj....|.
0040
     a5 06 30 38 66 63 33 7d df 07 80 c8 9f 8c 34 41
                                                        ..08fc3}.....4A
0050
     77 af d1 b0 dc d4 da ba 9e c8 78 80 cd 91 25 1b
                                                        0060
      2b 01 20 3e 1a 00 6a e6 4b ed d6 0f ce 89 04 90
                                                        +. >..j.K.....
                                                        X...[J.2...<}..q
0070
      58 09 00 ee 5b 4a be 32 a7
                                 ee 1b 3c 7d c4 e4 71
0080
      d2 a1 6e cf
                  da 3c 63 a0 67
                                 25 c6
                                       7d 0d 00 63 fb
                                                        ..n..<c.g%.}..c.
                                                        M.."..@..&.E.V..
0090
      4d 96 aa 22 17 00 40 c9 b1 26 7f 45 93 56 1a ab
                                                        \.f.Xu....S8.h{
00a0
      5c be 66 9b 58 75 91 d5 ad d1 06 53 38 cf 68 7b
                                                        ,?.;3..J.{..-X.+
00b0
     2c 3f 1a 3b 33 fc de 4a f1 7b 0b d6 2d 58 ad 2b
00c0
      e5 37 1b 56 55 ea 36 c1 e6 dc f3 14 eb 21 2a 01
                                                        .7.VU.6....!*.
      c1 cc 1e ac 01 b0 ad 71 de 60 9f 03 b8 5a 24 35
00d0
                                                        ....z$5
00e0
      ed 36 18 49 49 7f 92 9c eb 4d f2 59 6a c8 ed 26
                                                        .6.II....M.Yj..&
                                                        ...[J...O...f$N.
00f0
      92 e5 be 5b 4a ea a9 eb 4f d2 90 ef 66 24 4e e1
0100
      24 35 7a 86 53 43 0e eb 2f a5 e5 d4 50 bf cc 2e
                                                        $5z.SC../...P...
0110
      d3 b6 1d 2f d1 47 a1 50 00 03 5e 0c 5a 04 64 54
                                                        .../.G.P...^.Z.dT
     77 7a 1d 00 d4 ed 85 85 b7 1b cf b8 db f3 6e 36
                                                        wz.....n6
0120
0130
      00 7c 9c 14 14 a0 45 26 b2 74 58 5c 0d 45 86 4a
                                                        .|....E&.tX\.E.J
0140
     78 16 ea 04 0f 3f 77 35 fa 8d 4b 77 1f 0e 00 ea
                                                        x....?w5..Kw....
                                                        1Kr.e../....C3b
0150
      31 4b 72 dd 65 9a ad 2f d7 af f7 91 e6 43 33 62
      0c 99 41 3e 4b 26 1b f4 9a 77
                                    a4 16 f9 cc a0 82
                                                        ..A>K&...w.....
0160
                                                        .[._8.02..=..v'.
0170
      a4 5b a4 5f 38 99 4f
                           32 d0 c0
                                    3d a9 f4 76 27 bb
0180
      92 c9 24 35 cb 26 66 93 20 15 06 fd b4 48 79 66
                                                        ..$5.&f. ....Hyf
0190
      6b e2 53 4f d5 42 9b 07 40 5d 3c 10 d8 22 29 28
                                                        k.SO.B..@]<..")(
```

..W....c{6.I....

16 15 57 1a b3 dd e7 63 7b 36 80 49 af 1e b3 88

01a0

ef 47 16 90 81 7a 26 e9 4d b3 e5 97 4d 72 37 b9

0020

```
01b0 ae cc da 8f bf cc 1b c8 9a fb ff ae 5b 0b 00 18
     f6 4d f1 91 ae 72 2c 79 b5 a4 5c 51 bb 01 55 78
01c0
                                                        .M...r,y..\Q..Ux
                                                        ..,Q.M..#]..bM..
     df df 2c 51 d7 4d 98 e0 23 5d 06 e0 62 4d 03 f0
     e8 fc ce 09 00 d6 01 78 0e 28 af 44 b4 24 e0 cc
                                                        ....x.(.D.$..
01f0 03 ba d5 bc 62 fc a7 16 3f 34 a1 a2 50 8e 97 c8
                                                        ....b...?4..P...
   Data: ac517eeb3d411445710549eda4afa59cb58b499221f6ef89cdc112c278232c922c91c87d...
    [Length: 512]
No.
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     63 157.099997981 127.0.0.1
                                             127.0.0.1
                                                                                   Acknowledgement, Block:
                                                                            46
24
Frame 63: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     64 157.100011310 127.0.0.1
                                                                                   Data Packet, Block: 25
                                             127.0.0.1
                                                                   TFTP
                                                                            558
Frame 64: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000
     d3 e9 c9 c9 0a 32 72 eb ee 37 c8 87 77 27 d5 93
                                                        .....2r..7..w'..
0010
     3e 24 a7 24 ed ee 23 35 f0 21 3d 67 93 93 f7 62
                                                        >$.$..#5.!=g...b
                                                        .\............<.g....L"
0020
     c9 5c f2 8d dd 9e dc ff 3c b9 67 ab bb 81 4c 22
0030
     dd 49 f5 8c a4 37 8f 92 e9 e4 dd e9 49 b3 f5 ff
                                                        .I...7.....I...
0040 bf 73 80 b7 51 58 c3 f5 8d 54 66 18 c5 0d 6d 95
                                                        .s..QX...Tf...m.
0050 2b 60 b5 fc 12 ab f5 a5 af 5d 3b 6f 2b 00 4f 5a
                                                        +`....];o+.0Z
0060 62 94 c5 2e 77 af 75 05 ae 16 57 5f 0f 15 49 0d
                                                        b...w.u...W_..I.
0070 cb d5 e4 29 72 7c fd 86 53 24 23 83 56 19 c8 71
                                                        ...)r|..S$#.V..q
0080 ba 71 d4 64 93 9a 69 ab 0f 91 35 06 96 2d 25 d7
                                                        .q.d..i...5..-%.
0090
     f5 5f a7 e1 85 d5 ab e8 4c 69 19 d6 a1 82 8d 3a
                                                        ._....Li....:
00a0
     92 9e 59 e4 6c d2 77 cc e9 fd d9 74 bb 83 e5 ee
                                                        ..Y.l.w....t...
     64 d2 eb 9e 1a b7 74 72 b7 8e e9 de 7c c7 9b e1
00b0
                                                        d....|....
00c0 7e e4 8c ac a5 1a ef e5 4c f5 71 2d 2c 7a 6f 5c
                                                        ~....L.q-,zo\
                                                        >C0....d...^.k..
00d0 3e 43 4f cf bb c8 d9 64 a0 81 fa 5e bc 6b ff f2
00e0 5e 19 12 e5 d7 a7 d3 30 7b f9 f2 85 6a 3e ec cd
                                                        ^....j>..
00f0 fa 91 52 ee 68 bf fd cb 57 67 b8 18 16 35 cc 1a
                                                        ..R.h...Wg...5..
0100 67 9a ad f5 06 96 6d 60 d6 21 73 d6 6d 7d 3a 0d
                                                        g....m`.!s.m}:.
                                                        {H....j...*.....
0110
     7b 48 92 ef e8 99 6a 84 b5 2a 9c ce 95 96 ff 89
     05 fe 09 fa 93 6b 51 ba b0 53 af 4d c0 4b e3 3b
0120
                                                        ....kQ..S.M.K.;
0130 9d da 85 f8 34 5d a7 2e e6 16 21 de a1 8a 78 3d
                                                        ....4]....!...x=
0140 7e dd f1 0b 8d 6a d2 94 f5 ba aa 8d ae 5d f2 cc
                                                        ~....j......]..
0150 1e b9 8a 24 55 3d 4e 8f 21 df 18 df bd 9c a4 f7
                                                        ...$U=N.!.....
0160 48 bf 54 f2 3e 92 86 75 24 c7 74 57 91 9c d6 5d
                                                        H.T.>..u$.tW...]
0170 df 97 9c 48 92 65 7e 23 fb 3b 33 5b 8e 52 f9 bc
                                                        ...H.e~#.;3[.R..
0180 d8 90 b6 48 e5 fb 86 b4 9d cd 67 e0 75 1d 50 38
                                                        ...H....g.u.P8
0190
     b0 66 39 d0 ff 05 0c e9 f9 d6 5b f7 e1 f2 1a eb
                                                        .f9.....[.....
01a0
     a6 1f 35 be 3e e5 5f 5b 1a b2 2c c8 b2 c2 cf 93
                                                        ..5.>._[..,....
     7c 91 f4 39 ed ed ed c6 7a 3f 49 84 37 89 f1 0a
01b0
                                                        |..9...z?I.7...
01c0 ca 52 5a 9e 2d 75 ad 47 d4 02 e0 a3 6b 79 d7 23
                                                        .RZ.-u.G....ky.#
01d0 8f aa 63 00 28 ff fa 4b da 92 26 fd 4f de 24 35
                                                        ..c.(..K..&.0.$5
01e0 be 73 f7 08 80 ff b0 d4 97 b1 a4 32 a0 12 8f a6
                                                        .s........2....
01f0 cc 19 02 dc bf e2 c0 a2 42 e0 71 a0 3a c3 ef 40
                                                        .......B.q.:..@
   Data: d3e9c9c9c9a3272ebee37c8877727d5933e24a724edee2335f0213d679393f762c95cf28d...
    [Length: 512]
                                             Destination
No.
        Time
                       Source
                                                                   Protocol Length Info
     65 157.100029856 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            46
                                                                                   Acknowledgement, Block:
Frame 65: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
                                                                   Protocol Length Info
        Time
                       Source
                                             Destination
     66 157.100043066 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 26
Frame 66: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
     10 f0 38 10 00 20 75 aa fb 3d c5 4e cd d6 22 15
                                                        ..8.. u..=.N..".
0000
     87 05 91 20 a7 b4 33 cf 16 c9 3d c9 05 05 4b 58
0010
                                                        ... ..3...=...KX
```

.G...z&.M...Mr7.

```
0030 c7 8d 63 46 d0 ed 0e 52 41 ee d7 b1 7c 24 a9 20
                                                        ..cf...RA...|$.
     41 2e d1 51 e3 eb dc 3f f1 5a 79 6c cd e0 1f ab
0040
                                                        A..Q...?.Zyl....
                                                        .E....j..
      16 45 a2 a4 e2 df 00 e0 5f 7f 11 00 fc 6a 01 e0
0060
      72 d0 f9 81 7d d5 57 7a 0e ec eb 7e 15 00 dc af
                                                        r...}.Wz...~...
                                                        ..N....*..
0070
     02 a3 4e eb a1 f0 f9 0d fe fe fa 01 17 2a 15 fb
     52 e1 7e 15 07 92 d1 b7 4f 3e dc af 42 20 a6 44
0080
                                                        R.~.....0>..B .D
     02 57 17 39 a2 97 bf a1 f4 ce 8c fd 0b f8 e3 83
                                                        .W.9........
00a0
     ab 56 69 f7 2d ca e6 f9 ef 02 5a 48 f9 4f 4d 59
                                                        .Vi.-...ZH.OMY
00b0
      50 1b 04 60 94 a5 49 3e ad 16 a3 f4 a6 fb e5 6f
                                                        P...`..I>.....o
00c0
      7b 38 f9 4f d4 fe ba c1 63 d3 d3 50 bf e6 de 63
                                                        {8.0....c..P...c
      9f b4 b8 32 25 ab c8 c5 94 94 94 b7 b0 36 13 6a
                                                        ...2%......6.j
00d0
     ff 94 bc 8c fe 98 e9 de 63 11 70 21 af 27 06 02
00e0
                                                        .......c.p!.'..
00f0 40 56 ea 62 f4 42 60 24 74 3a 60 3a b4 3d f6 a5
                                                        @V.b.B`$t:`:.=..
                                                        n9.l."t...b..w..
0100 6e 39 01 6c 9e 22 74 05 be fd 62 f1 9c 77 9d e3
0110 b7 24 ad b0 1c e5 bf f4 f9 80 7d f1 b2 37 93 97
                                                        0120 ef 7b fe bc 2b 79 79 5d 2b f9 e4 a2 46 51 69 9d
                                                        .{..+yy]+...FQi.
                                                        .5..0..[.f9...(.
0130 82 35 f5 fa 30 87 16 5b 8d 66 39 ee f5 03 28 16
0140
     1f b0 7e b6 16 b8 1f f8 dc 3a 6b df b1 17 00 f5
                                                        ..~....:k....
0150
     a2 c6 20 da c1 6e a9 ca 49 ef e4 d3 6e d2 d7 61
                                                        .. ..n..I...n..a
0160 e3 55 93 49 ee 5c 6a ba af be 40 92 35 87 48 d2
                                                        .U.I.\j...@.5.H.
0170 b3 de 54 9b ee 43 92 fa 1f 26 93 fc 89 7d 52 49
                                                        ..T..C...&...}RI
0180 e6 93 1a 0d 69 d8 a9 23 f5 3b 2f 90 1c 53 23 91
                                                        ....i..#.;/..S#.
0190 42 d6 1f 25 a9 31 84 f7 25 c9 c3 17 ec a0 f2 e7
                                                        B..%.1..%.....
01a0 b6 b4 3b 1c 8a fd f3 f2 25 fb 49 e8 d3 da f8 95
                                                        ..;....%.I....
     40 00 4e 1a 4d 8b fb 54 67 83 00 f7 db 56 ae 85
01b0
                                                        @.N.M..Tg....V..
                                                        6#..7.....
01c0
      36 23 f8 c1 37 a5 da f8 bf ee ca 06 da eb 16 dd
01d0
      99 02 7c ba 78 de 5d cb 01 00 af ab 71 51 f7 d9
                                                        ..|.x.]....qQ..
01e0 e7 55 48 7e 3e 77 0e 70 72 e0 78 20 15 98 a4 da
                                                        .UH~>w.pr.x ....
01f0 14 00 44 14 65 4e 7c 0b c8 d8 70 b6 67 cb b3 e5
                                                        ..D.eN|...p.g...
    Data: 10f03810002075aafb3dc54ecdd6221587059120a7b433cf16c93dc905054b58ef471690...
    [Length: 512]
                                             Destination
No.
       Time
                       Source
                                                                   Protocol Length Info
     67 157.100059504 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            46
                                                                                   Acknowledgement, Block:
26
Frame 67: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
        Time
                                                                   Protocol Length Info
No.
                       Source
                                             Destination
     68 157.100072844 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 27
Frame 68: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000
      73 7f 76 f6 79 49 e5 61 24 e3 aa c9 3c d5 23 3b
                                                        s.v.yI.a$...<.#;
0010
      db b8 fd 75 5d 6a a0 26 bb 47 b6 6a 2f dd 92 cc
                                                        ...u]j.&.G.j/...
0020
      5c a9 82 2c 20 db f9 92 05 a4 af 37 fb ef 27 f3
                                                        \.., ......7...
     49 e9 8c 24 92 cc da a0 a0 66 84 27 c9 d9 e4 5e
                                                        I..$....f.'...^
0030
                                                        r....".J..LN...a
     72 dc 18 d6 af 22 b7 4a 03 b6 4c 4e b7 87 c4 61
0040
                                                        .m..........
0050
     84 6d ae e8 17 0f 89 d7 8c 9e fc bf ae e9 e7 f9
0060
     d3 ca d8 94 94 a8 2b 0d df 1d 48 f5 cc 03 80 aa
0070
     9c 54 cc ab e9 09 00 57 aa 43 70 19 db 86 9a 3c
                                                        .T....<
                                                        3..@....0.]..vk
      33 a6 00 40 d1 bd df f6 b4 30 b8 5d 06 b2 76 6b
0800
                                                        #..o...X....}..
0090
      23 be 98 6f 1a b0 e5 97 58 bd f7 ca 95 7d c0 18
00a0
      93 11 b1 1f
                  06 ad c4 ae 88 b0 88 87 a5 8a e5 f3
                                                        . . . . . . . . . . . . . . . .
                                                        k3.+,,,.5....
00b0
      6b 33 b0 2b 2c 2c 2c 05 35 b3 9e fc f1 27 00 c0
     e7 65 05 05 7f ab 01 0f e8 3e 09 01 8a b0 73 94
00c0
                                                        .e....>....s.
00d0
      69 bc 2e af e3 9e aa 7e 3b 7a 56 7d 06 b4 eb 2e
                                                        i.....~;zV}....
00e0
      d5 bd 5e 85 a2 14 23 75 d4 be 30 bf f6 bc 1d 4b
                                                        ..^...#u..0....K
00f0
      7e 30 f2 97 92 fd 92 3e 94 be ce c6 51 4f 72 6e
                                                        ~0....>....QOrn
0100
      32 8c 92 60 50 41 3a c9 c8 64 ac a3 21 b0 c0 d7
                                                        2... PA:..d..!...
0110
      ac 2e 21 dd d9 6e e1 d6 f3 24 7d ef c0 7d 24 a7
                                                        ..!..n...$}..}$.
0120
      90 7b 48 76 47 a0 86 ab 92 16 bd 41 32 5d 41 4e
                                                        .{HvG.....A2]AN
      21 39 1b 3b c9 d4 8d a4 2f b9 7a 6b ba fc aa 11
                                                        !9.;..../.zk....
0130
     ab 2d a1 7d a7 df 00 a0 4b 8d 67 63 5b 85 56 dd
                                                        .-.}....K.gc[.V.
0140
0150
      d8 16 a2 55 03 f8 5f f6 ae 34 a0 c9 2b 6b 3f c9
                                                        ...U.._..4..+k?.
0160
      1b 40 40 14 b1 69 45 90 25 6a 10 08 04 84 2a a2
                                                        .@@..iE.%j....*.
0170
      20 45 51 54 5c 5b 97 16 a8 4a b1 38 4e 51 6b 3b
                                                         EQT\[...J.8NQk;
      23 63 a1 b5 8a 56 ad e2 8a d6 51 14 f7 6a 1d 81
0180
                                                        #c...V....Q..j..
                                                        Zp.n.Rm..G.....
0190
      5a 70 a1 6e 08 52 6d 85 b0 47
                                    10 14 c6 ba 0b 08
01a0
      55 44 cd c9 f7 23 09 84 25 b8 05 12 e6 e3 fc e1
                                                        UD...#..%.....
01b0
      cd dd de fb 3e 9c 7b ee b9 f7 9e 73 2e 6b be 16
                                                        ....>.{....s.k..
```

m....., G....".

6d 88 d4 ec da 19 ff d6 2c 47 00 c8 15 00 22 ab

01c0

0030

0040

d8 ba 9b e3 ce f6 b2 69 8d cf 61 60 79 72 50 e4

c3 a3 76 d5 46 ab 8d da b1 52 7a 69 c7 b9 ff dc

```
01d0 71 df 1f 6c ad 77 fd 00 7c 6c f3 79 d6 ab 38 e0
                                                        q..l.w..|l.y..8.
01e0 68 f8 2a f4 3a 62 80 de 3d 1e b2 32 01 64 49 9d
                                                       h.*.:b..=..2.dI.
      00 8b 87 c3 b2 0c 6b 9f b7 6a e0 5e 5e b5 f4 de
                                                       ....k..j.^^...
    Data: 737f76f67949e56124e3aac93cd5233bdbb8fd755d6aa026bb47b66a2fdd92cc5ca9822c...
    [Length: 512]
No.
       Time
                                             Destination
                                                                   Protocol Length Info
                       Source
     69 157.100088877 127.0.0.1
                                             127.0.0.1
                                                                            46
                                                                                   Acknowledgement, Block:
27
Frame 69: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     70 157.100102037 127.0.0.1
                                             127.0.0.1
                                                                                   Data Packet, Block: 28
                                                                   TFTP
                                                                            558
Frame 70: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
     ab d5 e0 68 05 56 3c bb 3e 7e dc b1 c8 ce 76 04
                                                        ...h.V<.>~...v.
0010 84 63 27 5a 2c e8 7a 73 4c 1b 05 5e 6e 57 9c c5
                                                        .c'Z,.zsL..^nW..
0020
     6c 5b fb c8 b4 5a 61 a5 23 74 ef 77 e4 35 2f 6f
                                                        l[...Za.#t.w.5/o
     69 03 ce d2 28 58 a7 7d 6c 77 78 d8 66 42 76 31
0030
                                                        i...(X.) lwx.fBv1
0040
      53 b7 35 9d 23 1f 95 b4 21 3b b7 2b b0 f8 61 77
                                                        S.5.#...!;.+..aw
0050 57 54 40 26 63 3d b8 45 8f eb ed a1 b5 14 2c 0d
                                                        WT@&c=.E.......
0060 c9 ac d3 d7 6d f7 e4 bc 3b 33 ab 1a 10 02 c3 1e
                                                        ....m...;3.....
0070 85 a5 6b 9f 84 d2 0e b0 4e fb f4 ae 2d ea 5d 06
                                                        ..k....N...-.].
0080 64 63 1a 8c 6d e6 0c 39 27 41 7b c0 4a 13 60 09
                                                        dc..m..9'A{.J.`.
0090 4c e6 fe f7 27 24 01 70 c4 b0 71 c2 19 16 7d da
                                                        L...'$.p..q...}.
00a0 05 52 6d 2e b3 18 58 1a d8 75 8e c9 92 3a 01 b0
                                                        .Rm...X..u...:..
                                                        xh...A..n.. ...L
00b0
     78 68 a3 9f a6 41 96 d2 6e 99 c5 20 f0 e1 b5 4c
0.000
      20 47 ca 01 9c d3 f4 bf 0d 42 fb a2 36 3c 09 e6
                                                         G....B..6<..
                                                        .zV~d'.....
     ad 7a 56 7e 64 27 00 a9 d3 8f f3 1d ab ba 14 cf
00d0
00e0 6a 67 58 b5 dd 30 4c bf 28 f4 02 80 1c 07 cc dd
                                                        jgX..0L.(.....
00f0 c1 cb d7 02 31 a5 ad c3 70 87 a7 9f 7b 4c 16 80
                                                        ....1...p...{L..
0100 2c e1 e5 e3 db 75 1f a1 7d 52 1b 70 d6 e9 b9 3f
                                                        ,....u..}R.p...?
0110 d4 7a 23 97 00 47 70 6b 78 f9 d0 12 3d 41 1b 39
                                                        .z#..Gpkx...=A.9
0120 4b 30 61 e3 60 88 18 07 00 73 5d 4c 8a d7 7b a3
                                                        K0a.`...s]L..{.
0130
     dd 52 6b 73 16 bf b6 5b 26 00 20 57 60 7d 78 46
                                                        .Rks...[&. W`}xF
0140 81 36 69 54 da c6 59 fc a5 06 57 64 52 3d a0 f4
                                                        .6iT..Y...WdR=..
0150 66 67 51 81 04 ed 9a 5a 93 b3 f8 73 62 33 e5 8f
                                                        fgQ....Z...sb3..
0160 c3 dc f7 97 6a db 92 e6 d5 39 ab f5 f4 2c c1 e5
                                                        ....j....9...,..
0170 ac 79 99 00 90 03 61 c4 5d ef 12 49 3b 67 ab 56
                                                        .y....a.]..I;g.V
0180 e4 2c 26 d0 77 6a ae 00 c8 71 00 ce f6 ea c3 68
                                                        .,&.wj...q....h
0190  21 52 5a c3 59 7c 5e f7 a9 f9 12 00 2c 08 23 43
                                                        !RZ.Y|^....,.#C
01a0 ce a2 fd 73 55 ab 71 d6 25 ce dc f3 00 80 2c e1
                                                        ...sU.q.%....,.
01b0
     88 94 bc 3e 5a fa e9 da 31 1b f2 ed 79 e7 73 05
                                                        ...>Z...1...y.s.
     00 b2 84 1e f3 4f f7 c1 ff 0c a9 1d 2c 06 87 9f
                                                        .....0....., ...
01d0    1d 01 04 00 b0 a1 e2 fb 41 92 ff 1d ac 5a 41 66
                                                        ....ZAf
01e0 a5 c7 c8 0e 1d 72 50 79 2a 6b 10 d0 01 96 2a b6
                                                        ....rPy*k....*.
01f0 62 98 de 0e f2 58 1a 0e dc e3 37 b6 33 1d 60 a9
                                                        b....X....7.3.`.
    Data: abd5e06805563cbb3e7edcb1c8ce76048463275a2ce87a734c1b055e6e579cc56c5bfbc8...
    [Length: 512]
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     71 157.100117882 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            46
                                                                                   Acknowledgement, Block:
Frame 71: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     72 157.100131420 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 29
Frame 72: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
      26 cb 83 b7 3a c9 cf 00 2d cc b6 48 bc 25 ff 53
0000
                                                        &...:...-..H.%.S
0010
      60 a9 57 66 6d eb 72 ae 0a 42 00 59 52 27 23 e7
                                                        `.Wfm.r..B.YR'#.
0020
      d8 56 db c7 f0 b1 45 81 06 d4 11 b5 aa 0e 4c fa
                                                        .V....E.....L.
```

.....i..a`yrP. ..v.F....Rzi....

```
0050 56 04 54 f9 b2 7c 44 2b ac 6f f8 57 79 ee 9d 3f
                                                        V.T..|D+.o.Wy..?
     9a 31 77 7f 8a e4 f9 40 e3 b6 1f 87 ea bb 8b 9b
                                                        .1w....@......
0060
0070
      3d fd d7 fa 88 d1 87 ed a5 6a a6 18 c1 80 21 e6
                                                        =....!.
0080
      54 b2 b2 d6 9c 32 e7 4d b7 57 1d d1 d4 be 68 ba
                                                        T....2.M.W....h.
0090
     47 cc cb 84 f0 7c ab fb ab fa 5a a8 6f 18 3a 0c
                                                        G....|....Z.o.:.
     de 52 f7 3c f1 aa 3a b7 63 b6 2f 37 bf a1 5b 71
                                                        .R.<..:.c./7..[q
00a0
00h0
     1b 16 66 e6 3f 01 95 87 d2 f7 34 d3 38 23 01 cf
                                                        ..f.?....4.8#..
00c0
     80 25 fd f2 96 de e7 c0 0e e7 77 25 ea 1f 86 ea
                                                        .%.....w%....
     03 8b 57 fd ac fe 7e 0e cf ca 1c b5 41 75 35 e8
                                                        ..W...~....Au5.
X....u,J.`./.m.,
00d0
00e0
     58 d8 06 04 dc 75 2c 4a 00 60 ca 2f cf 6d b2 2c
00f0
      17 3c 75 bf 5c 35 f0 66 55 69 25 90 25 04 8c ad
                                                        .<u.\5.fUi%.%...
                                                        ~...2K}..h.".x&.
0100
     7e 18 d4 0a 32 4b 7d c3 b0 68 88 22 d0 78 26 99
0110 1b d8 b3 d5 d1 66 55 4c df bf c6 13 d1 9a 91 ef
                                                        .....fUL......
0120 13 89 88 3a db 4c 6f 7c 07 1c 7b 3f db 63 40 a3
                                                        ...:.Lo|..{?.c@.
0130 b8 eb 46 5f b5 ce 30 54 17 58 6c fb 3e 3b ea fd
                                                        ..F_..0T.Xl.>;..
0140 6b ba 9f 8f a9 7a c3 f6 a4 a7 d8 d6 d3 0d 7e 26
                                                        k....~&
     2a 99 b9 46 16 78 e5 bd 09 7d ad 1b 89 27 b6 bd
0150
                                                        *..F.x...}...'..
0160
     60 fa 99 a9 c3 eb a2 79 64 13 d1 3f 6d ac 63 5e
                                                         ....yd..?m.c^
0170
     2e ec b0 c6 c0 92 f6 ad 0f 0d 93 99 49 ee d3 df
                                                        ....I....I...
0180 b0 39 7b 8f 09 c2 11 44 b9 e6 d7 3e a2 cc 4c fa
                                                        .9{....D...>..L.
0190 68 c8 df 3c 1a 85 77 b6 2e 2a 32 30 f2 54 8e 71
                                                        h..<..w..*20.T.q
                                                        Bt.}@.=.%/ ...g.
01a0
     42 74 cf 7d 40 91 3d fb 25 2f 20 d4 9c 80 67 0e
01b0 17 35 b8 76 67 d6 c3 3b e5 b9 af a9 49 c1 6e fc
                                                        .5.vg..;....I.n.
01c0 9a a1 c7 e4 3f b3 84 e8 66 7f cb bc c1 2d a3 3c
                                                        ....?...f....-.<
     8e de ed eb bc db 8a cb 89 e5 14 76 ad 40 5a 90
01d0
                                                        ....v.@Z.
01e0
      ec dd 8a 7a 96 da 04 fc 8c a2 d4 46 29 5e 97 66
                                                        ...z....F)^.f
     2e 18 1d 46 21 78 85 83 c2 d3 25 cb cd 2f b3 15
                                                        ...F!x...%../..
   Data: 26cb83b73ac9cf002dccb648bc25ff5360a957666deb72ae0a420059522723e7d856dbc7...
    [Length: 512]
No.
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     73 157.100147021 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            46
                                                                                   Acknowledgement, Block:
29
Frame 73: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
                                                                   Protocol Length Info
        Time
                                             Destination
     74 157.100160991 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 30
Frame 74: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000 11 7c 72 a4 8e e8 b2 71 87 ec 42 4f 06 80 2d cb
                                                        .|r...q..B0..-.
0010 c5 20 51 bf cb 09 c7 b2 ba 1a 39 c0 8f cb 60 51
                                                        . Q......9...`Q
0020
     7c a9 c7 88 92 57 9d 91 34 b6 9f 35 fe 6f 8d 12
                                                        |....W..4..5.o..
0030
     72 cf 02 a8 e1 ae 78 7f ce 79 b3 ab 2f f9 21 3c
                                                        r....x..y../.!<
0040
     83 d0 2e e7 50 c7 53 5d e6 4f 96 5a 51 1a 18 c0
                                                        ....P.S].O.ZQ...
     d2 c0 2e 7f dc fd 67 e9 40 34 b2 ca ea b1 02 09
                                                        .....g.@4.....
0050
     f1 b1 e5 26 7d fd 36 39 ba 55 93 c8 da a6 24 b3
                                                        ...&}.69.U....$.
0060
0070
     9a a1 b7 d7 b6 a8 a4 5a 5b b3 d9 6c f6 74 9b 31
                                                        ......Z[..l.t.1
0800
     44 b9 59 8a 3a 8b ca 67 8e 25 a2 ae 9f 59 5a 5a
                                                        D.Y.:..g.%...YZZ
0090
     76 1e d9 a5 b9 66 45 44 96 67 2e 58 bf 5e 97 35
                                                        v....fED.g.X.^.5
                                                        (.,...qP.m...p.
     28 b3 2c bb 1b 9f cc 71 50 95 6d dc e9 c7 70 b3
00a0
00b0
      9d db f6 55 8a 7e 1f
                           b9 21 e0 ed 5e 7a 9d 4a 26
                                                        ...U.~..!..^z.J&
                                                        ..Gw....n..`...
00c0
      03 c0 47 77 be fa ef
                           88 cf
                                 6e ee bb 60 b1 f3 b3
                                                        ;...%b;".....6.
00d0
     3b af e4 da 25 62 3b 22 e0 11 eb c1 8d d7 36 d9
00e0
     d5 9c cc 62 24 9e 4b 02 cb 54 e5 e6 81 f5 1c aa
                                                        ...b$.K..T.....
00f0
     2e c8 c8 fb 08 65 9f 04 d9 21 ef 95 ee df ea b6
                                                        ....e...!.....
0100
      28 3d 0f c5 5b 83 db 72 21 ad c6 e5 8e a7 34 a5
                                                        (=...[...r!.....4.
     f5 a5 86 c8 09 18 7f 71 89 cb 82 1b 6f 7c 65 ab
0110
                                                        ....o|e.
0120
     46 c1 62 56 1d 49 cd 76 6c 0d 80 58 42 00 22 16
                                                        F.bV.I.vl..XB.".
0130
      84 f8 e4 31 3b 79 cc 05 f5 b8 a9 68 f4
                                            74 a7 f2
                                                        ...1;y....h.t..
                                                        ...0.Z.,..9..K..
0140
      e0 bd a9 4f 12 5a 01 2c a7 f1 39 e3 7f 4b ff eb
0150
     e9 71 9f 1e 8f 4a 81 58 68 8a d4 7b 6e 28 08 9e
                                                        .q...J.Xh..{n(..
      6e ac 36 0f 66 39 59 3c ad b4 0c 9b b5 6d ad 74
0160
                                                        n.6.f9Y<....m.t
0170
     87 9a 4f 8a 34 ef 61 c1 17 56 9e 54 5b 63 01 73
                                                        ..0.4.a..V.T[c.s
0180
      6b be de 31 e1 71 2b b9 a8 68 fe 90 b5 90 b1 1b
                                                        k..1.q+..h.....
     78 51 1d 38 21 65 f9 d2 1e 79 fa 29 c8 85 d6 90
0190
                                                        xQ.8!e...y.)....
                                                        ....&ML...
      da 8f ef 19 d8 a6 8f b6 dd fa 26 4d 4c e6 1c fd
01a0
                                                        .~.>ne.'mqt..[..
01b0
      c7 7e e8 3e 6e 65 a7
                           27 6d 71 74 e2 7f 5b b5 b7
01c0
      d3 49 64 b3 59 2f a3 3b e5 ca e3 09 87 dc 7c 9c
                                                        01d0
      5f c1 99 be 60 44 db b8 86 69 8d 57 18 03 d8 3e
                                                        _...`D...i.W...>
```

.57....Es<.....

ad 35 37 ea be f7 85 45 73 3c ac f9 17 c7 b8 c6

01e0

```
01f0 f2 2e 4b 1f 97 22 d9 a7 cd 4e b8 b4 cc 85 8e d9 ..K.."...N.....
   Data: 117c72a48ee8b27187ec424f06802dcbc52051bfcb09c7b2ba1a39c08fcb60517ca9c788...
    [Length: 512]
No.
       Time
                                             Destination
                                                                   Protocol Length Info
                       Source
                                             127.0.0.1
     75 157.100176635 127.0.0.1
                                                                   TFTP
                                                                            46
                                                                                   Acknowledgement, Block:
30
Frame 75: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     76 157.100190600 127.0.0.1
                                             127.0.0.1
                                                                                   Data Packet, Block: 31
                                                                   TFTP
                                                                            558
Frame 76: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
     16 c5 ea 56 db d3 37 23 a1 2c cd ed 9f 07 00 b8
0000
                                                        ...V..7#.,.....
     fe 51 3b 27 d0 be 7e a9 5c 7a e2 d6 e9 f2 05 b3
                                                        .Q;'..~.\z.....
0010
                                                        4b.....<.0xz.*W"
0020
     34 62 92 a4 cd fe 86 3c 00 30 78 7a ab 2a 57 22
0030
     f3 e2 ce 23 07 eb 23 22 cd b9 a4 68 b9 73 26 8f
                                                        ...#..#"...h.s&.
0040 c3 4d cd 62 14 c1 57 b3 7e 3a cb a4 69 f0 7c 5f
                                                        .M.b..W.~:..i.|_
                                                        ...x...{.4...T.v
     ab 1d 9d 78 86 e2 99 7b 95 34 d6 a1 a6 54 88 76
0050
0060
     45 6d e6 e8 c4 38 dc ca d6 59 08 05 56 d9 a8 5c
                                                        Em...8...Y..V..\
0070
     cf f9 a1 7d 61 d5 46 9c c5 48 04 e7 e6 3c 46 7d
                                                        ...}a.F..H...<F}
     c8 89 6c 47 6b a3 7c 09 d3 ce 8c 6c da 44 66 9d
0080
                                                        ..lGk.|....l.Df.
0090 f6 09 2c 4a cd 25 e5 1d 89 95 4f 3c 35 ed 97 a2
                                                        ..,J.%....0<5...
00a0 a5 02 3e fc d1 61 e5 7d c1 5c 08 ba 3a a5 69 dc
                                                        ..>..a.}.\..:.i.
00b0 82 59 3b 05 3c 4f f2 e4 b6 f2 6f a9 c3 da 2d 11
                                                        .Y;.<0....o...-.
00c0 ed d1 cc ad 2d c0 0a d1 fb b1 c1 9e b1 c3 78 bd
                                                        00d0
     ac 92 76 88 55 5b cc 86 4c cc 6f e9 68 b0 46 bc
                                                        ..v.U[..L.o.h.F.
0.0e0
     38 b2 b8 3d 62 d5 16 9c 15 b1 a8 71 a8 7a fb dd
                                                        8..=b.....q.z..
     ed d3 d6 b4 f5 39 8b 9f a2 d3 38 32 69 3e 8f e9
00f0
                                                        .....9....82i>..
0100 e0 ac e6 c6 60 ea 9f 77 9a 1c 82 55 b4 4b 89 d5
                                                        ....`..w...U.K..
0110
     fa 9c 65 39 6d 6a 65 33 c9 92 0e ce 6a 86 0c 87
                                                        ..e9mje3...j...
0120 ad d5 da 4f 7f c7 4d cb c0 92 de 6e 26 d1 f5 73
                                                        ...O..M....n&..s
0130 4d 2f 74 04 26 b5 77 fb 74 cd cd 82 50 8b 86 21
                                                        M/t.&.w.t...P..!
0140 cf d0 a0 99 54 6e 0f 8d 61 c5 6c 07 8f df 77 85
                                                        ....Tn..a.l...w.
0150
     69 fe f2 51 66 19 02 21 5b ab 38 8b 56 35 93 78
                                                        i..Qf..![.8.V5.x
     36 cd 48 33 22 7e 47 6c aa e3 80 f2 e1 ae 9d 6e
                                                        6.H3"~Gl....n
0160
0170 9b ce 7b fe 95 a8 2b 58 da a6 94 36 a1 ec 0a c3
                                                        ..{...+X...6....
0180 c3 6d ce 51 0c 23 e0 4f fe f9 9c 5b 77 de 9f 9d
                                                        .m.Q.#.O...[w...
0190 f7 2e bc 64 46 0f 4e b9 ef 82 40 9b 16 d2 3c 09
                                                        ...dF.N...@...<.
01a0 ff 64 96 b0 a9 29 92 3d 93 d3 36 18 49 18 09 f8
                                                        .d...).=..6.I...
01b0 7a dd 78 7b 74 df e9 91 8e ae 21 c7 5d 0e d8 7e
                                                        z.x{t....!.]..~
01c0
     7c 84 7b f5 51 89 46 4d bb 55 1a 8c 99 bf df d8
                                                        |.{.Q.FM.U.....
     28 6c 11 d1 bb 1e 6c 69 1b 50 d1 85 01 ba 96 b2
                                                        (l....li.P.....
     70 d5 dd 27 4f ff e6 87 b7 69 6c ed 72 8b 18 4d
                                                        p...'0....il.r..M
01f0 5b 2b ab 00 6b db db 34 f6 c0 82 66 ae 54 2c df
                                                        [+..k..4...f.T,.
   Data: 16c5ea56dbd33723a12ccded9f0700b8fe513b27d0be7ea95c7ae2d6e9f205b3346292a4...
    [Length: 512]
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     77 157.100225537 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            46
                                                                                   Acknowledgement, Block:
31
Frame 77: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
                                                                   Protocol Length Info
                                             Destination
     78 157.100275096 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 32
Frame 78: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000
     7b 81 dd 9a 78 b1 d9 1e 5f e9 4e 95 5f d1 f8 c5
                                                        {...×..._.N._...
0010
                                                        {.....FL=s.^..Q
     7b 7f ec fc d0 92 88 46 4c 3d 73 c4 5e 1b dc 51
      9a 25 07 e3 14 0c 41 6a 73 59 a6 dc 56 8a e1 b3
0020
                                                        .%....AjsY..V...
0030
      3d 58 60 b2 dc 7d de 02 2b 64 31 02 24 ad e9 8e
                                                        =X`..}..+d1.$...
0040
      df 3f f8 1e c0 2c 7d 30 81 03 24 5a bc 9f e5 02
                                                        .?...,}0..$Z....
0050
     f4 3f 3e 28 bd 99 9c 5b 16 73 3f 0c 52 bb c2 c5
                                                        .?>(...[.s?.R...
```

; .%....>.B@.._..

3b 19 25 b4 e3 9e 05 3e b5 42 40 ce b2 5f d6 8f

```
>....:V.7...7z_k
0070 3e 05 e4 b0 11 92 3a 56 ff 37 fd 94 37 7a 5f 6b
     73 96 a0 ef 1f 65 79 4b 9e 9d ae 6c 3e 5b 58 f4
                                                       s....eyK...l>[X.
0080
                                                       n....8..z....
0090
      6e 85 ba 02 b9 f2 38 ee 06 7a d7 9e 1c 03 20 82
00a0
     53 40 9e 91 88 91 39 13 65 33 cf 85 d8 bb ec 9f
                                                       S@....9.e3.....
                                                       .._.u.^Z%.%..3..
00h0
     91 0d 5f a4 75 02 5e 5a 25 b0 25 9a 19 33 be 05
     49 30 f3 1d 8b a2 be ec fd db d8 af 2b 9c d8 52
                                                       I0....+..R
0.000
     fb a2 df cf d8 76 cd 50 be 5a b6 8b d2 e5 33 59
0000
                                                       .....Y.P.Z....3Y
                                                       .....B.....Q..
00e0
     b6 e7 8b d8 da e5 42 a7 e2 ff 9d f5 e1 51 f8 1a
00f0
     14 67 a9 56 bb 1c 81 d8 2d 59 2b b7 b3 a4 8f f1
                                                       .g.V...-Y+....
0100
     aa 96 a2 bc 93 29 df 39 5f aa a8 04 b2 89 dd ac
                                                       . . . . . ) . 9_ . . . . . .
      8d e6 da ae d7 12 72 b6 37 63 a8 ab 8d 07 16 82
0110
                                                       ....r.7c.....
     60 97 21 18 91 58 d5 fd c5 45 8d df 4f 5c bd b3
0120
                                                        .!..X...E..0\..
     f6 af ca 7d 43 6d 59 a8 0f 70 ce 03 60 00 34 f0
                                                        ...}CmY..p..`.4.
0130
0140 60 dc b1 c2 fd c2 f0 c1 89 bf 24 0e 51 dd 5c 96
                                                        ....$.Q.\.
0150
     30 2f b2 d7 31 95 de d4 5a 79 ba b3 b2 bf ab 71
                                                       0/..1...Zy.....q
0160 b6 a3 70 44 c0 4b 2f 5a 45 e3 ca 00 7c 12 f2 e5
                                                       ..pD.K/ZE...|...
0170
     29 1b 7d 93 35 85 6b cc ed 4b ef de 1e 73 f1 76
                                                       ).}.5.k..K...s.v
0180
     Of 5e 49 9a ab df 8a a8 53 7f 46 72 be 6f c9 7a
                                                       .^I....S.Fr.o.z
0190
     35 8b 63 0f 38 bb a5 c6 b7 14 ae 44 2b c1 62 b6
                                                       5.c.8.....D+.b.
01a0 95 d8 04 bc 5a 15 8b 9a b5 89 49 fd 00 e8 82 25
                                                       ....Z.....I....%
                                                       e-..h0..'....9.
01b0 65 2d d9 9a 68 30 f6 f0 27 d5 b7 eb f1 11 39 b5
01c0 68 ba 1a 20 89 eb 61 99 26 d9 1e 22 69 6f 60 01
                                                       h.. ..a.&.."io`.
01d0 70 b0 7d 92 b0 f2 4e 54 ab bf 27 df 0e 58 5b fa
                                                       p.}...NT..'..X[.
01e0 5b 05 5e c6 88 42 6b ad 68 78 21 ff b9 18 7a e7
                                                       [.^..Bk.hx!...z.
01f0 c1 29 75 9b 32 2b 28 ef 19 db 11 98 fc 5c 4c 49
                                                       .)u.2+(....\LI
   Data: 7b81dd9a78b1d91e5fe94e955fd1f8c57b7fecfcd09288464c3d73c45e1bdc519a2507e3...
    [Length: 512]
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
     79 157.100298637 127.0.0.1
                                            127.0.0.1
                                                                  TFTP
                                                                                  Acknowledgement, Block:
                                                                           46
32
Frame 79: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
     80 157.100312422 127.0.0.1
                                            127.0.0.1
                                                                  TFTP
                                                                           558
                                                                                 Data Packet, Block: 33
Frame 80: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
     2f 6d 37 a8 c5 26 47 3c 8e f1 c5 bc f0 8a b3 ad
0000
                                                       /m7..&G<.....
0010 d4 fc f8 ec 77 17 ce 94 2e 98 f5 0a 93 a9 56 db
                                                       ....W.....V.
0020 67 09 1e 0f 38 f0 8a 0e 3a 2f 45 dd 7c 13 92 b7
                                                       g...8...:/E.|...
                                                       ..I~U..m7f..|..Z
0030 87 0c 49 7e 55 db 09 6d 37 66 f3 ad 7c fa 93 5a
0040
     46 1d 39 00 c0 e4 f2 1e 09 ef 70 5e d7 39 45 fb
                                                       F.9....p^.9E.
0050
     af 65 10 98 4c fa b7 d9 9b ba 15 58 f8 e4 5a cd
                                                       .e..L....X..Z.
0060
     2a dd fd 79 c5 ac 37 59 89 b7 87 3b 2c 18 d8 c6
                                                        *..y..7Y...;,...
     e7 8c 18 6b 90 55 f6 0a 95 42 0e 0d b1 be 77 b7
0070
                                                        ...k.U...B....w.
     d6 7d 84 af 9d 4b 78 90 7a 4c 76 db d1 85 1f 3c
                                                       .}...Kx.zLv....<
0080
                                                       ...[..9.m.k0...!
0090
     8e de e7 5b 1f b2 39 df 6d 95 6b 4f b9 90 08 21
00a0
     d2 95 3e f3 b2 1d 9c 3d ef 88 01 9e 1c b4 ad aa
                                                       ..>...=.....
00b0
     79 3c 79 ab ed 53 bd b8 09 8f 81 52 35 6f 50 b4
                                                       y<y..S.....R5oP.
     a3 4b 8a 4a 80 d3 7f 48 18 cb 85 18 5a e1 72 f9
00c0
                                                       .K.J...H....Z.r.
00d0
     c2 cf 4b a7 bb cd 84 d3 bc 08 d6 0c 81 80 dd 59
                                                       ..K....Y
00e0
     ef e8 3b f1 41 ce e5 45 12 30 98 1f 0c 2d f1 49
                                                       ..;.A..E.O...-.I
00f0
     d1 92 eb af 34 c2 db 5a 14 01 f7 7f 90 3a c0 ea
                                                       ....4..Z....:..
                                                       0100
     00 ab 03 ac 0e b0 3a c0 ea 00 ab 83 3a c0 ea 00
0110
     ab 03 ac 0e b0 da 13 69 c7 6d bf e0 21 64 0f 80
                                                       .....i.m..!d..
0120
     c7 40 49 bb 03 8b d9 db f2 49 cc da 06 47 9b db
                                                       .@I.....I...G..
0130
     97 be ad f4 eb 6f 0d f6 c1 b7 d7 47 78 08 69 36
                                                        .....Gx.i6
0140
     7c 93 c0 24 6d 77 c2 ad 2e 5d 6d 7f 39 83 f7 fa
                                                       |..$mw...]m.9...
0150
     0d 74 eb e2 d0 f3 d2 0a 2b 6e a3 63 87 6a 63 13
                                                       .t....+n.c.jc.
0160
      ab 96 3a 74 37 a2 f9 d8 50 8c 25 57 e9 b2 f3 bb
                                                       ..:t7...P.%W....
0170
     df bc e1 3e 58 f3 b1 1c fb 98 b7 78 e8 af db 57
                                                       ...>X.....X...W
     c9 d6 c0 da f5 0b e5 bc 31 7f 28 45 4a b3 76 bd
0180
                                                       ....1.(EJ.v.
0190
     a6 48 df e1 6a dd 24 bc a6 47 9f ed 03 e5 f1 27
                                                       .H..j.$..G....'
                                                       .v.....s.*..b.
01a0
     15 76 09 f2 a7 04 a3 c9 7f 53 2e 2a 98 db 62 87
     be 70 6d 3e dc a6 60 65 c3 7e 2b 9b d0 bd ba ad
                                                       .pm>..`e.~+....
01b0
     83 2a 99 35 f5 55 00 df a4 f4 9c 7d 74 bf 8b e7
                                                       .*.5.U....}t...
01c0
01d0
      f6 fa df 9d 15 0f 63 9b f0 d4 b9 33 d7 0a 5d d2
                                                       .....c...3..].
01e0
     01 40 28 3f ac 76 82 c2 d6 da fa a1 db 65 de cb
                                                       .@(?.v...e..
..M...MFw.]....
```

Data: 2f6d37a8c526473c8ef1c5bcf08ab3add4fcf8ec7717ce942e98f50a93a956db67091e0f...

```
[Length: 512]
No.
                      Source
                                                                  Protocol Length Info
       Time
                                            Destination
    81 157.100331516 127.0.0.1
                                            127.0.0.1
                                                                           46
                                                                                  Acknowledgement, Block:
33
Frame 81: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
                                                                  Protocol Length Info
No.
       Time
                      Source
                                            Destination
    82 157.100343313 127.0.0.1
                                            127.0.0.1
                                                                  TFTP
                                                                           558
                                                                                  Data Packet, Block: 34
Frame 82: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000
     d5 2a 99 e5 88 d5 79 cb bd 5e 54 8a 01 ec 0c 06
                                                       .*...y..^T....
0010
     a3 4c a5 1d ba 00 6f 1e 5c 8a d9 c6 fd 7b 45 ae
                                                       .L....0.\....{E.
     b2 8d ed ea 53 cf 5b 17 ac 3c d7 a6 69 d6 d4 52
0020
                                                       ....S.[..<..i..R
..._.s...s[.....
0040
     c8 64 61 4f 6e 3a 6e 7f 0c 5e e4 84 5e 8b 9f 0d
                                                       .da0n:n..^..^..
0050 b1 6a b9 43 d9 9e b5 4d d2 06 3e 6e a6 a0 64 c6
                                                       .j.C...M...>n..d.
0060
     a7 41 0d ed 91 b3 33 3d 3c df c0 9e ed c5 60 f5
                                                       .A....`.
0070
     78 47 2f ac 71 5a cb 67 99 d2 5c bf b5 eb 8d 5a
                                                       xG/.qZ.g..\...Z
0800
     04 2b 78 86 4d 4c 9d ff d3 de a5 ba e9 30 8a 00
                                                       .+x.ML.....0..
0090
     80 f5 21 fe db 46 ea 8d 3f 23 49 6f 81 77 05 3e
                                                       ..!..F..?#Io.w.>
     16 8d d3 a2 0a 9a e9 92 c3 bd 9d 8d 52 08 e7 3b
00a0
                                                       00b0 39 6c 53 bb 80 af 97 d9 f7 5c 5b 0e 6d c9 b6 76
                                                       9lS.....\[.m..v
00c0 d5 6b 6e 0e 10 b0 d9 52 a9 b5 eb bd 66 db b1 de
                                                       .kn....R....f...
00d0 5f 1f 3b 3a 47 57 70 aa b1 7d 5a 5f c1 ca f7 de
                                                       _.;:GWp..}Z_....
00e0 6a 20 e0 e7 d7 37 fd 92 b1 88 ad 0f ff 5d 61 ee
                                                       j ....7......]a.
00f0
     9b 30 86 b2 e5 a6 6e 0b fa bc be 01 ee 4b c8 ac
                                                       .0...n....K..
0100
     bb 7a bc 46 29 2a 75 a1 58 ee 18 c5 e3 93 b3 df
                                                       .z.F)*u.X.....
     24 aa 6e b3 14 b1 2b 14 cf f6 4f ac b7 cc c3 bf
0110
                                                       $.n...+...0....
0120 67 2d 98 25 61 d2 07 30 12 00 12 80 69 61 92 b7
                                                       g-.%a..0...ia..
0130 6a dc a1 d2 66 8e a3 79 92 4f 2a e4 b1 11 84 e2
                                                       j...f..y.0*....
0140 52 e7 cc 1c 85 d8 aa 6a 45 99 15 b5 d1 bd 61 82
                                                       R.....jE....a.
0150 f9 3c 6e b9 8a 0f d9 5a 7c a8 4e b6 7b 55 15 4c
                                                       .<n...Z|.N.{U.L
     53 89 aa 64 86 92 e5 54 7e bc 10 08 38 3b dc 66
0160
                                                       S..d...T~...8;.f
                                                       v_..@A.D..*....Y
0170
     76 5f 7f 9f 40 41 81 44 8e 97 2a 99 95 9b f0 59
     c3 0e c1 c6 a2 a9 74 b7 9b 1f a4 98 3e 9e 44 6e
0180
                                                       .....t....>.Dn
0190 9b 1d a0 88 b7 94 e9 c9 2f 6c 35 b0 96 35 4e a8
                                                       ..../l5..5N.
01a0 e1 b2 2c 55 94 15 39 f4 5a f0 89 44 26 8b f2 33
                                                       ..,U..9.Z..D&..3
01b0 4b ef 78 86 6f 69 be e0 76 cf 33 95 c6 f9 f2 79
                                                       K.x.oi..v.3....y
01c0 dd 0e 00 f6 42 7e 17 e2 d1 59 1e 6f 5d 95 b6 70
                                                       ....B~...Y.o]..p
01d0 f6 e5 58 d9 b8 43 f0 68 5a 6a b0 bf 3c 24 50 be
                                                       ..X..C.hZj..<$P.
01e0 dd e4 21 8f 05 c4 55 40 2d 4d e9 e4 f9 9a 21 70
                                                       ..!...U@-M....!p
     d4 bd 36 1c 71 f9 83 55 b2 53 3e 3b 58 fe 55 a8
                                                       ..6.q..U.S>;X.U.
   Data: d52a99e588d579cbbd5e548a01ec0c06a34ca51dba006f1e5c8ad9c6fd7b45aeb28dedea...
    [Length: 512]
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    83 157.100359804 127.0.0.1
                                            127.0.0.1
                                                                           46
                                                                                 Acknowledgement, Block:
Frame 83: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
                                            Destination
                                                                  Protocol Length Info
                      Source
    84 157.100370832 127.0.0.1
                                            127.0.0.1
                                                                  TFTP
                                                                           558
                                                                                  Data Packet, Block: 35
Frame 84: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
     ea d4 39 38 a8 74 e0 87 76 c8 69 c6 d2 74 ec ed
0000
                                                       ..98.t..v.i..t..
0010
     94 23 d9 5e 53 ae be 89 67 30 c3 08 4a f7 43 f1
                                                       .#.^S...g0..J.C.
0020
     af 60 fb 95 18 e5 ff da 05 59 00 e0 28 84 f3 2d
                                                       .`...Y..(..-
0030
     cb b6 5b 48 bb b6 94 99 b6 33 77 b2 20 4f fe e3
                                                       ..[H.....3w. O..
     d6 d0 bb 7e aa 0a 16 cf 73 3b eb a1 42 cd 12 cd
0040
                                                       ...~...s;..B...
                                                       >.;...`m...Y.?.:
0050
      3e d8 3b 92 ff fa 60 6d dd 06 f1 59 c5 3f c2 3a
0060
     bf 0f 20 c1 f0 41 42 79 4a ba 61 78 6b cd 86 3b
                                                       .. .. AByJ.axk..;
                                                       B:5"..l.....Tj.
0070
     42 3a 35 22 dd fd 6c 15 b3 a1 9e ab b5 54 6a fd
```

.C....ZN.....N?.

87 43 fd 04 d2 f5 5a 4e 0b b3 aa c7 80 4e 3f 97

```
0090 34 3b f1 64 11 19 f5 65 37 3b 1b 8a c6 4f 6e dc
                                                        4;.d...e7;...On.
                                                        .3...9c...x&+Rr
00a0
     a3 33 f6 aa 97 39 63 0d 2e c8 dc 78 26 2b 52 72
00h0
      e9 3b c1 45 76 ab cc 86 63 37 9b 36 91 d3 1f b6
                                                        .;.Ev...c7.6....
00c0
      54 a1 04 52 8f f3 0a 43 ac 8a 16 db 4e 01 c0 d7
                                                        T..R...C...N...
00d0
     cb 37 9f 72 f8 01 ef ba b4 12 40 fe 53 27 99 8e
                                                        .7.r....@.S'..
     04 64 9d 5c d3 bc cc ba d7 b7 a6 71 5a 23 11 c7
0.0e0
                                                        .d.\....qZ#..
00f0
     ff e2 d3 7a 9d f0 d2 97 8a 29 67 bd 50 3e 30 17
                                                        ...z....)g.P>0.
                                                        ....EFk
0100
     8f 0a 92 b4 8a 80 7f 0d 9a b7 de b6 e0 45 46 6b
0110
     3c 85 9d 47 21 c0 8c b2 09 a9 8a 8a 72 7c 24 bc
                                                        <...G!....r|$.
                                                        kPo.d...5.....
0120
     6b 50 6f 8e 64 15 d3 e3 35 df bf f2 bb 0d f5 60
     f9 1d 57 8c f5 9c 3a 99 53 f3 65 7f 41 ae 96 80
0130
                                                        ..W...:.S.e.A...
     15 1c 2c b0 7a b7 45 ab 35 cf bb 37 27 5b 76 c9
0140
                                                        ..,.z.E.5..7'[v.
0150 97 e3 25 81 77 30 10 04 80 67 38 31 ae 7e 0d 7e
                                                        ..%.w0...g81.~.~
0160 ef f5 a4 3b 2c ef 55 d5 47 9f aa 5f 7e 2a 79 3d
                                                        ...;,.U.G.._~*y=
0170 ae f6 64 b5 16 67 35 9d 98 5e c4 c4 05 db fe 98
                                                        ..d..g5..^.....
0180 bb 21 4b b5 e1 fb ed d2 8b 42 e4 cd 16 56 1b 2c
                                                        .!K.....B...V.,
     b0 f2 56 e8 9f 8c 84 d9 d6 ad 67 5d 99 f1 0f 6a
0190
                                                        ..V.....g]...j
01a0
     55 d4 be dc 62 87 24 9e 85 55 75 08 35 ea 83 88
                                                        U...b.$..Uu.5...
01b0
     23 5f 2b a6 ac 74 68 0d b0 9c 4d 7b f6 6c 9c 96
                                                        #_+..th...M{.l..
     b9 72 61 cb 95 24 8c e5 e1 17 45 c2 cd 41 b4 23
01c0
                                                        .ra..$....E..A.#
     f4 37 18 15 99 d8 ce 08 c7 e8 24 d8 39 1c aa bc
01d0
                                                        .7.....$.9...
     36 a1 7e a2 ee aa 62 a4 5c e5 37 b9 81 a8 7c e0
                                                        6.~...b.\.7...|.
01e0
01f0 c6 01 75 5c 3b b0 ee 66 07 74 19 75 54 b9 58 48
                                                        ..u\;..f.t.uT.XH
   Data: ead43938a874e08776c869c6d274eced9423d95e53aebe896730c3084af743f1af60fb95...
    [Length: 512]
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     85 157.100386814 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            46
                                                                                   Acknowledgement, Block:
35
Frame 85: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     86 157.100397297 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 36
Frame 86: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
      de 49 85 f2 15 ff c4 bc 40 fd 60 35 a7 2a 75 8a
                                                        .I......@.`5.*u.
     79 01 58 90 80 19 3c 3b a9 2c df 4e 75 11 07 99
0010
                                                        y.X...<;.,.Nu...
     42 09 7c 0a 00 57 00 e5 28 2c d9 8e 9e ac 34 55
0020
                                                        B.|..W..(,....4U
0030
     6c d9 34 49 df 21 57 11 a6 9a f7 f5 fc 55 8a 36
                                                        l.4I.!W.....U.6
     84 81 c7 9f 2a 0f 02 cf 1e 75 ca 57 fa 97 be f7
0040
                                                        ....*...u.W....
                                                        C5..*..r..KUX.h1
0050
     43 35 ac 94 2a c1 95 72 c6 e4 4b 55 58 f5 68 31
0060
     a0 82 08 28 8f f8 33 e5 75 ae b1 db ce 18 84 56
                                                        ...(..3.u.....V
0070
     c8 39 92 95 7b e5 d7 92 06 6d ac 16 4d ac fb 97
                                                        .9..{...m..M...
0080
      ac fe 76 19 b4 06 2c a0 b0 3a 45 d5 2e 60 9a 93
                                                        ..v...,..:E..`..
     e9 27 d7 55 56 9c fe 78 e8 b5 ef 4a 5f 6f 6e b1
0090
                                                        .'.UV..x...J_on.
     fb b8 4a f1 51 0e b3 3f 6c b4 0a 2c 0e 9b ca 75
                                                        ..J.Q..?l..,...u
00a0
00b0
     94 6b cc b9 e7 e9 55 17 09 1c fd 66 93 bf 5d f6
                                                        .k....U....f..].
00c0
     bd ea 3a 59 e8 2d a8 af a6 7b 6b 44 5d 97 b6 5c
                                                        ..:Y.-...{kD]..\
00d0
     dc d5 a0 bd 5b 63 67 6d 53 f8 54 1c 75 51 ca d3
                                                        ....[cgmS.T.uQ..
     cd c6 5f fd c0 76 b5 39 d1 70 94 e7 ae d0 2b ba
0.0e0
                                                        .._..v.9.p....+.
00f0
      84 f1 6f e1 77 5d 28 b7 a4 6b 3b ae c5 cf f8 ec
                                                        ..o.w](..k;....
      af bf eb ca ca 87 dc 91 2f
                                 36 81 10 87 5d 07 9b
0100
                                                        ......./6...]..
0110
      68 8d 4f 15 73 81 20 eb fb 75 af
                                       e8 f0 c1 22 74
                                                        h.O.s. ..u...."t
0120
      90 36 0c c3 0e b0 3a c0 ea a0 0e b0 3a c0 6a e7
                                                        .6....:....:.j.
                                                         }ubamm.~..o..t.
0130
      60 7d 75 62 61 6d 6d bf 7e b5 cb 6f b4 a4 74 ad
0140
      de a2 32 ef c6 f2 7e 85 00 70 6d b9 6e be 4a 45
                                                         ..2...~..pm.n.JE
0150
      35 65 b9 e8 e5 bb f4 c1 98 f7 b4 14 ac ef bb ec
                                                        5e.....
                                                        .8...h`#W..*...
0160
      99 38 91 c7 9b 68 60 23 57 bf 9b 2a e4 80 e0 c1
0170
      3d 40 d4 fc f7 ee 08 bf b0 cf
                                    1b c0 37 25 eb ed
                                                        =@....7%..
0180
      1a ae 1e 81 35 09 b2 7f 81 4b c6 6f c6 cd b5 db
                                                        ....5....K.o....
      e8 49 fe 78 f6 d8 f1 06 a9 d9 ea 41 8b de 94 32
0190
                                                        .I.x....A...2
01a0
     88 13 6a a6 9c 90 da 03 30 9e 52 40 44 d4 5b c7
                                                        ..j....0.R@D.[.
01b0
     1b 3a 01 b2 5d c6 85 3d 89 88 28 6f 55 6c 72 6c
                                                        .:..]..=..(oUlrl
                                                        .....4.".`xDD
01c0
      b7 b3 0d 9a e8 99 c6 09 34 f6 22 0a 60 78 44 44
                                                        g..%..71$".YbbDD
      67 03 87 25 c7 de 37 31 24 22 96 59 62 62 44 44
01d0
      fc 39 a2 92 f5 8b 33 88 88 38 6e c9 c0 fa bb 44
                                                        .9....3..8n....D
01e0
      44 e4 67 9c ba 11 de 3a 51 19 44 44 3e df 87 26
                                                        D.g...:Q.DD>..&
    Data: de4985f215ffc4bc40fd6035a72a758a7901589080193c3ba92cdf4e7511079942097c0a...
    [Length: 512]
```

No. Time Source Destination Protocol Length Info

```
87 157.100412683 127.0.0.1
                                                                                    Acknowledgement, Block:
                                             127.0.0.1
                                                                    TFTP
                                                                             46
36
Frame 87: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
        Time
                                             Destination
                                                                    Protocol Length Info
     88 157.100423495 127.0.0.1
                                                                                    Data Packet, Block: 37
                                             127.0.0.1
                                                                    TFTP
                                                                             558
Frame 88: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
                                                         '.[.BDD&.!"....
0000 27 Of 5b ef 42 44 44 26 a8 21 22 a2 d9 11 b1 c9
     69 d1 a4 26 52 0b 58 3a 69 9b 37 af 5b b7 2e 62
                                                         i..&R.X:i.7.[..b
0010
0020
     03 11 f9 84 3a e7 13 b1 7c cf 11 95 f9 af f3 22
                                                         . . . . : . . . | . . . . . . "
0030
     2a 58 97 e6 52 07 56 ee 2a 26 9a 88 ec 62 c7 35
                                                         *X..R.V.*&...b.5
     00 2b d1 b0 a4 87 71 9e 02 ac b2 32 22 22 d3 34
                                                         .+...q....2"".4
0040
0050 0e 11 91 d9 42 2f 59 b4 8e 1e 27 4a 88 68 50 d2
                                                         ....B/Y...'J.hP.
0060
     26 22 f2 e3 ba 11 65 d0 38 ee 32 3e 51 40 90 1b
                                                         &"....e.8.2>Q@..
0070
     11 91 57 3e 11 d1 86 a4 43 f5 60 55 0e 73 16 13
                                                         ..W>....C.`U.s..
0080 51 a0 b1 a1 7a c0 52 cb e6 df ec ab 23 fa 02 40
                                                         Q...z.R....#..@
                                                        1 ...~...?...l.
g.o...`.[8.=..-.
0090
     31 20 12 d3 be 7e f2 ed a5 1d 3f 1a 9d 06 6c d6
00a0
     67 d7 6f 1d dd 7f 60 f4 5b 38 80 3d dc 86 2d d4
00b0
     5a a5 fd 78 93 35 f6 00 00 20 30 47 f7 c1 94 43
                                                         Z..x.5... 0G...C
     f1 a8 96 ed 14 fc aa 54 ee bd 70 c6 1d c0 cf bd
00c0
                                                         ....T..p....
00d0
     0c ce 7b 00 37 10 73 15 58 9e 73 02 00 62 42 d3
                                                         ..{.7.s.X.s..bB.
00e0 ff 02 66 cf e5 7d 50 57 da ee 66 b7 41 00 fe f2
                                                         ..f..}PW..f.A...
00f0
     48 d7 a6 d9 70 11 4f 22 91 48 24 56 80 d3 27 d2
                                                         H...p.O".H$V..'.
0100 ba ce e6 9b 38 00 80 c3 d1 fe 75 05 3f 5d 69 b8
                                                         ....8....u.?]i.
0110
     eb c1 83 07 0f 92 f7 37 a8 9f 08 58 bf 4f 9b 62
                                                         .....7...X.O.b
0120
      63 00 c0 30 f5 5f 37 6b f7 d4 76 7d 2c 04 80 e5
                                                         c..0._7k..v},...
0130
     88 53 2a b8 79 c2 54 3d 00 d7 bd 59 f1 75 69 13
                                                         .S*.y.T=...Y.ui.
0140 a3 00 e0 bd db 17 aa 6b 6b 6b 93 95 17 c7 d2 38
                                                         .....kkk.....8
0150
     d3 07 0f 1e 3c a8 fd f5 91 7a c0 7a 73 ce 72 02
                                                         ....<...z.zs.r.
0160 ca 83 dc 01 60 52 f6 6e e0 5b a7 1e 66 bf e3 03
                                                         ....`R.n.[..f...
0170    1f 87    0f 10 36 26 48 fa 0f 18 df 9d 3c 04 c0 7f
                                                         ....<6&H....<...
                                                         ."....|Ff...5...
0180 03 22 00 88 ab d2 7c 46 66 8f dd d7 35 ef 0f a5
0190
     26 22 0e 03 e0 f3 c5 4f ba 02 c0 00 4f ae df f4
                                                         &"....0....0...
     75 37 96 ca 98 2f f1 cc 37 dc 75 0f c4 c0 0f 7b
                                                         u7.../..7.u....{
01a0
01b0 bf 05 6c bd de ae 9c b0 fb 64 c8 c4 be 6b e0 84
                                                         ..l.....d...k..
01c0 19 d9 a7 01 c4 5d b9 09 20 65 5a 75 e0 4d cf 7f
                                                         .....].. eZu.M..
     f8 14 01 00 96 1c 01 80 aa cc 49 96 f6 83 77 06
                                                         ........I...w.
01e0 98 f8 d8 6a 89 80 27 a2 62 4e 71 71 71 71 31 47
                                                         ...j..'.bNqqqq1G
01f0 2c 33 f4 f0 39 94 1a 29 3f e0 8a e4 f1 ec e4 07
                                                         ,3..9..)?......
   Data: 270f5bef42444426a82122a2d911b1c969d1a426520b583a699b37af5bb72e620311f984...
    [Length: 512]
No.
        Time
                       Source
                                             Destination
                                                                    Protocol Length Info
     89 157.100440149 127.0.0.1
                                             127.0.0.1
                                                                    TFTP
                                                                             46
                                                                                    Acknowledgement, Block:
Frame 89: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
                       Source
                                             Destination
                                                                    Protocol Length Info
     90 157.100451357 127.0.0.1
                                             127.0.0.1
                                                                    TFTP
                                                                             558
                                                                                    Data Packet, Block: 38
Frame 90: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000
      58 c5 b2 5c ba ce 4f 9d 54 d9 50 88 88 8b 65 7f
                                                         X..\..0.T.P...e.
     4b 39 b2 88 73 05 87 78 76 44 9c 7f c9 84 d5 c1
0010
                                                         K9..s..xvD.....
     e8 ca 12 22 2a 96 17 12 1f 8c ee 5d 20 8f 3a 94
                                                         ...."*......] ::.
0020
0030
     c7 22 a2 8c 62 43 11 11 51 e9 8d e8 ea 12 92 35
                                                         ."..bC..Q.....5
0040
     21 e6 c8 ed 40 ee e8 47 f7 f3 52 97 80 ef d8 75
                                                         !...@..G..R....u
0050
     d0 66 0d de 70 b1 bb d1 ff 6b b0 ae 0c 9e ce 4e
                                                         .f..p....k....N
      38 b5 c1 fd a7 17 eb d8 8b f6 97 5d a8 6e 38 11
                                                         8.....].n8.
...h'`.c.nY.>...
0060
0070
      ea 99 dc 68 27 60 a9 63 18 6e 59
                                       1c 3e c2 06 d0
0080
      0d 2e 4f ac 7e 51 d9 a2 47 4e 4d f4 70 a7 56 0a
                                                         ..O.~Q..GNM.p.V.
      50 a3 95 60 8d 71 b9 b1 a3 fe d7 4f c9 cf 77 00
0090
                                                         P...`.q....0..w.
```

.....`.&...<..{.

d8 98 90 f2 14 60 e2 26 0c 0b bc 3c ee 1c 7b 86

00a0

```
00b0 15 80 47 13 02 8f 0f ba fa e8 ec 55 00 e3 e6 fc
                                                         &..w.[.Bqe.S.WW.
0.000
     26 ed af 77 e0 5b ab 42 71 65 f0 53 00 57 57 ec
      59 fd f4 d8 21 cf 5c 00 df 85 58 56 03 fd 86 1c
                                                         Y...!.\...XV....
00e0
      fb 13 80 5f
                  cf 63 5e 1f e8 3d ed c7 87 9d
                                                38
                                                         ..._.c^..=....8y
                                                   79
00f0
     06 fa 9d fd 70 b7 a6 d0 52 c7 2c 51 18 cf 04 07
                                                         ....p...R.,Q....
     f9 af 9f e4 45 44 a4 cf b8 11 11 f5 0c e5 10 11
0100
                                                         ....ED........
                                                         k..".j.k":.w....
0110
     6b dd 09 22 a2 6a e6 6b 22 3a 18 77 90 88 c8 8f
0120
     3b 88 88 78 41 51 f2 29 a6 9b 3f 87 88 d6 87 7a
                                                         ; . . xAQ.) . . ? . . . z
     11 11 b9 c5 f1 89 68 97 b1 21 11 d5 c4 8e 22 22
                                                         .....h..!....""
0130
0140
     ea 1f be 41 b6 52 08 88 d3 27 22 9a c8 9d 44 9a
                                                         ...A.R...'"...D.
      21 b5 c8 ac 3e e3 9e fd 7b fb 17 bf 78 9e bf d9
0150
                                                         !...>...{...x...
0160
     24 6b 05 ae 03 f8 d3 e8 a8 08 b8 b7 f1 b6 99 99
                                                         $k.....
0170 99 99 2f 47 08 00 bb 32 64 25 64 47 9d 8c ce 0f
                                                         ../G...2d%dG....
0180 57 cc cc cc cc 02 8a 2c 01 1c 93 65 cd 90 2d 8c
                                                         W...., ...e..-.
0190 b7 ae 93 e9 73 ef 4e 5c 61 66 66 66 36 8c f3 76
                                                         ....s.N\afff6..v
01a0 fb e5 ac 8c 49 72 55 aa 27 a3 4f 44 61 71 9b 88
                                                         ....IrU.'.ODaq..
01b0
     88 cc ee cb 38 cb 99 88 c8 37 69 34 11 55 7b 6f
                                                         ....8....7i4.U{o
01c0
     24 22 22 43 0e 11 f1 98 00 b9 de 24 e3 ac c5 f2
                                                         $""C.....$....
01d0
      df 5e 57 89 c8 2c b1 80 88 f4 bd 4d 88 32 a8 3f
                                                         .^W..,....M.2.?
     97 27 e3 ac d9 cc 06 d9 12 8d a3 21 ce 52 c7 30
                                                         01e0
01f0 f4 d3 e1 c6 f9 eb 24 27 6d 91 ad f4 a7 04 41 07
                                                         .....$'m....A.
   Data: 58c5b25cbace4f9d54d95088888b657f4b39b2887305877876449c7fc984d5c1e8ca1222...
    [Length: 512]
No.
        Time
                       Source
                                             Destination
                                                                    Protocol Length Info
     91 157.100466368
                       127.0.0.1
                                             127.0.0.1
                                                                    TFTP
                                                                             46
                                                                                    Acknowledgement, Block:
38
Frame 91: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
                                                                    Protocol Length Info
        Time
                       Source
                                             Destination
     92 157.100477177 127.0.0.1
                                             127.0.0.1
                                                                    TFTP
                                                                             558
                                                                                    Data Packet, Block: 39
Frame 92: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
                                                         ...!"V .ut..J"".
     eb e2 c1 21 22 56 20 92 75 74 18 e3 4a 22 22 fa
0000
                                                         .....A.v.A~...
0010
     c7 89 a4 fb 11 fe 41 fe 76 94 41 7e c1 87 e4 60
     45 3c e7 10 11 cd 36 0e d2 89 0f 4d 5a 97 47 44
0020
                                                         E<....6....MZ.GD
     35 dd c2 fd ef df 1f 95 f4 35 11 d1 94 e3 7e f2
0030
                                                         0040 17 f1 03 93 d2 e2 fd 93 74 ec 34 04 d6 9b 0b 78
                                                         ....x
0050 11 5a 98 cb 98 b5 bb 2e ab ae d9 4e 26 41 b5 ce
                                                         .Z.....N&A..
0060 86 2d d0 f5 ff e8 7a b4 37 48 da 42 83 67 6a c5
                                                         .-...z.7H.B.gj.
0070
     4d 13 ad be 08 75 02 f0 de 72 99 d6 7e 43 d0 58
                                                         M....u...r..~C.X
0080
     ff 64 fa a9 4d 23 15 b5 23 b0 fa fb fd ae 32 cf
                                                         .d..M#..#....2.
0090
     a0 84 00 40 7c 5a cf 1c 30 d2 4b 30 31 d1 d3 33
                                                         ...@|Z..0.K01..3
00a0
     29 7f 0b c0 63 f3 90 16 55 38 1d c3 97 06 21 32
                                                         )...c...U8....!2
     78 75 2b 83 a5 1e cb bf e5 57 2d 3a eb ba 2e 0a
                                                         xu+.....W-:....
00b0
0.000
     04 00 08 ha f8 a2 cb e8 06 b6 c6 17 1f ea 02 c0
                                                         . . . . . . . . . . . . . . . .
00d0
     12 87 03 10 39 c1 d0 a0 5c b6 13 08 00 a7 4d 64
                                                         ....9...\.....Md
00e0
     45 aa 7c cb 82 2f 9d 90 db 21 f4 ad 58 b2 f7 70
                                                         E. | . . / . . . ! . . X . . p
00f0
     f4 32 d8 dd 89 f9 d7 a6 54 dd dd 80 dd 9c 11 ba
                                                         .2....T......
     7f 1c b0 5a 03 a0 ca 77 c4 db 4e 32 47 86 f3 d9
                                                         ...Z...w..N2G...
0100
                                                         %'.Xt...._..j..
0110
      25 27 06 58 74 de 2e 06 80 c8 5f
                                       1f ca 6a 1f 9e
      37 8b 1b f8 71 cf
                        cd 00 e6 94
                                    3d
                                       3b 01 5c 49 de
0120
                                                         7...q....=;.\I.
0130
     2c 3b 08 e9 df a9 2c 38 c0 46 f2 da c2 52 0d 93
                                                         ,;....,8.F...R..
                                                         D~..AC.To3"....
0140
     44 7e a8 ff 41 43 c3 54 6f 33 22 a2 a1 fe ce f9
0150
     19 25 bc f0 d1 ca 25 4c 18 7d b9 ef 25 11 19 46
                                                         .%....%L.}..%..F
0160
     44 44 f3 a2 a3 a3 07 2d 25 a2 1a 98 10 11 b9 84
                                                         DD....-%.....
                                                         .*.`...#"Z.<....
0170
      ee 2a cb 60 f9 85 8f 23 22 5a 15 3c aa cc f0 d8
      d7 9b 88 c4 a6 cc 0d d9 ce 8f 09 e3 bd b9 d0 b7
0180
                                                         . . . . . . . . . . . . . . . .
0190
      92 a8 1a fe 95 e2 b2 5d e1 1b 89 88 c6 05 dd 1f
                                                         . . . . . . . ] . . . . . . . .
01a0
      3d 34 6f
               23 77 b1 4c 1b de 48 44 54 18 3e ad 40
                                                         =40#w.L..HDT.>.@
      9c 17 c5 98 d4 bf 58 fe 92 cf 93 cd 86 e6 b0 0a
01b0
                                                         . . . . . . X . . . . . . . .
     c3 a3 34 a8 3a 78 a5 45 88 89 c8 65 98 19 11 19
01c0
                                                         ..4.:x.E...e....
01d0
     46 84 9a 9a 9a 9a 6e 32 8e e3 37 05 4b 46 86 c6
                                                         F....n2..7.KF..
01e0
      dd 22 6b f8 7c 7e a4 4b dd 77 e4 e9 f8 9b 9a 9a
                                                         ."k.|~.K.w.....
     9a 9a ea 78 7f 4e b4 91 3b 89 72 1b 57 1c 85 7c
                                                         ...x.N..;.r.W..|
    Data: ebe2c12122562092757418e34a2222fac789a4fb11fe41fe7694417ec187e460453ce710...
    [Length: 512]
No.
        Time
                       Source
                                             Destination
                                                                    Protocol Length Info
     93 157.100492644 127.0.0.1
                                             127.0.0.1
                                                                    TFTP
                                                                             46
                                                                                    Acknowledgement, Block:
```

```
Frame 93: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
                                                                   Protocol Length Info
       Time
                                             Destination
No.
                       Source
     94 157.100502625 127.0.0.1
                                            127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 40
Frame 94: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
                                                        . ...... 2..!...
0000 ca 20 a2 92 c0 f8 0c ca 20 32 8d f5 21 a2 fe dc
0010 54 d9 32 21 a3 0e 2c 4e 68 7f aa d7 fe 95 c1 f2
                                                        T.2!.., Nh.....
                                                        R.d...ij.....u..
0020 52 bc 64 d8 eb ea 69 6a 18 86 09 a9 d7 75 01 c4
0030 cd 04 80 ec 7e 86 cf aa 01 cc c1 78 d5 35 7e e4
                                                        ....~....x.5~.
0040
     ea 89 01 2c aa 4b f8 fb ad d4 6f 95 9c 97 b2 14
                                                        ..., .K....o....
0050
     46 43 18 f8 69 9d a9 e4 04 b1 6c f0 cc be 20 d3
                                                        FC..i....l...
                                                        .k. ....V.R.;.."
0060 ee 6b 00 20 e4 e3 ab 00 56 ec 52 aa 3b d7 12 22
0070 27 08 0b 47 c9 b7 39 ea 37 99 e3 4b 97 5a 69 58
                                                        '..G..9.7..K.ZiX
                                                        ....r.../..`.E
0080 c0 8b 8c ae 1c 1f 72 e3 f6 c8 2f a5 00 60 fd 45
0090 a5 c9 a2 42 c6 db d0 af c1 ae 55 c3 ab 63 a6 39
                                                        ...B.....U..c.9
00a0 d4 2e 5c 58 7b a0 7e 1e 3c dd 6b 43 78 4a 21 73
                                                        ..\X{.~.<.kCxJ!s
                                                        e.4#`...}t.+.F..
     65 ce 34 23 60 f4 de d5 7d 74 99 2b 17 46 03 a8
00b0
                                                        .\...ce..Vi..
00c0
     bc 5c cc 18 15 e4 03 17 63 65 ee 11 56 69 a3 0f
00d0
     8c 84 ee fb a3 be d6 03 00 99 bb 7a 58 58 fd 91
                                                        ....zXX..
00e0 a2 ad 47 b7 d1 0b bc 97 3d 62 2e 02 80 bb c9 b3
                                                        ..G....=b.....
                                                        .....0.g.0...2Wn
00f0 02 a3 fe bc a0 30 00 67 be 30 f5 10 14 32 57 6e
0100 8e be ae 49 3d 6b e4 d8 9d 98 e9 98 61 ce 77 04
                                                        ...I=k.....a.w.
                                                         *...~~.."..29..
0110  20  2a da 95  c5  7e  7e  ee  d0  22  a5  02  32  39  ab  d0
0120    16 ae 1c 47 2c 80 3e ba 5f 3a c2 7b 92 4c f6 8a
                                                        ...G,.>._:.{.L..
0130
     8a fe c3 4e 7b 6e 35 66 11 44 4e a8 9d e8 16 b3
                                                        ...N{n5f.DN....
0140
     70 5f 4c 3f 64 3b 3e da c2 ea 9c b6 1b b0 9b 73
                                                        p_L?d;>....s
                                                        .....'#.Hl..|tn
     e4 b4 bc ba ff a9 27 23 97 48 6c 00 e0 7c 74 6e
0150
0160 2e f0 d5 d9 80 c1 8e c0 48 9d 33 8f 64 52 dc ea
                                                        ........H.3.dR..
                                                        ....G%.@......
0170 dc fa 11 bf 47 25 02 40 d5 fc 84 91 97 de bf d2
0180 73 33 00 5c 5f 65 9f 96 26 a8 1c b2 52 3b 95 52
                                                        s3.\_e..&...R;.R
0190 8d 51 3f f3 49 73 da ff b6 72 1b 69 9f 3f 0e 48
                                                        .Q?.Is...r.i.?.H
01a0 78 59 fd 4c 24 d2 18 67 5d ef dd ac 8d f1 07 47
                                                        xY.L$..g].....G
01b0
     6e f4 54 cf 0b 16 9d ab c8 7f 61 a1 8d 97 c4 bf
                                                        n.T.....a....
01c0 03 02 2b f6 92 16 54 2a 91 cb 65 59 ee 85 0c 1f
                                                        ..+...T*..eY....
01d0    1b 8d 70 d6 a2 9d cd da af 88 98 30 f5 b4 7f 75
                                                        ..p.....0...u
                                                        `..._.w....)..b
01e0 60 9f ef dc 5f c8 77 c6 1f c5 01 18 29 be da 62
                                                       W..., {8......>
01f0 57 df 1a 2c 7b 38 d3 df a1 ed 86 e1 b2 e4 dd 3e
   Data: ca20a292c0f80cca20328df521a2fedc54d93221a30e2c4e687faad7fe95c1f252bc64d8...
    [Length: 512]
No.
       Time
                                                                   Protocol Length Info
                       Source
                                             Destination
     95 157.100519655 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            46
                                                                                  Acknowledgement, Block:
Frame 95: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
                                                                   Protocol Length Info
        Time
                       Source
                                             Destination
     96 157.100530485 127.0.0.1
                                             127.0.0.1
                                                                   TFTP
                                                                            558
                                                                                   Data Packet, Block: 41
Frame 96: 558 bytes on wire (4464 bits), 558 bytes captured (4464 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (512 bytes)
0000
     bb ff f5 d6 35 00 bd ee ee e1 9c 1a de e0 36 04
                                                        ....5.......6.
0010
     3f bd e0 e0 63 e5 31 2b 00 e0 69 b4 de ee cf d8
                                                        ?...c.1+..i....
0020
      26 17 94 f3 8d dc f5 d8 a7 86 eb 4d 00 80 42 f7
                                                        &....M..B.
     79 a7 7c 76 4f 17 00 c0 c8 5e c7 76 9f 62 9b 34
                                                        y.|v0....^.v.b.4
0030
     b4 56 f7 fe f6 e0 ae db 06 32 9f 12 dd 6f ba 8f
                                                        .V.....2...o..
0040
     29 Of 3e ae b7 Oe OO Oa bf 33 31 Of d4 39 9e ee
                                                        ).>.....31..9..
0060
     57 3f 31 62 c9 46 37 27 00 f8 a9 3b 9b 9d 30 6f
                                                        W?1b.F7'...;..0o
                                                        ....9a.....$$.
0070
     09 03 8c fc 39 61 f8 a9 04 bd d1 00 b0 24 24 d6
                                                        .G.-..eN.....6
     dd 47 e7 2d 00 9b 65 4e 91 b5 bd d8 09 09 f3 36
0080
0090
      eb 02 c0 17 7a 7b 7a 0d 3f ae f3 73 55 5d 0f d9
                                                        ....z{z.?..sU]..
00a0
     e9 13 d4 a1 c1 bb 05 1d 24 a2 12 7f e7 12 22 32
                                                        . . . . . . . . $ . . . . . "2
00b0
     4b 2c 6e 90 59 96 66 ec 43 44 a9 4c 00 11 b9 f8
                                                        K, n.Y.f.CD.L...
```

. "rb.)....'"..

9f 20 22 72 62 06 29 95 d8 10 c4 27 22 f2 ca 20

00c0

```
1a 3a 67 0b 11 51 14 97 47 54 1c 6a 4c 44 24 2e
                                                         .:g..Q..GT.jLD$.
                                                         h....t.e:.ND>
0.0e0
     68 b0 a3 b4 2e cd 85 0a 74 9c 65 3a a2 4e 44 3e
                                                         ..r....[b>..Hr#"
00f0
           72 fb 13 91 b8 5b 62 3e 11 dd 48 72 23 22
0100
            58 46 44 fa cc 28 22 12 4d 8b 73 22
                                                         ..XFD..(".M.s"".
                                                22 ca
0110
      67 29 5a a9 66 0a 89 88 a2 99 30 f9 ae 65 28 87
                                                         g)Z.f....0..e(.
0120
     88 96 32 8b 89 c8 30 3e 36 92 88 6a 62 cd 4a 88
                                                         ..2...0>6..jb.J.
                                                         ...eD...!"*P.g..
0130
     c4 c6 a1 65 44 b4 8a a9 21 22 2a 50 03 67 bd db
                                                         .....[.F.`9.4.-
0140
     db f0 e7 f4 f4 f4 5b f8 46 0a 60 39 a6 34 c8 2d
0150
     f3 f4 3e 01 e0 63 99 26 f9 e3 ee f4 f4 f4 79 f6
                                                         ..>..c.&....y.
0160
     73 94 e3 ee 4e 10 56 04 eb 4d 77 8f 73 02 6a b7
                                                         s...N.V..Mw.s.j.
      a6 96 a7 a7 a7 5f 9e 3c 1f b0 fe 00 ef b0 bf b1
0170
                                                         . . . . . _ . < . . . . . . . .
     9c df 40 9a 38 67 4f 99 e1 fe eb ea 6c 33 00 c0
0180
                                                         ..@.8g0....l3..
0190 94 4d 6c 00 16 d3 82 19 00 d8 ef 08 a0 76 5f 58
                                                         .Ml.......v_X
                                                         cwqW....'.j]t..
01a0 63 77 71 57 93 ac 0c 00 e8 27 01 6a 5d 74 e6 ad
01b0 19 c3 c7 71 40 84 a3 58 af 5c ce 42 72 08 40 f5
                                                         ...q@..X.\.Br.@.
01c0 87 9f fc 02 00 33 1c ad 00 be a1 cb 70 00 d3 76
                                                         .....3.....p...v
01d0
     58 04 eb 4d 0f 52 c7 72 47 1c 9f cc af 8b bb 43
                                                         X..M.R.rG.....C
01e0
      66 73 6e 37 c8 3d 18 b4 81 88 e8 10 13 40 44 a9
                                                         fsn7.=....@D.
     b2 55 5c 33 94 b7 ce 58 4c 14 c0 5d a5 64 ca 44
                                                         .U\3...XL..].d.D
   Data: bbfff5d63500bdeeeee19c1adee036043fbde0e063e5312b00e069b4deeecfd8261794f3...
    [Length: 512]
No.
        Time
                       Source
                                             Destination
                                                                    Protocol Length Info
     97 157.100548832
                       127.0.0.1
                                             127.0.0.1
                                                                             46
                                                                                    Acknowledgement, Block:
41
Frame 97: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
        Time
                       Source
                                             Destination
                                                                    Protocol Length Info
     98 157.100559580 127.0.0.1
                                             127.0.0.1
                                                                    TFTP
                                                                             472
                                                                                    Data Packet, Block: 42
(last)
Frame 98: 472 bytes on wire (3776 bits), 472 bytes captured (3776 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 48545, Dst Port: 34988
Trivial File Transfer Protocol
Data (426 bytes)
0000
     44 a4 8f 75 ac fa 52 d1 5c 93 e2 62 0e 87 b3 31
                                                         D..u..R.\..b...1
     e8 06 11 71 fc bb 95 10 51 18 b3 51 b6 3b 5d 4c
0010
                                                         ...q....Q..Q.;]L
0020
      44 91 71 a6 8d 39 4b 1c b1 39 53 de a2 38 de 9f
                                                         D.q..9K..9S..8..
     45 44 91 cc 06 a2 0c f2 8d 5b 2a 7b 8b 8c b3 46
                                                         ED.....[*{...F
0030
0040
     87 fb 12 11 b9 85 fb 11 51 0d 46 11 11 ed 8a e5
                                                         .....Q.F....
0050
     2b 7a 92 b7 cc 5f 1d c3 30 63 4b 52 7c 7f df 55
                                                         +z..._..0cKR|..U
0060
     58 46 44 34 3b ce 79 e2 c6 a5 4a b9 e3 82 8c 37
                                                         XFD4;.y...J....7
     b8 e9 20 2e 80 88 68 e9 7d 66 8b ef 38 b3 60 e5
0070
                                                         .. ...h.}f..8.`.
0080
     b5 ec d7 49 9b 06 f9 6d 61 a6 10 11 f9 25 32 a3
                                                         ...I...ma....%2.
     7c c7 05 86 47 13 b9 c0 78 43 74 61 bc 77 80 12
0090
                                                         |...G...xCta.w..
00a0
     a2 3a 81 19 94 91 91 41 65 fe c3 3e 27 e2 e8 78
                                                         .:....Ae..>'..x
00b0
     77 8b 8a 0a 4c 32 35 24 22 71 a0 b7 f3 b8 89 ce
                                                         w...L25$"q.....
                                                         If.DD.b...`.&"".
00c0
     49 66 c5 44 44 d3 62 cb 88 e8 60 d2 26 22 22 bb
     75 dc c5 be fd 8d ef 1b 12 45 71 03 a3 a2 7a 24
0000
                                                         u....z$
00e0
     27 6d 20 22 0a f3 36 1e 37 c5 97 88 b6 c4 72 64
                                                         'm "..6.7....rd
00f0
     e2 24 b0 d0 37 82 39 44 44 c4 67 4c 89 88 7a 79
                                                         .$..7.9DD.gL..zy
0100
     f3 95 7a 08 f5 ec 4e 1b fa f0 eb 64 8b 0b bf ac
                                                         ..z...N....d....
     44 d9 d6 8d ca f8 2e 44 ac eb f2 84 a1 fb 7c 6e
0110
                                                         D.....|n
0120
      35 aa 3d b4 a6 a6 7e 6d
                              3b 94 ef
                                       23 96 55 64 e5
                                                         5.=...~m;..#.Ud.
      f3 f3 1b 78 50 b3 c4 75
                              37 5c 89
                                                         ...xP..u7\.YD...
0130
                                       59 44
     92 32 be dc ec 43 bc d9 9f 53 c6 2f 90 f3 01 8b
0140
                                                         .2...C...S./...
     45 44 94 c1 52 54 2f e0 fb fc 57 f6 e4 13 e9 42
                                                         ED..RT/...W....B
0150
     c4 62 c9 1a f2 e2 bb b0 32 32 a8 44 ac f8 6f f0
                                                         .b.....22.D..o.
0160
     f9 72 89 2b af 5a 22 ce 20 ca 20 2a e0 7f ce 69
                                                         .r.+.Z". . *...i
0170
                                                         ..!.S.....>..
0180
      df 86 21 ba 53 93 d2 eb b6 cd 0a 07 8d 3e f8 b4
0190
      95 5f f8 7f 03 00 60 c4 e5 2f 92 ca 9a 1b 00 00
                                                         ._....`../.....
      00 00 49 45 4e 44 ae 42 60 82
                                                         ..IEND.B`.
    Data: 44a48f75acfa52d15c93e2620e87b331e8061171fcbb95105118b351b63b5d4c449171a6...
    [Length: 426]
No.
        Time
                       Source
                                             Destination
                                                                    Protocol Length Info
     99 157.100575399 127.0.0.1
                                             127.0.0.1
                                                                    TFTP
                                                                             46
                                                                                    Acknowledgement, Block:
42
Frame 99: 46 bytes on wire (368 bits), 46 bytes captured (368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 34988, Dst Port: 48545
Trivial File Transfer Protocol
No.
        Time
                       Source
                                             Destination
                                                                    Protocol Length Info
```

```
100 174.398449398 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            96
                                                                                  Standard query 0x205c
PTR 138.27.10.10.in-addr.arpa OPT
Frame 100: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38685, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    101 174.496829970 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           144
                                                                                  Standard query response
0x205c PTR 138.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 101: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38685
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
    102 174.497336395 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           143
                                                                                  Standard query 0x2aaa
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 102: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42386, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    103 174.497975849 127.0.0.53
                                                                                  Standard query response
                                            127.0.0.1
                                                                  DNS
                                                                           191
0x2aaa PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 103: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42386
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                       Source
                                            Destination
    104 174.500543317 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0x6e9e
PTR 138.27.10.10.in-addr.arpa OPT
Frame 104: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35543, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
    105 174.506577450 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            144
                                                                                  Standard query response
0x6e9e PTR 138.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 105: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35543
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    106 174.506956846 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           143
                                                                                  Standard query 0xabf1
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 106: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57608, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                       Source
                                                                   Protocol Length Info
    107 174.507635462 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                           191
                                                                                  Standard query response
0xabf1 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 107: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57608
Domain Name System (response)
                                            Destination
        Time
                                                                   Protocol Length Info
                       Source
    108 174.509733688 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           96
                                                                                  Standard query 0x1170
PTR 138.27.10.10.in-addr.arpa OPT
Frame 108: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39658, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                   Protocol Length Info
                       Source
    109 174.514501718 127.0.0.53
                                            127.0.0.1
                                                                  DNS
```

0x1170 PTR 138.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT

144

Standard query response

```
Frame 109: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39658
Domain Name System (response)
       Time
                       Source
                                            Destination
                                                                  Protocol Length Info
No.
    110 174.514644920 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0x59c8
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 110: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57025, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
                                                                           191
    111 174.515258646 127.0.0.53
                                            127.0.0.1
                                                                                  Standard query response
0x59c8 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 111: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57025
Domain Name System (response)
        Time
                                            Destination
                                                                   Protocol Length Info
    112 174.517090734 127.0.0.1
                                            127.0.0.53
                                                                           96
                                                                                  Standard query 0xad6e
PTR 138.27.10.10.in-addr.arpa OPT
Frame 112: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41499, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    113 174.524341684 127.0.0.53
                                             127.0.0.1
                                                                           144
                                                                                  Standard query response
                                                                   DNS
0xad6e PTR 138.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 113: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41499
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
                                                                           143
    114 174.524461881 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                                  Standard query 0x6254
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 114: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57054, Dst Port: 53
Domain Name System (query)
                                            Destination
       Time
                       Source
                                                                  Protocol Length Info
    115 174.525218082 127.0.0.53
                                                                           191
                                                                                  Standard query response
                                            127.0.0.1
                                                                  DNS
0x6254 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 115: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57054
Domain Name System (response)
                       Source
        Time
                                            Destination
                                                                  Protocol Length Info
                                                                                  Standard query 0xa9af
    116 174.526907525 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            96
PTR 138.27.10.10.in-addr.arpa OPT
Frame 116: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52918, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    117 174.534137425 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            144
                                                                                  Standard guery response
0xa9af PTR 138.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local 0PT
Frame 117: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52918
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    118 174.534268917 127.0.0.1
                                             127.0.0.53
                                                                            143
                                                                                   Standard query 0xa09c
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 118: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
```

Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)

```
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38419, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                   Protocol Length Info
    119 174.534910873 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                  Standard query response
0xa09c PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 119: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38419
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                       Source
                                             Destination
    120 174.536284143 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            96
                                                                                   Standard query 0x2837
PTR 138.27.10.10.in-addr.arpa OPT
Frame 120: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46768, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
    121 174.542377857 127.0.0.53
                                            127.0.0.1
                                                                            144
                                                                                  Standard query response
0x2837 PTR 138.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 121: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46768
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
No.
       Time
                       Source
    122 174.542513936 127.0.0.1
                                            127.0.0.53
                                                                                   Standard query 0x17ec
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 122: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60265, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
    123 174.543222236 127.0.0.53
                                                                  DNS
                                                                            191
                                            127.0.0.1
                                                                                  Standard query response
0x17ec PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 123: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60265
Domain Name System (response)
                                            Destination
                                                                   Protocol Length Info
        Time
    124 174.545034451 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            96
                                                                                  Standard query 0x2e3e
PTR 138.27.10.10.in-addr.arpa OPT
Frame 124: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50888, Dst Port: 53
Domain Name System (query)
        Time
                                             Destination
                                                                   Protocol Length Info
                       Source
    125 174.550375417 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            144
                                                                                   Standard query response
0x2e3e PTR 138.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 125: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50888
Domain Name System (response)
                                                                   Protocol Length Info
                                             Destination
    126 174.550469540 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            143
                                                                                   Standard query 0x49d5
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 126: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43935, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    127 174.550983304 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            191
                                                                                  Standard query response
0x49d5 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 127: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
```

Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)

Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1

User Datagram Protocol, Src Port: 33399, Dst Port: 53

Domain Name System (query)

```
User Datagram Protocol, Src Port: 53, Dst Port: 43935
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
    128 174.552255094 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                           96
                                                                                  Standard query 0xad1f
PTR 138.27.10.10.in-addr.arpa OPT
Frame 128: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45103, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    129 174.636108796 127.0.0.53
                                             127.0.0.1
                                                                  DNS
                                                                            144
                                                                                  Standard query response
0xad1f PTR 138.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 129: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45103
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    130 174.636731749 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           143
                                                                                  Standard query 0x0279
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 130: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53863, Dst Port: 53
Domain Name System (query)
        Time
                                             Destination
                                                                   Protocol Length Info
                       Source
    131 174.637780028 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                  Standard query response
0x0279 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 131: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53863
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
No.
       Time
                       Source
    132 219.894813918 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           96
                                                                                  Standard query 0xe586
PTR 100.25.10.10.in-addr.arpa OPT
Frame 132: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57862, Dst Port: 53
Domain Name System (query)
No.
       Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    133 219.904594412 127.0.0.53
                                            127.0.0.1
                                                                            144
                                                                                  Standard query response
0xe586 PTR 100.25.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 133: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57862
Domain Name System (response)
                                            Destination
No.
       Time
                       Source
                                                                  Protocol Length Info
    134 219.904759057 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           143
                                                                                  Standard query 0xf26d
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 134: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59240, Dst Port: 53
Domain Name System (query)
                       Source
                                                                  Protocol Length Info
                                             Destination
    135 219.905500898 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                  Standard guery response
0xf26d PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 135: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59240
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    136 219.906935019 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            96
                                                                                  Standard query 0xa4eb
PTR 100.25.10.10.in-addr.arpa OPT
Frame 136: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

No.

Time

Source

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
                                                                           144
                                                                                  Standard query response
    137 219.915556975 127.0.0.53
                                            127.0.0.1
                                                                  DNS
0xa4eb PTR 100.25.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 137: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33399
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    138 219.915710003 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           143
                                                                                  Standard query 0x7468
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 138: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33668, Dst Port: 53
Domain Name System (query)
                                            Destination .
       Time
                                                                  Protocol Length Info
                      Source
    139 219.916379236 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191 Standard query response
0x7468 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 139: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33668
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    140 219.917071783 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           96
                                                                                  Standard query 0x71a1
PTR 100.25.10.10.in-addr.arpa OPT
Frame 140: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33026, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    141 219.928538201 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           144
                                                                                  Standard query response
0x71a1 PTR 100.25.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 141: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33026
Domain Name System (response)
                                            Destination
No.
        Time
                      Source
                                                                  Protocol Length Info
    142 219.928840992 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           143
                                                                                  Standard query 0x24c3
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 142: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53849, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    143 219.929411125 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                Standard query response
0x24c3 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 143: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53849
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
                                            127.0.0.53
    144 219.931135651 127.0.0.1
                                                                  DNS
                                                                           96
                                                                                  Standard query 0x6e4d
PTR 100.25.10.10.in-addr.arpa OPT
Frame 144: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 51065, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    145 219.935399970 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           144
                                                                                  Standard query response
0x6e4d PTR 100.25.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 145: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 51065
Domain Name System (response)
```

Destination

Protocol Length Info

Time

Source

```
146 219.935510368 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           143
                                                                                  Standard query 0x7d1e
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 146: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36468, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    147 219.935881427 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                  Standard query response
0x7d1e PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 147: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36468
Domain Name System (response)
                                            Destination
       Time
                      Source
                                                                  Protocol Length Info
    148 219.936870803 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           96
                                                                                  Standard query 0xada3
PTR 100.25.10.10.in-addr.arpa OPT
Frame 148: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54792, Dst Port: 53
Domain Name System (query)
        Time
No.
                      Source
                                            Destination
                                                                  Protocol Length Info
    149 219.946729722 127.0.0.53
                                            127.0.0.1
                                                                           144
                                                                                  Standard query response
0xada3 PTR 100.25.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 149: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54792
Domain Name System (response)
       Time
                      Source
                                                                  Protocol Length Info
                                            Destination
    150 219.946866229 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                          143
                                                                                  Standard query 0x6e89
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 150: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40167, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    151 219.947318717 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                Standard query response
0x6e89 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 151: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40167
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    152 219.948582263 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           96
                                                                                 Standard query 0x1cc7
PTR 100.25.10.10.in-addr.arpa OPT
Frame 152: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46186, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
                      Source
                                            Destination
    153 219.956847610 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           144
                                                                                  Standard query response
0x1cc7 PTR 100.25.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 153: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46186
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    154 219.956959839 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           143
                                                                                  Standard query 0xe478
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 154: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60216, Dst Port: 53
Domain Name System (query)
```

Destination

Protocol Length Info

```
155 219.957361409 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                  Standard query response
0xe478 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 155: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60216
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    156 220.682241085 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           82
                                                                                  Standard query 0x509e
A example.org OPT
Frame 156: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60641, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   157 220.682283184 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           82
                                                                                  Standard query 0xbfe3
A example.org OPT
Frame 157: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34359, Dst Port: 53
Domain Name System (query)
       Time
No.
                      Source
                                            Destination
                                                                  Protocol Length Info
   158 220.682304315 127.0.0.1
                                            127.0.0.53
                                                                           82
                                                                                  Standard query 0x7ee9
AAAA example.org OPT
Frame 158: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34359, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
No.
       Time
                                            Destination
                      Source
   159 220.682357994 127.0.0.1
                                            127.0.0.53
                                                                           84
                                                                                  Standard query 0x016a
A ipv4only.arpa OPT
Frame 159: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53907, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                                            Destination
                      Source
    160 220.682373173 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           84
                                                                                  Standard query 0x6215
AAAA ipv4only.arpa OPT
Frame 160: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53907, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    161 220.684361493 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           95
                                                                                  Standard query 0xff3e
A detectportal.firefox.com OPT
Frame 161: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39095, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                                            Destination
                      Source
    162 220.684370356 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           95
                                                                                  Standard query 0x03b4
A detectportal.firefox.com OPT
Frame 162: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43467, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   163 220.684383571 127.0.0.1
                                            127.0.0.53
                                                                           95
                                                                                  Standard query 0x3db9
AAAA detectportal.firefox.com OPT
Frame 163: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43467, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    164 220.684763009 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           110
                                                                                  Standard query response
0x7ee9 AAAA example.org AAAA 2606:2800:220:1:248:1893:25c8:1946 OPT
```

Frame 164: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0

Domain Name System (response)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34359
Domain Name System (response)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    165 220,684868310 127,0,0,53
                                             127.0.0.1
                                                                   DNS
                                                                            98
                                                                                   Standard query response
0x509e A example.org A 93.184.216.34 OPT
Frame 165: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60641
Domain Name System (response)
       Time
                                                                   Protocol Length Info
                       Source
                                             Destination
   166 220.684888274 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            98
                                                                                   Standard query response
Oxbfe3 A example.org A 93.184.216.34 OPT
Frame 166: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34359
Domain Name System (response)
       Time
                                             Destination
                                                                   Protocol Length Info
No.
                      Source
    167 220.685045430 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            141
                                                                                   Standard query response
0x6215 AAAA ipv4only.arpa SOA sns.dns.icann.org OPT
Frame 167: 141 bytes on wire (1128 bits), 141 bytes captured (1128 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53907
Domain Name System (response)
                                                                   Protocol Length Info
No.
        Time
                       Source
                                             Destination
    168 220.685284054 127.0.0.1
                                             127.0.0.53
                                                                            82
                                                                                    Standard query 0xbe97
A example.org OPT
Frame 168: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40988, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    169 220.685344631 127.0.0.1
                                             127.0.0.53
                                                                                   Standard query 0xa894
                                                                            82
A example.org OPT
Frame 169: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41127, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                                                   Protocol Length Info
                                             Destination
    170 220.685357084 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            82
                                                                                   Standard query 0x2298
AAAA example.org OPT
Frame 170: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41127, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    171 220.685404413 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            98
                                                                                   Standard query response
0xbe97 A example.org A 93.184.216.34 OPT
Frame 171: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40988
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    172 220.685457152 127.0.0.53
                                             127.0.0.1
                                                                            98
                                                                                   Standard query response
0xa894 A example.org A 93.184.216.34 OPT
Frame 172: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41127
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    173 220.685515686 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            110
                                                                                    Standard query response
0x2298 AAAA example.org AAAA 2606:2800:220:1:248:1893:25c8:1946 OPT
Frame 173: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41127
```

Time

Source

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   174 220.685597869 127.0.0.53
                                            127.0.0.1
                                                                           116
                                                                                  Standard query response
0x016a A ipv4only.arpa A 192.0.0.170 A 192.0.0.171 OPT
Frame 174: 116 bytes on wire (928 bits), 116 bytes captured (928 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53907
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    175 220.686005908 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           84
                                                                                  Standard query 0x8aa7
A ipv4only.arpa OPT
Frame 175: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49261, Dst Port: 53
Domain Name System (query)
                                            Destination
       Time
                                                                  Protocol Length Info
                      Source
   176 220.686017935 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           84
                                                                                  Standard query 0x12a4
AAAA ipv4only.arpa OPT
Frame 176: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49261, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    177 220.686237171 127.0.0.53
                                            127.0.0.1
                                                                           116
                                                                                  Standard query response
0x8aa7 A ipv4only.arpa A 192.0.0.171 A 192.0.0.170 OPT
Frame 177: 116 bytes on wire (928 bits), 116 bytes captured (928 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49261
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    178 220.686428562 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           206
                                                                                  Standard query response
0x03b4 A detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net A 34.107.221.82 OPT
Frame 178: 206 bytes on wire (1648 bits), 206 bytes captured (1648 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43467
Domain Name System (response)
                                            Destination
        Time
                      Source
                                                                  Protocol Length Info
    179 220.686519840 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           206
                                                                                  Standard query response
Oxff3e A detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net A 34.107.221.82 OPT
Frame 179: 206 bytes on wire (1648 bits), 206 bytes captured (1648 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39095
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    180 220.693350017 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                          218 Standard query response
0x3db9 AAAA detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net AAAA 2600:1901:0:38d7:: OPT
Frame 180: 218 bytes on wire (1744 bits), 218 bytes captured (1744 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43467
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
    181 220.693438730 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           141
                                                                                  Standard query response
0x12a4 AAAA ipv4only.arpa SOA sns.dns.icann.org OPT
Frame 181: 141 bytes on wire (1128 bits), 141 bytes captured (1128 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49261
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
    182 220.700754929 127.0.0.1
                                            127.0.0.53
                                                                           84
                                                                                  Standard query 0x28b5
A ipv4only.arpa OPT
Frame 182: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43595, Dst Port: 53
Domain Name System (query)
```

Destination

Protocol Length Info

```
183 220.700776378 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          84
                                                                                 Standard query 0xecaf
AAAA ipv4only.arpa OPT
Frame 183: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43595, Dst Port: 53
Domain Name System (query)
       Time
                                           Destination
                                                                 Protocol Length Info
                      Source
    184 220.701107730 127.0.0.53
                                           127.0.0.1
                                                                          116
                                                                                 Standard query response
0x28b5 A ipv4only.arpa A 192.0.0.171 A 192.0.0.170 OPT
Frame 184: 116 bytes on wire (928 bits), 116 bytes captured (928 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43595
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   185 220.701793675 127.0.0.1
                                           127.0.0.53
                                                                          95
                                                                 DNS
                                                                                 Standard query 0x6462
A detectportal.firefox.com OPT
Frame 185: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59329, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   186 220.701810096 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          95
                                                                                 Standard query 0x167c
AAAA detectportal.firefox.com OPT
Frame 186: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59329, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   187 220.702227176 127.0.0.53
                                           127.0.0.1
                                                                          234
                                                                                 Standard query response
0x6462 A detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net A 34.107.221.82 AAAA 2600:1901:0:38d7:: OPT
Frame 187: 234 bytes on wire (1872 bits), 234 bytes captured (1872 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59329
Domain Name System (response)
                                                                 Protocol Length Info
       Time
                      Source
                                           Destination
    188 220.702449460 127.0.0.53
                                           127.0.0.1
                                                                          218
                                                                                 Standard query response
                                                                 DNS
0x167c AAAA detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net AAAA 2600:1901:0:38d7:: OPT
Frame 188: 218 bytes on wire (1744 bits), 218 bytes captured (1744 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59329
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    189 220.704812796 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          141
                                                                                 Standard query response
Oxecaf AAAA ipv4only.arpa SOA sns.dns.icann.org OPT
Frame 189: 141 bytes on wire (1128 bits), 141 bytes captured (1128 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43595
Domain Name System (response)
                                            Destination
                      Source
                                                                 Protocol Length Info
    190 221.152873107 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          96
                                                                                 Standard query 0xf748
PTR 100.25.10.10.in-addr.arpa OPT
Frame 190: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58878, Dst Port: 53
Domain Name System (query)
       Time
                                                                 Protocol Length Info
                      Source
                                            Destination
    191 221.168096444 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          144
                                                                                 Standard query response
0xf748 PTR 100.25.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 191: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58878
Domain Name System (response)
       Time
                                           Destination
                                                                 Protocol Length Info
                      Source
   192 221.168606583 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          143
                                                                                 Standard query 0x0b7e
```

PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT

Warhawk.local OPT

```
Frame 192: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34708, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                       Source
    193 221.169726628 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                  Standard query response
0x0b7e PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 193: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34708
Domain Name System (response)
                                                                  Protocol Length Info
                                            Destination
    194 221.172313299 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           96
                                                                                  Standard query 0x224a
PTR 100.25.10.10.in-addr.arpa OPT
Frame 194: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55408, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
    195 221.183438920 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           144
                                                                                  Standard query response
0x224a PTR 100.25.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 195: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55408
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    196 221.183865300 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0x1343
                                                                  DNS
                                                                           143
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 196: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48542, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    197 221.184977896 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                 Standard query response
0x1343 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 197: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48542
Domain Name System (response)
       Time
                                                                  Protocol Length Info
No.
                       Source
                                            Destination
    198 221.187312017 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0x3971
PTR 100.25.10.10.in-addr.arpa OPT
Frame 198: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47420, Dst Port: 53
Domain Name System (query)
                                            Destination
        Time
                                                                  Protocol Length Info
                       Source
                                                                                  Standard query response
    199 221.198673580 127.0.0.53
                                            127.0.0.1
                                                                  DNS
0x3971 PTR 100.25.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 199: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47420
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
    200 221.199096856 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           143
                                                                                  Standard query 0x1f94
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 200: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59972, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                       Source
                                                                  Protocol Length Info
    201 221.200274992 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                  Standard query response
0x1f94 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
```

Frame 201: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0

User Datagram Protocol, Src Port: 36407, Dst Port: 53

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59972
Domain Name System (response)
       Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    202 221,202670171 127,0,0,1
                                            127.0.0.53
                                                                  DNS
                                                                           96
                                                                                  Standard query 0x5a24
PTR 100.25.10.10.in-addr.arpa OPT
Frame 202: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49875, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                       Source
                                             Destination
    203 221.210353926 127.0.0.53
                                            127.0.0.1
                                                                           144
                                                                                  Standard query response
0x5a24 PTR 100.25.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 203: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49875
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
    204 221.210749241 127.0.0.1
                                            127.0.0.53
                                                                           143
                                                                                  Standard query 0xa98e
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 204: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41506, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
No.
    205 221.211686683 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                  Standard query response
0xa98e PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 205: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41506
Domain Name System (response)
        Time
                                            Destination
                                                                  Protocol Length Info
    206 221.692738011 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           84
                                                                                  Standard query 0xf4b5
A ipv4only.arpa OPT
Frame 206: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57131, Dst Port: 53
Domain Name System (query)
                       Source
                                            Destination
                                                                  Protocol Length Info
        Time
    207 221.692756097 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0xb0bb
                                                                  DNS
                                                                           84
AAAA ipv4only.arpa OPT
Frame 207: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57131, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
    208 221.693151218 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           116
                                                                                  Standard query response
0xf4b5 A ipv4only.arpa A 192.0.0.170 A 192.0.0.171 OPT
Frame 208: 116 bytes on wire (928 bits), 116 bytes captured (928 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57131
Domain Name System (response)
        Time
                                            Destination
                                                                  Protocol Length Info
    209 221.694119821 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           95
                                                                                  Standard query 0x03a7
A detectportal.firefox.com OPT
Frame 209: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36407, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
    210 221.694141608 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                                  Standard query 0x00ad
                                                                           95
AAAA detectportal.firefox.com OPT
Frame 210: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

Time

Source

```
Domain Name System (query)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    211 221.694640445
                      127.0.0.53
                                            127.0.0.1
                                                                            234
                                                                                  Standard query response
0x03a7 A detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net A 34.107.221.82 AAAA 2600:1901:0:38d7:: OPT
Frame 211: 234 bytes on wire (1872 bits), 234 bytes captured (1872 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36407
Domain Name System (response)
        Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    212 221.694936606 127.0.0.53
                                             127.0.0.1
                                                                  DNS
                                                                            218
                                                                                  Standard query response
0x00ad AAAA detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net AAAA 2600:1901:0:38d7:: OPT
Frame 212: 218 bytes on wire (1744 bits), 218 bytes captured (1744 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36407
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                  Protocol Length Info
    213 221.700613957 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           141
                                                                                  Standard query response
0xb0bb AAAA ipv4only.arpa SOA sns.dns.icann.org OPT
Frame 213: 141 bytes on wire (1128 bits), 141 bytes captured (1128 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57131
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    214 221.700931461 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           84
                                                                                  Standard query 0x855e
A ipv4only.arpa OPT
Frame 214: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53051, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
    215 221.700944837 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           84
                                                                                  Standard query 0xb15a
AAAA ipv4only.arpa OPT
Frame 215: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53051, Dst Port: 53
Domain Name System (query)
No.
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
    216 221.701208409 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            116
                                                                                  Standard query response
0x855e A ipv4only.arpa A 192.0.0.170 A 192.0.0.171 OPT
Frame 216: 116 bytes on wire (928 bits), 116 bytes captured (928 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53051
Domain Name System (response)
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    217 221.709962408 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           141
                                                                                  Standard query response
0xb15a AAAA ipv4only.arpa SOA sns.dns.icann.org OPT
Frame 217: 141 bytes on wire (1128 bits), 141 bytes captured (1128 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53051
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    218 221.710232827 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           84
                                                                                  Standard query 0x58f4
A ipv4only.arpa OPT
Frame 218: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35802, Dst Port: 53
Domain Name System (query)
                                            Destination
       Time
                      Source
                                                                   Protocol Length Info
    219 221.710242297 127.0.0.1
                                            127.0.0.53
                                                                           84
                                                                                  Standard query 0x0df2
AAAA ipv4only.arpa OPT
Frame 219: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35802, Dst Port: 53
Domain Name System (query)
```

Destination

Protocol Length Info

```
220 221.710495091 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           116
                                                                                  Standard query response
0x58f4 A ipv4only.arpa A 192.0.0.170 A 192.0.0.171 OPT
Frame 220: 116 bytes on wire (928 bits), 116 bytes captured (928 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35802
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    221 221.710838915 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0x2349
                                                                           82
A example.org OPT
Frame 221: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52366, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    222 221.710962418 127.0.0.1
                                            127.0.0.53
                                                                           82
                                                                  DNS
                                                                                  Standard query 0x0f2a
A example.org OPT
Frame 222: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47451, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    223 221.710967771 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           82
                                                                                  Standard query 0x3d28
AAAA example.org OPT
Frame 223: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47451, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    224 221.711073996 127.0.0.53
                                                                           98
                                            127.0.0.1
                                                                  DNS
                                                                                  Standard query response
0x2349 A example.org A 93.184.216.34 OPT
Frame 224: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52366
Domain Name System (response)
        Time
No.
                       Source
                                            Destination
                                                                  Protocol Length Info
    225 221.711228568 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           98
                                                                                  Standard query response
0x0f2a A example.org A 93.184.216.34 OPT
Frame 225: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47451
Domain Name System (response)
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    226 221.711355168 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           110
                                                                                  Standard query response
0x3d28 AAAA example.org AAAA 2606:2800:220:1:248:1893:25c8:1946 OPT
Frame 226: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47451
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    227 221.712047522 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           95
                                                                                  Standard query 0xe9d5
A detectportal.firefox.com OPT
Frame 227: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44856, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    228 221.712054850 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           95
                                                                                  Standard query 0x5cae
AAAA detectportal.firefox.com OPT
Frame 228: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44856, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
    229 221.712511446 127.0.0.53
                                            127.0.0.1
                                                                           234
                                                                                  Standard query response
0xe9d5 A detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
```

prod.detectportal.prod.cloudops.mozgcp.net A 34.107.221.82 AAAA 2600:1901:0:38d7:: OPT

Frame 229: 234 bytes on wire (1872 bits), 234 bytes captured (1872 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44856
Domain Name System (response)
       Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    230 221.712756852 127.0.0.53
                                            127.0.0.1
                                                                                  Standard query response
                                                                  DNS
                                                                           218
0x5cae AAAA detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net AAAA 2600:1901:0:38d7:: OPT
Frame 230: 218 bytes on wire (1744 bits), 218 bytes captured (1744 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44856
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    231 221.714181324 127.0.0.53
                                            127.0.0.1
                                                                           141
                                                                                  Standard query response
0x0df2 AAAA ipv4only.arpa SOA sns.dns.icann.org OPT
Frame 231: 141 bytes on wire (1128 bits), 141 bytes captured (1128 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35802
Domain Name System (response)
       Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    232 223.057942707 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                                  Standard query 0xc81f
                                                                           96
PTR 100.25.10.10.in-addr.arpa OPT
Frame 232: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36528, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    233 223.073727689 127.0.0.53
                                             127.0.0.1
                                                                  DNS
                                                                           144
                                                                                  Standard query response
0xc81f PTR 100.25.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local 0PT
Frame 233: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36528
Domain Name System (response)
        Time
                                            Destination
                       Source
                                                                  Protocol Length Info
    234 223.074136626 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           143
                                                                                  Standard query 0x3e2d
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 234: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56161, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
                       Source
    235 223.074992672 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                  Standard query response
0x3e2d PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 235: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56161
Domain Name System (response)
                                            Destination
        Time
                       Source
                                                                  Protocol Length Info
    236 223.077272580 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           96
                                                                                  Standard query 0x59cb
PTR 100.25.10.10.in-addr.arpa OPT
Frame 236: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39882, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    237 223.087333116 127.0.0.53
                                            127.0.0.1
                                                                           144
                                                                                  Standard query response
                                                                  DNS
0x59cb PTR 100.25.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 237: 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39882
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    238 223.087498713 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           143
                                                                                  Standard query 0xfdf4
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 238: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
```

Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53

Time

Source

```
User Datagram Protocol, Src Port: 55824, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    239 223.088306476 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          191
                                                                               Standard query response
0xfdf4 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk, local OPT
Frame 239: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55824
Domain Name System (response)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    240 225.973902260 127.0.0.1
                                           127.0.0.53
                                                                                 Standard query 0x8619
                                                                 DNS
                                                                          91
A translate.astian.org OPT
Frame 240: 91 bytes on wire (728 bits), 91 bytes captured (728 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 51639, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    241 225.973910922 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          91
                                                                                Standard query 0x821b
AAAA translate.astian.org OPT
Frame 241: 91 bytes on wire (728 bits), 91 bytes captured (728 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 51639, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    242 226.005278703 127.0.0.53
                                            127.0.0.1
                                                                          162
                                                                                 Standard query response
0x8619 No such name A translate.astian.org SOA ns31.domaincontrol.com OPT
Frame 242: 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 51639
Domain Name System (response)
                                           Destination
                                                                 Protocol Length Info
       Time
                      Source
    243 226.005632318 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          162
                                                                                 Standard query response
0x821b No such name AAAA translate.astian.org SOA ns31.domaincontrol.com OPT
Frame 243: 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 51639
Domain Name System (response)
No.
       Time
                                           Destination
                                                                 Protocol Length Info
                      Source
    244 226.005818226 127.0.0.1
                                           127.0.0.53
                                                                          100
                                                                                 Standard query 0x74de
A translate.astian.org.ensea.fr OPT
Frame 244: 100 bytes on wire (800 bits), 100 bytes captured (800 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45061, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
No.
       Time
                      Source
                                           Destination
    245 226.005837600 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          100
                                                                                 Standard query 0x62e7
AAAA translate.astian.org.ensea.fr OPT
Frame 245: 100 bytes on wire (800 bits), 100 bytes captured (800 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45061, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    246 226.025116840 127.0.0.53
                                            127.0.0.1
                                                                          153
                                                                                 Standard query response
0x74de No such name A translate.astian.org.ensea.fr SOA blanche.ensea.fr OPT
Frame 246: 153 bytes on wire (1224 bits), 153 bytes captured (1224 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45061
Domain Name System (response)
                                           Destination
       Time
                      Source
                                                                 Protocol Length Info
    247 226.025217800 127.0.0.53
                                           127.0.0.1
                                                                          153
                                                                                 Standard query response
0x62e7 No such name AAAA translate.astian.org.ensea.fr SOA blanche.ensea.fr OPT
Frame 247: 153 bytes on wire (1224 bits), 153 bytes captured (1224 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45061
Domain Name System (response)
```

Destination

Protocol Length Info

```
248 226.025369776 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            103
                                                                                   Standard query 0x0b7c
A translate.astian.org.etis-lab.fr OPT
Frame 248: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38172, Dst Port: 53
Domain Name System (query)
        Time
                                             Destination
                                                                   Protocol Length Info
                       Source
    249 226.025394803 127.0.0.1
                                             127.0.0.53
                                                                            103
                                                                                  Standard query 0xd76f
AAAA translate.astian.org.etis-lab.fr OPT
Frame 249: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38172, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
    250 226.038065290 127.0.0.53
                                            127.0.0.1
                                                                           152
                                                                  DNS
                                                                                  Standard query response
0xd76f No such name AAAA translate.astian.org.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 250: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38172
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
    251 226.038166823 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           152
                                                                                  Standard query response
0x0b7c No such name A translate.astian.org.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 251: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38172
Domain Name System (response)
       Time
                                                                   Protocol Length Info
                       Source
                                            Destination
    252 226.038313859 127.0.0.1
                                             127.0.0.53
                                                                            105
                                                                   DNS
                                                                                  Standard query 0x87af
A translate.astian.org.quartz-lab.fr OPT
Frame 252: 105 bytes on wire (840 bits), 105 bytes captured (840 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45106, Dst Port: 53
Domain Name System (query)
        Time
No.
                       Source
                                            Destination
                                                                  Protocol Length Info
    253 226.038339216 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            105
                                                                                  Standard query 0xef96
AAAA translate.astian.org.quartz-lab.fr OPT
Frame 253: 105 bytes on wire (840 bits), 105 bytes captured (840 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45106, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
    254 226.048498539 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           154
                                                                                  Standard query response
0xef96 No such name AAAA translate.astian.org.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 254: 154 bytes on wire (1232 bits), 154 bytes captured (1232 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45106
Domain Name System (response)
                       Source
        Time
                                            Destination
                                                                  Protocol Length Info
    255 226.048587197 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           154
                                                                                  Standard query response
0x87af No such name A translate.astian.org.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 255: 154 bytes on wire (1232 bits), 154 bytes captured (1232 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45106
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    256 226.388169044 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            91
                                                                                  Standard query 0x9369
A translate.astian.org OPT
Frame 256: 91 bytes on wire (728 bits), 91 bytes captured (728 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60223, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                   Protocol Length Info
                       Source
    257 226.388177317 127.0.0.1
                                            127.0.0.53
                                                                                   Standard query 0x646b
AAAA translate.astian.org OPT
```

Frame 257: 91 bytes on wire (728 bits), 91 bytes captured (728 bits) on interface lo, id 0

Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)

Time

Source

```
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60223, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
    258 226.469190110 127.0.0.53
                                            127.0.0.1
                                                                            162
                                                                                  Standard query response
0x9369 No such name A translate.astian.org SOA ns31.domaincontrol.com OPT
Frame 258: 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60223
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    259 226.469257015 127.0.0.53
                                            127.0.0.1
                                                                                  Standard query response
                                                                            162
0x646b No such name AAAA translate.astian.org SOA ns31.domaincontrol.com OPT
Frame 259: 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60223
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    260 226.469293680 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           100
                                                                                  Standard query 0x6d68
A translate.astian.org.ensea.fr OPT
Frame 260: 100 bytes on wire (800 bits), 100 bytes captured (800 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37690, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    261 226.469299831 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           100
                                                                                  Standard query 0xc96e
AAAA translate.astian.org.ensea.fr OPT
Frame 261: 100 bytes on wire (800 bits), 100 bytes captured (800 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37690, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
    262 226.477423244 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           153
                                                                                  Standard query response
0x6d68 No such name A translate.astian.org.ensea.fr SOA blanche.ensea.fr OPT
Frame 262: 153 bytes on wire (1224 bits), 153 bytes captured (1224 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37690
Domain Name System (response)
No.
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    263 226.484014911 127.0.0.53
                                            127.0.0.1
                                                                            153
                                                                                  Standard query response
0xc96e No such name AAAA translate.astian.org.ensea.fr SOA blanche.ensea.fr OPT
Frame 263: 153 bytes on wire (1224 bits), 153 bytes captured (1224 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37690
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
    264 226.484080363 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           103
                                                                                  Standard query 0x8fa5
A translate.astian.org.etis-lab.fr OPT
Frame 264: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38090, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                  Protocol Length Info
    265 226.484082352 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            103
                                                                                  Standard query 0xb0af
AAAA translate.astian.org.etis-lab.fr OPT
Frame 265: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38090, Dst Port: 53
Domain Name System (query)
                                            Destination
       Time
                      Source
                                                                  Protocol Length Info
    266 226.488593827 127.0.0.53
                                            127.0.0.1
                                                                            152
                                                                                  Standard query response
0x8fa5 No such name A translate.astian.org.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 266: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38090
Domain Name System (response)
```

Destination

Protocol Length Info

Time

Source

```
267 226.488671012 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           152
                                                                                  Standard query response
0xb0af No such name AAAA translate.astian.org.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 267: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38090
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    268 226.488682916 127.0.0.1
                                            127.0.0.53
                                                                           105
                                                                                  Standard query 0xca7f
A translate.astian.org.quartz-lab.fr OPT
Frame 268: 105 bytes on wire (840 bits), 105 bytes captured (840 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60646, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   269 226.488684422 127.0.0.1
                                            127.0.0.53
                                                                           105
                                                                  DNS
                                                                                  Standard query 0xb07c
AAAA translate.astian.org.quartz-lab.fr OPT
Frame 269: 105 bytes on wire (840 bits), 105 bytes captured (840 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60646, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    270 226.492753287 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           154
                                                                                  Standard query response
0xca7f No such name A translate.astian.org.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 270: 154 bytes on wire (1232 bits), 154 bytes captured (1232 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60646
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    271 226.492909882 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           154
                                                                                  Standard query response
0xb07c No such name AAAA translate.astian.org.quartz-lab.fr SOA ns1.quartz-lab.fr 0PT
Frame 271: 154 bytes on wire (1232 bits), 154 bytes captured (1232 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60646
Domain Name System (response)
       Time
                                            Destination
No.
                      Source
                                                                  Protocol Length Info
    272 231.720439977 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0xf277
A outlook.office.com OPT
Frame 272: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40721, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    273 231.723765045 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           287
                                                                                  Standard query response
0xf277 A outlook.office.com CNAME substrate.office.com CNAME outlook.office365.com CNAME ooc-
g2.tm-4.office.com CNAME outlook.ms-acdc.office.com CNAME CDG-efz.ms-acdc.office.com A 52.98.234.226 A
52.98.151.242 A 40.99.220.146 A 52.97.233.34 OPT
Frame 273: 287 bytes on wire (2296 bits), 287 bytes captured (2296 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40721
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
    274 232.143090898 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           111
                                                                                  Standard query 0x84b9
A cognito-identity.us-west-2.amazonaws.com OPT
Frame 274: 111 bytes on wire (888 bits), 111 bytes captured (888 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 51336, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    275 232.148862074 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           207
                                                                                Standard query response
0x84b9 A cognito-identity.us-west-2.amazonaws.com A 52.27.137.229 A 35.155.28.145 A 52.11.113.118 A
52.34.156.96 A 35.163.49.202 A 34.217.153.70 OPT
Frame 275: 207 bytes on wire (1656 bits), 207 bytes captured (1656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 51336
Domain Name System (response)
```

Destination

Protocol Length Info

```
276 235.624452332 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            91
                                                                                  Standard query 0x8c31
A translate.astian.org OPT
Frame 276: 91 bytes on wire (728 bits), 91 bytes captured (728 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46116, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    277 235.624459319 127.0.0.1
                                            127.0.0.53
                                                                           91
                                                                                  Standard query 0x4836
AAAA translate.astian.org OPT
Frame 277: 91 bytes on wire (728 bits), 91 bytes captured (728 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46116, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
    278 235.631074226 127.0.0.53
                                            127.0.0.1
                                                                            162
                                                                  DNS
                                                                                  Standard query response
0x8c31 No such name A translate.astian.org SOA ns31.domaincontrol.com OPT
Frame 278: 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46116
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    279 235.631403734 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           162
                                                                                  Standard query response
0x4836 No such name AAAA translate.astian.org SOA ns31.domaincontrol.com OPT
Frame 279: 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46116
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                       Source
                                            Destination
    280 235.631436634 127.0.0.1
                                            127.0.0.53
                                                                            100
                                                                   DNS
                                                                                  Standard query 0xf8e6
A translate.astian.org.ensea.fr OPT
Frame 280: 100 bytes on wire (800 bits), 100 bytes captured (800 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50118, Dst Port: 53
Domain Name System (query)
        Time
No.
                       Source
                                            Destination
                                                                  Protocol Length Info
    281 235.631441426 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            100
                                                                                  Standard query 0x3598
AAAA translate.astian.org.ensea.fr OPT
Frame 281: 100 bytes on wire (800 bits), 100 bytes captured (800 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50118, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
    282 235.634908862 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           153
                                                                                  Standard query response
0xf8e6 No such name A translate.astian.org.ensea.fr SOA blanche.ensea.fr OPT
Frame 282: 153 bytes on wire (1224 bits), 153 bytes captured (1224 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50118
Domain Name System (response)
                                            Destination
        Time
                       Source
                                                                  Protocol Length Info
                                                                                   Standard query response
    283 235.636225352 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            153
0x3598 No such name AAAA translate.astian.org.ensea.fr SOA blanche.ensea.fr OPT
Frame 283: 153 bytes on wire (1224 bits), 153 bytes captured (1224 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50118
Domain Name System (response)
        Time
                                                                   Protocol Length Info
                       Source
                                            Destination
    284 235.636330407 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            103
                                                                                  Standard query 0x8fe4
A translate.astian.org.etis-lab.fr OPT
Frame 284: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34508, Dst Port: 53
Domain Name System (query)
        Time
                                             Destination
                                                                   Protocol Length Info
                       Source
    285 235.636334078 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            103
                                                                                  Standard query 0xc9e6
AAAA translate.astian.org.etis-lab.fr OPT
```

Frame 285: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0

Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)

Domain Name System (query)

```
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34508, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
    286 235.861800191 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           103
                                                                                  Standard query 0x936f
A pinpoint.us-west-2.amazonaws.com OPT
Frame 286: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52173, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    287 235.885833320 127.0.0.53
                                            127.0.0.1
                                                                                  Standard query response
                                                                  DNS
                                                                           167
0x936f A pinpoint.us-west-2.amazonaws.com A 13.32.145.48 A 13.32.145.111 A 13.32.145.17 A 13.32.145.46 OPT
Frame 287: 167 bytes on wire (1336 bits), 167 bytes captured (1336 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52173
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    288 236.760573211 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                                  Standard query 0xee92
                                                                           96
A push.services.mozilla.com OPT
Frame 288: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40444, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    289 236.760591376 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                                  Standard query 0x1eac
                                                                           96
AAAA push.services.mozilla.com OPT
Frame 289: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40444, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
    290 236.762842978 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           150
                                                                                  Standard query response
0xee92 A push.services.mozilla.com CNAME autopush.prod.mozaws.net A 34.107.243.93 OPT
Frame 290: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40444
Domain Name System (response)
No.
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    291 236.767324150 127.0.0.53
                                            127.0.0.1
                                                                                  Standard query response
                                                                  DNS
                                                                           216
0x1eac AAAA push.services.mozilla.com CNAME autopush.prod.mozaws.net SOA ns-1260.awsdns-29.org OPT
Frame 291: 216 bytes on wire (1728 bits), 216 bytes captured (1728 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40444
Domain Name System (response)
No.
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
    292 236.768672603 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           96
                                                                                  Standard query 0x92c8
A push.services.mozilla.com OPT
Frame 292: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58396, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    293 236.769186236 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           232
                                                                                  Standard query response
0x92c8 A push.services.mozilla.com CNAME autopush.prod.mozaws.net A 34.107.243.93 SOA
ns-1260.awsdns-29.org OPT
Frame 293: 232 bytes on wire (1856 bits), 232 bytes captured (1856 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58396
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    294 236.796972463 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           96
                                                                                  Standard query 0x25fd
A push.services.mozilla.com OPT
Frame 294: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52777, Dst Port: 53
```

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   295 236.796990470 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           96
                                                                                  Standard query Oxbbfa
AAAA push.services.mozilla.com OPT
Frame 295: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52777, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    296 236.797506323 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           232
                                                                                  Standard query response
0x25fd A push.services.mozilla.com CNAME autopush.prod.mozaws.net A 34.107.243.93 SOA
ns-1260.awsdns-29.org OPT
Frame 296: 232 bytes on wire (1856 bits), 232 bytes captured (1856 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52777
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    297 236.799589599 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           216
                                                                                  Standard query response
0xbbfa AAAA push.services.mozilla.com CNAME autopush.prod.mozaws.net SOA ns-1260.awsdns-29.org OPT
Frame 297: 216 bytes on wire (1728 bits), 216 bytes captured (1728 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52777
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    298 240.640263741 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           103
                                                                                  Standard query 0x8fe4
A translate.astian.org.etis-lab.fr OPT
Frame 298: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34508, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    299 240.640272802 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           103
                                                                                  Standard query 0xc9e6
AAAA translate.astian.org.etis-lab.fr OPT
Frame 299: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34508, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
No.
                      Source
                                                                  Protocol Length Info
    300 240.645243855 127.0.0.53
                                            127.0.0.1
                                                                           152
                                                                                  Standard query response
0x8fe4 No such name A translate.astian.org.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 300: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34508
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    301 240.645751555 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           152
                                                                                  Standard query response
0xc9e6 No such name AAAA translate.astian.org.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 301: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34508
Domain Name System (response)
                                            Destination
                      Source
                                                                  Protocol Length Info
    302 240.645782692 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           105
                                                                                  Standard query 0xe3fc
A translate.astian.org.quartz-lab.fr OPT
Frame 302: 105 bytes on wire (840 bits), 105 bytes captured (840 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58273, Dst Port: 53
Domain Name System (query)
                                            Destination
       Time
                                                                  Protocol Length Info
                      Source
    303 240.645787358 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           105
                                                                                  Standard query 0x5bf9
AAAA translate.astian.org.quartz-lab.fr OPT
Frame 303: 105 bytes on wire (840 bits), 105 bytes captured (840 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58273, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    304 240.651287024 127.0.0.53
                                            127.0.0.1
                                                                  DNS
```

0xe3fc No such name A translate.astian.org.quartz-lab.fr SOA ns1.quartz-lab.fr OPT

154

Standard query response

User Datagram Protocol, Src Port: 53, Dst Port: 33640

```
Frame 304: 154 bytes on wire (1232 bits), 154 bytes captured (1232 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58273
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
    305 240.651867172 127.0.0.53
                                            127.0.0.1
                                                                            154
                                                                                  Standard query response
0x5bf9 No such name AAAA translate.astian.org.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 305: 154 bytes on wire (1232 bits), 154 bytes captured (1232 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58273
Domain Name System (response)
No.
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    306 483.078539048 127.0.0.1
                                            127.0.0.53
                                                                            89
                                                                                  Standard query 0xd5e6
A outlook.office.com OPT
Frame 306: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39081, Dst Port: 53
Domain Name System (query)
                      Source
                                            Destination
                                                                  Protocol Length Info
       Time
    307 488.080348250 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           89
                                                                                  Standard query 0xd5e6
A outlook.office.com OPT
Frame 307: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39081, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    308 493.085790646 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           98
                                                                                  Standard query 0x266d
A outlook.office.com.ensea.fr OPT
Frame 308: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40543, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    309 493.094301912 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           98
                                                                                  Standard query response
0x266d Server failure A outlook.office.com.ensea.fr OPT
Frame 309: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40543
Domain Name System (response)
                                            Destination
                                                                   Protocol Length Info
       Time
    310 493.094591372 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           98
                                                                                  Standard query 0x266d
A outlook.office.com.ensea.fr OPT
Frame 310: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58793, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
                      Source
    311 493.099531618 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           98
                                                                                  Standard query response
0x266d Server failure A outlook.office.com.ensea.fr OPT
Frame 311: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58793
Domain Name System (response)
                                                                   Protocol Length Info
                                            Destination
    312 493.099765756 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           101
                                                                                  Standard query 0x24ad
A outlook.office.com.etis-lab.fr OPT
Frame 312: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33640, Dst Port: 53
Domain Name System (query)
       Time
                                             Destination
                                                                   Protocol Length Info
    313 493.104760255 127.0.0.53
                                             127.0.0.1
                                                                            150
                                                                                  Standard query response
0x24ad No such name A outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 313: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
```

```
Domain Name System (response)
      Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    314 493.105000252 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            103
                                                                                  Standard query 0xae31
A outlook.office.com.quartz-lab.fr OPT
Frame 314: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56623, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
No.
                      Source
                                                                  Protocol Length Info
    315 493.110119099 127.0.0.53
                                            127.0.0.1
                                                                           152
                                                                                  Standard query response
0xae31 No such name A outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 315: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56623
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    316 493.110728011 127.0.0.1
                                            127.0.0.53
                                                                           89
                                                                                  Standard query 0xe8df
A outlook.office.com OPT
Frame 316: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38756, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    317 498.115951677 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0xe8df
A outlook.office.com OPT
Frame 317: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38756, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    318 503.120466072 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           98
                                                                                  Standard query 0x9f5b
A outlook.office.com.ensea.fr OPT
Frame 318: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35537, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    319 503.224639861 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           98
                                                                                  Standard query response
0x9f5b Server failure A outlook.office.com.ensea.fr OPT
Frame 319: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35537
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                  Protocol Length Info
    320 503.225106920 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           98
                                                                                  Standard query 0x9f5b
A outlook.office.com.ensea.fr OPT
Frame 320: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41334, Dst Port: 53
Domain Name System (query)
                      Source
                                             Destination
                                                                  Protocol Length Info
    321 503.230454068 127.0.0.53
                                             127.0.0.1
                                                                  DNS
                                                                           98
                                                                                  Standard query response
0x9f5b Server failure A outlook.office.com.ensea.fr OPT
Frame 321: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41334
Domain Name System (response)
                                            Destination
       Time
                                                                  Protocol Length Info
                      Source
    322 503.230709010 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0xbb96
A outlook.office.com.etis-lab.fr OPT
Frame 322: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49631, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    323 503.235162528 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            150
                                                                                  Standard query response
```

0xbb96 No such name A outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT

User Datagram Protocol, Src Port: 38303, Dst Port: 53

```
Frame 323: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49631
Domain Name System (response)
                                                                   Protocol Length Info
No.
       Time
                       Source
                                            Destination
    324 503.235360101 127.0.0.1
                                            127.0.0.53
                                                                            103
                                                                                   Standard query 0x239f
A outlook.office.com.guartz-lab.fr OPT
Frame 324: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36565, Dst Port: 53
Domain Name System (query)
No.
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
    325 503.240569631 127.0.0.53
                                            127.0.0.1
                                                                            152
                                                                                   Standard query response
0x239f No such name A outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 325: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36565
Domain Name System (response)
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
    326 503.241203220 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            89
                                                                                   Standard query 0x74c2
A outlook.office.com OPT
Frame 326: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49011, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
    327 503.241217079 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            89
                                                                                   Standard query 0xe5fe
AAAA outlook.office.com OPT
Frame 327: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49011, Dst Port: 53
Domain Name System (query)
       Time
                                             Destination
                                                                   Protocol Length Info
                       Source
    328 503.492012656 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            89
                                                                                   Standard query 0x4a53
A outlook.office.com OPT
Frame 328: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47449, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                   Protocol Length Info
       Time
                       Source
    329 508.243144959 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            89
                                                                                   Standard query 0x74c2
A outlook.office.com OPT
Frame 329: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49011, Dst Port: 53
Domain Name System (query)
        Time
                                             Destination
                                                                   Protocol Length Info
                       Source
    330 508.243188417 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            89
                                                                                   Standard query 0xe5fe
AAAA outlook.office.com OPT
Frame 330: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49011, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
    331 508.497382062 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            89
                                                                                   Standard query 0x4a53
A outlook.office.com OPT
Frame 331: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47449, Dst Port: 53
Domain Name System (query)
       Time
                                             Destination
                                                                   Protocol Length Info
    332 513.248561588 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                                   Standard query 0xfcff
                                                                            98
A outlook.office.com.ensea.fr OPT
Frame 332: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

Time

Source

```
Domain Name System (query)
      Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    333 513.248600557 127.0.0.1
                                            127.0.0.53
                                                                           98
                                                                                  Standard query 0xc0e9
AAAA outlook.office.com.ensea.fr OPT
Frame 333: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38303, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
    334 513.256004065 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           98
                                                                                  Standard query response
Oxc0e9 Server failure AAAA outlook.office.com.ensea.fr OPT
Frame 334: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38303
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    335 513.502886298 127.0.0.1
                                            127.0.0.53
                                                                           98
                                                                                  Standard query 0xbe0e
A outlook.office.com.ensea.fr OPT
Frame 335: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42630, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    336 518.253444003 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           98
                                                                                  Standard query Oxfcff
A outlook.office.com.ensea.fr OPT
Frame 336: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38303, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    337 518.253486270 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           98
                                                                                  Standard query 0xc0e9
AAAA outlook.office.com.ensea.fr OPT
Frame 337: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38303, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    338 518.508241108 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           98
                                                                                  Standard query 0xbe0e
A outlook.office.com.ensea.fr OPT
Frame 338: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42630, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    339 522.679770188 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           99
                                                                                  Standard query 0x1d5f
A contile.services.mozilla.com OPT
Frame 339: 99 bytes on wire (792 bits), 99 bytes captured (792 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43792, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
                      Source
                                            Destination
    340 522.681403430 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           115
                                                                                  Standard query response
Ox1d5f A contile.services.mozilla.com A 34.117.237.239 OPT
Frame 340: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43792
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    341 522.683334245 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0x9cc2
A incoming.telemetry.mozilla.org OPT
Frame 341: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47145, Dst Port: 53
Domain Name System (query)
```

Destination

Protocol Length Info

351 523.926210234 127.0.0.1

A events.statsigapi.net OPT

```
DNS
    342 522.685865331 127.0.0.53
                                            127.0.0.1
                                                                           176
                                                                                  Standard query response
0x9cc2 A incoming.telemetry.mozilla.org CNAME telemetry-incoming.r53-2.services.mozilla.com A
34.120.208.123 OPT
Frame 342: 176 bytes on wire (1408 bits), 176 bytes captured (1408 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47145
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    343 522.937591093 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0x72cc
A incoming.telemetry.mozilla.org OPT
Frame 343: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55110, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    344 522.938323066 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                          176
                                                                                Standard query response
0x72cc A incoming.telemetry.mozilla.org CNAME telemetry-incoming.r53-2.services.mozilla.com A
34.120.208.123 OPT
Frame 344: 176 bytes on wire (1408 bits), 176 bytes captured (1408 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55110
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    345 523.258060044 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0xf72e
A outlook.office.com.etis-lab.fr OPT
Frame 345: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53685, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    346 523.258085090 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0x9d21
AAAA outlook.office.com.etis-lab.fr OPT
Frame 346: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53685, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    347 523.512449049 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0xecb8
A outlook.office.com OPT
Frame 347: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49433, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    348 523.846304078 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           101
                                                                                  Standard query response
0x9d21 Server failure AAAA outlook.office.com.etis-lab.fr OPT
Frame 348: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53685
Domain Name System (response)
                                            Destination
                      Source
                                                                  Protocol Length Info
    349 523.847329432 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           98
                                                                                  Standard query response
Oxc0e9 Server failure AAAA outlook.office.com.ensea.fr OPT
Frame 349: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38303
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    350 523.847352609 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           126
                                                                                  Destination unreachable
(Port unreachable)
Frame 350: 126 bytes on wire (1008 bits), 126 bytes captured (1008 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
```

127.0.0.53

DNS

92

Standard query 0x9fd2

User Datagram Protocol, Src Port: 46934, Dst Port: 53

```
Frame 351: 92 bytes on wire (736 bits), 92 bytes captured (736 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43520, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                            Destination
No.
    352 523.926221176 127.0.0.1
                                            127.0.0.53
                                                                            92
                                                                                   Standard query 0xa2d1
AAAA events.statsigapi.net OPT
Frame 352: 92 bytes on wire (736 bits), 92 bytes captured (736 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43520, Dst Port: 53
Domain Name System (query)
No.
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    353 523.927299612 127.0.0.1
                                             127.0.0.53
                                                                            108
                                                                                   Standard query 0x76dc
A firefox.settings.services.mozilla.com OPT
Frame 353: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00:00:00:00:00:00:00
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43743, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    354 523.929036446 127.0.0.53
                                             127.0.0.1
                                                                                   Standard query response
                                                                            177
0xa2d1 AAAA events.statsigapi.net SOA ns-1336.awsdns-39.org OPT
Frame 354: 177 bytes on wire (1416 bits), 177 bytes captured (1416 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43520
Domain Name System (response)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    355 524.217555166 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            86
                                                                                   Standard query 0x55d9
A chat.openai.com OPT
Frame 355: 86 bytes on wire (688 bits), 86 bytes captured (688 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59469, Dst Port: 53
Domain Name System (query)
       Time
                                             Destination
                                                                   Protocol Length Info
                       Source
    356 524.219130358 127.0.0.53
                                             127.0.0.1
                                                                  DNS
                                                                            166
                                                                                  Standard query response
0x55d9 A chat.openai.com CNAME chat.openai.com.cdn.cloudflare.net A 172.64.150.28 A 104.18.37.228 OPT
Frame 356: 166 bytes on wire (1328 bits), 166 bytes captured (1328 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59469
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
       Time
    357 524.739791551 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            108
                                                                                   Standard query response
0x9fd2 A events.statsigapi.net A 34.120.214.181 OPT
Frame 357: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43520
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    358 527.938334061 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            99
                                                                                   Standard query 0x7b4f
A contile.services.mozilla.com OPT
Frame 358: 99 bytes on wire (792 bits), 99 bytes captured (792 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 32856, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
                                             Destination
    359 527.938350702 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            99
                                                                                   Standard query 0xcf4a
AAAA contile.services.mozilla.com OPT
Frame 359: 99 bytes on wire (792 bits), 99 bytes captured (792 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 32856, Dst Port: 53
Domain Name System (query)
        Time
                                             Destination
                                                                   Protocol Length Info
    360 527.940227076 127.0.0.1
                                                                   DNS
                                             127.0.0.53
                                                                            101
                                                                                   Standard query 0x43f9
A incoming.telemetry.mozilla.org OPT
Frame 360: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

370 532.945715947 127.0.0.1

AAAA incoming.telemetry.mozilla.org OPT

```
Domain Name System (query)
       Time
                                                                   Protocol Length Info
                       Source
                                             Destination
    361 527.940246825 127.0.0.1
                                             127.0.0.53
                                                                            101
                                                                                   Standard query 0xc5fc
AAAA incoming.telemetry.mozilla.org OPT
Frame 361: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46934, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                                             Destination
No.
                       Source
    362 528.258118778 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                   Standard query 0xf72e
A outlook.office.com.etis-lab.fr OPT
Frame 362: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53685, Dst Port: 53
Domain Name System (query)
       Time
                                             Destination
                                                                   Protocol Length Info
                       Source
    363 528.258147330 127.0.0.1
                                             127.0.0.53
                                                                            101
                                                                                   Standard query 0x9d21
AAAA outlook.office.com.etis-lab.fr OPT
Frame 363: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53685, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    364 528.517719667 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            89
                                                                                   Standard query 0xecb8
A outlook.office.com OPT
Frame 364: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id \theta
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49433, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    365 528.932435999 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            108
                                                                                   Standard query 0x76dc
A firefox.settings.services.mozilla.com OPT
Frame 365: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43743, Dst Port: 53
Domain Name System (query)
        Time
                                             Destination
                                                                   Protocol Length Info
No.
                       Source
    366 532.688513723 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                   Standard query 0x8a35
A incoming.telemetry.mozilla.org OPT
Frame 366: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49134, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    367 532.943666421 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            99
                                                                                   Standard query 0x7b4f
A contile.services.mozilla.com OPT
Frame 367: 99 bytes on wire (792 bits), 99 bytes captured (792 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 32856, Dst Port: 53
Domain Name System (query)
                                             Destination
                       Source
                                                                   Protocol Length Info
    368 532.943712049 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            99
                                                                                   Standard query 0xcf4a
AAAA contile.services.mozilla.com OPT
Frame 368: 99 bytes on wire (792 bits), 99 bytes captured (792 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 32856, Dst Port: 53
Domain Name System (query)
                                             Destination
        Time
                                                                   Protocol Length Info
                       Source
    369 532.945661388 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                   Standard query 0x43f9
A incoming.telemetry.mozilla.org OPT
Frame 369: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46934, Dst Port: 53
Domain Name System (query)
        Time
                                             Destination
                                                                   Protocol Length Info
                       Source
```

127.0.0.53

DNS

101

Standard query 0xc5fc

```
Frame 370: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46934, Dst Port: 53
Domain Name System (query)
                                            Destination
       Time
                                                                   Protocol Length Info
No.
    371 533.263353561 127.0.0.1
                                             127.0.0.53
                                                                            103
                                                                                   Standard query 0x9739
A outlook.office.com.quartz-lab.fr OPT
Frame 371: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42418, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    372 533.263367515 127.0.0.1
                                             127.0.0.53
                                                                            103
                                                                                   Standard query 0x4a33
AAAA outlook.office.com.quartz-lab.fr OPT
Frame 372: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42418, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    373 533.523162653 127.0.0.1
                                            127.0.0.53
                                                                            98
                                                                                   Standard query 0xe9be
A outlook.office.com.ensea.fr OPT
Frame 373: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44730, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    374 533.937858521 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            117
                                                                                   Standard query 0x51cc
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 374: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42907, Dst Port: 53
Domain Name System (query)
       Time
                                                                   Protocol Length Info
                      Source
                                             Destination
    375 534.872071839 127.0.0.53
                                             127.0.0.1
                                                                            180
                                                                                   Standard query response
0xcf4a AAAA contile.services.mozilla.com SOA ns-679.awsdns-20.net OPT
Frame 375: 180 bytes on wire (1440 bits), 180 bytes captured (1440 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 32856
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
                      Source
    376 534.872376543 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            176
                                                                                   Standard query response
0x8a35 A incoming.telemetry.mozilla.org CNAME telemetry-incoming.r53-2.services.mozilla.com A
34.120.208.123 OPT
Frame 376: 176 bytes on wire (1408 bits), 176 bytes captured (1408 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49134
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    377 534.872474050 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            176
                                                                                   Standard query response
0x43f9 A incoming.telemetry.mozilla.org CNAME telemetry-incoming.r53-2.services.mozilla.com A
34.120.208.123 OPT
Frame 377: 176 bytes on wire (1408 bits), 176 bytes captured (1408 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46934
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    378 534.872574518 127.0.0.53
                                             127.0.0.1
                                                                            115
                                                                                   Standard guery response
0x7b4f A contile.services.mozilla.com A 34.117.237.239 OPT
Frame 378: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 32856
Domain Name System (response)
        Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    379 534.873213951 127.0.0.1
                                             127.0.0.53
                                                                                   Standard query 0x1d30
A contile.services.mozilla.com OPT
Frame 379: 99 bytes on wire (792 bits), 99 bytes captured (792 bits) on interface lo, id 0
```

Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)

Domain Name System (response)

```
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47418, Dst Port: 53
Domain Name System (query)
       Time
                                             Destination
                                                                   Protocol Length Info
    380 534.873230590 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            99
                                                                                   Standard query 0xb608
AAAA contile.services.mozilla.com OPT
Frame 380: 99 bytes on wire (792 bits), 99 bytes captured (792 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47418, Dst Port: 53
Domain Name System (query)
        Time
                                             Destination
                                                                   Protocol Length Info
                       Source
    381 534.873578854 127.0.0.53
                                             127.0.0.1
                                                                             115
                                                                                   Standard query response
                                                                   DNS
0x1d30 A contile.services.mozilla.com A 34.117.237.239 OPT
Frame 381: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47418
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    382 534.874307640 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            152
                                                                                  Standard query response
0x4a33 No such name AAAA outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 382: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42418
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    383 534.874498872 127.0.0.53
                                             127.0.0.1
                                                                             150
                                                                   DNS
                                                                                    Standard query response
0x9d21 No such name AAAA outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 383: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53685
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
No.
       Time
                       Source
    384 534.874513855 127.0.0.1
                                             127.0.0.53
                                                                   ICMP
                                                                            178
                                                                                   Destination unreachable
(Port unreachable)
Frame 384: 178 bytes on wire (1424 bits), 178 bytes captured (1424 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
No.
       Time
                       Source
    385 534.874650930 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            239
                                                                                   Standard query response
0xc5fc AAAA incoming.telemetry.mozilla.org CNAME telemetry-incoming.r53-2.services.mozilla.com SOA
ns-1507.awsdns-60.org OPT
Frame 385: 239 bytes on wire (1912 bits), 239 bytes captured (1912 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46934
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    386 534.874745515 127.0.0.53
                                             127.0.0.1
                                                                                   Standard query response
0x9739 No such name A outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 386: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0 \,
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42418
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
        Time
    387 534.874827419 127.0.0.53
                                             127.0.0.1
                                                                                    Standard query response
0xf72e No such name A outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 387: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53685
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
                                                                                    Destination unreachable
    388 534.874832253 127.0.0.1
                                             127.0.0.53
                                                                   ICMP
                                                                             178
(Port unreachable)
Frame 388: 178 bytes on wire (1424 bits), 178 bytes captured (1424 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
```

Time

Source

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    389 534.875310907 127.0.0.1
                                                                           101
                                            127.0.0.53
                                                                  DNS
                                                                                  Standard query 0xabdf
A incoming.telemetry.mozilla.org OPT
Frame 389: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49888, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    390 534.875329399 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                 Standard query 0x6ad4
AAAA incoming.telemetry.mozilla.org OPT
Frame 390: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49888, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    391 534.875448628 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0x1b9b
A outlook.office.com OPT
Frame 391: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54199, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
No.
       Time
                      Source
                                            Destination
    392 534.875461962 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0x0496
AAAA outlook.office.com OPT
Frame 392: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54199, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    393 534.875684431 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           176
                                                                                Standard query response
Oxabdf A incoming.telemetry.mozilla.org CNAME telemetry-incoming.r53-2.services.mozilla.com A
34.120.208.123 OPT
Frame 393: 176 bytes on wire (1408 bits), 176 bytes captured (1408 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49888
Domain Name System (response)
       Time
                                            Destination
No.
                      Source
                                                                  Protocol Length Info
    394 534.877308840 127.0.0.53
                                            127.0.0.1
                                                                           117
                                                                                  Standard query response
0x51cc Server failure A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 394: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id \theta
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42907
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    395 534.877441962 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           180
                                                                                  Standard query response
0xb608 AAAA contile.services.mozilla.com SOA ns-679.awsdns-20.net OPT
Frame 395: 180 bytes on wire (1440 bits), 180 bytes captured (1440 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47418
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
    396 534.877532999 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           117
                                                                                  Standard query 0x51cc
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 396: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43023, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    397 534.877547730 127.0.0.53
                                            127.0.0.1
                                                                  DNS 255
                                                                                Standard query response
0x6ad4 AAAA incoming.telemetry.mozilla.org CNAME telemetry-incoming.r53-2.services.mozilla.com SOA
ns-1507.awsdns-60.org A 34.120.208.123 OPT
Frame 397: 255 bytes on wire (2040 bits), 255 bytes captured (2040 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49888
Domain Name System (response)
```

Destination Protocol Length Info

```
398 535.124179859 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          101
                                                                                 Standard query 0xee60
A incoming.telemetry.mozilla.org OPT
Frame 398: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49707, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    399 535.124784359 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          176
                                                                                 Standard query response
Oxee60 A incoming.telemetry.mozilla.org CNAME telemetry-incoming.r53-2.services.mozilla.com A
34.120.208.123 OPT
Frame 399: 176 bytes on wire (1408 bits), 176 bytes captured (1408 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49707
Domain Name System (response)
       Time
                                           Destination
                      Source
                                                                 Protocol Length Info
    400 538.528510490 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          98
                                                                                Standard query 0xe9be
A outlook.office.com.ensea.fr OPT
Frame 400: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44730, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
No.
       Time
                      Source
                                           Destination
    401 539.880734913 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          89
                                                                                 Standard query 0x1b9b
A outlook.office.com OPT
Frame 401: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54199, Dst Port: 53
Domain Name System (query)
No.
       Time
                                           Destination
                                                                 Protocol Length Info
                      Source
   402 539.880773585 127.0.0.1
                                           127.0.0.53
                                                                                 Standard query 0x0496
AAAA outlook.office.com OPT
Frame 402: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54199, Dst Port: 53
Domain Name System (query)
       Time
                                                                 Protocol Length Info
                      Source
                                           Destination
    403 539.882829747 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          120
                                                                                 Standard query 0xae57
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 403: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50557, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    404 540.126847095 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          101
                                                                                 Standard query 0xff9e
A incoming.telemetry.mozilla.org OPT
Frame 404: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40081, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
       Time
                                           Destination
No.
                      Source
    405 540.126888118 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          101
                                                                                 Standard query 0x668a
AAAA incoming.telemetry.mozilla.org OPT
Frame 405: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40081, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    406 542.766761403 127.0.0.1
                                           127.0.0.53
                                                                          101
                                                                                 Standard query 0x5ac4
                                                                 DNS
A incoming.telemetry.mozilla.org OPT
Frame 406: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43666, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    407 543.785776697 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          89
                                                                                 Standard query 0x5694
A outlook.office.com OPT
```

Frame 407: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0

Domain Name System (query)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39234, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    408 544.884300397 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            120
                                                                                  Standard query 0xae57
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 408: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50557, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
    409 544.885093542 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            98
                                                                                  Standard query 0x90df
A outlook.office.com.ensea.fr OPT
Frame 409: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42586, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
No.
    410 544.885117426 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            98
                                                                                  Standard query 0x06ca
AAAA outlook.office.com.ensea.fr OPT
Frame 410: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42586, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
    411 545.129434085 127.0.0.1
                                            127.0.0.53
                                                                            101
                                                                                   Standard query 0xff9e
A incoming.telemetry.mozilla.org OPT
Frame 411: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40081, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
    412 545.129455208 127.0.0.1
                                            127.0.0.53
                                                                            101
                                                                                  Standard query 0x668a
AAAA incoming.telemetry.mozilla.org OPT
Frame 412: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40081, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                                                  Protocol Length Info
                                            Destination
    413 547.768273868 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            101
                                                                                  Standard query 0x5ac4
A incoming.telemetry.mozilla.org OPT
Frame 413: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43666, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    414 548.788274501 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            89
                                                                                  Standard query 0x5694
A outlook.office.com OPT
Frame 414: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39234, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
No.
    415 549.888370869 127.0.0.1
                                            127.0.0.53
                                                                                   Standard query 0x90df
A outlook.office.com.ensea.fr OPT
Frame 415: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42586, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    416 549.888399937 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            98
                                                                                   Standard query 0x06ca
AAAA outlook.office.com.ensea.fr OPT
Frame 416: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42586, Dst Port: 53
```

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    417 549.888693302 127.0.0.1
                                                                           108
                                            127.0.0.53
                                                                  DNS
                                                                                  Standard query 0x378d
A firefox.settings.services.mozilla.com OPT
Frame 417: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38409, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    418 549.906858754 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           169
                                                                                  Standard query response
0xae57 No such name A firefox.settings.services.mozilla.com.etis-lab.fr SOA ns1.etis-lab.fr 0PT
Frame 418: 169 bytes on wire (1352 bits), 169 bytes captured (1352 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50557
Domain Name System (response)
       Time
                                            Destination
                      Source
                                                                  Protocol Length Info
    419 549.906879239 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           197
                                                                                  Destination unreachable
(Port unreachable)
Frame 419: 197 bytes on wire (1576 bits), 197 bytes captured (1576 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
No.
        Time
                      Source
    420 549.908494132 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           98
                                                                                  Standard query response
Oxe9be Server failure A outlook.office.com.ensea.fr OPT
Frame 420: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44730
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
    421 549.908502323 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           126
                                                                                  Destination unreachable
(Port unreachable)
Frame 421: 126 bytes on wire (1008 bits), 126 bytes captured (1008 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
        Time
                                            Destination
                                                                  Protocol Length Info
                      Source
                                            127.0.0.1
    422 549.908539172 127.0.0.53
                                                                  DNS
                                                                           98
                                                                                  Standard query response
Oxfcff Server failure A outlook.office.com.ensea.fr OPT
Frame 422: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38303
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    423 549.908544854 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           126
                                                                                  Destination unreachable
(Port unreachable)
Frame 423: 126 bytes on wire (1008 bits), 126 bytes captured (1008 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                      Source
                                            Destination
                                            127.0.0.1
    424 549.908574600 127.0.0.53
                                                                  DNS
                                                                           98
                                                                                  Standard query response
0x90df Server failure A outlook.office.com.ensea.fr OPT
Frame 424: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42586
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    425 549.908612243 127.0.0.53
                                            127.0.0.1
                                                                           98
                                                                                  Standard query response
OxbeOe Server failure A outlook.office.com.ensea.fr OPT
Frame 425: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42630
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    426 549.908617093 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           126
                                                                                  Destination unreachable
(Port unreachable)
```

Frame 426: 126 bytes on wire (1008 bits), 126 bytes captured (1008 bits) on interface lo, id 0

User Datagram Protocol, Src Port: 48515, Dst Port: 53

Domain Name System (query)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    427 550.132353352 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            110
                                                                                  Standard query 0xd8d9
A incoming telemetry mozilla org.ensea fr OPT
Frame 427: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54458, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                  Protocol Length Info
    428 550.132375448 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            110
                                                                                   Standard query 0x0dd0
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 428: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54458, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
No.
    429 550.143340961 127.0.0.53
                                            127.0.0.1
                                                                            110
                                                                                  Standard query response
0x0dd0 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 429: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54458
Domain Name System (response)
                       Source
                                            Destination
                                                                   Protocol Length Info
No.
        Time
    430 552.773654308 127.0.0.1
                                            127.0.0.53
                                                                            110
                                                                                   Standard query 0xa44a
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 430: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34573, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                   Protocol Length Info
       Time
                       Source
    431 553.792377092 127.0.0.1
                                            127.0.0.53
                                                                            98
                                                                                  Standard query 0x8121
A outlook.office.com.ensea.fr OPT
Frame 431: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53492, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                                                   Protocol Length Info
                                            Destination
    432 553.807589169 127.0.0.53
                                                                   DNS
                                                                            98
                                                                                   Standard query response
                                             127.0.0.1
0x8121 Server failure A outlook.office.com.ensea.fr OPT
Frame 432: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53492
Domain Name System (response)
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
    433 553.807858409 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            98
                                                                                   Standard query 0x8121
A outlook.office.com.ensea.fr OPT
Frame 433: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53921, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
No.
    434 553.811212277 127.0.0.53
                                            127.0.0.1
                                                                                   Standard query response
0x8121 Server failure A outlook.office.com.ensea.fr OPT
Frame 434: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53921
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    435 553.811437435 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            101
                                                                                   Standard query 0x954f
A outlook.office.com.etis-lab.fr OPT
Frame 435: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   436 553.813905789 127.0.0.53
                                                                                  Standard query response
                                            127.0.0.1
                                                                  DNS
                                                                           150
0x954f No such name A outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 436: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48515
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    437 553.814086108 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           103
                                                                                  Standard query 0x1b6b
A outlook.office.com.guartz-lab.fr OPT
Frame 437: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41972, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    438 553.817383823 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           152
                                                                                  Standard query response
0x1b6b No such name A outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 438: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41972
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
No.
       Time
                      Source
    439 553.817815486 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0xa595
A outlook.office.com OPT
Frame 439: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44886, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                                            Destination
                      Source
    440 554.892951946 127.0.0.1
                                            127.0.0.53
                                                                           101
                                                                                  Standard query 0x893e
A outlook.office.com.etis-lab.fr OPT
Frame 440: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57196, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    441 554.892987702 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0x1fcc
AAAA outlook.office.com.etis-lab.fr OPT
Frame 441: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57196, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    442 554.893024974 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           108
                                                                                  Standard query 0x378d
A firefox.settings.services.mozilla.com OPT
Frame 442: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38409, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
No.
        Time
                                            Destination
                      Source
    443 555.136307517 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           110
                                                                                  Standard query 0xd8d9
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 443: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54458, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    444 555.136348370 127.0.0.1
                                            127.0.0.53
                                                                           110
                                                                                  Standard query 0x0dd0
                                                                  DNS
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 444: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54458, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    445 557.774226751 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           110
                                                                                  Standard query 0xa44a
A incoming.telemetry.mozilla.org.ensea.fr OPT
```

Frame 445: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0

Domain Name System (response)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34573, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    446 558.820730692 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0xa595
A outlook.office.com OPT
Frame 446: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44886, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                                                  Protocol Length Info
                                            Destination
    447 559.896282159 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0x893e
A outlook.office.com.etis-lab.fr OPT
Frame 447: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57196, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
    448 559.896309916 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0x1fcc
AAAA outlook.office.com.etis-lab.fr OPT
Frame 448: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57196, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
    449 559.897552597 127.0.0.1
                                            127.0.0.53
                                                                            117
                                                                                  Standard query 0x9399
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 449: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46211, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
    450 559.967422677 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                                  Standard query response
                                                                           150
0x893e No such name A outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 450: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57196
Domain Name System (response)
       Time
                      Source
                                                                  Protocol Length Info
                                            Destination
    451 559.967644650 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            150
                                                                                  Standard query response
0x1fcc No such name AAAA outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 451: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57196
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    452 559.967875654 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            103
                                                                                  Standard query 0x9a7c
A outlook.office.com.quartz-lab.fr OPT
Frame 452: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48835, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                  Protocol Length Info
No.
    453 559.967892980 127.0.0.1
                                             127.0.0.53
                                                                            103
                                                                                  Standard query 0x060b
AAAA outlook.office.com.quartz-lab.fr OPT
Frame 453: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48835, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    454 559.967959778 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            98
                                                                                  Standard query response
Ox06ca Server failure AAAA outlook.office.com.ensea.fr OPT
Frame 454: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42586
```

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   455 559.967983620 127.0.0.1
                                                                           126
                                            127.0.0.53
                                                                  TCMP
                                                                                  Destination unreachable
(Port unreachable)
Frame 455: 126 bytes on wire (1008 bits), 126 bytes captured (1008 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    456 559.980438354 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           152
                                                                                  Standard query response
0x9a7c No such name A outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 456: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48835
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    457 559.980592620 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           152
                                                                                  Standard query response
0x060b No such name AAAA outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 457: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48835
Domain Name System (response)
                                                                  Protocol Length Info
No.
       Time
                      Source
                                            Destination
    458 559.981990978 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0xbdb1
A outlook.office.com OPT
Frame 458: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58002, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                                            Destination
                      Source
    459 559.982019259 127.0.0.1
                                            127.0.0.53
                                                                           89
                                                                                  Standard query 0x5cb7
AAAA outlook.office.com OPT
Frame 459: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58002, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    460 560.140376193 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query Oxdcad
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 460: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49510, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    461 560.140403328 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0xc4b4
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 461: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49510, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                                            Destination
                      Source
    462 560.148795001 127.0.0.53
                                            127.0.0.1
                                                                           110
                                                                                  Standard query response
0xd8d9 Server failure A incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 462: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54458
Domain Name System (response)
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    463 560.148819755 127.0.0.1
                                            127.0.0.53
                                                                           138
                                                                  ICMP
                                                                                  Destination unreachable
(Port unreachable)
Frame 463: 138 bytes on wire (1104 bits), 138 bytes captured (1104 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    464 560.148885747 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           110
                                                                                  Standard query response
Oxa44a Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
```

Frame 464: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0

Domain Name System (query)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34573
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
                                            127.0.0.53
    465 560.148999458 127.0.0.1
                                                                  DNS
                                                                           113
                                                                                  Standard query 0xcf59
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 465: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53527, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    466 560.149626552 127.0.0.53
                                            127.0.0.1
                                                                            113
                                                                                  Standard query response
0xc4b4 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 466: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49510
Domain Name System (response)
                                                                  Protocol Length Info
No.
       Time
                      Source
                                            Destination
    467 563.411837791 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           101
                                                                                  Standard query response
0x5ac4 Server failure A incoming.telemetry.mozilla.org OPT
Frame 467: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43666
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
       Time
    468 563.411859981 127.0.0.1
                                            127.0.0.53
                                                                            129
                                                                                  Destination unreachable
(Port unreachable)
Frame 468: 129 bytes on wire (1032 bits), 129 bytes captured (1032 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
    469 563.411926048 127.0.0.53
                                            127.0.0.1
                                                                           101
                                                                                  Standard query response
Oxff9e Server failure A incoming.telemetry.mozilla.org OPT
Frame 469: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40081
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    470 563.411934179 127.0.0.1
                                            127.0.0.53
                                                                   ICMP
                                                                            129
                                                                                  Destination unreachable
(Port unreachable)
Frame 470: 129 bytes on wire (1032 bits), 129 bytes captured (1032 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    471 563.824394093 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            98
                                                                                  Standard query 0xd412
A outlook.office.com.ensea.fr OPT
Frame 471: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56656, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    472 564.900288814 127.0.0.1
                                            127.0.0.53
                                                                            117
                                                                                  Standard query 0x9399
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 472: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46211, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    473 564.984350802 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            89
                                                                                  Standard query 0xbdb1
A outlook.office.com OPT
Frame 473: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58002, Dst Port: 53
```

```
Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   474 564.984374442 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          89
                                                                                Standard query 0x5cb7
AAAA outlook.office.com OPT
Frame 474: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58002, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                 Protocol Length Info
                      Source
    475 565.144239444 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          113
                                                                                Standard query Oxdcad
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 475: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49510, Dst Port: 53
Domain Name System (query)
       Time
                                           Destination
                                                                 Protocol Length Info
                      Source
   476 565.144249304 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          113
                                                                                Standard query 0xc4b4
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 476: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49510, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
No.
       Time
                      Source
                                           Destination
    477 565.152277016 127.0.0.1
                                            127.0.0.53
                                                                          113
                                                                                 Standard query 0xcf59
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 477: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53527, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
No.
       Time
                                           Destination
                      Source
   478 568.829656424 127.0.0.1
                                           127.0.0.53
                                                                                Standard query 0xd412
A outlook.office.com.ensea.fr OPT
Frame 478: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56656, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                 Protocol Length Info
                      Source
    479 569.905127009 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          108
                                                                                 Standard query 0x2642
A firefox.settings.services.mozilla.com OPT
Frame 479: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48635, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    480 569.905151667 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          108
                                                                                 Standard query 0x6248
AAAA firefox.settings.services.mozilla.com OPT
Frame 480: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48635, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
No.
       Time
                                           Destination
                      Source
    481 569.989787991 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          98
                                                                                 Standard query 0x0817
A outlook.office.com.ensea.fr OPT
Frame 481: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36104, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    482 569.989822284 127.0.0.1
                                           127.0.0.53
                                                                          98
                                                                                 Standard query 0xab0a
AAAA outlook.office.com.ensea.fr OPT
Frame 482: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36104, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    483 570.149668909 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          115
                                                                                 Standard query 0xcaa2
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
```

Frame 483: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0

Internet Control Message Protocol Domain Name System (response)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40191, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    484 570.149709189 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            115
                                                                                  Standard query 0x13d3
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 484: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40191, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                                                   Protocol Length Info
                                             Destination
    485 570.155822256 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            108
                                                                                   Standard query 0xf24f
A firefox.settings.services.mozilla.com OPT
Frame 485: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47543, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
No.
       Time
                      Source
                                            Destination
    486 570.156746867 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            101
                                                                                  Standard query 0xeee7
A incoming.telemetry.mozilla.org OPT
Frame 486: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47848, Dst Port: 53
Domain Name System (query)
                      Source
                                            Destination
                                                                   Protocol Length Info
No.
       Time
    487 572.034359619 127.0.0.53
                                            127.0.0.1
                                                                            101
                                                                                   Standard query response
0x668a Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 487: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40081
Domain Name System (response)
                                                                   Protocol Length Info
       Time
                      Source
                                            Destination
    488 572.034388885 127.0.0.1
                                            127.0.0.53
                                                                            129
                                                                                  Destination unreachable
(Port unreachable)
Frame 488: 129 bytes on wire (1032 bits), 129 bytes captured (1032 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                            Destination
                                                                   Protocol Length Info
       Time
                      Source
    489 574.908287716 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            108
                                                                                   Standard query 0x2642
A firefox.settings.services.mozilla.com OPT
Frame 489: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48635, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    490 574.908323737 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            108
                                                                                   Standard query 0x6248
AAAA firefox.settings.services.mozilla.com OPT
Frame 490: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48635, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
No.
    491 574.915173408 127.0.0.53
                                            127.0.0.1
                                                                            117
                                                                                   Standard query response
0x51cc Server failure A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 491: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43023
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
                                                                                   Destination unreachable
    492 574.915187418 127.0.0.1
                                            127.0.0.53
                                                                   ICMP
                                                                            145
(Port unreachable)
Frame 492: 145 bytes on wire (1160 bits), 145 bytes captured (1160 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    493 574.915255434 127.0.0.53
                                                                                 Standard query response
                                            127.0.0.1
                                                                  DNS
                                                                           117
0x9399 Server failure A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 493: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46211
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    494 574.915259904 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           145
                                                                                  Destination unreachable
(Port unreachable)
Frame 494: 145 bytes on wire (1160 bits), 145 bytes captured (1160 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                            Destination
       Time
                      Source
                                                                  Protocol Length Info
    495 574.992290214 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           98
                                                                                 Standard query 0x0817
A outlook.office.com.ensea.fr OPT
Frame 495: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36104, Dst Port: 53
Domain Name System (query)
No.
                                                                  Protocol Length Info
        Time
                      Source
                                            Destination
    496 574.992304213 127.0.0.1
                                            127.0.0.53
                                                                           98
                                                                                  Standard query 0xab0a
AAAA outlook.office.com.ensea.fr OPT
Frame 496: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36104, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
    497 575.152271552 127.0.0.1
                                            127.0.0.53
                                                                           115
                                                                                  Standard query 0xcaa2
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 497: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40191, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    498 575.152285895 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0x13d3
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 498: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40191, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    499 575.157074372 127.0.0.53
                                                                                  Standard query response
                                            127.0.0.1
                                                                  DNS
                                                                           162
0xc4b4 No such name AAAA incoming.telemetry.mozilla.org.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 499: 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49510
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                      Source
                                            Destination
    500 575.157094328 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           190
                                                                                  Destination unreachable
(Port unreachable)
Frame 500: 190 bytes on wire (1520 bits), 190 bytes captured (1520 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    501 575.157234062 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           162
                                                                                  Standard query response
0xcf59 No such name A incoming.telemetry.mozilla.org.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 501: 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53527
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    502 575.157242358 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           190
                                                                                  Destination unreachable
(Port unreachable)
```

Frame 502: 190 bytes on wire (1520 bits), 190 bytes captured (1520 bits) on interface lo, id 0

Internet Control Message Protocol Domain Name System (response)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    503 575.157317692 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            162
                                                                                   Standard query response
Oxdcad No such name A incoming.telemetry.mozilla.org.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 503: 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49510
Domain Name System (response)
       Time
                       Source
                                                                   Protocol Length Info
                                             Destination
    504 575.157323769 127.0.0.1
                                             127.0.0.53
                                                                   ICMP
                                                                            190
                                                                                   Destination unreachable
(Port unreachable)
Frame 504: 190 bytes on wire (1520 bits), 190 bytes captured (1520 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                            Destination
                                                                   Protocol Length Info
       Time
                       Source
No.
    505 575.157481990 127.0.0.53
                                            127.0.0.1
                                                                            110
                                                                                   Standard query response
0x0dd0 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 505: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54458
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
No.
       Time
                       Source
    506 575.157490566 127.0.0.1
                                             127.0.0.53
                                                                            138
                                                                                   Destination unreachable
(Port unreachable)
Frame 506: 138 bytes on wire (1104 bits), 138 bytes captured (1104 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
    507 575.160247034 127.0.0.1
                                             127.0.0.53
                                                                            101
                                                                                   Standard query 0xeee7
A incoming.telemetry.mozilla.org OPT
Frame 507: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47848, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
    508 575.160282541 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            108
                                                                                   Standard query 0xf24f
A firefox.settings.services.mozilla.com OPT
Frame 508: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47543, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    509 578.889311212 127.0.0.53
                                                                   DNS
                                                                            98
                                                                                   Standard query response
0x0817 Server failure A outlook.office.com.ensea.fr OPT
Frame 509: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36104
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    510 578.889371674 127.0.0.53
                                             127.0.0.1
                                                                                   Standard query response
0xd412 Server failure A outlook.office.com.ensea.fr OPT
Frame 510: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56656
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    511 578.889386671 127.0.0.1
                                             127.0.0.53
                                                                   ICMP
                                                                            126
                                                                                   Destination unreachable
(Port unreachable)
Frame 511: 126 bytes on wire (1008 bits), 126 bytes captured (1008 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   512 579.912553842 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           117
                                                                                  Standard query 0xaa36
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 512: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46561, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    513 579.912595609 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           117
                                                                                  Standard query 0xb624
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 513: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46561, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    514 579.992595383 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0xa83f
A outlook.office.com.etis-lab.fr OPT
Frame 514: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40455, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
No.
       Time
                      Source
                                            Destination
    515 579.992643881 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0x3610
AAAA outlook.office.com.etis-lab.fr OPT
Frame 515: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40455, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                                            Destination
                      Source
    516 579.997618566 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           150
                                                                                  Standard query response
0x3610 No such name AAAA outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 516: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40455
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                      Source
                                            Destination
    517 580.158141821 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0x5685
A incoming.telemetry.mozilla.org OPT
Frame 517: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38026, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    518 580.158178377 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0x93b0
AAAA incoming.telemetry.mozilla.org OPT
Frame 518: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38026, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
No.
        Time
                                            Destination
                      Source
    519 580.164475133 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           110
                                                                                  Standard query Oxbede
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 519: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59467, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    520 580.164822924 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           164
                                                                                  Standard query response
0x13d3 No such name AAAA incoming.telemetry.mozilla.org.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 520: 164 bytes on wire (1312 bits), 164 bytes captured (1312 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40191
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    521 580.164855020 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           192
                                                                                  Destination unreachable
(Port unreachable)
```

Frame 521: 192 bytes on wire (1536 bits), 192 bytes captured (1536 bits) on interface lo, id 0

Domain Name System (query)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    522 580.165138180 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           164
                                                                                  Standard query response
Oxcaa2 No such name A incoming.telemetry.mozilla.org.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 522: 164 bytes on wire (1312 bits), 164 bytes captured (1312 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40191
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
    523 580.165153117 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                            192
                                                                                  Destination unreachable
(Port unreachable)
Frame 523: 192 bytes on wire (1536 bits), 192 bytes captured (1536 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
No.
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
    524 580.165605522 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           117
                                                                                  Standard query 0x5582
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 524: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56725, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
No.
       Time
                      Source
    525 580.171078276 127.0.0.53
                                            127.0.0.1
                                                                            110
                                                                                  Standard query response
Oxbede Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 525: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59467
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
    526 580.171311367 127.0.0.1
                                            127.0.0.53
                                                                           110
                                                                                  Standard query Oxbede
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 526: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40090, Dst Port: 53
Domain Name System (query)
                      Source
                                                                  Protocol Length Info
       Time
                                            Destination
    527 580.178624540 127.0.0.53
                                                                            110
                                            127.0.0.1
                                                                                  Standard query response
Oxbede Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 527: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40090
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    528 580.178719136 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            113
                                                                                  Standard query 0x14fa
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 528: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48800, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    529 580.184187417 127.0.0.53
                                             127.0.0.1
0x14fa No such name A incoming.telemetry.mozilla.org.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 529: 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48800
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                  Protocol Length Info
    530 580.184262626 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            115
                                                                                  Standard query 0xfb86
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 530: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58403, Dst Port: 53
```

A outlook.office.com.etis-lab.fr OPT

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    531 580.192581714 127.0.0.53
                                                                                  Standard query response
                                            127.0.0.1
                                                                  DNS
                                                                           164
0xfb86 No such name A incoming.telemetry.mozilla.org.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 531: 164 bytes on wire (1312 bits), 164 bytes captured (1312 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58403
Domain Name System (response)
        Time
                      Source
                                                                  Protocol Length Info
                                            Destination
    532 582.033368262 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           89
                                                                                  Standard query response
Oxe5fe Server failure AAAA outlook.office.com OPT
Frame 532: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49011
Domain Name System (response)
       Time
                                            Destination
                      Source
                                                                  Protocol Length Info
    533 582.033383462 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           117
                                                                                  Destination unreachable
(Port unreachable)
Frame 533: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                                                  Protocol Length Info
No.
        Time
                      Source
                                            Destination
    534 582.033417320 127.0.0.53
                                            127.0.0.1
                                                                           89
                                                                                  Standard query response
0x0496 Server failure AAAA outlook.office.com OPT
Frame 534: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54199
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
    535 582.033420881 127.0.0.1
                                            127.0.0.53
                                                                  TCMP
                                                                           117
                                                                                  Destination unreachable
(Port unreachable)
Frame 535: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
        Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    536 582.033437854 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           89
                                                                                  Standard query response
0x5cb7 Server failure AAAA outlook.office.com OPT
Frame 536: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58002
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    537 582.033440711 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           117
                                                                                  Destination unreachable
(Port unreachable)
Frame 537: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                      Source
                                            Destination
    538 584.916274581 127.0.0.1
                                                                  DNS
                                                                           117
                                                                                  Standard query 0xaa36
                                            127.0.0.53
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 538: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46561, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    539 584.916299044 127.0.0.1
                                            127.0.0.53
                                                                           117
                                                                                  Standard query 0xb624
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 539: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46561, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    540 584.996282483 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0xa83f
```

Frame 540: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40455, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                    Protocol Length Info
    541 585.163349602 127.0.0.1
                                             127.0.0.53
                                                                    DNS
                                                                             101
                                                                                    Standard query 0x5685
A incoming.telemetry.mozilla.org OPT
Frame 541: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38026, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                       Source
                                             Destination
    542 585.163371603 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             101
                                                                                    Standard query 0x93b0
AAAA incoming.telemetry.mozilla.org OPT
Frame 542: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38026, Dst Port: 53
Domain Name System (query)
        Time
                                                                   Protocol Length Info
No.
                       Source
                                             Destination
    543 585.168264157 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             117
                                                                                    Standard query 0x5582
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 543: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56725, Dst Port: 53
Domain Name System (query)
        Time
                                             Destination
                                                                   Protocol Length Info
No.
                       Source
    544 589.922158043 127.0.0.1
                                             127.0.0.53
                                                                             108
                                                                                    Standard query 0xd89f
A firefox.settings.services.mozilla.com OPT
Frame 544: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46644, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                   Protocol Length Info
        Time
                       Source
    545 589.922196434 127.0.0.1
                                             127.0.0.53
                                                                             108
                                                                                    Standard query 0x5ca3
AAAA firefox.settings.services.mozilla.com OPT
Frame 545: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46644, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                                                   Protocol Length Info
                                             Destination
    546 590.001613744 127.0.0.1
                                             127.0.0.53
                                                                    DNS
                                                                             101
                                                                                    Standard query 0xa83f
A outlook.office.com.etis-lab.fr OPT
Frame 546: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40455, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    547 590.111113947 127.0.0.53
                                             127.0.0.1
                                                                             150
                                                                                    Standard query response
0xa83f No such name A outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 547: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40455
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                    Protocol Length Info
No.
    548 590.111198586 127.0.0.1
                                             127.0.0.53
                                                                             101
                                                                                    Standard query 0x3610
AAAA outlook.office.com.etis-lab.fr OPT
Frame 548: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40455, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                    Protocol Length Info
    549 590.115176402 127.0.0.53
                                             127.0.0.1
                                                                    DNS
                                                                             150
                                                                                    Standard query response
0x3610 No such name AAAA outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 549: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40455
```

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
                                                                           103
   550 590.115298673 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                                  Standard query 0x414d
A outlook.office.com.quartz-lab.fr OPT
Frame 550: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38832, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    551 590.121166621 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           152
                                                                                  Standard query response
0x414d No such name A outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 551: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38832
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    552 590.121217083 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           103
                                                                                  Standard query 0x0d57
AAAA outlook.office.com.quartz-lab.fr OPT
Frame 552: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38832, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    553 590.125784913 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           152
                                                                                  Standard query response
0x0d57 No such name AAAA outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 553: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38832
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
    554 590.126069953 127.0.0.1
                                            127.0.0.53
                                                                           89
                                                                                  Standard query 0x6026
A outlook.office.com OPT
Frame 554: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46490, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                                            Destination
                      Source
    555 590.126076872 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0x021a
AAAA outlook.office.com OPT
Frame 555: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46490, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    556 590.168384116 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           110
                                                                                  Standard query 0xf9d8
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 556: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50634, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                                            Destination
No.
                      Source
    557 590.168406021 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           110
                                                                                  Standard query 0x31cf
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 557: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50634, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    558 590.172746976 127.0.0.1
                                            127.0.0.53
                                                                           108
                                                                                  Standard query 0xd532
                                                                  DNS
A firefox.settings.services.mozilla.com OPT
Frame 558: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60591, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    559 590.252712520 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           117
                                                                                  Standard query response
```

0xb624 Server failure AAAA firefox.settings.services.mozilla.com.ensea.fr OPT

Frame 559: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0

Domain Name System (query)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46561
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    560 590.252727307 127.0.0.1
                                            127.0.0.53
                                                                   TCMP
                                                                            145
                                                                                   Destination unreachable
(Port unreachable)
Frame 560: 145 bytes on wire (1160 bits), 145 bytes captured (1160 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    561 590.255131831 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            110
                                                                                   Standard query response
0xf9d8 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 561: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50634
Domain Name System (response)
                                                                   Protocol Length Info
No.
       Time
                      Source
                                             Destination
    562 594.927542383 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            108
                                                                                  Standard query 0xd89f
A firefox.settings.services.mozilla.com OPT
Frame 562: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46644, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                   Protocol Length Info
No.
       Time
                      Source
   563 594.927587209 127.0.0.1
                                             127.0.0.53
                                                                            108
                                                                                   Standard query 0x5ca3
AAAA firefox.settings.services.mozilla.com OPT
Frame 563: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46644, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                   Protocol Length Info
       Time
                      Source
    564 595.131283828 127.0.0.1
                                            127.0.0.53
                                                                            89
                                                                                  Standard query 0x6026
A outlook.office.com OPT
Frame 564: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46490, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                                                   Protocol Length Info
                                            Destination
    565 595.131312402 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            89
                                                                                   Standard query 0x021a
AAAA outlook.office.com OPT
Frame 565: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46490, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    566 595.172476536 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                   Standard query 0xf9d8
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 566: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50634, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
No.
    567 595.172501298 127.0.0.1
                                             127.0.0.53
                                                                            110
                                                                                   Standard query 0x31cf
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 567: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50634, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    568 595.178039146 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            108
                                                                                   Standard query 0xd532
A firefox.settings.services.mozilla.com OPT
Frame 568: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60591, Dst Port: 53
```

```
Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   569 599.532913771 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          110
                                                                                Standard query response
0xf9d8 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 569: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50634
Domain Name System (response)
       Time
                                                                 Protocol Length Info
                      Source
                                            Destination
                                           127.0.0.1
    570 599.532980565 127.0.0.53
                                                                 DNS
                                                                          110
                                                                                Standard query response
0x31cf Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 570: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50634
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    571 599.533012943 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          89
                                                                                Standard query response
0x021a Server failure AAAA outlook.office.com OPT
Frame 571: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46490
Domain Name System (response)
No.
        Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    572 599.533073980 127.0.0.53
                                           127.0.0.1
                                                                          101
                                                                                 Standard query response
0x93b0 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 572: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38026
Domain Name System (response)
                                                                 Protocol Length Info
       Time
                      Source
                                            Destination
    573 599.533085666 127.0.0.1
                                            127.0.0.53
                                                                 ICMP
                                                                          129
                                                                                 Destination unreachable
(Port unreachable)
Frame 573: 129 bytes on wire (1032 bits), 129 bytes captured (1032 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                           Destination
                                                                 Protocol Length Info
        Time
                      Source
    574 599.533133333 127.0.0.53
                                           127.0.0.1
                                                                          117
                                                                 DNS
                                                                                Standard query response
0x5582 Server failure A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 574: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56725
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    575 599.533136718 127.0.0.1
                                            127.0.0.53
                                                                 ICMP
                                                                          145
                                                                                 Destination unreachable
(Port unreachable)
Frame 575: 145 bytes on wire (1160 bits), 145 bytes captured (1160 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
No.
        Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    576 599.533168555 127.0.0.53
                                           127.0.0.1
                                                                          117
                                                                                 Standard query response
Oxaa36 Server failure A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 576: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46561
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    577 599.533171993 127.0.0.1
                                            127.0.0.53
                                                                 ICMP
                                                                          145
                                                                                 Destination unreachable
(Port unreachable)
Frame 577: 145 bytes on wire (1160 bits), 145 bytes captured (1160 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                      Source
                                            Destination
                                                                 Protocol Length Info
    578 599.533173208 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          113
                                                                                 Standard query 0x5b3a
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
```

Frame 578: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0

Internet Control Message Protocol Domain Name System (response)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52689, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
                                            127.0.0.53
    579 599.533191477 127.0.0.1
                                                                  DNS
                                                                           113
                                                                                  Standard query 0x5e32
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 579: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52689, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                                                  Protocol Length Info
                                            Destination
    580 599.533208455 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           101
                                                                                  Standard query response
0x5685 Server failure A incoming telemetry mozilla.org OPT
Frame 580: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38026
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
No.
    581 599.533211478 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           129
                                                                                  Destination unreachable
(Port unreachable)
Frame 581: 129 bytes on wire (1032 bits), 129 bytes captured (1032 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
No.
       Time
                      Source
   582 599.533230009 127.0.0.53
                                            127.0.0.1
                                                                           101
                                                                                  Standard query response
Oxeee7 Server failure A incoming.telemetry.mozilla.org OPT
Frame 582: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47848
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
    583 599.533232745 127.0.0.1
                                            127.0.0.53
                                                                           129
                                                                                  Destination unreachable
(Port unreachable)
Frame 583: 129 bytes on wire (1032 bits), 129 bytes captured (1032 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
    584 599.533262277 127.0.0.53
                                                                  DNS
                                                                           98
                                                                                  Standard query response
                                            127.0.0.1
OxabOa Server failure AAAA outlook.office.com.ensea.fr OPT
Frame 584: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36104
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    585 599.533265170 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           126
                                                                                  Destination unreachable
(Port unreachable)
Frame 585: 126 bytes on wire (1008 bits), 126 bytes captured (1008 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    586 599.533301802 127.0.0.53
                                            127.0.0.1
                                                                           108
                                                                                  Standard query response
0x6248 Server failure AAAA firefox.settings.services.mozilla.com OPT
Frame 586: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48635
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
                                                                                  Destination unreachable
    587 599.533304704 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           136
(Port unreachable)
Frame 587: 136 bytes on wire (1088 bits), 136 bytes captured (1088 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

```
Time
                      Source
                                           Destination
                                                                 Protocol Length Info
                                                                          108
   588 599.533326897 127.0.0.53
                                           127.0.0.1
                                                                                 Standard query response
                                                                 DNS
0x5ca3 Server failure AAAA firefox.settings.services.mozilla.com OPT
Frame 588: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46644
Domain Name System (response)
        Time
                                                                 Protocol Length Info
                      Source
                                            Destination
    589 599.533359007 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          108
                                                                                 Standard query response
0xd532 Server failure A firefox.settings.services.mozilla.com OPT
Frame 589: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60591
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    590 599.533382432 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          108
                                                                                 Standard query response
Oxd89f Server failure A firefox.settings.services.mozilla.com OPT
Frame 590: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46644
Domain Name System (response)
                                                                 Protocol Length Info
No.
        Time
                      Source
                                           Destination
    591 599.533405766 127.0.0.53
                                           127.0.0.1
                                                                          108
                                                                                 Standard query response
0x76dc Server failure A firefox.settings.services.mozilla.com OPT
Frame 591: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43743
Domain Name System (response)
                                                                 Protocol Length Info
       Time
                      Source
                                            Destination
    592 599.533408839 127.0.0.1
                                            127.0.0.53
                                                                 ICMP
                                                                          136
                                                                                 Destination unreachable
(Port unreachable)
Frame 592: 136 bytes on wire (1088 bits), 136 bytes captured (1088 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                                                 Protocol Length Info
                                            Destination
        Time
                      Source
    593 599.533428426 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          108
                                                                                 Standard query response
Oxf24f Server failure A firefox.settings.services.mozilla.com OPT
Frame 593: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47543
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    594 599.533431564 127.0.0.1
                                            127.0.0.53
                                                                 ICMP
                                                                          136
                                                                                 Destination unreachable
(Port unreachable)
Frame 594: 136 bytes on wire (1088 bits), 136 bytes captured (1088 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                                                 Protocol Length Info
        Time
                      Source
                                           Destination
    595 599.533450952 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          108
                                                                                 Standard query response
0x2642 Server failure A firefox.settings.services.mozilla.com OPT
Frame 595: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48635
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    596 599.533453756 127.0.0.1
                                            127.0.0.53
                                                                          136
                                                                 ICMP
                                                                                 Destination unreachable
(Port unreachable)
Frame 596: 136 bytes on wire (1088 bits), 136 bytes captured (1088 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    597 599.533475090 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          108
                                                                                 Standard query response
```

0x378d Server failure A firefox.settings.services.mozilla.com OPT

Frame 597: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38409
Domain Name System (response)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   598 599.533478673 127.0.0.1
                                             127.0.0.53
                                                                   ICMP
                                                                            136
                                                                                   Destination unreachable
(Port unreachable)
Frame 598: 136 bytes on wire (1088 bits), 136 bytes captured (1088 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
    599 599.533481623 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            117
                                                                                   Standard query 0xf576
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 599: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60058, Dst Port: 53
Domain Name System (query)
       Time
                                                                   Protocol Length Info
No.
                       Source
                                             Destination
    600 599.533477069 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            117
                                                                                   Standard query 0x16db
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 600: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36214, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
    601 599.533491636 127.0.0.1
                                             127.0.0.53
                                                                            117
                                                                                   Standard query 0x317a
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 601: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60058, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
    602 599.533503952 127.0.0.53
                                             127.0.0.1
                                                                                   Standard query response
                                                                            89
0x1b9b Server failure A outlook.office.com OPT
Frame 602: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54199
Domain Name System (response)
        Time
                                                                   Protocol Length Info
                       Source
                                             Destination
                                                                                   Destination unreachable
    603 599.533506965 127.0.0.1
                                             127.0.0.53
                                                                   ICMP
                                                                            117
(Port unreachable)
Frame 603: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    604 599.533522197 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            89
                                                                                   Standard query response
Oxecb8 Server failure A outlook.office.com OPT
Frame 604: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49433
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    605 599.533525128 127.0.0.1
                                             127.0.0.53
                                                                            117
                                                                                    Destination unreachable
(Port unreachable)
Frame 605: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    606 599.533539401 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            89
                                                                                    Standard query response
0x6026 Server failure A outlook.office.com OPT
Frame 606: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46490
```

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
                                                                           89
    607 599.533554958 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                                  Standard query response
0x74c2 Server failure A outlook.office.com OPT
Frame 607: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49011
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    608 599.533557992 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           117
                                                                                 Destination unreachable
(Port unreachable)
Frame 608: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    609 599.533572578 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           89
                                                                                 Standard query response
0xbdb1 Server failure A outlook.office.com OPT
Frame 609: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58002
Domain Name System (response)
        Time
No.
                      Source
                                            Destination
                                                                  Protocol Length Info
    610 599.533575339 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           117
                                                                                  Destination unreachable
(Port unreachable)
Frame 610: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                      Source
                                                                  Protocol Length Info
       Time
                                            Destination
    611 599.533590014 127.0.0.53
                                            127.0.0.1
                                                                           89
                                                                                  Standard query response
0xa595 Server failure A outlook.office.com OPT
Frame 611: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44886
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    612 599.533592790 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           117
                                                                                  Destination unreachable
(Port unreachable)
Frame 612: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    613 599.533607019 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           89
                                                                                  Standard query response
0x5694 Server failure A outlook.office.com OPT
Frame 613: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39234
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                      Source
                                            Destination
    614 599.533609875 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           117
                                                                                  Destination unreachable
(Port unreachable)
Frame 614: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    615 599.533624270 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           89
                                                                                  Standard query response
0xd5e6 Server failure A outlook.office.com OPT
Frame 615: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39081
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    616 599.533627322 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           117
                                                                                  Destination unreachable
(Port unreachable)
```

Frame 616: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0

Domain Name System (query)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    617 599.533642322 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            89
                                                                                   Standard query response
Oxe8df Server failure A outlook.office.com OPT
Frame 617: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38756
Domain Name System (response)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
    618 599.533645132 127.0.0.1
                                             127.0.0.53
                                                                   ICMP
                                                                            117
                                                                                   Destination unreachable
(Port unreachable)
Frame 618: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                                                   Protocol Length Info
No.
       Time
                       Source
                                             Destination
    619 599.533663862 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            89
                                                                                   Standard query response
0x4a53 Server failure A outlook.office.com OPT
Frame 619: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47449
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
       Time
    620 599.533666899 127.0.0.1
                                             127.0.0.53
                                                                            117
                                                                                   Destination unreachable
(Port unreachable)
Frame 620: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
    621 599.533735147 127.0.0.1
                                             127.0.0.53
                                                                            98
                                                                                   Standard query 0xfa96
A outlook.office.com.ensea.fr OPT
Frame 621: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48745, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                                                   Protocol Length Info
                                             Destination
    622 599.533759228 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            98
                                                                                   Standard query 0x9aaf
AAAA outlook.office.com.ensea.fr OPT
Frame 622: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48745, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    623 599.533809495 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            113
                                                                                   Standard query response
0x5b3a Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 623: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52689
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    624 599.533855149 127.0.0.53
                                             127.0.0.1
                                                                                   Standard query response
0x5e32 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 624: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52689
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    625 599.533890312 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            113
                                                                                   Standard query 0x5b3a
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 625: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52689, Dst Port: 53
```

```
Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   626 599.533902834 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          113
                                                                                 Standard query 0x5e32
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 626: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52689, Dst Port: 53
Domain Name System (query)
       Time
                                                                 Protocol Length Info
                      Source
                                            Destination
                                           127.0.0.1
    627 599.533907070 127.0.0.53
                                                                 DNS
                                                                          117
                                                                                Standard query response
0xf576 Server failure A firefox.settings.services.mozilla.com.ensea.fr 0PT
Frame 627: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60058
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    628 599.533957012 127.0.0.53
                                           127.0.0.1
                                                                          117
                                                                                Standard query response
                                                                 DNS
0x16db Server failure A firefox.settings.services.mozilla.com.ensea.fr 0PT
Frame 628: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36214
Domain Name System (response)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    629 599.534009157 127.0.0.53
                                           127.0.0.1
                                                                          117
                                                                                 Standard query response
0x317a Server failure AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 629: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60058
Domain Name System (response)
                                                                 Protocol Length Info
       Time
                      Source
                                           Destination
    630 599.534048449 127.0.0.53
                                           127.0.0.1
                                                                                 Standard query response
Oxfa96 Server failure A outlook.office.com.ensea.fr OPT
Frame 630: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48745
Domain Name System (response)
                                                                 Protocol Length Info
       Time
                      Source
                                            Destination
    631 599.534058641 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          117
                                                                                 Standard query 0xf576
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 631: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60058, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    632 599.534058661 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          117
                                                                                 Standard query 0x16db
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 632: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id \theta
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54037, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
       Time
                      Source
                                            Destination
    633 599.534069895 127.0.0.1
                                                                 DNS
                                                                          117
                                                                                 Standard query 0x317a
                                            127.0.0.53
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 633: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60058, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    634 599.534086747 127.0.0.53
                                            127.0.0.1
                                                                          98
                                                                                 Standard query response
0x9aaf Server failure AAAA outlook.office.com.ensea.fr OPT
Frame 634: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48745
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    635 599.534128368 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          113
                                                                                 Standard query response
```

0x5b3a Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT

Frame 635: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52689
Domain Name System (response)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    636 599.534163757 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            98
                                                                                   Standard query 0xfa96
A outlook.office.com.ensea.fr OPT
Frame 636: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48745, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
    637 599.534170410 127.0.0.53
                                             127.0.0.1
                                                                            113
                                                                                   Standard query response
0x5e32 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 637: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52689
Domain Name System (response)
       Time
                                             Destination
                                                                   Protocol Length Info
                       Source
No.
    638 599.534175329 127.0.0.1
                                             127.0.0.53
                                                                            98
                                                                                   Standard query 0x9aaf
AAAA outlook.office.com.ensea.fr OPT
Frame 638: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48745, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
    639 599.534220475 127.0.0.53
                                             127.0.0.1
                                                                            117
                                                                                   Standard query response
0xf576 Server failure A firefox.settings.services.mozilla.com.ensea.fr 0PT
Frame 639: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60058
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
        Time
    640 599.534230090 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            115
                                                                                   Standard query 0x68b8
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 640: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48441, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                                                   Protocol Length Info
                                             Destination
    641 599.534236698 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            115
                                                                                   Standard query 0xe0c1
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 641: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48441, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    642 599.534266235 127.0.0.53
                                             127.0.0.1
                                                                            117
                                                                                   Standard query response
0x16db Server failure A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 642: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54037
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    643 599.534316043 127.0.0.53
                                             127.0.0.1
                                                                            117
                                                                                   Standard query response
0x317a Server failure AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 643: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60058
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    644 599.534353694 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            98
                                                                                   Standard query response
Oxfa96 Server failure A outlook.office.com.ensea.fr OPT
Frame 644: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48745
```

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
                                                                           120
    645 599.534382869 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                                  Standard query 0x06f4
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 645: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43913, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    646 599.534389933 127.0.0.53
                                                                  DNS
                                                                           98
                                            127.0.0.1
                                                                                  Standard query response
0x9aaf Server failure AAAA outlook.office.com.ensea.fr OPT
Frame 646: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48745
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    647 599.534433963 127.0.0.53
                                            127.0.0.1
                                                                           115
                                                                                  Standard query response
                                                                  DNS
0x68b8 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 647: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48441
Domain Name System (response)
                                            Destination
No.
       Time
                      Source
                                                                  Protocol Length Info
    648 599.534434085 127.0.0.1
                                            127.0.0.53
                                                                           120
                                                                                  Standard query 0x34da
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 648: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57129, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    649 599.534445158 127.0.0.1
                                            127.0.0.53
                                                                           120
                                                                                  Standard query 0x75e7
AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 649: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57129, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    650 599.534475931 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           115
                                                                                  Standard query response
0xe0c1 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 650: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48441
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    651 599.534496980 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0x68b8
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 651: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48441, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                      Source
                                            Destination
    652 599.534501066 127.0.0.1
                                                                  DNS
                                                                           115
                                                                                  Standard query 0xe0c1
                                            127.0.0.53
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 652: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48441, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    653 599.534526215 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           120
                                                                                  Standard query response
0x06f4 Server failure A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 653: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43913
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    654 599.534557343 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0xb697
A outlook.office.com.etis-lab.fr OPT
```

Frame 654: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54640, Dst Port: 53
Domain Name System (query)
                       Source
       Time
                                             Destination
                                                                   Protocol Length Info
    655 599.534567705 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                   Standard query 0xb39c
AAAA outlook.office.com.etis-lab.fr OPT
Frame 655: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54640, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
    656 599.534575292 127.0.0.53
                                             127.0.0.1
                                                                            120
                                                                                   Standard query response
0x34da Server failure A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 656: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57129
Domain Name System (response)
       Time
                                             Destination
                                                                   Protocol Length Info
                       Source
No.
    657 599.534623418 127.0.0.53
                                             127.0.0.1
                                                                            120
                                                                                   Standard query response
0x75e7 Server failure AAAA firefox.settings.services.mozilla.com.etis-lab.fr 0PT
Frame 657: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57129
Domain Name System (response)
                                                                   Protocol Length Info
No.
        Time
                       Source
                                             Destination
    658 599.534645151 127.0.0.1
                                             127.0.0.53
                                                                            120
                                                                                   Standard query 0x06f4
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 658: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55923, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                   Protocol Length Info
        Time
                       Source
    659 599.534646746 127.0.0.1
                                             127.0.0.53
                                                                            120
                                                                                   Standard query 0x34da
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 659: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57129, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
                                             Destination
    660 599.534653390 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            120
                                                                                   Standard query 0x75e7
AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 660: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57129, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    661 599.534661964 127.0.0.53
                                             127.0.0.1
                                                                            115
                                                                                   Standard query response
0x68b8 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 661: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48441
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    662 599.534697903 127.0.0.53
                                             127.0.0.1
                                                                                   Standard query response
OxeOc1 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 662: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48441
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    663 599.534732588 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            101
                                                                                   Standard query response
Oxb697 Server failure A outlook.office.com.etis-lab.fr OPT
Frame 663: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54640
```

```
Time
                       Source
                                            Destination
                                                                   Protocol Length Info
    664 599.534764537 127.0.0.53
                                            127.0.0.1
                                                                           101
                                                                                  Standard query response
0xb39c Server failure AAAA outlook.office.com.etis-lab.fr OPT
Frame 664: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54640
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                       Source
                                             Destination
    665 599.534810463 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           120
                                                                                  Standard query response
0x34da Server failure A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 665: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57129
Domain Name System (response)
       Time
                                            Destination
                      Source
                                                                  Protocol Length Info
    666 599.534837973 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           101
                                                                                  Standard query 0xb697
A outlook.office.com.etis-lab.fr OPT
Frame 666: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54640, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
No.
        Time
                       Source
                                            Destination
    667 599.534851247 127.0.0.1
                                            127.0.0.53
                                                                            101
                                                                                  Standard query 0xb39c
AAAA outlook.office.com.etis-lab.fr OPT
Frame 667: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54640, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
    668 599.534858380 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           120
                                                                                  Standard query response
0x06f4 Server failure A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 668: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55923
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    669 599.534907590 127.0.0.53
                                            127.0.0.1
                                                                           120
                                                                  DNS
                                                                                  Standard query response
0x75e7 Server failure AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 669: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57129
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    670 599.534939572 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            101
                                                                                  Standard query response
Oxb697 Server failure A outlook.office.com.etis-lab.fr OPT
Frame 670: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54640
Domain Name System (response)
                                                                   Protocol Length Info
        Time
                       Source
                                            Destination
    671 599.534957316 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            122
                                                                                   Standard query 0x77ed
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 671: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53047, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
    672 599.534963216 127.0.0.1
                                            127.0.0.53
                                                                            122
                                                                                  Standard query 0x67e9
AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 672: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53047, Dst Port: 53
Domain Name System (query)
                       Source
                                             Destination
                                                                   Protocol Length Info
    673 599.534965429 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            122
                                                                                  Standard query 0x5df4
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
```

Frame 673: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39448, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    674 599.534971664 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            101
                                                                                   Standard query response
0xb39c Server failure AAAA outlook.office.com.etis-lab.fr OPT
Frame 674: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54640
Domain Name System (response)
                                                                   Protocol Length Info
       Time
                      Source
                                             Destination
    675 599.535019404 127.0.0.53
                                            127.0.0.1
                                                                            122
                                                                                   Standard query response
0x77ed Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 675: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53047
Domain Name System (response)
       Time
                                             Destination
                                                                   Protocol Length Info
No.
                      Source
    676 599.535040161 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            103
                                                                                   Standard query 0x080c
A outlook.office.com.quartz-lab.fr OPT
Frame 676: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33549, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                      Source
                                             Destination
No.
    677 599.535046970 127.0.0.1
                                             127.0.0.53
                                                                            103
                                                                                   Standard query 0x9603
AAAA outlook.office.com.quartz-lab.fr OPT
Frame 677: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33549, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                  Protocol Length Info
       Time
                      Source
    678 599.535067384 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            122
                                                                                  Standard query response
0x67e9 Server failure AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 678: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53047
Domain Name System (response)
       Time
                      Source
                                                                   Protocol Length Info
                                             Destination
    679 599.535090466 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            122
                                                                                   Standard query 0x77ed
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 679: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53047, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    680 599.535096244 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            122
                                                                                   Standard query 0x67e9
AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 680: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53047, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
No.
    681 599.535113600 127.0.0.53
                                            127.0.0.1
                                                                            122
                                                                                   Standard query response
0x5df4 Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr 0PT
Frame 681: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39448
Domain Name System (response)
        Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    682 599.535149316 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            103
                                                                                   Standard query response
0x080c Server failure A outlook.office.com.quartz-lab.fr OPT
Frame 682: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33549
```

```
Time
                       Source
                                            Destination
                                                                   Protocol Length Info
                                                                            103
    683 599.535182602 127.0.0.53
                                            127.0.0.1
                                                                                  Standard query response
                                                                   DNS
0x9603 Server failure AAAA outlook.office.com.quartz-lab.fr OPT
Frame 683: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33549
Domain Name System (response)
        Time
                                             Destination
                                                                  Protocol Length Info
                       Source
    684 599.535205369 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            103
                                                                                  Standard query 0x080c
A outlook.office.com.guartz-lab.fr OPT
Frame 684: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33549, Dst Port: 53
Domain Name System (query)
       Time
                                             Destination
                                                                  Protocol Length Info
                      Source
    685 599.535210564 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            103
                                                                                  Standard query 0x9603
AAAA outlook.office.com.quartz-lab.fr OPT
Frame 685: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33549, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    686 599.535220297 127.0.0.1
                                             127.0.0.53
                                                                            122
                                                                                  Standard query 0x5df4
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 686: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42994, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                                            Destination
                       Source
    687 599.535228567 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            122
                                                                                   Standard query response
0x77ed Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 687: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53047
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
    688 599.535275585 127.0.0.53
                                             127.0.0.1
                                                                            122
                                                                  DNS
                                                                                  Standard query response
0x67e9 Server failure AAAA firefox.settings.services.mozilla.com.quartz-lab.fr 0PT
Frame 688: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53047
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
    689 599.535307836 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            103
                                                                                  Standard query response
0x080c Server failure A outlook.office.com.quartz-lab.fr OPT
Frame 689: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33549
Domain Name System (response)
                                                                   Protocol Length Info
        Time
                       Source
                                             Destination
                                             127.0.0.1
    690 599.535338226 127.0.0.53
                                                                   DNS
                                                                            103
                                                                                   Standard query response
0x9603 Server failure AAAA outlook.office.com.quartz-lab.fr OPT
Frame 690: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33549
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    691 599.535384214 127.0.0.53
                                             127.0.0.1
                                                                            122
                                                                                   Standard query response
0x5df4 Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr 0PT
Frame 691: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42994
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    692 599.629467461 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            108
                                                                                   Standard query 0x3da8
A firefox.settings.services.mozilla.com OPT
```

Frame 692: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0

User Datagram Protocol, Src Port: 48160, Dst Port: 53

Domain Name System (query)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48160, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    693 599.629490539 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            108
                                                                                   Standard query 0x9ea1
AAAA firefox.settings.services.mozilla.com OPT
Frame 693: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48160, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
    694 599.629555549 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             89
                                                                                   Standard query 0x78c3
A outlook.office.com OPT
Frame 694: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48196, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
No.
    695 599.629567175 127.0.0.1
                                             127.0.0.53
                                                                            89
                                                                                   Standard query 0xe3c6
AAAA outlook.office.com OPT
Frame 695: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48196, Dst Port: 53
Domain Name System (query)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
        Time
    696 599.629680355 127.0.0.53
                                             127.0.0.1
                                                                             108
                                                                                    Standard query response
0x3da8 Server failure A firefox.settings.services.mozilla.com OPT
Frame 696: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48160
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
        Time
                       Source
    697 599.629787150 127.0.0.1
                                             127.0.0.53
                                                                             101
                                                                                   Standard query 0xc54e
A incoming.telemetry.mozilla.org OPT
Frame 697: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 51439, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                                                   Protocol Length Info
                                             Destination
    698 599.629884701 127.0.0.53
                                                                             108
                                             127.0.0.1
                                                                                   Standard query response
0x9ea1 Server failure AAAA firefox.settings.services.mozilla.com OPT
Frame 698: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48160
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    699 599.629949595 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                             89
                                                                                   Standard query response
0x78c3 Server failure A outlook.office.com OPT
Frame 699: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48196
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
    700 599.629983194 127.0.0.53
                                             127.0.0.1
                                                                                    Standard query response
Oxe3c6 Server failure AAAA outlook.office.com OPT
Frame 700: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48196
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    701 599.630010439 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             108
                                                                                   Standard query 0x3da8
A firefox.settings.services.mozilla.com OPT
Frame 701: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    702 599.630022227 127.0.0.53
                                                                           101
                                            127.0.0.1
                                                                  DNS
                                                                                  Standard query response
0xc54e Server failure A incoming.telemetry.mozilla.org OPT
Frame 702: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 51439
Domain Name System (response)
        Time
                                             Destination
                                                                  Protocol Length Info
                       Source
    703 599.630027518 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            108
                                                                                  Standard query 0x9ea1
AAAA firefox.settings.services.mozilla.com OPT
Frame 703: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48160, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    704 599.630064199 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           108
                                                                                  Standard query response
0x3da8 Server failure A firefox.settings.services.mozilla.com OPT
Frame 704: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48160
Domain Name System (response)
                                                                  Protocol Length Info
No.
        Time
                       Source
                                            Destination
    705 599.630069117 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0x78c3
A outlook.office.com OPT
Frame 705: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48196, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                                            Destination
                       Source
    706 599.630081171 127.0.0.1
                                            127.0.0.53
                                                                           89
                                                                                  Standard query 0xe3c6
AAAA outlook.office.com OPT
Frame 706: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48196, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
    707 599.630102265 127.0.0.53
                                            127.0.0.1
                                                                            108
                                                                  DNS
                                                                                  Standard query response
0x9ea1 Server failure AAAA firefox.settings.services.mozilla.com OPT
Frame 707: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48160
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    708 599.630131560 127.0.0.53
                                             127.0.0.1
                                                                  DNS
                                                                           89
                                                                                  Standard query response
0x78c3 Server failure A outlook.office.com OPT
Frame 708: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48196
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
    709 599.630136344 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0xc54e
A incoming.telemetry.mozilla.org OPT
Frame 709: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52394, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    710 599.630160050 127.0.0.53
                                            127.0.0.1
                                                                           89
                                                                                  Standard query response
0xe3c6 Server failure AAAA outlook.office.com OPT
Frame 710: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48196
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
    711 599.630191436 127.0.0.53
                                             127.0.0.1
                                                                  DNS
                                                                            101
                                                                                  Standard query response
Oxc54e Server failure A incoming.telemetry.mozilla.org OPT
```

Frame 711: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0

User Datagram Protocol, Src Port: 51136, Dst Port: 53

Domain Name System (query)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52394
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    712 599.630298604 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                   Standard query 0xe149
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 712: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36597, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                                                   Protocol Length Info
                                             Destination
    713 599.630320973 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            117
                                                                                   Standard query 0x8e5f
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 713: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59812, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
No.
    714 599.630331459 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            117
                                                                                   Standard query 0xf056
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 714: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59812, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                   Protocol Length Info
No.
        Time
                       Source
    715 599.630336058 127.0.0.1
                                             127.0.0.53
                                                                                   Standard query 0x3dc6
A outlook.office.com.ensea.fr OPT
Frame 715: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52838, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
    716 599.630346460 127.0.0.1
                                             127.0.0.53
                                                                            98
                                                                                   Standard query 0x45c0
AAAA outlook.office.com.ensea.fr OPT
Frame 716: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52838, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
       Time
                                             Destination
    717 599.630357337 127.0.0.53
                                                                            110
                                             127.0.0.1
                                                                                   Standard query response
Oxe149 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 717: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36597
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    718 599.630406348 127.0.0.53
                                             127.0.0.1
                                                                            117
                                                                                   Standard query response
0x8e5f Server failure A firefox.settings.services.mozilla.com.ensea.fr 0PT
Frame 718: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59812
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    719 599.630449914 127.0.0.53
                                             127.0.0.1
                                                                            117
                                                                                   Standard query response
0xf056 Server failure AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 719: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59812
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    720 599.630474537 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                   Standard query 0xe149
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 720: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

```
Time
                      Source
                                           Destination
                                                                 Protocol Length Info
                                           127.0.0.1
   721 599.630487145 127.0.0.53
                                                                          98
                                                                                Standard query response
0x3dc6 Server failure A outlook.office.com.ensea.fr OPT
Frame 721: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52838
Domain Name System (response)
       Time
                                                                 Protocol Length Info
                      Source
                                            Destination
    722 599.630508635 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          117
                                                                                Standard query 0x8e5f
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 722: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59812, Dst Port: 53
Domain Name System (query)
       Time
                                           Destination
                                                                 Protocol Length Info
                      Source
    723 599.630519075 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          117
                                                                                Standard query 0xf056
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 723: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59812, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
No.
       Time
                      Source
                                           Destination
    724 599.630523895 127.0.0.53
                                           127.0.0.1
                                                                          98
                                                                                 Standard query response
0x45c0 Server failure AAAA outlook.office.com.ensea.fr OPT
Frame 724: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52838
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    725 599.630560359 127.0.0.53
                                           127.0.0.1
                                                                          110
                                                                                Standard query response
Oxe149 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 725: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 51136
Domain Name System (response)
       Time
                                                                 Protocol Length Info
                      Source
                                           Destination
    726 599.630614352 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          117
                                                                                Standard query response
0x8e5f Server failure A firefox.settings.services.mozilla.com.ensea.fr 0PT
Frame 726: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59812
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    727 599.630628531 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          98
                                                                                 Standard query 0x3dc6
A outlook.office.com.ensea.fr OPT
Frame 727: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52838, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
       Time
                                           Destination
                      Source
    728 599.630639028 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          98
                                                                                 Standard query 0x45c0
AAAA outlook.office.com.ensea.fr OPT
Frame 728: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52838, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    729 599.630661615 127.0.0.53
                                           127.0.0.1
                                                                          117
                                                                                 Standard query response
Oxf056 Server failure AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 729: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59812
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    730 599.630672135 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          113
                                                                                 Standard query 0x358f
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
```

Frame 730: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40637, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    731 599.630696839 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            98
                                                                                  Standard query response
0x3dc6 Server failure A outlook.office.com.ensea.fr OPT
Frame 731: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52838
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                             Destination
    732 599.630730026 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            98
                                                                                  Standard query response
0x45c0 Server failure AAAA outlook.office.com.ensea.fr OPT
Frame 732: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52838
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
    733 599.630737513 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            120
                                                                                  Standard query 0xe081
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 733: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55941, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
No.
    734 599.630747732 127.0.0.1
                                            127.0.0.53
                                                                            120
                                                                                   Standard query 0xae8c
AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 734: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55941, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
    735 599.630769908 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            113
                                                                                  Standard query response
0x358f Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 735: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40637
Domain Name System (response)
       Time
                      Source
                                                                  Protocol Length Info
                                            Destination
    736 599.630816562 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            101
                                                                                  Standard query 0x71bd
A outlook.office.com.etis-lab.fr OPT
Frame 736: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37451, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    737 599.630826828 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                  Standard query 0xe8ba
AAAA outlook.office.com.etis-lab.fr OPT
Frame 737: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37451, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
No.
    738 599.630827610 127.0.0.53
                                            127.0.0.1
                                                                            120
                                                                                   Standard query response
0xe081 Server failure A firefox.settings.services.mozilla.com.etis-lab.fr 0PT
Frame 738: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55941
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    739 599.630876096 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            120
                                                                                   Standard query response
0xae8c Server failure AAAA firefox.settings.services.mozilla.com.etis-lab.fr 0PT
Frame 739: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55941
```

```
Time
                      Source
                                           Destination
                                                                 Protocol Length Info
                                                                                 Standard query 0x358f
   740 599.630882809 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          113
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 740: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43297, Dst Port: 53
Domain Name System (query)
       Time
                                                                 Protocol Length Info
                      Source
                                            Destination
    741 599.630909240 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          101
                                                                                Standard query response
0x71bd Server failure A outlook.office.com.etis-lab.fr OPT
Frame 741: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37451
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    742 599.630928380 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          120
                                                                                Standard query 0xe081
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 742: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55941, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
No.
       Time
                      Source
                                           Destination
    743 599.630942069 127.0.0.53
                                           127.0.0.1
                                                                          101
                                                                                 Standard query response
Oxe8ba Server failure AAAA outlook.office.com.etis-lab.fr OPT
Frame 743: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37451
Domain Name System (response)
                      Source
                                                                 Protocol Length Info
       Time
                                           Destination
   744 599.630942111 127.0.0.1
                                           127.0.0.53
                                                                          120
                                                                                Standard query 0xae8c
AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 744: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55941, Dst Port: 53
Domain Name System (query)
       Time
                                                                 Protocol Length Info
                      Source
                                           Destination
    745 599.630978382 127.0.0.53
                                           127.0.0.1
                                                                          113
                                                                 DNS
                                                                                Standard query response
0x358f Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 745: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43297
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    746 599.631017861 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          101
                                                                                 Standard query 0x71bd
A outlook.office.com.etis-lab.fr OPT
Frame 746: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37451, Dst Port: 53
Domain Name System (query)
       Time
                                           Destination
                      Source
                                                                 Protocol Length Info
    747 599.631024727 127.0.0.53
                                           127.0.0.1
                                                                          120
                                                                                 Standard query response
0xe081 Server failure A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 747: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55941
Domain Name System (response)
No.
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    748 599.631028190 127.0.0.1
                                            127.0.0.53
                                                                          101
                                                                                 Standard query 0xe8ba
AAAA outlook.office.com.etis-lab.fr OPT
Frame 748: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37451, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    749 599.631073015 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          120
                                                                                 Standard query response
```

0xae8c Server failure AAAA firefox.settings.services.mozilla.com.etis-lab.fr 0PT

Frame 749: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0

Domain Name System (query)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55941
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    750 599.631090693 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            115
                                                                                   Standard query 0x8972
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 750: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43966, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                       Source
    751 599.631105246 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            101
                                                                                   Standard query response
0x71bd Server failure A outlook.office.com.etis-lab.fr OPT
Frame 751: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37451
Domain Name System (response)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
No.
    752 599.631136023 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            101
                                                                                   Standard query response
Oxe8ba Server failure AAAA outlook.office.com.etis-lab.fr OPT
Frame 752: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37451
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
No.
        Time
                       Source
    753 599.631159524 127.0.0.1
                                             127.0.0.53
                                                                            122
                                                                                    Standard query 0x365b
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 753: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40558, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
    754 599.631169790 127.0.0.1
                                             127.0.0.53
                                                                            122
                                                                                   Standard query 0x655c
AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 754: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40558, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
        Time
                                             Destination
    755 599.631174297 127.0.0.53
                                             127.0.0.1
                                                                            115
                                                                                   Standard query response
0x8972 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 755: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43966
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    756 599.631224869 127.0.0.53
                                             127.0.0.1
                                                                            122
                                                                                   Standard query response
0x365b Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 756: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40558
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
    757 599.631227693 127.0.0.1
                                             127.0.0.53
                                                                            103
                                                                                    Standard query 0x491d
A outlook.office.com.quartz-lab.fr OPT
Frame 757: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43605, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    758 599.631237857 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            103
                                                                                   Standard query 0xb119
AAAA outlook.office.com.quartz-lab.fr OPT
Frame 758: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43605, Dst Port: 53
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
                                                                           122
    759 599.631272828 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                                  Standard query response
0x655c Server failure AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 759: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40558
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                       Source
                                             Destination
    760 599.631278594 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            115
                                                                                  Standard query 0x8972
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 760: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33139, Dst Port: 53
Domain Name System (query)
       Time
                                             Destination
                                                                  Protocol Length Info
                      Source
    761 599.631308065 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            103
                                                                                  Standard query response
0x491d Server failure A outlook.office.com.quartz-lab.fr OPT
Frame 761: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43605
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    762 599.631320426 127.0.0.1
                                            127.0.0.53
                                                                            122
                                                                                  Standard query 0x365b
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 762: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40558, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
    763 599.631330470 127.0.0.1
                                            127.0.0.53
                                                                            122
                                                                                  Standard query 0x655c
AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 763: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40558, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                       Source
                                             Destination
    764 599.631340425 127.0.0.53
                                                                   DNS
                                                                            103
                                             127.0.0.1
                                                                                  Standard query response
Oxb119 Server failure AAAA outlook.office.com.quartz-lab.fr OPT
Frame 764: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43605
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
    765 599.631364675 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            103
                                                                                  Standard query 0x491d
A outlook.office.com.quartz-lab.fr OPT
Frame 765: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43605, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                                             Destination
                       Source
    766 599.631370520 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            103
                                                                                   Standard query 0xb119
AAAA outlook.office.com.quartz-lab.fr OPT
Frame 766: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43605, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    767 599.631379416 127.0.0.53
                                             127.0.0.1
                                                                            115
                                                                                  Standard query response
0x8972 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 767: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33139
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    768 599.631424405 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            122
                                                                                   Standard query response
```

0x365b Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr OPT

Frame 768: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40558
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    769 599.631469339 127.0.0.53
                                            127.0.0.1
                                                                            122
                                                                                  Standard query response
                                                                  DNS
0x655c Server failure AAAA firefox.settings.services.mozilla.com.quartz-lab.fr 0PT
Frame 769: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40558
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                             Destination
    770 599.631500473 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            103
                                                                                   Standard query response
0x491d Server failure A outlook.office.com.quartz-lab.fr OPT
Frame 770: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43605
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
No.
    771 599.631530548 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            103
                                                                                  Standard query response
Oxb119 Server failure AAAA outlook.office.com.quartz-lab.fr OPT
Frame 771: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43605
Domain Name System (response)
No.
                      Source
                                            Destination
                                                                  Protocol Length Info
       Time
    772 599.631636405 127.0.0.1
                                            127.0.0.53
                                                                            101
                                                                                   Standard query 0x7ed0
A incoming.telemetry.mozilla.org OPT
Frame 772: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34401, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
    773 599.631674087 127.0.0.53
                                            127.0.0.1
                                                                            101
                                                                                  Standard query response
Ox7edO Server failure A incoming.telemetry.mozilla.org OPT
Frame 773: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34401
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    774 599.631699077 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            89
                                                                                   Standard query Oxdecd
A outlook.office.com OPT
Frame 774: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45388, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    775 599.631707794 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            89
                                                                                   Standard query 0x59c3
AAAA outlook.office.com OPT
Frame 775: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45388, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                   Protocol Length Info
No.
    776 599.631715406 127.0.0.1
                                            127.0.0.53
                                                                            101
                                                                                   Standard query 0x7ed0
A incoming.telemetry.mozilla.org OPT
Frame 776: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58265, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    777 599.631731311 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            89
                                                                                   Standard query response
Oxdecd Server failure A outlook.office.com OPT
Frame 777: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45388
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    778 599.631756361 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           89
                                                                                  Standard query response
0x59c3 Server failure AAAA outlook.office.com OPT
Frame 778: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45388
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    779 599.631775611 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query Oxdecd
A outlook.office.com OPT
Frame 779: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45388, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    780 599.631781231 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0x59c3
AAAA outlook.office.com OPT
Frame 780: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45388, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    781 599.631783957 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           101
                                                                                  Standard query response
0x7ed0 Server failure A incoming.telemetry.mozilla.org OPT
Frame 781: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58265
Domain Name System (response)
                       Source
                                                                  Protocol Length Info
        Time
                                            Destination
    782 599.631808857 127.0.0.53
                                            127.0.0.1
                                                                           89
                                                                                  Standard query response
Oxdecd Server failure A outlook.office.com OPT
Frame 782: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45388
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
    783 599.631816672 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           110
                                                                                  Standard query 0xa3d3
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 783: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43131, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    784 599.631832996 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           89
                                                                                  Standard query response
0x59c3 Server failure AAAA outlook.office.com OPT
Frame 784: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45388
Domain Name System (response)
                                                                  Protocol Length Info
No.
        Time
                       Source
                                             Destination
    785 599.631859393 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           108
                                                                                  Standard query 0x51b4
A firefox.settings.services.mozilla.com OPT
Frame 785: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57977, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    786 599.631870064 127.0.0.53
                                             127.0.0.1
                                                                           110
                                                                                  Standard query response
Oxa3d3 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 786: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43131
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
    787 599.631870501 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           108
                                                                                  Standard query 0x99b0
AAAA firefox.settings.services.mozilla.com OPT
```

Frame 787: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57977, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    788 599.631879575 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            98
                                                                                  Standard query 0x9838
A outlook.office.com.ensea.fr OPT
Frame 788: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56545, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                      Source
                                             Destination
    789 599.631885061 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            98
                                                                                   Standard query 0x8a25
AAAA outlook.office.com.ensea.fr OPT
Frame 789: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56545, Dst Port: 53
Domain Name System (query)
       Time
                                             Destination
                                                                   Protocol Length Info
No.
                      Source
    790 599.631901652 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            110
                                                                                   Standard query 0xa3d3
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 790: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52773, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                      Source
                                            Destination
No.
    791 599.631903768 127.0.0.53
                                            127.0.0.1
                                                                            108
                                                                                   Standard query response
0x51b4 Server failure A firefox.settings.services.mozilla.com OPT
Frame 791: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57977
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
       Time
                      Source
    792 599.631935132 127.0.0.53
                                            127.0.0.1
                                                                            108
                                                                   DNS
                                                                                  Standard query response
0x99b0 Server failure AAAA firefox.settings.services.mozilla.com OPT
Frame 792: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57977
Domain Name System (response)
       Time
                                                                   Protocol Length Info
                      Source
                                             Destination
    793 599.631958267 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            108
                                                                                   Standard query 0x51b4
A firefox.settings.services.mozilla.com OPT
Frame 793: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57977, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    794 599.631964035 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            108
                                                                                   Standard query 0x99b0
AAAA firefox.settings.services.mozilla.com OPT
Frame 794: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57977, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    795 599.631967507 127.0.0.53
                                             127.0.0.1
                                                                            98
                                                                                   Standard query response
0x9838 Server failure A outlook.office.com.ensea.fr OPT
Frame 795: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56545
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    796 599.631998537 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            98
                                                                                   Standard query response
0x8a25 Server failure AAAA outlook.office.com.ensea.fr OPT
Frame 796: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56545
```

```
Time
                      Source
                                           Destination
                                                                 Protocol Length Info
                                                                                 Standard query 0x9838
   797 599.632018521 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          98
A outlook.office.com.ensea.fr OPT
Frame 797: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56545, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                 Protocol Length Info
                      Source
    798 599.632023309 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          98
                                                                                 Standard query 0x8a25
AAAA outlook.office.com.ensea.fr OPT
Frame 798: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56545, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                 Protocol Length Info
                      Source
    799 599.632032444 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          110
                                                                                 Standard query response
0xa3d3 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 799: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52773
Domain Name System (response)
                                                                 Protocol Length Info
No.
        Time
                      Source
                                           Destination
    800 599.632063730 127.0.0.1
                                            127.0.0.53
                                                                          113
                                                                                 Standard query 0x0201
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 800: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45306, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
       Time
                                           Destination
                      Source
    801 599.632064130 127.0.0.53
                                           127.0.0.1
                                                                          108
                                                                                 Standard query response
0x51b4 Server failure A firefox.settings.services.mozilla.com OPT
Frame 801: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57977
Domain Name System (response)
        Time
                                                                 Protocol Length Info
                      Source
                                            Destination
    802 599.632095715 127.0.0.53
                                           127.0.0.1
                                                                          108
                                                                 DNS
                                                                                 Standard query response
0x99b0 Server failure AAAA firefox.settings.services.mozilla.com OPT
Frame 802: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57977
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    803 599.632125808 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          98
                                                                                 Standard query response
0x9838 Server failure A outlook.office.com.ensea.fr OPT
Frame 803: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56545
Domain Name System (response)
                                                                 Protocol Length Info
No.
        Time
                      Source
                                            Destination
    804 599.632151310 127.0.0.1
                                                                 DNS
                                                                          117
                                                                                 Standard query 0x8ec2
                                            127.0.0.53
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 804: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39640, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    805 599.632155418 127.0.0.53
                                            127.0.0.1
                                                                          98
                                                                                 Standard query response
0x8a25 Server failure AAAA outlook.office.com.ensea.fr OPT
Frame 805: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56545
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    806 599.632156941 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          117
                                                                                 Standard query 0x75c7
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
```

Frame 806: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0

Domain Name System (query)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39640, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    807 599.632190869 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            113
                                                                                  Standard query response
0x0201 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 807: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45306
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
    808 599.632193280 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0x4211
A outlook.office.com.etis-lab.fr OPT
Frame 808: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33240, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
No.
    809 599.632209071 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0xc817
AAAA outlook.office.com.etis-lab.fr OPT
Frame 809: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33240, Dst Port: 53
Domain Name System (query)
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
       Time
    810 599.632234257 127.0.0.1
                                            127.0.0.53
                                                                            113
                                                                                   Standard query 0x0201
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 810: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50583, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
    811 599.632249455 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            117
                                                                                  Standard query response
0x8ec2 Server failure A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 811: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39640
Domain Name System (response)
       Time
                                                                   Protocol Length Info
                      Source
                                            Destination
    812 599.632293565 127.0.0.53
                                            127.0.0.1
                                                                            117
                                                                                  Standard query response
0x75c7 Server failure AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 812: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39640
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    813 599.632327918 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                                  Standard query 0x8ec2
                                                                            117
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 813: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39640, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
No.
    814 599.632330777 127.0.0.53
                                            127.0.0.1
                                                                            101
                                                                                   Standard query response
0x4211 Server failure A outlook.office.com.etis-lab.fr OPT
Frame 814: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33240
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    815 599.632337688 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            117
                                                                                  Standard query 0x75c7
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 815: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39640, Dst Port: 53
```

A firefox.settings.services.mozilla.com.etis-lab.fr OPT

Frame 825: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
                                                                           101
    816 599.632362204 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                                  Standard query response
Oxc817 Server failure AAAA outlook.office.com.etis-lab.fr OPT
Frame 816: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33240
Domain Name System (response)
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
    817 599.632380737 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0x4211
A outlook.office.com.etis-lab.fr OPT
Frame 817: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33240, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    818 599.632385667 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0xc817
AAAA outlook.office.com.etis-lab.fr OPT
Frame 818: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33240, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    819 599.632395453 127.0.0.53
                                            127.0.0.1
                                                                            113
                                                                                  Standard query response
0x0201 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 819: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50583
Domain Name System (response)
                       Source
                                                                  Protocol Length Info
No.
        Time
                                            Destination
    820 599.632426180 127.0.0.1
                                            127.0.0.53
                                                                           115
                                                                                  Standard query 0xa174
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 820: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36185, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
    821 599.632437137 127.0.0.53
                                            127.0.0.1
                                                                            117
                                                                  DNS
                                                                                  Standard query response
0x8ec2 Server failure A firefox.settings.services.mozilla.com.ensea.fr 0PT
Frame 821: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39640
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    822 599.632477571 127.0.0.53
                                            127.0.0.1
                                                                            117
                                                                                  Standard query response
0x75c7 Server failure AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 822: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39640
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
    823 599.632508224 127.0.0.53
                                             127.0.0.1
                                                                  DNS
                                                                            101
                                                                                  Standard query response
0x4211 Server failure A outlook.office.com.etis-lab.fr OPT
Frame 823: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33240
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
    824 599.632537988 127.0.0.53
                                            127.0.0.1
                                                                            101
                                                                                  Standard query response
0xc817 Server failure AAAA outlook.office.com.etis-lab.fr OPT
Frame 824: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33240
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
    825 599.632556966 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            120
                                                                                  Standard query 0x6924
```

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39900, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    826 599.632566865 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            120
                                                                                   Standard query 0xee3b
AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 826: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39900, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                                                   Protocol Length Info
                                             Destination
    827 599.632573035 127.0.0.53
                                             127.0.0.1
                                                                             115
                                                                                   Standard query response
0xa174 Server failure A incoming.telemetry.mozilla.org.guartz-lab.fr OPT
Frame 827: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36185
Domain Name System (response)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
No.
    828 599.632577024 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             103
                                                                                   Standard query 0xc2be
A outlook.office.com.quartz-lab.fr OPT
Frame 828: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34604, Dst Port: 53
Domain Name System (query)
        Time
                                             Destination
                                                                   Protocol Length Info
No.
                       Source
    829 599.632582535 127.0.0.1
                                             127.0.0.53
                                                                             103
                                                                                    Standard query 0x14b1
AAAA outlook.office.com.quartz-lab.fr OPT
Frame 829: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34604, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                       Source
                                             Destination
    830 599.632602917 127.0.0.1
                                             127.0.0.53
                                                                            115
                                                                                   Standard query 0xa174
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 830: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58470, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                                                   Protocol Length Info
                                             Destination
    831 599.632618268 127.0.0.53
                                                                             120
                                             127.0.0.1
                                                                                   Standard query response
0x6924 Server failure A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 831: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39900
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    832 599.632661174 127.0.0.53
                                             127.0.0.1
                                                                                    Standard query response
Oxee3b Server failure AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 832: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0 \,
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39900
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
    833 599.632691377 127.0.0.53
                                             127.0.0.1
                                                                             103
                                                                                    Standard query response
Oxc2be Server failure A outlook.office.com.quartz-lab.fr OPT
Frame 833: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34604
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    834 599.632699739 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             120
                                                                                    Standard query 0x6924
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 834: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39900, Dst Port: 53
```

```
Time
                       Source
                                            Destination
                                                                   Protocol Length Info
    835 599.632709201 127.0.0.1
                                                                            120
                                            127.0.0.53
                                                                   DNS
                                                                                   Standard query 0xee3b
AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 835: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39900, Dst Port: 53
Domain Name System (query)
        Time
                                                                   Protocol Length Info
                       Source
                                             Destination
    836 599.632721880 127.0.0.53
                                                                   DNS
                                                                            103
                                            127.0.0.1
                                                                                  Standard query response
0x14b1 Server failure AAAA outlook.office.com.quartz-lab.fr OPT
Frame 836: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34604
Domain Name System (response)
       Time
                                            Destination
                                                                   Protocol Length Info
                      Source
    837 599.632739136 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            103
                                                                                   Standard query 0xc2be
A outlook.office.com.quartz-lab.fr OPT
Frame 837: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34604, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
No.
        Time
                       Source
                                            Destination
    838 599.632743863 127.0.0.1
                                             127.0.0.53
                                                                            103
                                                                                   Standard query 0x14b1
AAAA outlook.office.com.quartz-lab.fr OPT
Frame 838: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34604, Dst Port: 53
Domain Name System (query)
        Time
                                             Destination
                                                                  Protocol Length Info
                       Source
    839 599.632754591 127.0.0.53
                                             127.0.0.1
                                                                  DNS
                                                                            115
                                                                                  Standard query response
Oxa174 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 839: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58470
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    840 599.632795421 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            120
                                                                                   Standard query response
0x6924 Server failure A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 840: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39900
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    841 599.632837176 127.0.0.53
                                             127.0.0.1
                                                                            120
                                                                                   Standard query response
Oxee3b Server failure AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 841: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39900
Domain Name System (response)
                                                                   Protocol Length Info
        Time
                       Source
                                            Destination
No.
                                             127.0.0.1
    842 599.632864408 127.0.0.53
                                                                   DNS
                                                                            103
                                                                                   Standard query response
Oxc2be Server failure A outlook.office.com.quartz-lab.fr OPT
Frame 842: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34604
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    843 599.632891452 127.0.0.53
                                             127.0.0.1
                                                                            103
                                                                                   Standard query response
0x14b1 Server failure AAAA outlook.office.com.quartz-lab.fr OPT
Frame 843: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34604
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    844 599.632898402 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            122
                                                                                   Standard query 0x6877
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
```

Frame 844: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53693, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    845 599.632909672 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            122
                                                                                  Standard query 0x2073
AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 845: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53693, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
    846 599.632945353 127.0.0.53
                                            127.0.0.1
                                                                            122
                                                                                   Standard query response
0x6877 Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 846: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53693
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
                                                                  DNS
    847 599.632984668 127.0.0.53
                                            127.0.0.1
                                                                           122
                                                                                  Standard query response
0x2073 Server failure AAAA firefox.settings.services.mozilla.com.quartz-lab.fr 0PT
Frame 847: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53693
Domain Name System (response)
                                                                  Protocol Length Info
No.
       Time
                      Source
                                            Destination
    848 599.633006509 127.0.0.1
                                            127.0.0.53
                                                                            122
                                                                                   Standard query 0x6877
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 848: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53693, Dst Port: 53
Domain Name System (query)
                      Source
                                            Destination
                                                                  Protocol Length Info
       Time
    849 599.633012912 127.0.0.1
                                            127.0.0.53
                                                                            122
                                                                                  Standard query 0x2073
AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 849: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53693, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                                                   Protocol Length Info
                                            Destination
    850 599.633048521 127.0.0.53
                                            127.0.0.1
                                                                            122
                                                                                   Standard query response
0x6877 Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 850: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53693
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    851 599.633048717 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                  Standard query 0x3c92
A incoming.telemetry.mozilla.org OPT
Frame 851: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55340, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    852 599.633056952 127.0.0.1
                                             127.0.0.53
                                                                            101
                                                                                   Standard query 0xd794
AAAA incoming.telemetry.mozilla.org OPT
Frame 852: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55340, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    853 599.633087879 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            122
                                                                                  Standard query response
0x2073 Server failure AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 853: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53693
```

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   854 599.633114506 127.0.0.53
                                                                           101
                                            127.0.0.1
                                                                   DNS
                                                                                  Standard query response
0x3c92 Server failure A incoming.telemetry.mozilla.org OPT
Frame 854: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55340
Domain Name System (response)
        Time
                                                                   Protocol Length Info
                      Source
                                             Destination
    855 599.633140005 127.0.0.53
                                                                   DNS
                                                                            101
                                            127.0.0.1
                                                                                  Standard query response
0xd794 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 855: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55340
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    856 599.633167006 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            101
                                                                                  Standard query 0x3c92
A incoming.telemetry.mozilla.org OPT
Frame 856: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55340, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    857 599.633173772 127.0.0.1
                                            127.0.0.53
                                                                            101
                                                                                  Standard query 0xd794
AAAA incoming.telemetry.mozilla.org OPT
Frame 857: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55340, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
    858 599.633196579 127.0.0.53
                                            127.0.0.1
                                                                            101
                                                                                  Standard query response
0x3c92 Server failure A incoming.telemetry.mozilla.org OPT
Frame 858: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55340
Domain Name System (response)
                                                                   Protocol Length Info
        Time
                      Source
                                            Destination
    859 599.633221526 127.0.0.53
                                                                   DNS
                                                                            101
                                            127.0.0.1
                                                                                  Standard query response
0xd794 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 859: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55340
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                  Protocol Length Info
    860 599.633269771 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                  Standard query 0xdb09
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 860: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53062, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                                             Destination
No.
                      Source
    861 599.633276354 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                  Standard query 0x8e0c
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 861: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53062, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    862 599.633306874 127.0.0.53
                                             127.0.0.1
                                                                            110
                                                                                  Standard query response
0xdb09 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 862: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53062
Domain Name System (response)
        Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    863 599.633338234 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            110
                                                                                  Standard query response
```

0x8e0c Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT

Frame 863: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53062
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    864 599.633361382 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                    Standard query 0xdb09
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 864: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53062, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                       Source
                                             Destination
    865 599.633367329 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             110
                                                                                    Standard query 0x8e0c
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 865: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53062, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                       Source
                                             Destination
No.
    866 599.633396229 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            110
                                                                                    Standard query response
0xdb09 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 866: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53062
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
        Time
    867 599.633426608 127.0.0.53
                                             127.0.0.1
                                                                             110
                                                                                    Standard query response
0x8e0c Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 867: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53062
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
        Time
                       Source
    868 599.633484555 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            113
                                                                                   Standard query 0x035a
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 868: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52613, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                                                   Protocol Length Info
                                             Destination
    869 599.633492134 127.0.0.1
                                                                   DNS
                                                                             113
                                                                                    Standard query 0xdc56
                                             127.0.0.53
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 869: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52613, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    870 599.633520571 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                             113
                                                                                    Standard query response
0x035a Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 870: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52613
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    871 599.633535559 127.0.0.1
                                             127.0.0.53
                                                                             108
                                                                                    Standard query 0xf611
A firefox.settings.services.mozilla.com OPT
Frame 871: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48079, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    872 599.633541570 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             108
                                                                                    Standard query 0x520f
AAAA firefox.settings.services.mozilla.com OPT
Frame 872: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48079, Dst Port: 53
```

```
Time
                      Source
                                            Destination
                                                                 Protocol Length Info
                                                                                 Standard query response
   873 599.633551987 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          113
0xdc56 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 873: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52613
Domain Name System (response)
        Time
                                            Destination
                                                                 Protocol Length Info
                      Source
    874 599.633571529 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          113
                                                                                 Standard query 0x035a
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 874: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52613, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                 Protocol Length Info
                      Source
    875 599.633576229 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          113
                                                                                 Standard query 0xdc56
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 875: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52613, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    876 599.633582456 127.0.0.53
                                           127.0.0.1
                                                                          108
                                                                                 Standard query response
Oxf611 Server failure A firefox.settings.services.mozilla.com OPT
Frame 876: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48079
Domain Name System (response)
                      Source
                                                                 Protocol Length Info
       Time
                                           Destination
    877 599.633610916 127.0.0.53
                                           127.0.0.1
                                                                          108
                                                                                 Standard query response
0x520f Server failure AAAA firefox.settings.services.mozilla.com OPT
Frame 877: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48079
Domain Name System (response)
        Time
                                            Destination
                                                                 Protocol Length Info
                      Source
    878 599.633629554 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          108
                                                                                 Standard query 0xf611
A firefox.settings.services.mozilla.com OPT
Frame 878: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48079, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    879 599.633634546 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          108
                                                                                 Standard query 0x520f
AAAA firefox.settings.services.mozilla.com OPT
Frame 879: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48079, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
        Time
                                            Destination
                      Source
    880 599.633641542 127.0.0.53
                                            127.0.0.1
                                                                          113
                                                                                 Standard query response
0x035a Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 880: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52613
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    881 599.633670663 127.0.0.53
                                            127.0.0.1
                                                                          113
                                                                                 Standard query response
0xdc56 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 881: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52613
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    882 599.633698410 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          108
                                                                                 Standard query response
```

Oxf611 Server failure A firefox.settings.services.mozilla.com OPT

Frame 882: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0

User Datagram Protocol, Src Port: 39664, Dst Port: 53

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48079
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    883 599.633710594 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             115
                                                                                   Standard query 0x42d9
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 883: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39664, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                       Source
                                             Destination
    884 599.633715634 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             115
                                                                                    Standard query 0x0adf
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 884: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39664, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                       Source
                                             Destination
No.
    885 599.633726145 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                             108
                                                                                   Standard query response
0x520f Server failure AAAA firefox.settings.services.mozilla.com OPT
Frame 885: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48079
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
        Time
    886 599.633758584 127.0.0.53
                                             127.0.0.1
                                                                             115
                                                                                    Standard query response
0x42d9 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 886: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39664
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
        Time
                       Source
    887 599.633781056 127.0.0.1
                                             127.0.0.53
                                                                             117
                                                                                   Standard query 0x98c2
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 887: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id \theta
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49570, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                                                   Protocol Length Info
                                             Destination
    888 599.633786397 127.0.0.1
                                                                    DNS
                                                                             117
                                                                                    Standard query 0x73c1
                                             127.0.0.53
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 888: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49570, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    889 599.633790968 127.0.0.53
                                             127.0.0.1
                                                                             115
                                                                                    Standard query response
0x0adf Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 889: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39664
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                    Protocol Length Info
    890 599.633809356 127.0.0.1
                                             127.0.0.53
                                                                             115
                                                                                    Standard query 0x42d9
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 890: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39664, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                    Protocol Length Info
    891 599.633813833 127.0.0.1
                                             127.0.0.53
                                                                    DNS
                                                                             115
                                                                                    Standard query 0x0adf
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 891: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT

Frame 901: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0

```
Time
                      Source
                                           Destination
                                                                 Protocol Length Info
                                                                                 Standard query response
   892 599.633830218 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          117
0x98c2 Server failure A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 892: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49570
Domain Name System (response)
        Time
                                                                 Protocol Length Info
                      Source
                                            Destination
    893 599.633869478 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          117
                                                                                 Standard query response
0x73c1 Server failure AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 893: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49570
Domain Name System (response)
       Time
                                            Destination
                      Source
                                                                 Protocol Length Info
    894 599.633887834 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          117
                                                                                 Standard query 0x98c2
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 894: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49570, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
No.
        Time
                      Source
                                           Destination
    895 599.633892600 127.0.0.1
                                           127.0.0.53
                                                                          117
                                                                                 Standard query 0x73c1
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 895: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49570, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                 Protocol Length Info
                      Source
    896 599.633902402 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          115
                                                                                 Standard query response
0x42d9 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 896: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39664
Domain Name System (response)
                                                                 Protocol Length Info
        Time
                      Source
                                            Destination
    897 599.633931668 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          115
                                                                                 Standard query response
0x0adf Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 897: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39664
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    898 599.633968577 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          117
                                                                                 Standard query response
0x98c2 Server failure A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 898: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49570
Domain Name System (response)
        Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    899 599.634002594 127.0.0.53
                                            127.0.0.1
                                                                          117
                                                                                 Standard query response
0x73c1 Server failure AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 899: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49570
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    900 599.634040603 127.0.0.1
                                            127.0.0.53
                                                                          120
                                                                                 Standard query 0x6dc2
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 900: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40907, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    901 599.634046530 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          120
                                                                                 Standard query 0xe4c0
```

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40907, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    902 599.634075541 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             101
                                                                                   Standard query 0xb45c
A incoming.telemetry.mozilla.org OPT
Frame 902: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55846, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                       Source
                                             Destination
    903 599.634081261 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             101
                                                                                    Standard query 0xa35a
AAAA incoming.telemetry.mozilla.org OPT
Frame 903: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55846, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
    904 599.634082143 127.0.0.53
                                             127.0.0.1
                                                                            120
                                                                                   Standard query response
0x6dc2 Server failure A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 904: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40907
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
        Time
    905 599.634121400 127.0.0.53
                                             127.0.0.1
                                                                             120
                                                                                    Standard query response
0xe4c0 Server failure AAAA firefox.settings.services.mozilla.com.etis-lab.fr 0PT
Frame 905: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40907
Domain Name System (response)
                                                                   Protocol Length Info
        Time
                       Source
                                             Destination
    906 599.634137843 127.0.0.1
                                             127.0.0.53
                                                                             120
                                                                                   Standard query 0x6dc2
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 906: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40907, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
        Time
                                             Destination
    907 599.634142437 127.0.0.1
                                                                   DNS
                                                                             120
                                                                                    Standard query 0xe4c0
                                             127.0.0.53
AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 907: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40907, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    908 599.634146376 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                             101
                                                                                    Standard query response
0xb45c Server failure A incoming.telemetry.mozilla.org OPT
Frame 908: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55846
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
    909 599.634170331 127.0.0.53
                                             127.0.0.1
                                                                                    Standard query response
Oxa35a Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 909: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55846
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    910 599.634187909 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             101
                                                                                    Standard query 0xb45c
A incoming.telemetry.mozilla.org OPT
Frame 910: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55846, Dst Port: 53
```

AAAA incoming.telemetry.mozilla.org.ensea.fr OPT

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
                                                                           101
                                                                                  Standard query 0xa35a
   911 599.634192273 127.0.0.1
                                            127.0.0.53
                                                                  DNS
AAAA incoming.telemetry.mozilla.org OPT
Frame 911: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55846, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
                                            127.0.0.1
    912 599.634205045 127.0.0.53
                                                                  DNS
                                                                           120
                                                                                  Standard query response
0x6dc2 Server failure A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 912: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40907
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    913 599.634243621 127.0.0.53
                                            127.0.0.1
                                                                           120
                                                                                  Standard query response
                                                                  DNS
0xe4c0 Server failure AAAA firefox.settings.services.mozilla.com.etis-lab.fr 0PT
Frame 913: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40907
Domain Name System (response)
                                                                  Protocol Length Info
No.
        Time
                      Source
                                            Destination
    914 599.634268383 127.0.0.53
                                            127.0.0.1
                                                                            101
                                                                                  Standard query response
0xb45c Server failure A incoming.telemetry.mozilla.org OPT
Frame 914: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55846
Domain Name System (response)
                      Source
       Time
                                            Destination
                                                                  Protocol Length Info
    915 599.634289403 127.0.0.1
                                            127.0.0.53
                                                                            122
                                                                                  Standard query 0xb18d
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 915: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41978, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                      Source
                                            Destination
    916 599.634292685 127.0.0.53
                                                                  DNS
                                                                            101
                                            127.0.0.1
                                                                                  Standard query response
Oxa35a Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 916: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55846
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    917 599.634294633 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            122
                                                                                  Standard query 0x9ff3
AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 917: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41978, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                      Source
                                                                  Protocol Length Info
    918 599.634331572 127.0.0.53
                                            127.0.0.1
                                                                            122
                                                                                  Standard query response
0xb18d Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 918: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41978
Domain Name System (response)
No.
        Time
                      Source
                                             Destination
                                                                  Protocol Length Info
    919 599.634333155 127.0.0.1
                                             127.0.0.53
                                                                            110
                                                                                  Standard query 0x3b5d
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 919: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47511, Dst Port: 53
Domain Name System (query)
                      Source
                                             Destination
                                                                  Protocol Length Info
    920 599.634337833 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            110
                                                                                  Standard query 0x2743
```

Frame 920: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47511, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    921 599.634368547 127.0.0.53
                                            127.0.0.1
                                                                           122
                                                                  DNS
                                                                                  Standard query response
0x9ff3 Server failure AAAA firefox.settings.services.mozilla.com.quartz-lab.fr 0PT
Frame 921: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41978
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                             Destination
    922 599.634385740 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            122
                                                                                  Standard query 0xb18d
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 922: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41978, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
No.
    923 599.634390073 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            122
                                                                                  Standard query 0x9ff3
AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 923: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41978, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
    924 599.634398964 127.0.0.53
                                            127.0.0.1
                                                                            110
                                                                                   Standard query response
0x3b5d Server failure A incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 924: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47511
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
       Time
    925 599.634427424 127.0.0.53
                                            127.0.0.1
                                                                            110
                                                                  DNS
                                                                                  Standard query response
0x2743 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 925: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47511
Domain Name System (response)
       Time
                      Source
                                                                  Protocol Length Info
                                             Destination
    926 599.634443426 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                  Standard query 0x3b5d
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 926: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47511, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    927 599.634447964 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                  Standard query 0x2743
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 927: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47511, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
No.
    928 599.634464178 127.0.0.53
                                            127.0.0.1
                                                                            122
                                                                                   Standard query response
0xb18d Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr 0PT
Frame 928: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41978
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    929 599.634501966 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            122
                                                                                  Standard query response
0x9ff3 Server failure AAAA firefox.settings.services.mozilla.com.quartz-lab.fr 0PT
Frame 929: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41978
```

```
Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   930 599.634530756 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          110
                                                                                 Standard query response
0x3b5d Server failure A incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 930: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47511
Domain Name System (response)
       Time
                                                                 Protocol Length Info
                      Source
                                            Destination
    931 599.634558371 127.0.0.53
                                                                          110
                                           127.0.0.1
                                                                 DNS
                                                                                 Standard query response
0x2743 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 931: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47511
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    932 599.634592943 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          113
                                                                                 Standard query 0x0f64
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 932: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46954, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
No.
       Time
                      Source
                                           Destination
    933 599.634598822 127.0.0.1
                                            127.0.0.53
                                                                          113
                                                                                 Standard query 0x1d62
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 933: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46954, Dst Port: 53
Domain Name System (query)
       Time
                                           Destination
                                                                 Protocol Length Info
                      Source
    934 599.634627192 127.0.0.53
                                           127.0.0.1
                                                                          113
                                                                                 Standard query response
0x0f64 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 934: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46954
Domain Name System (response)
                                                                 Protocol Length Info
       Time
                      Source
                                            Destination
    935 599.634657216 127.0.0.53
                                           127.0.0.1
                                                                          113
                                                                                 Standard query response
0x1d62 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 935: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46954
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    936 599.634658977 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          108
                                                                                 Standard query 0x3d59
A firefox.settings.services.mozilla.com OPT
Frame 936: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36002, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
       Time
                                            Destination
                      Source
    937 599.634666099 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          108
                                                                                 Standard query 0xed5a
AAAA firefox.settings.services.mozilla.com OPT
Frame 937: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36002, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    938 599.634673944 127.0.0.1
                                            127.0.0.53
                                                                          113
                                                                                 Standard query 0x0f64
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 938: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46954, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    939 599.634678355 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          113
                                                                                 Standard query 0x1d62
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
```

Frame 939: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46954, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    940 599.634691651 127.0.0.53
                                             127.0.0.1
                                                                            108
                                                                                   Standard query response
0x3d59 Server failure A firefox.settings.services.mozilla.com OPT
Frame 940: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36002
Domain Name System (response)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
    941 599.634718925 127.0.0.53
                                             127.0.0.1
                                                                             108
                                                                                   Standard query response
Oxed5a Server failure AAAA firefox.settings.services.mozilla.com OPT
Frame 941: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36002
Domain Name System (response)
                                                                   Protocol Length Info
No.
       Time
                       Source
                                             Destination
    942 599.634738108 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             108
                                                                                   Standard query 0x3d59
A firefox.settings.services.mozilla.com OPT
Frame 942: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36002, Dst Port: 53
Domain Name System (query)
       Time
                                             Destination
                                                                   Protocol Length Info
No.
                       Source
    943 599.634742487 127.0.0.1
                                             127.0.0.53
                                                                             108
                                                                                    Standard query 0xed5a
AAAA firefox.settings.services.mozilla.com OPT
Frame 943: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36002, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
    944 599.634748231 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                             113
                                                                                   Standard query response
0x0f64 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 944: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46954
Domain Name System (response)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
    945 599.634777206 127.0.0.53
                                                                             113
                                             127.0.0.1
                                                                                   Standard query response
0x1d62 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 945: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46954
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    946 599.634803706 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                             108
                                                                                   Standard query response
0x3d59 Server failure A firefox.settings.services.mozilla.com OPT
Frame 946: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36002
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
    947 599.634814126 127.0.0.1
                                             127.0.0.53
                                                                             115
                                                                                    Standard query 0xccc1
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 947: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34083, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    948 599.634818546 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             115
                                                                                    Standard query 0xdfc7
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 948: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34083, Dst Port: 53
```

A firefox.settings.services.mozilla.com.ensea.fr OPT

Frame 958: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0

```
Time
                      Source
                                           Destination
                                                                 Protocol Length Info
                                                                          108
   949 599.634830556 127.0.0.53
                                           127.0.0.1
                                                                                 Standard query response
Oxed5a Server failure AAAA firefox.settings.services.mozilla.com OPT
Frame 949: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36002
Domain Name System (response)
       Time
                                                                 Protocol Length Info
                      Source
                                           Destination
    950 599.634861035 127.0.0.53
                                           127.0.0.1
                                                                          115
                                                                 DNS
                                                                                Standard query response
Oxccc1 Server failure A incoming.telemetry.mozilla.org.guartz-lab.fr OPT
Frame 950: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34083
Domain Name System (response)
       Time
                                           Destination
                      Source
                                                                 Protocol Length Info
    951 599.634878604 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          117
                                                                                Standard query 0xcbb0
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 951: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41129, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
No.
       Time
                      Source
                                           Destination
    952 599.634883501 127.0.0.1
                                           127.0.0.53
                                                                          117
                                                                                 Standard query 0x59bd
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 952: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41129, Dst Port: 53
Domain Name System (query)
       Time
                                           Destination
                                                                 Protocol Length Info
                      Source
    953 599.634890608 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          115
                                                                                Standard query response
Oxdfc7 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 953: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34083
Domain Name System (response)
                                                                 Protocol Length Info
       Time
                      Source
                                           Destination
    954 599.634907323 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          115
                                                                                 Standard query 0xccc1
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 954: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34083, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    955 599.634911770 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          115
                                                                                 Standard query 0xdfc7
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 955: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34083, Dst Port: 53
Domain Name System (query)
       Time
                                           Destination
                                                                 Protocol Length Info
                      Source
    956 599.634927855 127.0.0.53
                                           127.0.0.1
                                                                          117
                                                                                 Standard query response
OxcbbO Server failure A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 956: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41129
Domain Name System (response)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
    957 599.634964908 127.0.0.53
                                           127.0.0.1
                                                                          117
                                                                                 Standard query response
0x59bd Server failure AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 957: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41129
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    958 599.634985067 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          117
                                                                                 Standard query 0xcbb0
```

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41129, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    959 599.634989475 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           117
                                                                                  Standard query 0x59bd
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 959: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41129, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                      Source
                                             Destination
    960 599.634994905 127.0.0.53
                                            127.0.0.1
                                                                            115
                                                                                  Standard query response
Oxccc1 Server failure A incoming.telemetry.mozilla.org.guartz-lab.fr OPT
Frame 960: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34083
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
    961 599.635023174 127.0.0.53
                                            127.0.0.1
                                                                           115
                                                                                  Standard query response
Oxdfc7 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 961: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34083
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
    962 599.635059281 127.0.0.53
                                            127.0.0.1
                                                                            117
                                                                                   Standard query response
Oxcbb0 Server failure A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 962: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41129
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
       Time
    963 599.635093534 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           117
                                                                                  Standard query response
0x59bd Server failure AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 963: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41129
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    964 599.635136060 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            120
                                                                                  Standard query 0xd4a3
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 964: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40560, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
    965 599.635142585 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            120
                                                                                  Standard query 0x59a4
AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 965: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40560, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
No.
    966 599.635179318 127.0.0.53
                                            127.0.0.1
                                                                            120
                                                                                   Standard query response
0xd4a3 Server failure A firefox.settings.services.mozilla.com.etis-lab.fr 0PT
Frame 966: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40560
Domain Name System (response)
        Time
                      Source
                                             Destination
                                                                   Protocol Length Info
    967 599.635215937 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            120
                                                                                   Standard query response
0x59a4 Server failure AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 967: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40560
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
                                                                           120
    968 599.635236763 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                                  Standard query 0xd4a3
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 968: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40560, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
    969 599.635242696 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            120
                                                                                  Standard query 0x59a4
AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 969: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40560, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
    970 599.635276578 127.0.0.53
                                            127.0.0.1
                                                                           120
                                                                                  Standard query response
                                                                  DNS
0xd4a3 Server failure A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 970: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40560
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
    971 599.635314926 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            120
                                                                                  Standard query response
0x59a4 Server failure AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 971: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40560
Domain Name System (response)
                       Source
                                                                  Protocol Length Info
        Time
                                            Destination
    972 599.635367761 127.0.0.1
                                            127.0.0.53
                                                                           122
                                                                                  Standard query 0xf726
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 972: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37844, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
    973 599.635375695 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            122
                                                                                  Standard query 0xd825
AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 973: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37844, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
    974 599.635412452 127.0.0.53
                                            127.0.0.1
                                                                            122
                                                                                  Standard query response
Oxf726 Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 974: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37844
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
    975 599.635449177 127.0.0.53
                                            127.0.0.1
                                                                            122
                                                                                  Standard query response
0xd825 Server failure AAAA firefox.settings.services.mozilla.com.quartz-lab.fr 0PT
Frame 975: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37844
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
    976 599.635472864 127.0.0.1
                                            127.0.0.53
                                                                            122
                                                                                  Standard query 0xf726
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 976: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37844, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    977 599.635478199 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            122
                                                                                  Standard query 0xd825
AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
```

Frame 977: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37844, Dst Port: 53
Domain Name System (query)
                       Source
       Time
                                             Destination
                                                                   Protocol Length Info
    978 599.635485036 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            101
                                                                                  Standard query 0xb5f8
A incoming.telemetry.mozilla.org OPT
Frame 978: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58309, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
    979 599.635491674 127.0.0.1
                                            127.0.0.53
                                                                            101
                                                                                   Standard query 0x2dfb
AAAA incoming.telemetry.mozilla.org OPT
Frame 979: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58309, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                       Source
    980 599.635512985 127.0.0.53
                                            127.0.0.1
                                                                            122
                                                                                   Standard query response
0xf726 Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr 0PT
Frame 980: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37844
Domain Name System (response)
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
No.
    981 599.635548596 127.0.0.53
                                            127.0.0.1
                                                                            122
                                                                                   Standard query response
0xd825 Server failure AAAA firefox.settings.services.mozilla.com.quartz-lab.fr 0PT
Frame 981: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37844
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
       Time
    982 599.635573105 127.0.0.53
                                            127.0.0.1
                                                                            101
                                                                                  Standard query response
Oxb5f8 Server failure A incoming.telemetry.mozilla.org OPT
Frame 982: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58309
Domain Name System (response)
        Time
                       Source
                                                                   Protocol Length Info
                                             Destination
    983 599.635597148 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            101
                                                                                   Standard query response
Ox2dfb Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 983: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58309
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    984 599.635615126 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                   Standard query 0xb5f8
A incoming.telemetry.mozilla.org OPT
Frame 984: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58309, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    985 599.635621134 127.0.0.1
                                             127.0.0.53
                                                                            101
                                                                                   Standard query 0x2dfb
AAAA incoming.telemetry.mozilla.org OPT
Frame 985: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58309, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    986 599.635642929 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            101
                                                                                   Standard query response
Oxb5f8 Server failure A incoming.telemetry.mozilla.org OPT
Frame 986: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58309
```

```
Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   987 599.635666386 127.0.0.53
                                                                          101
                                           127.0.0.1
                                                                 DNS
                                                                                 Standard query response
0x2dfb Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 987: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58309
Domain Name System (response)
        Time
                                            Destination
                                                                 Protocol Length Info
                      Source
    988 599.635709676 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          110
                                                                                 Standard query 0x4576
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 988: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47158, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                 Protocol Length Info
                      Source
    989 599.635715587 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          110
                                                                                 Standard query 0x1c68
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 989: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47158, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
No.
        Time
                      Source
                                           Destination
    990 599.635743251 127.0.0.53
                                           127.0.0.1
                                                                          110
                                                                                 Standard query response
0x4576 Server failure A incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 990: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47158
Domain Name System (response)
                      Source
                                                                 Protocol Length Info
       Time
                                            Destination
    991 599.635772396 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          110
                                                                                 Standard query response
0x1c68 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 991: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47158
Domain Name System (response)
        Time
                                            Destination
                                                                 Protocol Length Info
                      Source
    992 599.635790205 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          110
                                                                                 Standard query 0x4576
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 992: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47158, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    993 599.635795284 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          110
                                                                                 Standard query 0x1c68
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 993: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47158, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
        Time
                                            Destination
                      Source
    994 599.635821396 127.0.0.53
                                            127.0.0.1
                                                                          110
                                                                                 Standard query response
0x4576 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 994: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47158
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    995 599.635849788 127.0.0.53
                                            127.0.0.1
                                                                          110
                                                                                 Standard query response
0x1c68 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 995: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47158
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                 Protocol Length Info
    996 599.635882724 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          113
                                                                                 Standard query 0xed0d
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
```

Frame 996: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53538, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
    997 599.635888034 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            113
                                                                                  Standard query 0xb603
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 997: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53538, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
    998 599.635916693 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            113
                                                                                   Standard query response
0xed0d Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 998: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53538
Domain Name System (response)
                                                                   Protocol Length Info
       Time
                      Source
                                             Destination
No.
    999 599.635936448 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            108
                                                                                  Standard query 0x2a8e
A firefox.settings.services.mozilla.com OPT
Frame 999: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36242, Dst Port: 53
Domain Name System (query)
                       Source
                                            Destination
                                                                  Protocol Length Info
No.
       Time
   1000 599.635947303 127.0.0.53
                                            127.0.0.1
                                                                            113
                                                                                   Standard query response
0xb603 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 1000: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53538
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
No.
   1001 599.635947752 127.0.0.1
                                             127.0.0.53
                                                                            108
                                                                   DNS
                                                                                  Standard query 0xc48b
AAAA firefox.settings.services.mozilla.com OPT
Frame 1001: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36242, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
       Time
                                             Destination
   1002 599.635964781 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            113
                                                                                   Standard query 0xed0d
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1002: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53538, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
   1003 599.635969241 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            113
                                                                                   Standard query 0xb603
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1003: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53538, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
No.
   1004 599.635975464 127.0.0.53
                                            127.0.0.1
                                                                            108
                                                                                   Standard query response
0x2a8e Server failure A firefox.settings.services.mozilla.com OPT
Frame 1004: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36242
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1005 599.636002121 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            108
                                                                                   Standard query response
0xc48b Server failure AAAA firefox.settings.services.mozilla.com OPT
Frame 1005: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36242
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
  1006 599.636021987 127.0.0.1
                                                                           108
                                                                                  Standard query 0x2a8e
                                            127.0.0.53
                                                                  DNS
A firefox.settings.services.mozilla.com OPT
Frame 1006: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36242, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   1007 599.636026847 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           108
                                                                                  Standard query 0xc48b
AAAA firefox.settings.services.mozilla.com OPT
Frame 1007: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36242, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1008 599.636030539 127.0.0.53
                                            127.0.0.1
                                                                           113
                                                                                  Standard query response
                                                                  DNS
0xed0d Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1008: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53538
Domain Name System (response)
                                                                  Protocol Length Info
No.
        Time
                       Source
                                            Destination
   1009 599.636058387 127.0.0.53
                                            127.0.0.1
                                                                           113
                                                                                  Standard query response
0xb603 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1009: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53538
Domain Name System (response)
                                                                  Protocol Length Info
No.
        Time
                       Source
                                            Destination
   1010 599.636084048 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           108
                                                                                  Standard query response
0x2a8e Server failure A firefox.settings.services.mozilla.com OPT
Frame 1010: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36242
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
   1011 599.636090798 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0xb05e
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1011: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42144, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1012 599.636095084 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0xec5c
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1012: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42144, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                                            Destination
No.
                       Source
   1013 599.636109948 127.0.0.53
                                            127.0.0.1
                                                                           108
                                                                                  Standard query response
Oxc48b Server failure AAAA firefox.settings.services.mozilla.com OPT
Frame 1013: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36242
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1014 599.636139493 127.0.0.53
                                            127.0.0.1
                                                                           115
                                                                                  Standard query response
0xb05e Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1014: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42144
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   1015 599.636155154 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           117
                                                                                  Standard query 0x8330
A firefox.settings.services.mozilla.com.ensea.fr OPT
```

Frame 1015: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42951, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1016 599.636160174 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            117
                                                                                  Standard query 0xc63c
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1016: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42951, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                      Source
                                            Destination
  1017 599.636169190 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            115
                                                                                   Standard query response
Oxec5c Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1017: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42144
Domain Name System (response)
       Time
                                                                  Protocol Length Info
No.
                      Source
                                            Destination
   1018 599.636187179 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            115
                                                                                   Standard query 0xb05e
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1018: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42144, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
No.
   1019 599.636191513 127.0.0.1
                                            127.0.0.53
                                                                            115
                                                                                   Standard query 0xec5c
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1019: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42144, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
   1020 599.636213767 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            117
                                                                                  Standard query response
0x8330 Server failure A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1020: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42951
Domain Name System (response)
                      Source
                                                                   Protocol Length Info
                                            Destination
   1021 599.636250509 127.0.0.53
                                            127.0.0.1
                                                                                   Standard query response
                                                                            117
0xc63c Server failure AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1021: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42951
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1022 599.636270487 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            117
                                                                                   Standard query 0x8330
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1022: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42951, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1023 599.636275463 127.0.0.1
                                            127.0.0.53
                                                                            117
                                                                                   Standard query 0xc63c
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1023: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42951, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   1024 599.636281303 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            115
                                                                                   Standard query response
0xb05e Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1024: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42144
```

A firefox.settings.services.mozilla.com.etis-lab.fr OPT

Frame 1034: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
  1025 599.636309929 127.0.0.53
                                                                                  Standard query response
                                            127.0.0.1
                                                                  DNS
                                                                           115
0xec5c Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1025: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42144
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                      Source
                                            Destination
                                            127.0.0.1
   1026 599.636346851 127.0.0.53
                                                                  DNS
                                                                           117
                                                                                  Standard query response
0x8330 Server failure A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1026: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42951
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1027 599.636383023 127.0.0.53
                                            127.0.0.1
                                                                                  Standard query response
                                                                  DNS
                                                                           117
0xc63c Server failure AAAA firefox.settings.services.mozilla.com.ensea.fr 0PT
Frame 1027: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42951
Domain Name System (response)
                                            Destination
No.
        Time
                      Source
                                                                  Protocol Length Info
   1028 599.636422249 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           120
                                                                                  Standard query 0xf151
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1028: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47679, Dst Port: 53
Domain Name System (query)
No.
        Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1029 599.636429440 127.0.0.1
                                            127.0.0.53
                                                                           120
                                                                                  Standard query 0xde54
AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1029: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47679, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
        Time
                      Source
   1030 599.636446504 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0x82c8
A incoming.telemetry.mozilla.org OPT
Frame 1030: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59947, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1031 599.636452336 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0x7fca
AAAA incoming.telemetry.mozilla.org OPT
Frame 1031: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59947, Dst Port: 53
Domain Name System (query)
                                            Destination
        Time
No.
                      Source
                                                                  Protocol Length Info
   1032 599.636464058 127.0.0.53
                                            127.0.0.1
                                                                           120
                                                                                  Standard query response
0xf151 Server failure A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1032: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47679
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1033 599.636501347 127.0.0.53
                                            127.0.0.1
                                                                           120
                                                                                  Standard query response
0xde54 Server failure AAAA firefox.settings.services.mozilla.com.etis-lab.fr 0PT
Frame 1033: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47679
Domain Name System (response)
        Time
                      Source
                                             Destination
                                                                  Protocol Length Info
   1034 599.636518555 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           120
                                                                                  Standard query 0xf151
```

User Datagram Protocol, Src Port: 48554, Dst Port: 53

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47679, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
  1035 599.636522975 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            120
                                                                                   Standard query 0xde54
AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1035: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47679, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
   1036 599.636525899 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            101
                                                                                   Standard query response
0x82c8 Server failure A incoming.telemetry.mozilla.org OPT
Frame 1036: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59947
Domain Name System (response)
                                                                   Protocol Length Info
No.
       Time
                       Source
                                             Destination
   1037 599.636550177 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            101
                                                                                   Standard query response
0x7fca Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1037: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59947
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
        Time
   1038 599.636567198 127.0.0.1
                                             127.0.0.53
                                                                            101
                                                                                   Standard query 0x82c8
A incoming.telemetry.mozilla.org OPT
Frame 1038: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59947, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
   1039 599.636572107 127.0.0.1
                                             127.0.0.53
                                                                            101
                                                                                   Standard query 0x7fca
AAAA incoming.telemetry.mozilla.org OPT
Frame 1039: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59947, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
       Time
                                             Destination
   1040 599.636587442 127.0.0.53
                                             127.0.0.1
                                                                            120
                                                                                   Standard query response
0xf151 Server failure A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1040: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47679
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1041 599.636625161 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                                   Standard query response
0xde54 Server failure AAAA firefox.settings.services.mozilla.com.etis-lab.fr 0PT
Frame 1041: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47679
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
   1042 599.636649740 127.0.0.53
                                             127.0.0.1
                                                                            101
                                                                                   Standard query response
0x82c8 Server failure A incoming.telemetry.mozilla.org OPT
Frame 1042: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59947
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1043 599.636672218 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            122
                                                                                   Standard query 0x5673
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1043: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

```
Time
                       Source
                                            Destination
                                                                   Protocol Length Info
  1044 599.636673951 127.0.0.53
                                            127.0.0.1
                                                                           101
                                                                                  Standard query response
                                                                   DNS
Ox7fca Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1044: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59947
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   1045 599.636678586 127.0.0.1
                                                                  DNS
                                                                            122
                                            127.0.0.53
                                                                                  Standard query 0x2e4e
AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1045: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48554, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1046 599.636710785 127.0.0.53
                                            127.0.0.1
                                                                           122
                                                                                   Standard query response
                                                                  DNS
0x5673 Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1046: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48554
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1047 599.636715248 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            110
                                                                                  Standard query 0x7fa1
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1047: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41318, Dst Port: 53
Domain Name System (query)
No.
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1048 599.636719910 127.0.0.1
                                             127.0.0.53
                                                                           110
                                                                                  Standard query 0x7ea3
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1048: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41318, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1049 599.636748425 127.0.0.53
                                            127.0.0.1
                                                                            122
                                                                  DNS
                                                                                  Standard query response
0x2e4e Server failure AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1049: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48554
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1050 599.636767280 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            122
                                                                                  Standard query 0x5673
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1050: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48554, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                                            Destination
No.
                       Source
   1051 599.636771501 127.0.0.1
                                                                   DNS
                                                                            122
                                             127.0.0.53
                                                                                   Standard query 0x2e4e
AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1051: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48554, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1052 599.636777559 127.0.0.53
                                            127.0.0.1
                                                                            110
                                                                                  Standard query response
0x7fa1 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1052: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41318
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1053 599.636805380 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            110
                                                                                   Standard query response
```

0x7ea3 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT

Frame 1053: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41318
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   1054 599.636824778 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           110
                                                                                  Standard query 0x7fa1
A incoming telemetry mozilla org.ensea fr OPT
Frame 1054: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41318, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                      Source
                                             Destination
   1055 599.636829178 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            110
                                                                                  Standard query 0x7ea3
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1055: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41318, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
   1056 599.636840888 127.0.0.53
                                            127.0.0.1
                                                                           122
                                                                                  Standard query response
0x5673 Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1056: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48554
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
   1057 599.636876388 127.0.0.53
                                            127.0.0.1
                                                                            122
                                                                                   Standard query response
0x2e4e Server failure AAAA firefox.settings.services.mozilla.com.quartz-lab.fr 0PT
Frame 1057: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48554
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
       Time
   1058 599.636905239 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           110
                                                                                  Standard query response
0x7fa1 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1058: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41318
Domain Name System (response)
                      Source
                                                                   Protocol Length Info
                                            Destination
   1059 599.636933917 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            110
                                                                                  Standard query response
0x7ea3 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1059: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41318
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1060 599.636967812 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            113
                                                                                  Standard query 0xe7c3
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1060: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44192, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1061 599.636973340 127.0.0.1
                                             127.0.0.53
                                                                            113
                                                                                   Standard query 0xc5cd
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1061: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44192, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   1062 599.637002544 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            113
                                                                                   Standard query response
0xe7c3 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 1062: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44192
```

AAAA firefox.settings.services.mozilla.com OPT

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
                                                                                  Standard query response
  1063 599.637032965 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           113
Oxc5cd Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1063: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44192
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                       Source
                                             Destination
   1064 599.637051692 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0xe7c3
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1064: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44192, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1065 599.637056922 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0xc5cd
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1065: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44192, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1066 599.637084285 127.0.0.53
                                            127.0.0.1
                                                                           113
                                                                                  Standard query response
0xe7c3 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1066: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44192
Domain Name System (response)
                       Source
                                            Destination
                                                                  Protocol Length Info
No.
        Time
   1067 599.637113219 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           113
                                                                                  Standard query response
Oxc5cd Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1067: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44192
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
   1068 599.637155892 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0xfce7
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1068: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58597, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1069 599.637161229 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0x90e5
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1069: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58597, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
No.
                       Source
                                                                  Protocol Length Info
   1070 599.637192499 127.0.0.53
                                            127.0.0.1
                                                                           115
                                                                                  Standard query response
Oxfce7 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1070: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58597
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1071 599.637210807 127.0.0.1
                                            127.0.0.53
                                                                           108
                                                                                  Standard query 0x065f
A firefox.settings.services.mozilla.com OPT
Frame 1071: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43145, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   1072 599.637217952 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           108
                                                                                  Standard query 0x7b5d
```

Frame 1072: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43145, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1073 599.637225576 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            115
                                                                                  Standard query response
0x90e5 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1073: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58597
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                             Destination
   1074 599.637248081 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            115
                                                                                  Standard query 0xfce7
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1074: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58597, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
No.
                      Source
                                            Destination
   1075 599.637252386 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            115
                                                                                  Standard query 0x90e5
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1075: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58597, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
   1076 599.637253761 127.0.0.53
                                            127.0.0.1
                                                                            108
                                                                                   Standard query response
0x065f Server failure A firefox.settings.services.mozilla.com OPT
Frame 1076: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43145
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
   1077 599.637281158 127.0.0.53
                                            127.0.0.1
                                                                            108
                                                                  DNS
                                                                                  Standard query response
0x7b5d Server failure AAAA firefox.settings.services.mozilla.com OPT
Frame 1077: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43145
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   1078 599.637305666 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            108
                                                                                  Standard query 0x065f
A firefox.settings.services.mozilla.com OPT
Frame 1078: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43145, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1079 599.637310120 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            108
                                                                                  Standard query 0x7b5d
AAAA firefox.settings.services.mozilla.com OPT
Frame 1079: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43145, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
No.
   1080 599.637312749 127.0.0.53
                                            127.0.0.1
                                                                            115
                                                                                   Standard query response
Oxfce7 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1080: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58597
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   1081 599.637344101 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            115
                                                                                  Standard query response
0x90e5 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1081: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58597
```

```
Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1082 599.637370636 127.0.0.53
                                                                            108
                                            127.0.0.1
                                                                                   Standard query response
                                                                   DNS
0x065f Server failure A firefox.settings.services.mozilla.com OPT
Frame 1082: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43145
Domain Name System (response)
        Time
                                                                   Protocol Length Info
                       Source
                                             Destination
   1083 599.637396635 127.0.0.53
                                                                            108
                                            127.0.0.1
                                                                   DNS
                                                                                  Standard query response
0x7b5d Server failure AAAA firefox.settings.services.mozilla.com OPT
Frame 1083: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43145
Domain Name System (response)
       Time
                                             Destination
                                                                   Protocol Length Info
                      Source
   1084 599.637442470 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            117
                                                                                   Standard query 0xb2b6
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1084: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46569, Dst Port: 53
Domain Name System (query)
                                            Destination
No.
        Time
                       Source
                                                                  Protocol Length Info
   1085 599.637448630 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            117
                                                                                   Standard query 0x29b5
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1085: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46569, Dst Port: 53
Domain Name System (query)
No.
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1086 599.637484441 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            117
                                                                                  Standard query response
0xb2b6 Server failure A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1086: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46569
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1087 599.637520629 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            117
                                                                                   Standard query response
0x29b5 Server failure AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1087: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46569
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1088 599.637538114 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            117
                                                                                   Standard query 0xb2b6
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1088: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46569, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
No.
                       Source
                                             Destination
   1089 599.637543318 127.0.0.1
                                                                   DNS
                                                                            117
                                             127.0.0.53
                                                                                   Standard query 0x29b5
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1089: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46569, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1090 599.637575919 127.0.0.53
                                             127.0.0.1
                                                                            117
                                                                   DNS
                                                                                   Standard query response
0xb2b6 Server failure A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1090: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46569
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1091 599.637611617 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                                   Standard query response
                                                                            117
```

0x29b5 Server failure AAAA firefox.settings.services.mozilla.com.ensea.fr OPT

Frame 1091: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0

User Datagram Protocol, Src Port: 45207, Dst Port: 53

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46569
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1092 599.637698851 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            120
                                                                                   Standard query 0x7abb
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1092: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45207, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                                                   Protocol Length Info
                                             Destination
   1093 599.637705103 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             120
                                                                                   Standard query 0x14b9
AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1093: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45207, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
No.
       Time
                       Source
                                             Destination
   1094 599.637704237 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             101
                                                                                   Standard query 0x43b3
A incoming.telemetry.mozilla.org OPT
Frame 1094: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37653, Dst Port: 53
Domain Name System (query)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
        Time
   1095 599.637711228 127.0.0.1
                                             127.0.0.53
                                                                             101
                                                                                    Standard query 0xdcb1
AAAA incoming.telemetry.mozilla.org OPT
Frame 1095: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37653, Dst Port: 53
Domain Name System (query)
                                             Destination
       Time
                       Source
                                                                   Protocol Length Info
   1096 599.637741140 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                             120
                                                                                   Standard query response
0x7abb Server failure A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1096: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45207
Domain Name System (response)
                                                                   Protocol Length Info
                       Source
                                             Destination
   1097 599.637779138 127.0.0.53
                                             127.0.0.1
                                                                             120
                                                                                    Standard query response
0x14b9 Server failure AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1097: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45207
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1098 599.637804355 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                             101
                                                                                   Standard query response
0x43b3 Server failure A incoming.telemetry.mozilla.org OPT
Frame 1098: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37653
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
   1099 599.637828574 127.0.0.53
                                             127.0.0.1
                                                                                    Standard query response
Oxdcb1 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1099: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37653
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1100 599.637967114 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             120
                                                                                    Standard query 0x7abb
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1100: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
                                                                           120
  1101 599.637972305 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                                  Standard query 0x14b9
AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1101: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45207, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   1102 599.637996195 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0x43b3
A incoming.telemetry.mozilla.org OPT
Frame 1102: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37653, Dst Port: 53
Domain Name System (query)
       Time
No.
                                            Destination
                                                                  Protocol Length Info
                      Source
   1103 599.638000850 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0xdcb1
AAAA incoming.telemetry.mozilla.org OPT
Frame 1103: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37653, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1104 599.638005591 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            120
                                                                                  Standard query response
0x7abb Server failure A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1104: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45207
Domain Name System (response)
                       Source
No.
        Time
                                            Destination
                                                                  Protocol Length Info
   1105 599.638044295 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           120
                                                                                  Standard query response
0x14b9 Server failure AAAA firefox.settings.services.mozilla.com.etis-lab.fr 0PT
Frame 1105: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45207
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
   1106 599.638069423 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            101
                                                                                  Standard query response
0x43b3 Server failure A incoming.telemetry.mozilla.org OPT
Frame 1106: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37653
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1107 599.638078340 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            122
                                                                                  Standard query 0x3fe3
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1107: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53383, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                                            Destination
No.
                       Source
   1108 599.638083134 127.0.0.1
                                                                  DNS
                                                                            122
                                             127.0.0.53
                                                                                  Standard query 0x75ed
AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1108: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53383, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1109 599.638093479 127.0.0.53
                                            127.0.0.1
                                                                            101
                                                                                  Standard query response
Oxdcb1 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1109: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37653
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   1110 599.638133171 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            110
                                                                                  Standard query 0x231f
A incoming.telemetry.mozilla.org.ensea.fr OPT
```

Frame 1110: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50160, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1111 599.638136528 127.0.0.53
                                             127.0.0.1
                                                                                   Standard query response
                                                                   DNS
                                                                            122
0x3fe3 Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1111: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53383
Domain Name System (response)
                                                                   Protocol Length Info
       Time
                                             Destination
                       Source
   1112 599.638138291 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                   Standard query 0xf51a
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1112: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50160, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
No.
       Time
                       Source
                                             Destination
   1113 599.638175322 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            122
                                                                                   Standard query response
0x75ed Server failure AAAA firefox.settings.services.mozilla.com.quartz-lab.fr 0PT
Frame 1113: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53383
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
No.
        Time
                       Source
   1114 599.638192352 127.0.0.1
                                             127.0.0.53
                                                                            122
                                                                                   Standard query 0x3fe3
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1114: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53383, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
No.
   1115 599.638196731 127.0.0.1
                                             127.0.0.53
                                                                            122
                                                                                   Standard query 0x75ed
AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1115: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53383, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
       Time
                                             Destination
   1116 599.638205811 127.0.0.53
                                             127.0.0.1
                                                                            110
                                                                                   Standard query response
0x231f Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1116: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50160
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1117 599.638236702 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            110
                                                                                   Standard query response
0xf51a Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 1117: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50160
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1118 599.638252468 127.0.0.1
                                             127.0.0.53
                                                                            110
                                                                                   Standard query 0x231f
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1118: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50160, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1119 599.638256691 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                   Standard query 0xf51a
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1119: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50160, Dst Port: 53
```

AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT

Frame 1129: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
                                                                                  Standard query response
  1120 599.638275346 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           122
0x3fe3 Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1120: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53383
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
                                            127.0.0.1
   1121 599.638313643 127.0.0.53
                                                                  DNS
                                                                           122
                                                                                  Standard query response
0x75ed Server failure AAAA firefox.settings.services.mozilla.com.quartz-lab.fr 0PT
Frame 1121: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53383
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1122 599.638341926 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           110
                                                                                  Standard query response
0x231f Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1122: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50160
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1123 599.638369063 127.0.0.53
                                            127.0.0.1
                                                                           110
                                                                                  Standard query response
0xf51a Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 1123: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50160
Domain Name System (response)
                                                                  Protocol Length Info
No.
        Time
                      Source
                                            Destination
   1124 599.638404655 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0xece1
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1124: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48537, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                                            Destination
                      Source
   1125 599.638410272 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0xf3e7
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1125: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48537, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1126 599.638439951 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           113
                                                                                  Standard query response
Oxece1 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1126: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48537
Domain Name System (response)
        Time
                                            Destination
No.
                      Source
                                                                  Protocol Length Info
   1127 599.638470484 127.0.0.53
                                            127.0.0.1
                                                                           113
                                                                                  Standard query response
0xf3e7 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1127: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48537
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1128 599.638500571 127.0.0.1
                                             127.0.0.53
                                                                           113
                                                                                  Standard query 0xece1
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1128: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48537, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                             Destination
                                                                  Protocol Length Info
   1129 599.638505958 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0xf3e7
```

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48537, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1130 599.638534255 127.0.0.53
                                            127.0.0.1
                                                                                  Standard query response
                                                                  DNS
                                                                           113
Oxece1 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1130: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48537
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                      Source
                                             Destination
   1131 599.638564606 127.0.0.53
                                            127.0.0.1
                                                                            113
                                                                                  Standard query response
0xf3e7 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 1131: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48537
Domain Name System (response)
                                                                  Protocol Length Info
No.
       Time
                      Source
                                            Destination
   1132 599.638597983 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0xd4c8
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1132: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44227, Dst Port: 53
Domain Name System (query)
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
       Time
   1133 599.638603658 127.0.0.1
                                            127.0.0.53
                                                                            115
                                                                                  Standard query Oxcbca
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1133: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44227, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
   1134 599.638632724 127.0.0.53
                                                                  DNS
                                            127.0.0.1
                                                                            115
                                                                                  Standard query response
0xd4c8 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1134: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44227
Domain Name System (response)
                                                                  Protocol Length Info
                      Source
                                            Destination
   1135 599.638662099 127.0.0.53
                                            127.0.0.1
                                                                                  Standard query response
Oxcbca Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1135: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44227
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1136 599.638660809 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            108
                                                                                  Standard query 0x0200
A firefox.settings.services.mozilla.com OPT
Frame 1136: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37366, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
   1137 599.638670142 127.0.0.1
                                             127.0.0.53
                                                                            108
                                                                                  Standard query 0xed1c
AAAA firefox.settings.services.mozilla.com OPT
Frame 1137: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37366, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1138 599.638679680 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            115
                                                                                  Standard query 0xd4c8
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1138: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44227, Dst Port: 53
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
  1139 599.638684322 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           115
                                                                                  Standard query Oxcbca
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1139: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44227, Dst Port: 53
Domain Name System (query)
        Time
                                                                   Protocol Length Info
                       Source
                                            Destination
   1140 599.638692832 127.0.0.53
                                                                   DNS
                                                                            108
                                            127.0.0.1
                                                                                  Standard query response
0x0200 Server failure A firefox.settings.services.mozilla.com OPT
Frame 1140: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37366
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1141 599.638724215 127.0.0.53
                                            127.0.0.1
                                                                           108
                                                                                  Standard query response
                                                                  DNS
Oxed1c Server failure AAAA firefox.settings.services.mozilla.com OPT
Frame 1141: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37366
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1142 599.638742140 127.0.0.1
                                            127.0.0.53
                                                                            108
                                                                                  Standard query 0x0200
A firefox.settings.services.mozilla.com OPT
Frame 1142: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37366, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
No.
        Time
                                            Destination
                       Source
   1143 599.638746596 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           108
                                                                                  Standard query 0xed1c
AAAA firefox.settings.services.mozilla.com OPT
Frame 1143: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37366, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
   1144 599.638753761 127.0.0.53
                                            127.0.0.1
                                                                            115
                                                                  DNS
                                                                                  Standard query response
0xd4c8 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1144: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44227
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
                                            127.0.0.1
   1145 599.638781382 127.0.0.53
                                                                   DNS
                                                                           115
                                                                                  Standard query response
Oxcbca Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1145: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44227
Domain Name System (response)
                                                                   Protocol Length Info
        Time
                                            Destination
No.
                       Source
   1146 599.638808147 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            108
                                                                                  Standard query response
0x0200 Server failure A firefox.settings.services.mozilla.com OPT
Frame 1146: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37366
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1147 599.638834914 127.0.0.53
                                            127.0.0.1
                                                                            108
                                                                                  Standard query response
Oxed1c Server failure AAAA firefox.settings.services.mozilla.com OPT
Frame 1147: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37366
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1148 599.638877499 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            117
                                                                                  Standard query 0x0e8f
A firefox.settings.services.mozilla.com.ensea.fr OPT
```

Frame 1148: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33751, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1149 599.638883346 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            117
                                                                                   Standard query 0x8381
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1149: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33751, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                                                   Protocol Length Info
                                             Destination
   1150 599.638919286 127.0.0.53
                                             127.0.0.1
                                                                            117
                                                                                   Standard query response
0x0e8f Server failure A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1150: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33751
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
No.
       Time
                       Source
   1151 599.638955644 127.0.0.53
                                            127.0.0.1
                                                                            117
                                                                                   Standard query response
0x8381 Server failure AAAA firefox.settings.services.mozilla.com.ensea.fr 0PT
Frame 1151: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33751
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
       Time
   1152 599.638971281 127.0.0.1
                                             127.0.0.53
                                                                            117
                                                                                   Standard query 0x0e8f
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1152: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33751, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
   1153 599.638976436 127.0.0.1
                                             127.0.0.53
                                                                                   Standard query 0x8381
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1153: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33751, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
                                             Destination
   1154 599.639008743 127.0.0.53
                                             127.0.0.1
                                                                            117
                                                                                   Standard query response
0x0e8f Server failure A firefox.settings.services.mozilla.com.ensea.fr 0PT
Frame 1154: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33751
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1155 599.639043572 127.0.0.53
                                             127.0.0.1
                                                                                   Standard query response
                                                                            117
0x8381 Server failure AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1155: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33751
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1156 599.639085104 127.0.0.1
                                             127.0.0.53
                                                                            120
                                                                                   Standard query 0x63b2
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1156: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42572, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1157 599.639090635 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            120
                                                                                   Standard query 0x11bc
AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1157: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42572, Dst Port: 53
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
                                                                                  Standard query response
  1158 599.639125329 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           120
0x63b2 Server failure A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1158: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42572
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1159 599.639161426 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           120
                                                                                  Standard query response
0x11bc Server failure AAAA firefox.settings.services.mozilla.com.etis-lab.fr 0PT
Frame 1159: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42572
Domain Name System (response)
                                            Destination
       Time
                                                                  Protocol Length Info
                      Source
   1160 599.639177167 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           120
                                                                                  Standard query 0x63b2
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1160: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42572, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1161 599.639182340 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            120
                                                                                  Standard query 0x11bc
AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1161: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42572, Dst Port: 53
Domain Name System (query)
No.
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1162 599.639217567 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           120
                                                                                  Standard query response
0x63b2 Server failure A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1162: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42572
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1163 599.639254365 127.0.0.53
                                            127.0.0.1
                                                                           120
                                                                  DNS
                                                                                  Standard query response
0x11bc Server failure AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1163: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42572
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1164 599.639286236 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            122
                                                                                  Standard query 0x124f
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1164: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39899, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                                            Destination
No.
                       Source
   1165 599.639291689 127.0.0.1
                                                                   DNS
                                                                            122
                                             127.0.0.53
                                                                                   Standard query 0x044d
AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1165: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39899, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1166 599.639326945 127.0.0.53
                                            127.0.0.1
                                                                            122
                                                                                   Standard query response
0x124f Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1166: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39899
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1167 599.639363643 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            122
                                                                                   Standard query response
```

0x044d Server failure AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT

Frame 1167: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0

User Datagram Protocol, Src Port: 53646, Dst Port: 53

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39899
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1168 599.639379224 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            122
                                                                                   Standard query 0x124f
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1168: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39899, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
   1169 599.639384580 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             122
                                                                                   Standard query 0x044d
AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1169: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39899, Dst Port: 53
Domain Name System (query)
No.
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
                                                                   DNS
   1170 599.639418946 127.0.0.53
                                             127.0.0.1
                                                                            122
                                                                                   Standard query response
0x124f Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr 0PT
Frame 1170: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39899
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
        Time
   1171 599.639456393 127.0.0.53
                                             127.0.0.1
                                                                             122
                                                                                    Standard query response
0x044d Server failure AAAA firefox.settings.services.mozilla.com.quartz-lab.fr 0PT
Frame 1171: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39899
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
   1172 599.639703011 127.0.0.1
                                             127.0.0.53
                                                                            108
                                                                                   Standard query 0x6e19
A firefox.settings.services.mozilla.com OPT
Frame 1172: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53646, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
       Time
                                             Destination
   1173 599.639710720 127.0.0.1
                                                                   DNS
                                                                             108
                                                                                   Standard query 0xe514
                                             127.0.0.53
AAAA firefox.settings.services.mozilla.com OPT
Frame 1173: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53646, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
   1174 599.639736194 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                             108
                                                                                   Standard query response
0x6e19 Server failure A firefox.settings.services.mozilla.com OPT
Frame 1174: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53646
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
   1175 599.639763206 127.0.0.53
                                             127.0.0.1
                                                                             108
                                                                                    Standard query response
0xe514 Server failure AAAA firefox.settings.services.mozilla.com 0PT
Frame 1175: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53646
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1176 599.639779576 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             108
                                                                                   Standard query 0x6e19
A firefox.settings.services.mozilla.com OPT
Frame 1176: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

```
Time
                       Source
                                             Destination
                                                                  Protocol Length Info
                                                                            108
                                                                                  Standard query 0xe514
  1177 599.639784630 127.0.0.1
                                             127.0.0.53
                                                                   DNS
AAAA firefox.settings.services.mozilla.com OPT
Frame 1177: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53646, Dst Port: 53
Domain Name System (query)
        Time
                                                                   Protocol Length Info
                       Source
                                             Destination
   1178 599.639809129 127.0.0.53
                                                                   DNS
                                                                            108
                                            127.0.0.1
                                                                                  Standard query response
0x6e19 Server failure A firefox.settings.services.mozilla.com OPT
Frame 1178: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53646
Domain Name System (response)
       Time
                                             Destination
                                                                  Protocol Length Info
                      Source
   1179 599.639835478 127.0.0.53
                                            127.0.0.1
                                                                            108
                                                                                  Standard query response
                                                                  DNS
0xe514 Server failure AAAA firefox.settings.services.mozilla.com 0PT
Frame 1179: 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53646
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1180 599.639879308 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            117
                                                                                  Standard query 0xd449
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1180: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44354, Dst Port: 53
Domain Name System (query)
No.
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1181 599.639884966 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            117
                                                                                  Standard query 0x234b
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1181: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44354, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                                             Destination
                       Source
   1182 599.639918720 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            117
                                                                                  Standard query response
0xd449 Server failure A firefox.settings.services.mozilla.com.ensea.fr 0PT
Frame 1182: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44354
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1183 599.639957379 127.0.0.53
                                            127.0.0.1
                                                                            117
                                                                                  Standard query response
0x234b Server failure AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1183: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44354
Domain Name System (response)
                                                                   Protocol Length Info
        Time
                       Source
No.
                                            Destination
   1184 599.639988939 127.0.0.1
                                                                   DNS
                                                                            117
                                            127.0.0.53
                                                                                  Standard query 0xd449
A firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1184: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44354, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1185 599.639995007 127.0.0.1
                                             127.0.0.53
                                                                            117
                                                                                  Standard query 0x234b
AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1185: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id \theta
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44354, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1186 599.640028074 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            117
                                                                                  Standard query response
Oxd449 Server failure A firefox.settings.services.mozilla.com.ensea.fr OPT
```

Frame 1186: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44354
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1187 599.640063200 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                                  Standard query response
                                                                           117
0x234b Server failure AAAA firefox.settings.services.mozilla.com.ensea.fr OPT
Frame 1187: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44354
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                                             Destination
                      Source
   1188 599.640102936 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            120
                                                                                  Standard query 0xac34
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1188: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39606, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
No.
                      Source
                                            Destination
   1189 599.640108614 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            120
                                                                                  Standard query 0x7d2a
AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1189: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39606, Dst Port: 53
Domain Name System (query)
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
       Time
  1190 599.640145239 127.0.0.53
                                            127.0.0.1
                                                                            120
                                                                                  Standard query response
Oxac34 Server failure A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1190: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39606
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
   1191 599.640182593 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           120
                                                                                  Standard query response
0x7d2a Server failure AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1191: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39606
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   1192 599.640239594 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            120
                                                                                  Standard query 0xac34
A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1192: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39606, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1193 599.640245461 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            120
                                                                                  Standard query 0x7d2a
AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1193: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39606, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
   1194 599.640284534 127.0.0.53
                                            127.0.0.1
                                                                                  Standard query response
Oxac34 Server failure A firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1194: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39606
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                  Protocol Length Info
   1195 599.640328829 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            120
                                                                                  Standard query response
0x7d2a Server failure AAAA firefox.settings.services.mozilla.com.etis-lab.fr OPT
Frame 1195: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39606
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
  1196 599.640374576 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           122
                                                                                  Standard query 0x3fd8
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1196: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35948, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   1197 599.640380659 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            122
                                                                                  Standard query 0x0dda
AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1197: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35948, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1198 599.640416551 127.0.0.53
                                            127.0.0.1
                                                                           122
                                                                                  Standard query response
                                                                  DNS
0x3fd8 Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr 0PT
Frame 1198: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35948
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1199 599.640453298 127.0.0.53
                                            127.0.0.1
                                                                            122
                                                                                  Standard query response
0x0dda Server failure AAAA firefox.settings.services.mozilla.com.quartz-lab.fr 0PT
Frame 1199: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35948
Domain Name System (response)
                                                                  Protocol Length Info
No.
        Time
                       Source
                                            Destination
   1200 599.640472986 127.0.0.1
                                            127.0.0.53
                                                                           122
                                                                                  Standard query 0x3fd8
A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1200: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35948, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
   1201 599.640478341 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            122
                                                                                  Standard query 0x0dda
AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1201: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35948, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1202 599.640512485 127.0.0.53
                                            127.0.0.1
                                                                            122
                                                                                  Standard query response
0x3fd8 Server failure A firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1202: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35948
Domain Name System (response)
        Time
                                            Destination
No.
                       Source
                                                                  Protocol Length Info
   1203 599.640549027 127.0.0.53
                                            127.0.0.1
                                                                            122
                                                                                  Standard query response
0x0dda Server failure AAAA firefox.settings.services.mozilla.com.quartz-lab.fr OPT
Frame 1203: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35948
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1204 599.642952588 127.0.0.1
                                            127.0.0.53
                                                                            101
                                                                                  Standard query 0x9a3b
A incoming.telemetry.mozilla.org OPT
Frame 1204: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34899, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   1205 599.642963291 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0x7036
AAAA incoming.telemetry.mozilla.org OPT
```

Frame 1205: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34899, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   1206 599.643063894 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            101
                                                                                  Standard query response
0x9a3b Server failure A incoming.telemetry.mozilla.org OPT
Frame 1206: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34899
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                             Destination
   1207 599.643112941 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            101
                                                                                  Standard query response
0x7036 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1207: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34899
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
   1208 599.643132352 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0x9a3b
A incoming.telemetry.mozilla.org OPT
Frame 1208: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34899, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
No.
   1209 599.643138966 127.0.0.1
                                            127.0.0.53
                                                                            101
                                                                                   Standard query 0x7036
AAAA incoming.telemetry.mozilla.org OPT
Frame 1209: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34899, Dst Port: 53
Domain Name System (query)
                      Source
                                            Destination
                                                                  Protocol Length Info
       Time
   1210 599.643161621 127.0.0.53
                                            127.0.0.1
                                                                            101
                                                                                  Standard query response
Ox9a3b Server failure A incoming.telemetry.mozilla.org OPT
Frame 1210: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34899
Domain Name System (response)
                      Source
                                                                   Protocol Length Info
                                            Destination
   1211 599.643184962 127.0.0.53
                                                                   DNS
                                                                            101
                                                                                  Standard query response
                                            127.0.0.1
0x7036 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1211: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34899
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1212 599.643224773 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                  Standard query 0x139c
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1212: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35020, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   1213 599.643230165 127.0.0.1
                                             127.0.0.53
                                                                            110
                                                                                   Standard query 0x1893
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1213: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35020, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   1214 599.643262155 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            110
                                                                                   Standard query response
0x139c Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1214: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35020
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
                                                                                  Standard query response
  1215 599.643291352 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           110
0x1893 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1215: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35020
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                       Source
                                             Destination
   1216 599.643307566 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           110
                                                                                  Standard query 0x139c
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1216: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35020, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1217 599.643312931 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           110
                                                                                  Standard query 0x1893
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1217: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35020, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1218 599.643339091 127.0.0.53
                                            127.0.0.1
                                                                           110
                                                                                  Standard query response
0x139c Server failure A incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 1218: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35020
Domain Name System (response)
                       Source
No.
        Time
                                            Destination
                                                                  Protocol Length Info
   1219 599.643366887 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           110
                                                                                  Standard query response
0x1893 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1219: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35020
Domain Name System (response)
                                             Destination
                                                                  Protocol Length Info
        Time
                       Source
   1220 599.643400780 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0xf548
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1220: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53746, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1221 599.643410266 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0xb956
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1221: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53746, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
No.
                       Source
                                            Destination
   1222 599.643438497 127.0.0.53
                                            127.0.0.1
                                                                           113
                                                                                  Standard query response
0xf548 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1222: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53746
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1223 599.643467577 127.0.0.53
                                            127.0.0.1
                                                                           113
                                                                                  Standard query response
0xb956 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1223: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53746
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   1224 599.643483731 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0xf548
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
```

Frame 1224: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53746, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1225 599.643489289 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            113
                                                                                   Standard query 0xb956
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1225: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53746, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
   1226 599.643514894 127.0.0.53
                                             127.0.0.1
                                                                            113
                                                                                   Standard query response
0xf548 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 1226: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53746
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
No.
       Time
                       Source
   1227 599.643542417 127.0.0.53
                                            127.0.0.1
                                                                            113
                                                                                   Standard query response
0xb956 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 1227: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53746
Domain Name System (response)
                       Source
                                            Destination
                                                                   Protocol Length Info
No.
        Time
   1228 599.643576421 127.0.0.1
                                             127.0.0.53
                                                                            115
                                                                                   Standard query 0x71f6
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1228: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50265, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
   1229 599.643582172 127.0.0.1
                                             127.0.0.53
                                                                            115
                                                                                   Standard query 0x6bf8
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1229: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50265, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                                                   Protocol Length Info
                                             Destination
   1230 599.643612332 127.0.0.53
                                             127.0.0.1
                                                                            115
                                                                                   Standard query response
0x71f6 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1230: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50265
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1231 599.643643887 127.0.0.53
                                             127.0.0.1
                                                                            115
                                                                                   Standard query response
0x6bf8 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1231: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50265
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1232 599.643659053 127.0.0.1
                                             127.0.0.53
                                                                            115
                                                                                   Standard query 0x71f6
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1232: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50265, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1233 599.643664610 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            115
                                                                                   Standard query 0x6bf8
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1233: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50265, Dst Port: 53
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
  1234 599.643691954 127.0.0.53
                                                                                  Standard query response
                                            127.0.0.1
                                                                            115
                                                                  DNS
0x71f6 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1234: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50265
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                       Source
                                             Destination
   1235 599.643721762 127.0.0.53
                                                                  DNS
                                            127.0.0.1
                                                                            115
                                                                                  Standard query response
0x6bf8 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1235: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50265
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1236 599.645493786 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            101
                                                                                  Standard query 0xd46a
A incoming.telemetry.mozilla.org OPT
Frame 1236: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56119, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1237 599.645502383 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0x9677
AAAA incoming.telemetry.mozilla.org OPT
Frame 1237: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56119, Dst Port: 53
Domain Name System (query)
No.
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1238 599.645560533 127.0.0.53
                                            127.0.0.1
                                                                            101
                                                                                  Standard query response
0xd46a Server failure A incoming.telemetry.mozilla.org OPT
Frame 1238: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56119
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                       Source
                                             Destination
   1239 599.645607967 127.0.0.53
                                                                   DNS
                                                                            101
                                            127.0.0.1
                                                                                  Standard query response
0x9677 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1239: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56119
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1240 599.645629971 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                  Standard query 0xd46a
A incoming.telemetry.mozilla.org OPT
Frame 1240: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id \theta
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56119, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                                            Destination
No.
                       Source
   1241 599.645635266 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                   Standard query 0x9677
AAAA incoming.telemetry.mozilla.org OPT
Frame 1241: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56119, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1242 599.645672162 127.0.0.53
                                             127.0.0.1
                                                                            101
                                                                                  Standard query response
0xd46a Server failure A incoming.telemetry.mozilla.org OPT
Frame 1242: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56119
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1243 599.645699162 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            101
                                                                                  Standard query response
```

0x9677 Server failure AAAA incoming.telemetry.mozilla.org OPT

Frame 1243: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56119
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1244 599.645777231 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                   Standard query 0x6a05
A incoming telemetry mozilla org.ensea fr OPT
Frame 1244: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45899, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                       Source
                                             Destination
   1245 599.645782250 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                   Standard query 0xf309
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1245: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45899, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
No.
       Time
                       Source
                                             Destination
   1246 599.645895618 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            110
                                                                                   Standard query response
0x6a05 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1246: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45899
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
        Time
   1247 599.645973132 127.0.0.53
                                            127.0.0.1
                                                                            110
                                                                                   Standard query response
0xf309 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 1247: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45899
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
   1248 599.645991659 127.0.0.1
                                             127.0.0.53
                                                                            110
                                                                                   Standard query 0x6a05
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1248: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45899, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
        Time
                                             Destination
   1249 599.645995612 127.0.0.1
                                                                   DNS
                                                                            110
                                                                                   Standard query 0xf309
                                             127.0.0.53
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1249: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45899, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1250 599.646048609 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            110
                                                                                   Standard query response
0x6a05 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1250: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45899
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
   1251 599.646101472 127.0.0.53
                                             127.0.0.1
                                                                                   Standard query response
0xf309 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 1251: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45899
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1252 599.646130008 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            113
                                                                                   Standard query 0x0a81
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1252: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35925, Dst Port: 53
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
  1253 599.646133311 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0xd378
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1253: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35925, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   1254 599.646183240 127.0.0.53
                                                                            113
                                            127.0.0.1
                                                                  DNS
                                                                                  Standard query response
0x0a81 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1254: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35925
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   1255 599.646233871 127.0.0.53
                                                                           113
                                                                                  Standard query response
                                            127.0.0.1
                                                                  DNS
0xd378 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 1255: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35925
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1256 599.646246347 127.0.0.1
                                            127.0.0.53
                                                                            113
                                                                                  Standard query 0x0a81
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1256: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35925, Dst Port: 53
Domain Name System (query)
No.
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1257 599.646249616 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           113
                                                                                  Standard query 0xd378
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1257: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35925, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
   1258 599.646294742 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            113
                                                                                  Standard query response
0x0a81 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1258: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35925
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1259 599.646342421 127.0.0.53
                                            127.0.0.1
                                                                            113
                                                                                  Standard query response
Oxd378 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1259: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35925
Domain Name System (response)
                                                                   Protocol Length Info
                       Source
                                            Destination
No.
        Time
   1260 599.646363871 127.0.0.1
                                                                   DNS
                                                                            115
                                            127.0.0.53
                                                                                  Standard query 0xcae1
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1260: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44863, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1261 599.646367273 127.0.0.1
                                             127.0.0.53
                                                                            115
                                                                                  Standard query 0x00e6
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1261: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44863, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1262 599.646419403 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            115
                                                                                  Standard query response
Oxcae1 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
```

Frame 1262: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44863
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1263 599.646471635 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           115
                                                                                  Standard query response
0x00e6 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1263: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44863
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                             Destination
   1264 599.646484069 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            115
                                                                                  Standard query 0xcae1
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1264: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44863, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
No.
                      Source
                                            Destination
   1265 599.646487401 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            115
                                                                                  Standard query 0x00e6
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1265: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44863, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
  1266 599.646534771 127.0.0.53
                                            127.0.0.1
                                                                            115
                                                                                  Standard query response
Oxcae1 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1266: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44863
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
       Time
   1267 599.646584866 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           115
                                                                                  Standard query response
0x00e6 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1267: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44863
Domain Name System (response)
       Time
                      Source
                                                                  Protocol Length Info
                                            Destination
   1268 599.649129156 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0x1c2f
A incoming.telemetry.mozilla.org OPT
Frame 1268: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00:00:00:00:00:00:00
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53202, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1269 599.649138207 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0xcb2a
AAAA incoming.telemetry.mozilla.org OPT
Frame 1269: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53202, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
   1270 599.649197858 127.0.0.53
                                            127.0.0.1
                                                                            101
                                                                                  Standard query response
0x1c2f Server failure A incoming.telemetry.mozilla.org OPT
Frame 1270: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53202
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                  Protocol Length Info
   1271 599.649247548 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            101
                                                                                  Standard query response
Oxcb2a Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1271: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53202
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
  1272 599.649265904 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           101
                                                                                  Standard query 0x1c2f
A incoming.telemetry.mozilla.org OPT
Frame 1272: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53202, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   1273 599.649271835 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0xcb2a
AAAA incoming.telemetry.mozilla.org OPT
Frame 1273: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53202, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1274 599.649311411 127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query response
                                            127.0.0.1
0x1c2f Server failure A incoming.telemetry.mozilla.org OPT
Frame 1274: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53202
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1275 599.649353858 127.0.0.53
                                            127.0.0.1
                                                                            101
                                                                                  Standard query response
Oxcb2a Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1275: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53202
Domain Name System (response)
                                                                  Protocol Length Info
No.
        Time
                       Source
                                            Destination
   1276 599.649392813 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           110
                                                                                  Standard query 0xfa1b
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1276: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43095, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                  Protocol Length Info
        Time
                       Source
   1277 599.649398180 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            110
                                                                                  Standard query 0x171d
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1277: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43095, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1278 599.649444898 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            110
                                                                                  Standard query response
Oxfa1b Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1278: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43095
Domain Name System (response)
        Time
                                            Destination
                                                                   Protocol Length Info
No.
                       Source
   1279 599.649493749 127.0.0.53
                                            127.0.0.1
                                                                            110
                                                                                  Standard query response
0x171d Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1279: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43095
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1280 599.649517495 127.0.0.1
                                            127.0.0.53
                                                                            110
                                                                                  Standard query 0xfa1b
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1280: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43095, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1281 599.649522771 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            110
                                                                                  Standard query 0x171d
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
```

Frame 1281: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43095, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   1282 599.649567075 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           110
                                                                                  Standard query response
Oxfa1b Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1282: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43095
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                             Destination
   1283 599.649614506 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            110
                                                                                  Standard query response
0x171d Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 1283: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43095
Domain Name System (response)
       Time
                                                                  Protocol Length Info
No.
                      Source
                                            Destination
   1284 599.649648795 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            113
                                                                                  Standard query 0xf405
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1284: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57369, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
   1285 599.649654229 127.0.0.1
                                            127.0.0.53
                                                                            113
                                                                                   Standard query 0xac07
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1285: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57369, Dst Port: 53
Domain Name System (query)
                      Source
                                            Destination
                                                                  Protocol Length Info
       Time
   1286 599.649699959 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            113
                                                                                  Standard query response
0xf405 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1286: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57369
Domain Name System (response)
                      Source
                                                                  Protocol Length Info
                                            Destination
   1287 599.649748233 127.0.0.53
                                            127.0.0.1
                                                                            113
                                                                                  Standard query response
0xac07 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1287: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57369
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1288 599.649766795 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            113
                                                                                  Standard query 0xf405
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1288: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57369, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1289 599.649772227 127.0.0.1
                                            127.0.0.53
                                                                            113
                                                                                   Standard query 0xac07
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1289: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57369, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   1290 599.649817543 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            113
                                                                                   Standard query response
0xf405 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 1290: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57369
```

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
  1291 599.649864359 127.0.0.53
                                                                                  Standard query response
                                            127.0.0.1
                                                                  DNS
                                                                           113
0xac07 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1291: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57369
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   1292 599.649897884 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0x6bd3
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1292: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53667, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1293 599.649903232 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0x42d5
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1293: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53667, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
No.
        Time
                      Source
                                            Destination
   1294 599.649950625 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           115
                                                                                  Standard query response
0x6bd3 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1294: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53667
Domain Name System (response)
                      Source
No.
        Time
                                            Destination
                                                                  Protocol Length Info
   1295 599.650001324 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           115
                                                                                  Standard query response
0x42d5 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1295: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53667
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                      Source
                                            Destination
   1296 599.650037370 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0x6bd3
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1296: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53667, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1297 599.650042666 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0x42d5
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1297: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53667, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
   1298 599.650088988 127.0.0.53
                                            127.0.0.1
                                                                           115
                                                                                  Standard query response
0x6bd3 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1298: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53667
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1299 599.650138184 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           115
                                                                                  Standard query response
0x42d5 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1299: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53667
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1300 599.650928759 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0x55bf
A incoming.telemetry.mozilla.org OPT
```

Frame 1300: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0

User Datagram Protocol, Src Port: 50187, Dst Port: 53

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49877, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1301 599.650936776 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                   Standard query 0xcba1
AAAA incoming.telemetry.mozilla.org OPT
Frame 1301: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49877, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
   1302 599.651082495 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                             101
                                                                                   Standard query response
0x55bf Server failure A incoming.telemetry.mozilla.org OPT
Frame 1302: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49877
Domain Name System (response)
                                                                   Protocol Length Info
No.
       Time
                       Source
                                             Destination
   1303 599.651148987 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                             101
                                                                                   Standard query response
Oxcbal Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1303: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49877
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
        Time
   1304 599.651167956 127.0.0.1
                                             127.0.0.53
                                                                             101
                                                                                    Standard query 0x55bf
A incoming.telemetry.mozilla.org OPT
Frame 1304: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49877, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
   1305 599.651173517 127.0.0.1
                                             127.0.0.53
                                                                            101
                                                                                   Standard query 0xcba1
AAAA incoming.telemetry.mozilla.org OPT
Frame 1305: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49877, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                                                   Protocol Length Info
                                             Destination
   1306 599.651221870 127.0.0.53
                                                                   DNS
                                                                             101
                                                                                   Standard query response
                                             127.0.0.1
0x55bf Server failure A incoming.telemetry.mozilla.org OPT
Frame 1306: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49877
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1307 599.651283770 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                             101
                                                                                   Standard query response
Oxcbal Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1307: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49877
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1308 599.651324837 127.0.0.1
                                             127.0.0.53
                                                                             110
                                                                                    Standard query 0x5fa4
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1308: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50187, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1309 599.651330745 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             110
                                                                                    Standard query 0xc3a2
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1309: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
                                                                                  Standard query response
  1310 599.651403931 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           110
0x5fa4 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1310: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50187
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   1311 599.651471375 127.0.0.53
                                                                            110
                                            127.0.0.1
                                                                  DNS
                                                                                  Standard query response
Oxc3a2 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1311: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50187
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   1312 599.651493759 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           110
                                                                                  Standard query 0x5fa4
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1312: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50187, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1313 599.651499063 127.0.0.1
                                            127.0.0.53
                                                                            110
                                                                                  Standard query 0xc3a2
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1313: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50187, Dst Port: 53
Domain Name System (query)
No.
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1314 599.651551127 127.0.0.53
                                            127.0.0.1
                                                                           110
                                                                                  Standard query response
0x5fa4 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1314: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50187
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
   1315 599.651624997 127.0.0.53
                                                                            110
                                            127.0.0.1
                                                                  DNS
                                                                                  Standard query response
0xc3a2 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 1315: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50187
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1316 599.651659125 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            113
                                                                                  Standard query 0x79d4
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1316: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42421, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
No.
                       Source
                                            Destination
   1317 599.651664309 127.0.0.1
                                                                   DNS
                                                                            113
                                             127.0.0.53
                                                                                   Standard query 0x69d6
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1317: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42421, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1318 599.651725705 127.0.0.53
                                            127.0.0.1
                                                                            113
                                                                                  Standard query response
0x79d4 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1318: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42421
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1319 599.651792195 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            113
                                                                                   Standard query response
```

0x69d6 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT

Frame 1319: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42421
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
                                             127.0.0.53
   1320 599.651809608 127.0.0.1
                                                                   DNS
                                                                            113
                                                                                   Standard query 0x79d4
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1320: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42421, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                       Source
                                             Destination
   1321 599.651814763 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            113
                                                                                   Standard query 0x69d6
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1321: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42421, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
No.
       Time
                       Source
                                             Destination
   1322 599.651883740 127.0.0.53
                                             127.0.0.1
                                                                            113
                                                                                   Standard query response
0x79d4 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 1322: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42421
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
        Time
   1323 599.651939891 127.0.0.53
                                            127.0.0.1
                                                                            113
                                                                                   Standard query response
0x69d6 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1323: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42421
Domain Name System (response)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
   1324 599.651982029 127.0.0.1
                                             127.0.0.53
                                                                            115
                                                                                   Standard query 0x41c2
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1324: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34881, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
        Time
                                             Destination
   1325 599.651987355 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            115
                                                                                   Standard query 0x70c4
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1325: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34881, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1326 599.652051591 127.0.0.53
                                             127.0.0.1
                                                                            115
                                                                                   Standard query response
0x41c2 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1326: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34881
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
   1327 599.652119890 127.0.0.53
                                             127.0.0.1
                                                                                   Standard query response
0x70c4 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1327: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34881
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1328 599.652135861 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            115
                                                                                   Standard query 0x41c2
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1328: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34881, Dst Port: 53
```

Oxa2de Server failure A incoming.telemetry.mozilla.org OPT

Frame 1338: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
  1329 599.652140991 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           115
                                                                                  Standard query 0x70c4
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1329: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34881, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   1330 599.652186938 127.0.0.53
                                                                            115
                                            127.0.0.1
                                                                  DNS
                                                                                  Standard query response
0x41c2 Server failure A incoming.telemetry.mozilla.org.guartz-lab.fr OPT
Frame 1330: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34881
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   1331 599.652245978 127.0.0.53
                                            127.0.0.1
                                                                           115
                                                                                  Standard query response
                                                                  DNS
0x70c4 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1331: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34881
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1332 599.653045242 127.0.0.1
                                            127.0.0.53
                                                                            101
                                                                                  Standard query 0xa2de
A incoming.telemetry.mozilla.org OPT
Frame 1332: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47029, Dst Port: 53
Domain Name System (query)
No.
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1333 599.653054252 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           101
                                                                                  Standard query 0x33c1
AAAA incoming.telemetry.mozilla.org OPT
Frame 1333: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47029, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
   1334 599.653101259 127.0.0.53
                                                                  DNS
                                                                            101
                                            127.0.0.1
                                                                                  Standard query response
Oxa2de Server failure A incoming.telemetry.mozilla.org OPT
Frame 1334: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47029
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1335 599.653145097 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            101
                                                                                  Standard query response
0x33c1 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1335: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47029
Domain Name System (response)
                                                                   Protocol Length Info
        Time
                       Source
                                            Destination
No.
   1336 599.653162132 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            101
                                                                                  Standard query 0xa2de
A incoming.telemetry.mozilla.org OPT
Frame 1336: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47029, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1337 599.653167015 127.0.0.1
                                            127.0.0.53
                                                                            101
                                                                                  Standard query 0x33c1
AAAA incoming.telemetry.mozilla.org OPT
Frame 1337: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47029, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1338 599.653205026 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            101
                                                                                  Standard query response
```

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47029
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1339 599.653246364 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                           101
                                                                                  Standard query response
0x33c1 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1339: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47029
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                             Destination
   1340 599.653286534 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            110
                                                                                  Standard query 0x07f0
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1340: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58724, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
No.
                      Source
                                            Destination
   1341 599.653291873 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            110
                                                                                  Standard query 0x85f2
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1341: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58724, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
No.
   1342 599.653335285 127.0.0.53
                                            127.0.0.1
                                                                            110
                                                                                  Standard query response
0x07f0 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1342: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58724
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
       Time
   1343 599.653382436 127.0.0.53
                                            127.0.0.1
                                                                            110
                                                                  DNS
                                                                                  Standard query response
0x85f2 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1343: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58724
Domain Name System (response)
       Time
                      Source
                                                                  Protocol Length Info
                                             Destination
   1344 599.653397829 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                  Standard query 0x07f0
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1344: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00:00:00:00:00:00:00
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58724, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1345 599.653402706 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                  Standard query 0x85f2
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1345: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58724, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1346 599.653446106 127.0.0.53
                                            127.0.0.1
                                                                            110
                                                                                  Standard query response
0x07f0 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1346: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58724
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   1347 599.653492020 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            110
                                                                                  Standard query response
0x85f2 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1347: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58724
```

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1348 599.653524257 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0xf721
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1348: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56568, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                      Source
                                            Destination
                                            127.0.0.53
   1349 599.653529335 127.0.0.1
                                                                  DNS
                                                                           113
                                                                                  Standard query 0x3720
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1349: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56568, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1350 599.653572195 127.0.0.53
                                            127.0.0.1
                                                                           113
                                                                                  Standard query response
                                                                  DNS
0xf721 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 1350: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56568
Domain Name System (response)
                                                                  Protocol Length Info
No.
        Time
                      Source
                                            Destination
   1351 599.653618749 127.0.0.53
                                            127.0.0.1
                                                                           113
                                                                                  Standard query response
0x3720 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1351: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56568
Domain Name System (response)
                                                                  Protocol Length Info
No.
        Time
                      Source
                                            Destination
   1352 599.653633995 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0xf721
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1352: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56568, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                      Source
                                            Destination
   1353 599.653638713 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0x3720
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1353: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56568, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1354 599.653680565 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           113
                                                                                  Standard query response
0xf721 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1354: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56568
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
   1355 599.653726363 127.0.0.53
                                            127.0.0.1
                                                                           113
                                                                                  Standard query response
0x3720 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1355: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56568
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1356 599.653834938 127.0.0.1
                                            127.0.0.53
                                                                           115
                                                                                  Standard query 0x4f91
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1356: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56946, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                             Destination
                                                                  Protocol Length Info
   1357 599.653841152 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0x6893
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
```

Frame 1357: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56946, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1358 599.653885602 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            115
                                                                                  Standard query response
0x4f91 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1358: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56946
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
   1359 599.653933925 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            115
                                                                                  Standard query response
0x6893 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1359: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56946
Domain Name System (response)
                                                                  Protocol Length Info
No.
       Time
                      Source
                                            Destination
   1360 599.653947691 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            115
                                                                                  Standard query 0x4f91
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1360: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56946, Dst Port: 53
Domain Name System (query)
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
       Time
   1361 599.653951930 127.0.0.1
                                            127.0.0.53
                                                                            115
                                                                                   Standard query 0x6893
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1361: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56946, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
   1362 599.653991219 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            115
                                                                                  Standard query response
0x4f91 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1362: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56946
Domain Name System (response)
                      Source
                                                                   Protocol Length Info
                                            Destination
   1363 599.654034873 127.0.0.53
                                            127.0.0.1
                                                                                  Standard query response
0x6893 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1363: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56946
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1364 599.656733646 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            101
                                                                                  Standard query 0x8c65
A incoming.telemetry.mozilla.org OPT
Frame 1364: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54160, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                   Protocol Length Info
No.
   1365 599.656738724 127.0.0.1
                                             127.0.0.53
                                                                            101
                                                                                   Standard query 0x0866
AAAA incoming.telemetry.mozilla.org OPT
Frame 1365: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54160, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   1366 599.656779224 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            101
                                                                                   Standard query response
0x8c65 Server failure A incoming.telemetry.mozilla.org OPT
Frame 1366: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54160
```

```
Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1367 599.656810397 127.0.0.53
                                            127.0.0.1
                                                                           101
                                                                                  Standard query response
                                                                   DNS
0x0866 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1367: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54160
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   1368 599.656822317 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0x8c65
A incoming.telemetry.mozilla.org OPT
Frame 1368: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54160, Dst Port: 53
Domain Name System (query)
       Time
No.
                                            Destination
                                                                  Protocol Length Info
                      Source
   1369 599.656825850 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           101
                                                                                  Standard query 0x0866
AAAA incoming.telemetry.mozilla.org OPT
Frame 1369: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54160, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1370 599.656852327 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            101
                                                                                  Standard query response
0x8c65 Server failure A incoming.telemetry.mozilla.org OPT
Frame 1370: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54160
Domain Name System (response)
                       Source
No.
        Time
                                            Destination
                                                                  Protocol Length Info
   1371 599.656880750 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                           101
                                                                                  Standard query response
0x0866 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1371: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54160
Domain Name System (response)
                                             Destination
                                                                  Protocol Length Info
        Time
                       Source
   1372 599.656913468 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            110
                                                                                  Standard query 0x1ea4
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1372: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47663, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1373 599.656917317 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                  Standard query 0xe4a7
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1373: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47663, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                                            Destination
No.
                       Source
   1374 599.656947378 127.0.0.53
                                            127.0.0.1
                                                                            110
                                                                                  Standard query response
Ox1ea4 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1374: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47663
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1375 599.656980156 127.0.0.53
                                            127.0.0.1
                                                                            110
                                                                                  Standard query response
0xe4a7 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 1375: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47663
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1376 599.656990933 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            110
                                                                                  Standard query 0x1ea4
A incoming.telemetry.mozilla.org.ensea.fr OPT
```

Frame 1376: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47663, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1377 599.656994503 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                   Standard query 0xe4a7
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1377: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47663, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                                                   Protocol Length Info
                                             Destination
   1378 599.657023804 127.0.0.53
                                             127.0.0.1
                                                                            110
                                                                                   Standard query response
0x1ea4 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1378: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47663
Domain Name System (response)
                                                                   Protocol Length Info
No.
       Time
                       Source
                                             Destination
  1379 599.657055647 127.0.0.53
                                            127.0.0.1
                                                                            110
                                                                                   Standard query response
0xe4a7 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 1379: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47663
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
        Time
   1380 599.657080858 127.0.0.1
                                             127.0.0.53
                                                                            113
                                                                                   Standard query 0xf2ca
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1380: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40999, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
   1381 599.657084584 127.0.0.1
                                             127.0.0.53
                                                                            113
                                                                                   Standard query 0x10c8
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1381: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40999, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
       Time
                                             Destination
   1382 599.657114801 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            113
                                                                                   Standard query response
Oxf2ca Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1382: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40999
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1383 599.657147277 127.0.0.53
                                             127.0.0.1
                                                                            113
                                                                                   Standard query response
0x10c8 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1383: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40999
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1384 599.657158638 127.0.0.1
                                             127.0.0.53
                                                                            113
                                                                                   Standard query 0xf2ca
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1384: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40999, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1385 599.657162080 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            113
                                                                                   Standard query 0x10c8
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1385: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40999, Dst Port: 53
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1386 599.657191520 127.0.0.53
                                                                                  Standard query response
                                            127.0.0.1
                                                                           113
                                                                  DNS
Oxf2ca Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1386: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40999
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   1387 599.657224153 127.0.0.53
                                                                            113
                                            127.0.0.1
                                                                  DNS
                                                                                  Standard query response
0x10c8 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1387: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40999
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1388 599.657263074 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0x2f61
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1388: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49173, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1389 599.657268473 127.0.0.1
                                            127.0.0.53
                                                                            115
                                                                                  Standard query 0x4e63
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1389: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49173, Dst Port: 53
Domain Name System (query)
No.
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1390 599.657299096 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            115
                                                                                  Standard query response
0x2f61 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1390: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49173
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
   1391 599.657332956 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            115
                                                                                  Standard query response
0x4e63 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1391: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49173
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1392 599.657346192 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            115
                                                                                  Standard query 0x2f61
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1392: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49173, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                       Source
                                            Destination
   1393 599.657349887 127.0.0.1
                                                                   DNS
                                                                            115
                                             127.0.0.53
                                                                                  Standard query 0x4e63
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1393: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49173, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1394 599.657380712 127.0.0.53
                                            127.0.0.1
                                                                            115
                                                                                  Standard query response
0x2f61 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1394: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49173
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1395 599.657413740 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                                  Standard query response
```

0x4e63 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT

Frame 1395: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0

User Datagram Protocol, Src Port: 60108, Dst Port: 53

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49173
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1396 599.671617390 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                   Standard query 0x0f8a
A incoming.telemetry.mozilla.org OPT
Frame 1396: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40431, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                       Source
                                             Destination
   1397 599.671630100 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             101
                                                                                   Standard query 0x1277
AAAA incoming.telemetry.mozilla.org OPT
Frame 1397: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40431, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
No.
        Time
                       Source
                                             Destination
   1398 599.671722703 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                             101
                                                                                   Standard query response
0x0f8a Server failure A incoming.telemetry.mozilla.org OPT
Frame 1398: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40431
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
        Time
   1399 599.671752470 127.0.0.53
                                             127.0.0.1
                                                                             101
                                                                                    Standard query response
0x1277 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1399: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40431
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
        Time
                       Source
   1400 599.671767072 127.0.0.1
                                             127.0.0.53
                                                                            101
                                                                                   Standard query 0x0f8a
A incoming.telemetry.mozilla.org OPT
Frame 1400: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40431, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
        Time
                                             Destination
   1401 599.671772166 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                             101
                                                                                   Standard query 0x1277
AAAA incoming.telemetry.mozilla.org OPT
Frame 1401: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40431, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1402 599.671783239 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                             101
                                                                                   Standard query response
0x0f8a Server failure A incoming.telemetry.mozilla.org OPT
Frame 1402: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40431
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
   1403 599.671795435 127.0.0.53
                                             127.0.0.1
                                                                             101
                                                                                    Standard query response
0x1277 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1403: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40431
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1404 599.671825242 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                                    Standard query 0x5bff
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1404: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

```
Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   1405 599.671829818 127.0.0.1
                                                                                  Standard query 0x40e1
                                             127.0.0.53
                                                                   DNS
                                                                           110
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1405: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60108, Dst Port: 53
Domain Name System (query)
        Time
                                                                   Protocol Length Info
                       Source
                                             Destination
   1406 599.671845725 127.0.0.53
                                                                           110
                                            127.0.0.1
                                                                  DNS
                                                                                  Standard query response
0x5bff Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1406: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60108
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                       Source
                                             Destination
   1407 599.671861299 127.0.0.53
                                                                           110
                                                                                  Standard query response
                                            127.0.0.1
                                                                  DNS
0x40e1 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1407: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60108
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1408 599.671872311 127.0.0.1
                                            127.0.0.53
                                                                            110
                                                                                  Standard query 0x5bff
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1408: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60108, Dst Port: 53
Domain Name System (query)
No.
        Time
                                             Destination
                                                                  Protocol Length Info
                       Source
   1409 599.671875924 127.0.0.1
                                             127.0.0.53
                                                                           110
                                                                                  Standard query 0x40e1
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1409: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60108, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                       Source
                                             Destination
   1410 599.671888857 127.0.0.53
                                             127.0.0.1
                                                                            110
                                                                  DNS
                                                                                  Standard query response
Ox5bff Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1410: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60108
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
                                            127.0.0.1
   1411 599.671903215 127.0.0.53
                                                                   DNS
                                                                            110
                                                                                  Standard query response
0x40e1 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1411: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60108
Domain Name System (response)
                                                                   Protocol Length Info
        Time
                       Source
                                             Destination
No.
   1412 599.671928764 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            113
                                                                                   Standard query 0x4150
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1412: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42650, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1413 599.671932499 127.0.0.1
                                             127.0.0.53
                                                                            113
                                                                                  Standard query 0xbd52
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1413: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42650, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1414 599.671946912 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            113
                                                                                   Standard query response
0x4150 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
```

Frame 1414: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42650
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1415 599.671961552 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           113
                                                                                  Standard query response
0xbd52 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 1415: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42650
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
   1416 599.671970889 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0x4150
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1416: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42650, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
No.
                      Source
                                            Destination
   1417 599.671974427 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0xbd52
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1417: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42650, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
No.
   1418 599.671987200 127.0.0.53
                                            127.0.0.1
                                                                           113
                                                                                  Standard query response
0x4150 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1418: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42650
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
       Time
   1419 599.672001605 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           113
                                                                                  Standard query response
0xbd52 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 1419: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42650
Domain Name System (response)
       Time
                      Source
                                                                  Protocol Length Info
                                            Destination
   1420 599.672034260 127.0.0.1
                                                                  DNS
                                                                           115
                                                                                  Standard query 0xacb5
                                            127.0.0.53
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1420: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00:00:00:00:00:00:00
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58417, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1421 599.672038220 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0x35bb
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1421: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58417, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
   1422 599.672057358 127.0.0.53
                                            127.0.0.1
                                                                           115
                                                                                  Standard query response
Oxacb5 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1422: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58417
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1423 599.672073911 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           115
                                                                                  Standard query response
0x35bb Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1423: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58417
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
  1424 599.672084183 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0xacb5
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1424: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58417, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   1425 599.672087623 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0x35bb
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1425: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58417, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1426 599.672101234 127.0.0.53
                                            127.0.0.1
                                                                           115
                                                                                  Standard query response
                                                                  DNS
Oxacb5 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1426: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58417
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1427 599.672116459 127.0.0.53
                                            127.0.0.1
                                                                           115
                                                                                  Standard query response
0x35bb Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1427: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58417
Domain Name System (response)
                       Source
                                                                  Protocol Length Info
No.
        Time
                                            Destination
   1428 599.674381103 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0x2f28
A incoming.telemetry.mozilla.org OPT
Frame 1428: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54165, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1429 599.674384543 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0x9e26
AAAA incoming.telemetry.mozilla.org OPT
Frame 1429: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54165, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1430 599.674462974 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           101
                                                                                  Standard query response
0x2f28 Server failure A incoming.telemetry.mozilla.org OPT
Frame 1430: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54165
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
No.
   1431 599.674500953 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           101
                                                                                  Standard query response
0x9e26 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1431: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54165
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1432 599.674524414 127.0.0.1
                                            127.0.0.53
                                                                           101
                                                                                  Standard query 0x2f28
A incoming.telemetry.mozilla.org OPT
Frame 1432: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54165, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   1433 599.674526786 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0x9e26
AAAA incoming.telemetry.mozilla.org OPT
```

Frame 1433: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54165, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                  Protocol Length Info
   1434 599.674566127 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           101
                                                                                  Standard query response
0x2f28 Server failure A incoming.telemetry.mozilla.org OPT
Frame 1434: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54165
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                             Destination
   1435 599.674604891 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            101
                                                                                  Standard query response
0x9e26 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1435: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54165
Domain Name System (response)
       Time
                                                                  Protocol Length Info
No.
                      Source
                                            Destination
   1436 599.674620796 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            110
                                                                                  Standard query 0xe3f9
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1436: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47540, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
  1437 599.674622657 127.0.0.1
                                            127.0.0.53
                                                                            110
                                                                                  Standard query 0xf5f8
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1437: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47540, Dst Port: 53
Domain Name System (query)
                      Source
                                            Destination
                                                                  Protocol Length Info
       Time
   1438 599.674657722 127.0.0.53
                                            127.0.0.1
                                                                           110
                                                                  DNS
                                                                                  Standard query response
Oxe3f9 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1438: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47540
Domain Name System (response)
                      Source
                                                                  Protocol Length Info
                                            Destination
   1439 599.674691683 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            110
                                                                                  Standard query response
0xf5f8 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1439: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00:00:00:00:00:00:00
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47540
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1440 599.674698165 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            110
                                                                                  Standard query 0xe3f9
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1440: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47540, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                             Destination
                                                                  Protocol Length Info
   1441 599.674699881 127.0.0.1
                                             127.0.0.53
                                                                            110
                                                                                  Standard query 0xf5f8
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1441: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47540, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                             Destination
                                                                  Protocol Length Info
   1442 599.674729249 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            110
                                                                                  Standard query response
Oxe3f9 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1442: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47540
```

A incoming.telemetry.mozilla.org.quartz-lab.fr OPT

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
  1443 599.674759278 127.0.0.53
                                                                                  Standard query response
                                            127.0.0.1
                                                                  DNS
                                                                           110
0xf5f8 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 1443: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47540
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                       Source
                                             Destination
   1444 599.674770020 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0x4439
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1444: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39772, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1445 599.674771589 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0x443a
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1445: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39772, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1446 599.674801900 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           113
                                                                                  Standard query response
0x4439 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1446: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39772
Domain Name System (response)
                       Source
                                                                  Protocol Length Info
No.
        Time
                                            Destination
   1447 599.674832596 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           113
                                                                                  Standard query response
0x443a Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1447: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39772
Domain Name System (response)
                                             Destination
                                                                  Protocol Length Info
        Time
                       Source
   1448 599.674838169 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0x4439
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1448: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39772, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1449 599.674839902 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0x443a
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1449: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39772, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   1450 599.674867459 127.0.0.53
                                            127.0.0.1
                                                                           113
                                                                                  Standard query response
0x4439 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1450: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39772
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1451 599.674896114 127.0.0.53
                                            127.0.0.1
                                                                           113
                                                                                  Standard query response
0x443a Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1451: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39772
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   1452 599.674906679 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0xee17
```

Frame 1452: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46489, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
  1453 599.674908189 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            115
                                                                                   Standard query 0x8d14
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1453: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46489, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                                                   Protocol Length Info
                                             Destination
  1454 599.674939378 127.0.0.53
                                             127.0.0.1
                                                                            115
                                                                                   Standard query response
Oxee17 Server failure A incoming.telemetry.mozilla.org.guartz-lab.fr OPT
Frame 1454: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46489
Domain Name System (response)
                                                                   Protocol Length Info
No.
       Time
                       Source
                                             Destination
  1455 599.674971581 127.0.0.53
                                            127.0.0.1
                                                                            115
                                                                                   Standard query response
0x8d14 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1455: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46489
Domain Name System (response)
                       Source
                                            Destination
                                                                   Protocol Length Info
No.
        Time
   1456 599.674977109 127.0.0.1
                                             127.0.0.53
                                                                            115
                                                                                   Standard query 0xee17
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1456: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46489, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
   1457 599.674978859 127.0.0.1
                                             127.0.0.53
                                                                            115
                                                                                   Standard query 0x8d14
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1457: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46489, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
       Time
                                             Destination
  1458 599.675007519 127.0.0.53
                                             127.0.0.1
                                                                            115
                                                                                   Standard query response
Oxee17 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1458: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46489
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1459 599.675037902 127.0.0.53
                                            127.0.0.1
                                                                                   Standard query response
                                                                            115
0x8d14 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1459: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46489
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1460 599.678025728 127.0.0.1
                                             127.0.0.53
                                                                            101
                                                                                   Standard query 0x4d6b
A incoming.telemetry.mozilla.org OPT
Frame 1460: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36273, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1461 599.678032861 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                   Standard query 0x3769
AAAA incoming.telemetry.mozilla.org OPT
Frame 1461: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36273, Dst Port: 53
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1462 599.678085660 127.0.0.53
                                            127.0.0.1
                                                                           101
                                                                                  Standard query response
                                                                   DNS
0x4d6b Server failure A incoming.telemetry.mozilla.org OPT
Frame 1462: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36273
Domain Name System (response)
        Time
                                                                   Protocol Length Info
                       Source
                                            Destination
   1463 599.678118676 127.0.0.53
                                                                   DNS
                                                                            101
                                            127.0.0.1
                                                                                  Standard query response
0x3769 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1463: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36273
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1464 599.678130426 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           101
                                                                                  Standard query 0x4d6b
A incoming.telemetry.mozilla.org OPT
Frame 1464: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36273, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1465 599.678133505 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0x3769
AAAA incoming.telemetry.mozilla.org OPT
Frame 1465: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36273, Dst Port: 53
Domain Name System (query)
No.
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1466 599.678157013 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                           101
                                                                                  Standard query response
0x4d6b Server failure A incoming.telemetry.mozilla.org OPT
Frame 1466: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36273
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
   1467 599.678182397 127.0.0.53
                                                                   DNS
                                                                            101
                                            127.0.0.1
                                                                                  Standard query response
0x3769 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1467: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36273
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1468 599.678205950 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                  Standard query 0x3966
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1468: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56288, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                                            Destination
No.
                       Source
   1469 599.678209127 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                   Standard query 0x9467
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1469: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56288, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1470 599.678237855 127.0.0.53
                                            127.0.0.1
                                                                            110
                                                                                  Standard query response
0x3966 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1470: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56288
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1471 599.678268484 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            110
                                                                                   Standard query response
```

0x9467 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT

Frame 1471: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0

User Datagram Protocol, Src Port: 46478, Dst Port: 53

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56288
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1472 599.678278171 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                   Standard query 0x3966
A incoming telemetry mozilla org.ensea fr OPT
Frame 1472: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56288, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1473 599.678281221 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                   Standard query 0x9467
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1473: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56288, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
No.
       Time
                       Source
                                             Destination
   1474 599.678307441 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            110
                                                                                   Standard query response
0x3966 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1474: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56288
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
        Time
   1475 599.678338802 127.0.0.53
                                            127.0.0.1
                                                                            110
                                                                                   Standard query response
0x9467 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1475: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56288
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
   1476 599.678358822 127.0.0.1
                                             127.0.0.53
                                                                            113
                                                                                   Standard query 0xcfc2
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1476: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46478, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
        Time
                                             Destination
   1477 599.678361964 127.0.0.1
                                                                   DNS
                                                                            113
                                                                                   Standard query 0xb3c3
                                             127.0.0.53
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1477: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46478, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1478 599.678388925 127.0.0.53
                                             127.0.0.1
                                                                            113
                                                                                   Standard query response
Oxcfc2 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1478: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46478
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
   1479 599.678417547 127.0.0.53
                                             127.0.0.1
                                                                                   Standard query response
0xb3c3 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1479: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46478
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1480 599.678427572 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            113
                                                                                   Standard query 0xcfc2
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1480: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
  1481 599.678430638 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0xb3c3
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1481: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46478, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   1482 599.678456273 127.0.0.53
                                                                            113
                                            127.0.0.1
                                                                  DNS
                                                                                  Standard query response
Oxcfc2 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1482: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46478
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   1483 599.678484512 127.0.0.53
                                                                           113
                                                                                  Standard query response
                                            127.0.0.1
                                                                  DNS
0xb3c3 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1483: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46478
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1484 599.678504821 127.0.0.1
                                            127.0.0.53
                                                                            115
                                                                                  Standard query 0x6e66
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1484: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47880, Dst Port: 53
Domain Name System (query)
No.
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1485 599.678507919 127.0.0.1
                                            127.0.0.53
                                                                           115
                                                                                  Standard query 0x4065
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1485: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47880, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
   1486 599.678535912 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            115
                                                                                  Standard query response
0x6e66 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1486: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47880
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
                                            127.0.0.1
   1487 599.678565984 127.0.0.53
                                                                   DNS
                                                                           115
                                                                                  Standard query response
0x4065 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1487: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47880
Domain Name System (response)
                                                                   Protocol Length Info
        Time
                       Source
                                            Destination
No.
   1488 599.678577778 127.0.0.1
                                                                   DNS
                                                                            115
                                            127.0.0.53
                                                                                  Standard query 0x6e66
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1488: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47880, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1489 599.678580764 127.0.0.1
                                             127.0.0.53
                                                                            115
                                                                                  Standard query 0x4065
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1489: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47880, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1490 599.678607682 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            115
                                                                                   Standard query response
0x6e66 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
```

Frame 1490: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47880
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1491 599.678638174 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           115
                                                                                  Standard query response
0x4065 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1491: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47880
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
   1492 599,680127998 127,0,0,1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0xded4
A incoming.telemetry.mozilla.org OPT
Frame 1492: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58570, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
  1493 599.680135073 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0x2fd2
AAAA incoming.telemetry.mozilla.org OPT
Frame 1493: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58570, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
   1494 599.680194200 127.0.0.53
                                            127.0.0.1
                                                                            101
                                                                                   Standard query response
Oxded4 Server failure A incoming.telemetry.mozilla.org OPT
Frame 1494: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58570
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
       Time
   1495 599.680247990 127.0.0.53
                                            127.0.0.1
                                                                            101
                                                                                  Standard query response
Ox2fd2 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1495: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58570
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   1496 599.680262538 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            101
                                                                                  Standard query 0xded4
A incoming.telemetry.mozilla.org OPT
Frame 1496: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58570, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
No.
   1497 599.680265989 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                  Standard query 0x2fd2
AAAA incoming.telemetry.mozilla.org OPT
Frame 1497: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58570, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
No.
   1498 599.680293188 127.0.0.53
                                            127.0.0.1
                                                                            101
                                                                                   Standard query response
Oxded4 Server failure A incoming.telemetry.mozilla.org OPT
Frame 1498: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58570
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1499 599.680321007 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            101
                                                                                   Standard query response
Ox2fd2 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1499: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58570
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1500 599.680345432 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           110
                                                                                  Standard query 0x4d6b
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1500: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41049, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                       Source
                                             Destination
   1501 599.680348758 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           110
                                                                                  Standard query 0xab69
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1501: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41049, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1502 599.680381451 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           110
                                                                                  Standard query response
0x4d6b Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1502: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41049
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1503 599.680414264 127.0.0.53
                                            127.0.0.1
                                                                           110
                                                                                  Standard query response
Oxab69 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1503: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41049
Domain Name System (response)
                                                                  Protocol Length Info
No.
        Time
                       Source
                                            Destination
   1504 599.680429392 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           110
                                                                                  Standard query 0x4d6b
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1504: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41049, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                  Protocol Length Info
        Time
                       Source
   1505 599.680432404 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           110
                                                                                  Standard query 0xab69
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1505: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41049, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1506 599.680460255 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           110
                                                                                  Standard query response
0x4d6b Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1506: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41049
Domain Name System (response)
        Time
                                            Destination
                                                                  Protocol Length Info
No.
                       Source
   1507 599.680490034 127.0.0.53
                                            127.0.0.1
                                                                           110
                                                                                  Standard query response
0xab69 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 1507: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41049
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1508 599.680514363 127.0.0.1
                                             127.0.0.53
                                                                           113
                                                                                  Standard query 0x76e3
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1508: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43961, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   1509 599.680517578 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0x0cfd
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
```

Frame 1509: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0

Domain Name System (response)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43961, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
  1510 599.680548347 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          113
                                                                                 Standard query response
0x76e3 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1510: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43961
Domain Name System (response)
                                                                 Protocol Length Info
       Time
                      Source
                                            Destination
  1511 599.680578550 127.0.0.53
                                           127.0.0.1
                                                                          113
                                                                                 Standard query response
0x0cfd Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1511: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43961
Domain Name System (response)
       Time
                                                                 Protocol Length Info
No.
                      Source
                                            Destination
  1512 599.680602180 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          113
                                                                                 Standard query 0x76e3
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1512: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43961, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
No.
  1513 599.680605119 127.0.0.1
                                           127.0.0.53
                                                                          113
                                                                                 Standard query 0x0cfd
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1513: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43961, Dst Port: 53
Domain Name System (query)
                                           Destination
                                                                 Protocol Length Info
       Time
                      Source
  1514 599.680632493 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          113
                                                                                 Standard query response
0x76e3 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1514: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43961
Domain Name System (response)
                      Source
                                                                 Protocol Length Info
                                            Destination
  1515 599.680661376 127.0.0.53
                                           127.0.0.1
                                                                          113
                                                                                 Standard query response
0x0cfd Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1515: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43961
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  1516 599.680681114 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          115
                                                                                 Standard query 0x6571
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1516: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45535, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  1517 599.680684143 127.0.0.1
                                            127.0.0.53
                                                                          115
                                                                                 Standard query 0xd20e
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1517: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45535, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
  1518 599.680715815 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          115
                                                                                 Standard query response
0x6571 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1518: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45535
```

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
                                                                                  Standard query response
   1519 599.680747325 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           115
0xd20e Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1519: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45535
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   1520 599.680756942 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0x6571
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1520: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45535, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1521 599.680759794 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0xd20e
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1521: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45535, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
No.
        Time
                      Source
                                            Destination
   1522 599.680787441 127.0.0.53
                                            127.0.0.1
                                                                           115
                                                                                  Standard query response
0x6571 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1522: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45535
Domain Name System (response)
                      Source
                                                                  Protocol Length Info
No.
        Time
                                            Destination
   1523 599.680817374 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           115
                                                                                  Standard query response
0xd20e Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1523: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45535
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
        Time
                      Source
   1524 599.681438286 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0xf7fc
A incoming.telemetry.mozilla.org OPT
Frame 1524: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38570, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1525 599.681442646 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0x1483
AAAA incoming.telemetry.mozilla.org OPT
Frame 1525: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38570, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                                            Destination
No.
                      Source
   1526 599.681471031 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           101
                                                                                  Standard query response
Oxf7fc Server failure A incoming.telemetry.mozilla.org OPT
Frame 1526: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38570
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1527 599.681498873 127.0.0.53
                                            127.0.0.1
                                                                           101
                                                                                  Standard query response
0x1483 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1527: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38570
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1528 599.681508425 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0xf7fc
A incoming.telemetry.mozilla.org OPT
```

Frame 1528: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0

Domain Name System (query)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38570, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1529 599.681511431 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                   Standard query 0x1483
AAAA incoming.telemetry.mozilla.org OPT
Frame 1529: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38570, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
   1530 599.681534384 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            101
                                                                                   Standard query response
Oxf7fc Server failure A incoming.telemetry.mozilla.org OPT
Frame 1530: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38570
Domain Name System (response)
                                                                   Protocol Length Info
No.
       Time
                       Source
                                             Destination
   1531 599.681559453 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            101
                                                                                   Standard query response
0x1483 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1531: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38570
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
        Time
   1532 599.681578977 127.0.0.1
                                             127.0.0.53
                                                                            110
                                                                                   Standard query 0x76af
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1532: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46416, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
   1533 599.681582014 127.0.0.1
                                             127.0.0.53
                                                                            110
                                                                                   Standard query 0x37ae
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1533: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46416, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
       Time
                                             Destination
   1534 599.681609217 127.0.0.53
                                             127.0.0.1
                                                                            110
                                                                                   Standard query response
0x76af Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1534: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46416
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1535 599.681640056 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            110
                                                                                   Standard query response
0x37ae Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1535: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46416
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1536 599.681649335 127.0.0.1
                                             127.0.0.53
                                                                            110
                                                                                   Standard query 0x76af
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1536: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46416, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1537 599.681652238 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                   Standard query 0x37ae
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1537: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46416, Dst Port: 53
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
                                                                                  Standard query response
   1538 599.681678250 127.0.0.53
                                            127.0.0.1
                                                                           110
0x76af Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1538: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46416
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   1539 599.681706537 127.0.0.53
                                                                            110
                                            127.0.0.1
                                                                  DNS
                                                                                  Standard query response
0x37ae Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1539: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46416
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1540 599.681725690 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0xdf6e
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1540: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53838, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1541 599.681728672 127.0.0.1
                                            127.0.0.53
                                                                            113
                                                                                  Standard query 0xe16f
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1541: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53838, Dst Port: 53
Domain Name System (query)
No.
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1542 599.681755006 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            113
                                                                                  Standard query response
Oxdf6e Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1542: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53838
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
   1543 599.681783323 127.0.0.53
                                            127.0.0.1
                                                                            113
                                                                                  Standard query response
Oxe16f Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1543: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53838
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   1544 599.681792568 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            113
                                                                                  Standard query 0xdf6e
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1544: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53838, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
   1545 599.681795434 127.0.0.1
                                                                  DNS
                                                                            113
                                             127.0.0.53
                                                                                  Standard query 0xe16f
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1545: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53838, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1546 599.681820923 127.0.0.53
                                            127.0.0.1
                                                                            113
                                                                                  Standard query response
0xdf6e Server failure A incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 1546: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53838
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   1547 599.681848479 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            113
                                                                                  Standard query response
```

0xe16f Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr 0PT

Frame 1547: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0

User Datagram Protocol, Src Port: 40358, Dst Port: 53

Domain Name System (query)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53838
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1548 599.681867039 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            115
                                                                                   Standard query 0x7d02
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1548: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59370, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                                                   Protocol Length Info
                                             Destination
   1549 599.681870065 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            115
                                                                                   Standard query 0x4d03
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1549: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59370, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
No.
       Time
                       Source
                                             Destination
   1550 599.681898575 127.0.0.53
                                             127.0.0.1
                                                                            115
                                                                                   Standard query response
0x7d02 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1550: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59370
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
        Time
   1551 599.681929671 127.0.0.53
                                             127.0.0.1
                                                                            115
                                                                                   Standard query response
0x4d03 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1551: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59370
Domain Name System (response)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
   1552 599.681940204 127.0.0.1
                                             127.0.0.53
                                                                            115
                                                                                   Standard query 0x7d02
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1552: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59370, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
        Time
                                             Destination
   1553 599.681943104 127.0.0.1
                                                                   DNS
                                                                            115
                                                                                   Standard query 0x4d03
                                             127.0.0.53
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1553: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59370, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1554 599.681970016 127.0.0.53
                                             127.0.0.1
                                                                            115
                                                                                   Standard query response
0x7d02 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1554: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59370
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
   1555 599.681999605 127.0.0.53
                                             127.0.0.1
                                                                                   Standard query response
0x4d03 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1555: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59370
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1556 599.683089493 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                   Standard query 0x7463
A incoming.telemetry.mozilla.org OPT
Frame 1556: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
  1557 599.683096453 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           101
                                                                                  Standard query 0x2761
AAAA incoming.telemetry.mozilla.org OPT
Frame 1557: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40358, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   1558 599.683123784 127.0.0.53
                                                                  DNS
                                                                            101
                                            127.0.0.1
                                                                                  Standard query response
0x7463 Server failure A incoming.telemetry.mozilla.org OPT
Frame 1558: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40358
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   1559 599.683150591 127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query response
                                            127.0.0.1
0x2761 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1559: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40358
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1560 599.683162147 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0x7463
A incoming.telemetry.mozilla.org OPT
Frame 1560: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40358, Dst Port: 53
Domain Name System (query)
No.
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1561 599.683165825 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           101
                                                                                  Standard query 0x2761
AAAA incoming.telemetry.mozilla.org OPT
Frame 1561: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40358, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
   1562 599.683188841 127.0.0.53
                                                                  DNS
                                                                            101
                                            127.0.0.1
                                                                                  Standard query response
0x7463 Server failure A incoming.telemetry.mozilla.org OPT
Frame 1562: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40358
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1563 599.683213973 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            101
                                                                                  Standard query response
0x2761 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1563: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40358
Domain Name System (response)
                                                                   Protocol Length Info
        Time
                       Source
                                            Destination
No.
   1564 599.683240202 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            110
                                                                                   Standard query 0xbae6
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1564: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60171, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1565 599.683243615 127.0.0.1
                                             127.0.0.53
                                                                            110
                                                                                  Standard query 0x34e4
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1565: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60171, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1566 599.683270037 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            110
                                                                                   Standard query response
Oxbae6 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
```

Frame 1566: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0

Domain Name System (response)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60171
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  1567 599.683298849 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          110
                                                                                 Standard query response
0x34e4 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1567: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60171
Domain Name System (response)
                                                                 Protocol Length Info
       Time
                      Source
                                            Destination
  1568 599.683308989 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          110
                                                                                 Standard query 0xbae6
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1568: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60171, Dst Port: 53
Domain Name System (query)
       Time
                                                                 Protocol Length Info
No.
                      Source
                                           Destination
  1569 599.683312148 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          110
                                                                                 Standard query 0x34e4
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1569: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60171, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
       Time
                      Source
                                           Destination
No.
  1570 599.683337628 127.0.0.53
                                           127.0.0.1
                                                                          110
                                                                                 Standard query response
Oxbae6 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1570: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60171
Domain Name System (response)
                      Source
                                           Destination
                                                                 Protocol Length Info
       Time
  1571 599.683365800 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          110
                                                                                 Standard query response
0x34e4 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1571: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60171
Domain Name System (response)
       Time
                      Source
                                                                 Protocol Length Info
                                            Destination
  1572 599.683388504 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          113
                                                                                 Standard query 0x362d
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1572: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55076, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  1573 599.683393140 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          113
                                                                                 Standard query 0x6e2c
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1573: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55076, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
No.
  1574 599.683418229 127.0.0.53
                                           127.0.0.1
                                                                          113
                                                                                 Standard query response
0x362d Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1574: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55076
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
  1575 599.683446837 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          113
                                                                                 Standard query response
0x6e2c Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1575: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55076
```

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
  1576 599.683458705 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0x362d
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1576: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55076, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   1577 599.683461886 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0x6e2c
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1577: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55076, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1578 599.683487333 127.0.0.53
                                            127.0.0.1
                                                                           113
                                                                                  Standard query response
                                                                  DNS
0x362d Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1578: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55076
Domain Name System (response)
                                                                  Protocol Length Info
No.
        Time
                      Source
                                            Destination
   1579 599.683514974 127.0.0.53
                                            127.0.0.1
                                                                           113
                                                                                  Standard query response
0x6e2c Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1579: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55076
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
No.
        Time
                      Source
   1580 599.683536026 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0xf06d
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1580: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35798, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   1581 599.683539209 127.0.0.1
                                                                  DNS
                                                                           115
                                             127.0.0.53
                                                                                  Standard query 0xde6c
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1581: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35798, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1582 599.683566630 127.0.0.53
                                            127.0.0.1
                                                                           115
                                                                                  Standard query response
Oxf06d Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1582: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35798
Domain Name System (response)
        Time
                      Source
                                            Destination
No.
                                                                  Protocol Length Info
   1583 599.683596576 127.0.0.53
                                            127.0.0.1
                                                                           115
                                                                                  Standard query response
0xde6c Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1583: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35798
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1584 599.683621819 127.0.0.1
                                            127.0.0.53
                                                                           115
                                                                                  Standard query 0xf06d
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1584: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35798, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                             Destination
                                                                  Protocol Length Info
   1585 599.683638779 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0xde6c
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
```

Frame 1585: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0

Domain Name System (response)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35798, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1586 599.683669929 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            115
                                                                                  Standard query response
Oxf06d Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1586: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35798
Domain Name System (response)
                                                                   Protocol Length Info
       Time
                      Source
                                             Destination
   1587 599.683705289 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            115
                                                                                  Standard query response
Oxde6c Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1587: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35798
Domain Name System (response)
                                                                  Protocol Length Info
No.
       Time
                      Source
                                            Destination
   1588 599.684662527 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0x6b5c
A incoming.telemetry.mozilla.org OPT
Frame 1588: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53691, Dst Port: 53
Domain Name System (query)
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
       Time
   1589 599.684667980 127.0.0.1
                                            127.0.0.53
                                                                            101
                                                                                   Standard query 0xac42
AAAA incoming.telemetry.mozilla.org OPT
Frame 1589: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53691, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
   1590 599.684697611 127.0.0.53
                                            127.0.0.1
                                                                            101
                                                                                  Standard query response
0x6b5c Server failure A incoming.telemetry.mozilla.org OPT
Frame 1590: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53691
Domain Name System (response)
                                                                  Protocol Length Info
                      Source
                                            Destination
   1591 599.684710025 127.0.0.53
                                                                   DNS
                                                                            101
                                                                                  Standard query response
Oxac42 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1591: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53691
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1592 599.684719686 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                   Standard query 0x6b5c
A incoming.telemetry.mozilla.org OPT
Frame 1592: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53691, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                   Protocol Length Info
No.
   1593 599.684722754 127.0.0.1
                                             127.0.0.53
                                                                            101
                                                                                   Standard query 0xac42
AAAA incoming.telemetry.mozilla.org OPT
Frame 1593: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53691, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   1594 599.684731984 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            101
                                                                                   Standard query response
0x6b5c Server failure A incoming.telemetry.mozilla.org OPT
Frame 1594: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53691
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
  1595 599.684742168 127.0.0.53
                                            127.0.0.1
                                                                           101
                                                                                  Standard query response
                                                                  DNS
Oxac42 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1595: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53691
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                       Source
                                             Destination
   1596 599.684763317 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           110
                                                                                  Standard query 0xca0b
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1596: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42573, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1597 599.684766435 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           110
                                                                                  Standard query 0x5d04
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1597: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42573, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
No.
        Time
                       Source
                                            Destination
   1598 599.684779490 127.0.0.53
                                            127.0.0.1
                                                                           110
                                                                                  Standard query response
OxcaOb Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1598: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42573
Domain Name System (response)
                       Source
No.
        Time
                                            Destination
                                                                  Protocol Length Info
   1599 599.684791922 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           110
                                                                                  Standard query response
0x5d04 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 1599: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42573
Domain Name System (response)
                                                                  Protocol Length Info
                                             Destination
        Time
                       Source
   1600 599.684800990 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           110
                                                                                  Standard query 0xca0b
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1600: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42573, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1601 599.684804034 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           110
                                                                                  Standard query 0x5d04
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1601: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42573, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                                            Destination
No.
                       Source
   1602 599.684814943 127.0.0.53
                                            127.0.0.1
                                                                           110
                                                                                  Standard query response
OxcaOb Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1602: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42573
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1603 599.684827158 127.0.0.53
                                            127.0.0.1
                                                                           110
                                                                                  Standard query response
0x5d04 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 1603: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42573
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   1604 599.684846195 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0x3e42
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
```

Frame 1604: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0

Domain Name System (query)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34136, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
                                             127.0.0.53
  1605 599.684849481 127.0.0.1
                                                                   DNS
                                                                            113
                                                                                   Standard query 0x1b41
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1605: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34136, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
   1606 599.684861618 127.0.0.53
                                             127.0.0.1
                                                                            113
                                                                                   Standard query response
0x3e42 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1606: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34136
Domain Name System (response)
                                                                   Protocol Length Info
No.
       Time
                       Source
                                             Destination
   1607 599.684873990 127.0.0.53
                                            127.0.0.1
                                                                            113
                                                                                   Standard query response
0x1b41 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 1607: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34136
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
        Time
   1608 599.684882803 127.0.0.1
                                             127.0.0.53
                                                                            113
                                                                                   Standard query 0x3e42
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1608: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34136, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
   1609 599.684885812 127.0.0.1
                                             127.0.0.53
                                                                            113
                                                                                   Standard query 0x1b41
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1609: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34136, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
       Time
                                             Destination
   1610 599.684896284 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            113
                                                                                   Standard query response
0x3e42 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 1610: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34136
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1611 599.684908098 127.0.0.53
                                             127.0.0.1
                                                                            113
                                                                                   Standard query response
0x1b41 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1611: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34136
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1612 599.684926355 127.0.0.1
                                             127.0.0.53
                                                                            115
                                                                                   Standard query 0x6c80
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1612: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45769, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1613 599.684929510 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            115
                                                                                   Standard query 0x5583
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1613: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45769, Dst Port: 53
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1614 599.684941389 127.0.0.53
                                                                                  Standard query response
                                            127.0.0.1
                                                                            115
                                                                  DNS
0x6c80 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1614: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45769
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                       Source
                                             Destination
   1615 599.684954638 127.0.0.53
                                                                  DNS
                                            127.0.0.1
                                                                            115
                                                                                  Standard query response
0x5583 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1615: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45769
Domain Name System (response)
       Time
                                             Destination
                                                                  Protocol Length Info
                      Source
   1616 599.684963880 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            115
                                                                                  Standard query 0x6c80
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1616: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45769, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1617 599.684966985 127.0.0.1
                                             127.0.0.53
                                                                            115
                                                                                  Standard query 0x5583
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1617: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45769, Dst Port: 53
Domain Name System (query)
No.
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1618 599.684978225 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            115
                                                                                  Standard query response
0x6c80 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1618: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45769
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                       Source
                                             Destination
   1619 599.684991011 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            115
                                                                                  Standard query response
0x5583 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1619: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45769
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   1620 599.685486830 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                  Standard query 0x07ff
A incoming.telemetry.mozilla.org OPT
Frame 1620: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id \theta
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37859, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                                            Destination
No.
                       Source
   1621 599.685492538 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                   Standard query 0xb801
AAAA incoming.telemetry.mozilla.org OPT
Frame 1621: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37859, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1622 599.685543423 127.0.0.53
                                             127.0.0.1
                                                                            101
                                                                                  Standard query response
0x07ff Server failure A incoming.telemetry.mozilla.org OPT
Frame 1622: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37859
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1623 599.685554294 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            101
                                                                                  Standard query response
```

Oxb801 Server failure AAAA incoming.telemetry.mozilla.org OPT

Frame 1623: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0

Domain Name System (query)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37859
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1624 599.685565182 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                   Standard query 0x07ff
A incoming.telemetry.mozilla.org OPT
Frame 1624: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37859, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                       Source
                                             Destination
   1625 599.685568309 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                   Standard query 0xb801
AAAA incoming.telemetry.mozilla.org OPT
Frame 1625: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37859, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
No.
        Time
                       Source
                                             Destination
   1626 599.685577193 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            101
                                                                                   Standard query response
0x07ff Server failure A incoming.telemetry.mozilla.org OPT
Frame 1626: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37859
Domain Name System (response)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
        Time
   1627 599.685587387 127.0.0.53
                                             127.0.0.1
                                                                            101
                                                                                    Standard query response
0xb801 Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1627: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37859
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
        Time
                       Source
   1628 599.685615911 127.0.0.1
                                             127.0.0.53
                                                                            110
                                                                                   Standard query 0x2504
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1628: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46849, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
        Time
                                             Destination
   1629 599.685619302 127.0.0.1
                                                                   DNS
                                                                            110
                                                                                   Standard query 0x510b
                                             127.0.0.53
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1629: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46849, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1630 599.685630509 127.0.0.53
                                             127.0.0.1
                                                                            110
                                                                                   Standard query response
0x2504 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1630: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46849
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
   1631 599.685642816 127.0.0.53
                                             127.0.0.1
                                                                                    Standard query response
0x510b Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 1631: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46849
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1632 599.685652440 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            110
                                                                                    Standard query 0x2504
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1632: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46849, Dst Port: 53
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
  1633 599.685656394 127.0.0.1
                                                                                  Standard query 0x510b
                                            127.0.0.53
                                                                   DNS
                                                                           110
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1633: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46849, Dst Port: 53
Domain Name System (query)
        Time
                                                                   Protocol Length Info
                       Source
                                            Destination
   1634 599.685666227 127.0.0.53
                                                                           110
                                            127.0.0.1
                                                                  DNS
                                                                                  Standard query response
0x2504 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1634: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46849
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   1635 599.685678033 127.0.0.53
                                                                           110
                                                                                  Standard query response
                                            127.0.0.1
                                                                  DNS
0x510b Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1635: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46849
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1636 599.685699954 127.0.0.1
                                            127.0.0.53
                                                                            113
                                                                                  Standard query 0x1d4d
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1636: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60280, Dst Port: 53
Domain Name System (query)
No.
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1637 599.685703457 127.0.0.1
                                            127.0.0.53
                                                                           113
                                                                                  Standard query 0x8753
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1637: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60280, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
   1638 599.685714079 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            113
                                                                                  Standard query response
0x1d4d Server failure A incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 1638: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60280
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
                                            127.0.0.1
   1639 599.685726416 127.0.0.53
                                                                            113
                                                                                  Standard query response
0x8753 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1639: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60280
Domain Name System (response)
                                                                   Protocol Length Info
        Time
                                            Destination
No.
                       Source
                                            127.0.0.53
   1640 599.685736327 127.0.0.1
                                                                   DNS
                                                                            113
                                                                                  Standard query 0x1d4d
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1640: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60280, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1641 599.685739681 127.0.0.1
                                             127.0.0.53
                                                                            113
                                                                                  Standard query 0x8753
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1641: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60280, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1642 599.685750003 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            113
                                                                                  Standard query response
0x1d4d Server failure A incoming.telemetry.mozilla.org.etis-lab.fr OPT
```

Frame 1642: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0

Domain Name System (response)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60280
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1643 599.685762116 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            113
                                                                                  Standard query response
0x8753 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1643: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60280
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                             Destination
   1644 599.685783986 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            115
                                                                                  Standard query 0x1788
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1644: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41160, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
No.
                      Source
                                            Destination
   1645 599.685787347 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            115
                                                                                  Standard query 0xef89
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1645: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41160, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
   1646 599.685798765 127.0.0.53
                                            127.0.0.1
                                                                            115
                                                                                  Standard query response
0x1788 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1646: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41160
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
       Time
   1647 599.685811807 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           115
                                                                                  Standard query response
Oxef89 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1647: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41160
Domain Name System (response)
       Time
                      Source
                                                                  Protocol Length Info
                                            Destination
   1648 599.685820965 127.0.0.1
                                                                  DNS
                                                                            115
                                                                                  Standard query 0x1788
                                            127.0.0.53
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1648: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00:00:00:00:00:00:00
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41160, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1649 599.685824192 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            115
                                                                                  Standard query 0xef89
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1649: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41160, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1650 599.685835774 127.0.0.53
                                            127.0.0.1
                                                                            115
                                                                                  Standard query response
0x1788 Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1650: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41160
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                  Protocol Length Info
   1651 599.685849547 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            115
                                                                                  Standard query response
0xef89 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1651: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41160
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
  1652 599.687172579 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           101
                                                                                  Standard query 0xf3de
A incoming.telemetry.mozilla.org OPT
Frame 1652: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44992, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   1653 599.687177794 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0x88dc
AAAA incoming.telemetry.mozilla.org OPT
Frame 1653: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44992, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1654 599.687192373 127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query response
                                            127.0.0.1
Oxf3de Server failure A incoming.telemetry.mozilla.org OPT
Frame 1654: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44992
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1655 599.687206134 127.0.0.53
                                            127.0.0.1
                                                                            101
                                                                                  Standard query response
0x88dc Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1655: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44992
Domain Name System (response)
                       Source
                                                                  Protocol Length Info
No.
        Time
                                            Destination
   1656 599.687218188 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           101
                                                                                  Standard query 0xf3de
A incoming.telemetry.mozilla.org OPT
Frame 1656: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44992, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1657 599.687221757 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0x88dc
AAAA incoming.telemetry.mozilla.org OPT
Frame 1657: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44992, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1658 599.687232712 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            101
                                                                                  Standard query response
0xf3de Server failure A incoming.telemetry.mozilla.org OPT
Frame 1658: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44992
Domain Name System (response)
                                                                   Protocol Length Info
        Time
                       Source
                                            Destination
No.
   1659 599.687245046 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            101
                                                                                   Standard query response
Ox88dc Server failure AAAA incoming.telemetry.mozilla.org OPT
Frame 1659: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44992
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1660 599.687268464 127.0.0.1
                                             127.0.0.53
                                                                            110
                                                                                  Standard query 0xc654
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1660: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38534, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1661 599.687272249 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            110
                                                                                  Standard query 0x3c55
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
```

Frame 1661: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0

Domain Name System (response)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38534, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
  1662 599.687285700 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          110
                                                                                 Standard query response
0xc654 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1662: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38534
Domain Name System (response)
                                                                 Protocol Length Info
       Time
                      Source
                                            Destination
  1663 599.687300916 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          110
                                                                                 Standard query response
0x3c55 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr 0PT
Frame 1663: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38534
Domain Name System (response)
       Time
                                                                 Protocol Length Info
No.
                      Source
                                           Destination
  1664 599.687310926 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          110
                                                                                 Standard query 0xc654
A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1664: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38534, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
No.
  1665 599.687314358 127.0.0.1
                                            127.0.0.53
                                                                          110
                                                                                 Standard query 0x3c55
AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1665: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38534, Dst Port: 53
Domain Name System (query)
                                           Destination
                                                                 Protocol Length Info
       Time
                      Source
  1666 599.687327363 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          110
                                                                                 Standard query response
Oxc654 Server failure A incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1666: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38534
Domain Name System (response)
                      Source
                                                                 Protocol Length Info
                                            Destination
  1667 599.687342166 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          110
                                                                                 Standard query response
0x3c55 Server failure AAAA incoming.telemetry.mozilla.org.ensea.fr OPT
Frame 1667: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38534
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
  1668 599.687364265 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          113
                                                                                 Standard query 0x2dd7
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1668: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37168, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
  1669 599.687368024 127.0.0.1
                                            127.0.0.53
                                                                          113
                                                                                 Standard query 0x70d0
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1669: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37168, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
  1670 599.687381392 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          113
                                                                                 Standard query response
0x2dd7 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 1670: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37168
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
                                                                                  Standard query response
  1671 599.687396210 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           113
0x70d0 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1671: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37168
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                       Source
                                             Destination
   1672 599.687406138 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0x2dd7
A incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1672: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37168, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1673 599.687409507 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           113
                                                                                  Standard query 0x70d0
AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1673: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37168, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1674 599.687422915 127.0.0.53
                                            127.0.0.1
                                                                           113
                                                                                  Standard query response
0x2dd7 Server failure A incoming.telemetry.mozilla.org.etis-lab.fr 0PT
Frame 1674: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37168
Domain Name System (response)
                       Source
                                                                  Protocol Length Info
No.
        Time
                                            Destination
   1675 599.687437605 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           113
                                                                                  Standard query response
0x70d0 Server failure AAAA incoming.telemetry.mozilla.org.etis-lab.fr OPT
Frame 1675: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37168
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
   1676 599.687461549 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0x704a
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1676: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58062, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1677 599.687465683 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0xa048
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1677: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58062, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
No.
                       Source
                                                                  Protocol Length Info
   1678 599.687480322 127.0.0.53
                                            127.0.0.1
                                                                           115
                                                                                  Standard query response
0x704a Server failure A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1678: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58062
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1679 599.687496411 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           115
                                                                                  Standard query response
OxaO48 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1679: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58062
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   1680 599.687510795 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0x704a
A incoming.telemetry.mozilla.org.quartz-lab.fr OPT
```

Frame 1680: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58062, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
  1681 599.687514429 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            115
                                                                                   Standard query 0xa048
AAAA incoming.telemetry.mozilla.org.quartz-lab.fr OPT
Frame 1681: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58062, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
   1682 599.687528810 127.0.0.53
                                             127.0.0.1
                                                                            115
                                                                                   Standard query response
0x704a Server failure A incoming.telemetry.mozilla.org.guartz-lab.fr OPT
Frame 1682: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58062
Domain Name System (response)
       Time
                                             Destination
                                                                   Protocol Length Info
No.
                      Source
  1683 599.687544472 127.0.0.53
                                            127.0.0.1
                                                                            115
                                                                                   Standard query response
0xa048 Server failure AAAA incoming.telemetry.mozilla.org.quartz-lab.fr 0PT
Frame 1683: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58062
Domain Name System (response)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
  1684 604.658545959 127.0.0.1
                                             127.0.0.53
                                                                                   Standard query 0xc992
A outlook.office.com OPT
Frame 1684: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44227, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
                                             Destination
       Time
                       Source
   1685 604.658566816 127.0.0.1
                                            127.0.0.53
                                                                            89
                                                                                   Standard query 0xcd89
AAAA outlook.office.com OPT
Frame 1685: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44227, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                                                   Protocol Length Info
                                             Destination
   1686 605.573978858 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            95
                                                                                   Standard query 0xa985
PTR 57.27.10.10.in-addr.arpa OPT
Frame 1686: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60569, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1687 605.585492652 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            143
                                                                                   Standard query response
0xa985 PTR 57.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1687: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60569
Domain Name System (response)
No.
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1688 605.585960174 127.0.0.1
                                             127.0.0.53
                                                                            143
                                                                                   Standard query 0xd244
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1688: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54138, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1689 605.587138268 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            191
                                                                                   Standard query response
0xd244 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1689: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
```

Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1

User Datagram Protocol, Src Port: 53, Dst Port: 54138

No.

Time

Source

```
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                       Source
                                            Destination
  1690 605.589371861 127.0.0.1
                                            127.0.0.53
                                                                            95
                                                                                  Standard query 0x45b3
PTR 57.27.10.10.in-addr.arpa OPT
Frame 1690: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41412, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
No.
                       Source
                                            Destination
   1691 605.593586486 127.0.0.53
                                            127.0.0.1
                                                                            143
                                                                                  Standard query response
0x45b3 PTR 57.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1691: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41412
Domain Name System (response)
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
No.
  1692 605.593888192 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           143
                                                                                  Standard query 0xff9b
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1692: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35188, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                   Protocol Length Info
                       Source
   1693 605.594701216 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            191
                                                                                  Standard query response
0xff9b PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1693: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35188
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1694 605.597147887 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0x6f16
                                                                   DNS
                                                                            95
PTR 57.27.10.10.in-addr.arpa OPT
Frame 1694: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 51379, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1695 606.413353662 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                                  Standard query 0xc9f5
                                                                            82
A example.org OPT
Frame 1695: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47465, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1696 606.413644652 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            82
                                                                                  Standard query 0xab50
A example.org OPT
Frame 1696: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41975, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1697 606.413672043 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            82
                                                                                   Standard query 0xeb4f
AAAA example.org OPT
Frame 1697: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41975, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1698 606.413685700 127.0.0.1
                                            127.0.0.53
                                                                            84
                                                                   DNS
                                                                                  Standard query 0x7a3c
A ipv4only.arpa OPT
Frame 1698: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45952, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
```

Destination

```
1699 606.413705570 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            84
                                                                                  Standard query 0x453a
AAAA ipv4only.arpa OPT
Frame 1699: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45952, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1700 606.414833235 127.0.0.1
                                            127.0.0.53
                                                                           95
                                                                                  Standard query 0xa4a9
A detectportal.firefox.com OPT
Frame 1700: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45671, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1701 606.416316199 127.0.0.1
                                            127.0.0.53
                                                                           95
                                                                   DNS
                                                                                  Standard query 0xa7d3
A detectportal.firefox.com OPT
Frame 1701: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48512, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1702 606.416341541 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           95
                                                                                  Standard query 0xc1e8
AAAA detectportal.firefox.com OPT
Frame 1702: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48512, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   1703 606.418399239 127.0.0.53
                                                                           98
                                            127.0.0.1
                                                                  DNS
                                                                                  Standard query response
0xc9f5 A example.org A 93.184.216.34 OPT
Frame 1703: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47465
Domain Name System (response)
        Time
No.
                       Source
                                            Destination
                                                                  Protocol Length Info
   1704 606.418453639 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            98
                                                                                  Standard query response
0xab50 A example.org A 93.184.216.34 OPT
Frame 1704: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41975
Domain Name System (response)
                                                                  Protocol Length Info
No.
       Time
                      Source
                                            Destination
  1705 606.418779081 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           82
                                                                                  Standard query 0x8e6e
A example.org OPT
Frame 1705: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50248, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1706 606.418991526 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            98
                                                                                  Standard query response
0x8e6e A example.org A 93.184.216.34 OPT
Frame 1706: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50248
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   1707 606.419227408 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           206
                                                                                  Standard query response
0xa4a9 A detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net A 34.107.221.82 OPT
Frame 1707: 206 bytes on wire (1648 bits), 206 bytes captured (1648 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45671
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1708 606.419370342 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            206
                                                                                  Standard query response
0xa7d3 A detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
```

prod.detectportal.prod.cloudops.mozgcp.net A 34.107.221.82 OPT

```
Frame 1708: 206 bytes on wire (1648 bits), 206 bytes captured (1648 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48512
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
   1709 606.419492115 127.0.0.53
                                            127.0.0.1
                                                                           141
                                                                                  Standard query response
0x453a AAAA ipv4only.arpa SOA sns.dns.icann.org OPT
Frame 1709: 141 bytes on wire (1128 bits), 141 bytes captured (1128 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45952
Domain Name System (response)
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1710 606.419536178 127.0.0.1
                                            127.0.0.53
                                                                           95
                                                                                  Standard query 0xbff5
A detectportal.firefox.com OPT
Frame 1710: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41730, Dst Port: 53
Domain Name System (query)
                      Source
                                            Destination
                                                                  Protocol Length Info
       Time
   1711 606.419599922 127.0.0.53
                                                                  DNS
                                            127.0.0.1
                                                                                  Standard query response
0x7a3c A ipv4only.arpa A 192.0.0.170 A 192.0.0.171 OPT
Frame 1711: 116 bytes on wire (928 bits), 116 bytes captured (928 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45952
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
   1712 606.419686498 127.0.0.53
                                            127.0.0.1
                                                                           110
                                                                                  Standard query response
0xeb4f AAAA example.org AAAA 2606:2800:220:1:248:1893:25c8:1946 OPT
Frame 1712: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41975
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1713 606.419920574 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           206
                                                                                  Standard query response
Oxbff5 A detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net A 34.107.221.82 OPT
Frame 1713: 206 bytes on wire (1648 bits), 206 bytes captured (1648 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41730
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1714 606.420113240 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           84
                                                                                  Standard query 0x7352
A ipv4only.arpa OPT
Frame 1714: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45340, Dst Port: 53
Domain Name System (query)
                                            Destination
        Time
                      Source
                                                                  Protocol Length Info
   1715 606.420131782 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           84
                                                                                  Standard query 0xb65d
AAAA ipv4only.arpa OPT
Frame 1715: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45340, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1716 606.420234438 127.0.0.1
                                            127.0.0.53
                                                                           82
                                                                                  Standard query 0x9b8f
A example.org OPT
Frame 1716: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55645, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1717 606.420247031 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           82
                                                                                  Standard query 0x7f73
AAAA example.org OPT
Frame 1717: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
```

Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53

No.

Time

Source

```
User Datagram Protocol, Src Port: 55645, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1718 606.420274521 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            116
                                                                                  Standard query response
0x7352 A ipv4only.arpa A 192.0.0.170 A 192.0.0.171 OPT
Frame 1718: 116 bytes on wire (928 bits), 116 bytes captured (928 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45340
Domain Name System (response)
        Time
                      Source
                                             Destination
                                                                  Protocol Length Info
   1719 606.420570213 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            98
                                                                                   Standard query response
0x9b8f A example.org A 93.184.216.34 OPT
Frame 1719: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55645
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1720 606.420664294 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            110
                                                                                  Standard query response
0x7f73 AAAA example.org AAAA 2606:2800:220:1:248:1893:25c8:1946 OPT
Frame 1720: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55645
Domain Name System (response)
        Time
                                            Destination
                                                                   Protocol Length Info
                      Source
   1721 606.421956848 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            141
                                                                                  Standard query response
0xb65d AAAA ipv4only.arpa SOA sns.dns.icann.org OPT
Frame 1721: 141 bytes on wire (1128 bits), 141 bytes captured (1128 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45340
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   1722 606.422293029 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0x0891
                                                                  DNS
                                                                           84
A ipv4only.arpa OPT
Frame 1722: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59945, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1723 606.422304714 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            84
                                                                                  Standard query 0x0492
AAAA ipv4only.arpa OPT
Frame 1723: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59945, Dst Port: 53
Domain Name System (query)
                      Source
       Time
                                            Destination
                                                                  Protocol Length Info
   1724 606.422695264 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            116
                                                                                  Standard query response
0x0891 A ipv4only.arpa A 192.0.0.171 A 192.0.0.170 OPT
Frame 1724: 116 bytes on wire (928 bits), 116 bytes captured (928 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59945
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1725 606.424514255 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            141
                                                                                  Standard query response
0x0492 AAAA ipv4only.arpa SOA sns.dns.icann.org OPT
Frame 1725: 141 bytes on wire (1128 bits), 141 bytes captured (1128 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59945
Domain Name System (response)
No.
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1726 606.671781440 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0xd98f
                                                                  DNS
                                                                            95
A detectportal.firefox.com OPT
Frame 1726: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34196, Dst Port: 53
Domain Name System (query)
```

Destination Protocol Length Info

1736 610.617388170 127.0.0.1

```
1727 606.672527348 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           206
                                                                                  Standard query response
0xd98f A detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net A 34.107.221.82 OPT Frame 1727: 206 bytes on wire (1648 bits), 206 bytes captured (1648 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34196
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1728 609.660469811 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0xc992
A outlook.office.com OPT
Frame 1728: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44227, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1729 609.660502660 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                 Standard query 0xcd89
AAAA outlook.office.com OPT
Frame 1729: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44227, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
No.
       Time
                      Source
                                            Destination
   1730 610.602417992 127.0.0.1
                                            127.0.0.53
                                                                           95
                                                                                  Standard query 0x6f16
PTR 57.27.10.10.in-addr.arpa OPT
Frame 1730: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 51379, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
No.
       Time
                                            Destination
                      Source
   1731 610.607673738 127.0.0.53
                                            127.0.0.1
                                                                           143
                                                                                 Standard query response
0x6f16 PTR 57.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1731: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 51379
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1732 610.608460403 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           143
                                                                                  Standard query 0x71b2
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1732: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53265, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1733 610.609844361 127.0.0.53
                                                                           191
                                            127.0.0.1
                                                                  DNS
                                                                                Standard query response
0x71b2 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1733: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53265
Domain Name System (response)
                                            Destination
        Time
                      Source
                                                                  Protocol Length Info
   1734 610.613211365 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           95
                                                                                  Standard query 0x094f
PTR 57.27.10.10.in-addr.arpa OPT
Frame 1734: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42548, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   1735 610.617030083 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           143
                                                                                  Standard query response
0x094f PTR 57.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1735: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42548
Domain Name System (response)
        Time
                                            Destination
                                                                  Protocol Length Info
                      Source
```

127.0.0.53

PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT

DNS

143

Standard query 0x2d7f

```
Frame 1736: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34783, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
   1737 610.618386366 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                  Standard query response
0x2d7f PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1737: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34783
Domain Name System (response)
                                                                  Protocol Length Info
                                            Destination
   1738 610.621390726 127.0.0.1
                                            127.0.0.53
                                                                           95
                                                                                  Standard query 0x65c9
PTR 57.27.10.10.in-addr.arpa OPT
Frame 1738: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56330, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   1739 610.625290072 127.0.0.53
                                            127.0.0.1
                                                                           143
                                                                                  Standard query response
0x65c9 PTR 57.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1739: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56330
Domain Name System (response)
        Time
                                            Destination
                                                                  Protocol Length Info
  1740 610.625609163 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           143
                                                                                  Standard query 0x4c41
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1740: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58349, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1741 610.626451712 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                 Standard query response
0x4c41 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1741: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58349
Domain Name System (response)
                                                                  Protocol Length Info
No.
       Time
                      Source
                                            Destination
  1742 610.633483625 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           95
                                                                                  Standard query 0x9572
PTR 57.27.10.10.in-addr.arpa OPT
Frame 1742: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46499, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                      Source
                                            Destination
                                                                                  Standard query response
   1743 610.637102839 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           143
0x9572 PTR 57.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1743: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46499
Domain Name System (response)
        Time
                      Source
                                             Destination
                                                                  Protocol Length Info
   1744 610.637382343 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           143
                                                                                  Standard guery 0x01c8
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1744: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45947, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                      Source
                                                                  Protocol Length Info
   1745 610.637964297 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                  Standard query response
0x01c8 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
```

Frame 1745: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45947
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1746 610.639038436 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           95
                                                                                  Standard query 0x3d60
PTR 57.27.10.10.in-addr.arpa OPT
Frame 1746: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35541, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                                                  Protocol Length Info
                                            Destination
   1747 610.642610275 127.0.0.53
                                            127.0.0.1
                                                                           143
                                                                                  Standard query response
0x3d60 PTR 57.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1747: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35541
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
No.
   1748 610.642731339 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           143
                                                                                  Standard query 0x8912
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1748: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57591, Dst Port: 53
Domain Name System (query)
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
        Time
   1749 610.643377780 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                  Standard query response
0x8912 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1749: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57591
Domain Name System (response)
        Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1750 610.644431126 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           95
                                                                                  Standard query 0x5611
PTR 57.27.10.10.in-addr.arpa OPT
Frame 1750: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50199, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
        Time
                      Source
   1751 610.647402939 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           143
                                                                                  Standard query response
0x5611 PTR 57.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1751: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50199
Domain Name System (response)
        Time
                                            Destination
                                                                  Protocol Length Info
                                                                           143
   1752 610.647504163 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                                  Standard query 0x40b2
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1752: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 51112, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
                      Source
                                             Destination
   1753 610.648054732 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                  Standard query response
0x40b2 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1753: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 51112
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                      Source
                                            Destination
   1754 610.649619757 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           95
                                                                                  Standard query 0x3e6a
PTR 57.27.10.10.in-addr.arpa OPT
Frame 1754: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
```

Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53

Domain Name System (response)

```
User Datagram Protocol, Src Port: 37996, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1755 610.653253673 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           143
                                                                                  Standard query response
0x3e6a PTR 57.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1755: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37996
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1756 610.653573968 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           143
                                                                                  Standard query 0xcec9
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1756: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50926, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
   1757 610.654194327 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                Standard query response
0xcec9 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1757: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50926
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1758 610.655334662 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                                  Standard query 0xccfb
                                                                           95
PTR 57.27.10.10.in-addr.arpa OPT
Frame 1758: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56093, Dst Port: 53
Domain Name System (query)
No.
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1759 610.659037930 127.0.0.53
                                            127.0.0.1
                                                                           143
                                                                  DNS
                                                                                  Standard query response
Oxccfb PTR 57.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1759: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56093
Domain Name System (response)
No.
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1760 610.659221815 127.0.0.1
                                            127.0.0.53
                                                                           143
                                                                                  Standard query 0x93a9
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1760: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50559, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1761 610.659743510 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                  Standard query response
0x93a9 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1761: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50559
Domain Name System (response)
        Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
   1762 610.660591367 127.0.0.1
                                            127.0.0.53
                                                                           95
                                                                                  Standard query 0xc460
PTR 57.27.10.10.in-addr.arpa OPT
Frame 1762: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45492, Dst Port: 53
Domain Name System (query)
                      Source
                                            Destination
                                                                  Protocol Length Info
        Time
   1763 610.665124852 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           143
                                                                                  Standard query response
0xc460 PTR 57.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1763: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45492
```

No.

Time

Source

```
Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  1764 610.665275890 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                        143
                                                                                Standard query 0x1250
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1764: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48206, Dst Port: 53
Domain Name System (query)
       Time
                                                                 Protocol Length Info
                      Source
                                           Destination
                                                                               Standard query response
   1765 610.665980548 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          191
0x1250 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1765: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48206
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
No.
  1766 610.667088656 127.0.0.1
                                           127.0.0.53
                                                                          95
                                                                                Standard query 0xf62e
PTR 57.27.10.10.in-addr.arpa OPT
Frame 1766: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49279, Dst Port: 53
Domain Name System (query)
       Time
                                                                 Protocol Length Info
                      Source
                                           Destination
   1767 610.671015926 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          143
                                                                                Standard query response
0xf62e PTR 57.27.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1767: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49279
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   1768 610.671160227 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          143
                                                                                Standard query 0x242a
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1768: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55430, Dst Port: 53
Domain Name System (query)
                                           Destination
No.
        Time
                      Source
                                                                 Protocol Length Info
   1769 610.671584425 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          191
                                                                                Standard query response
0x242a PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1769: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55430
Domain Name System (response)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   1770 611.420851928 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          95
                                                                                Standard query 0xa7d3
A detectportal.firefox.com OPT
Frame 1770: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48512, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                           Destination
                                                                 Protocol Length Info
                                           127.0.0.53
   1771 611.690986659 127.0.0.1
                                                                 DNS
                                                                          95
                                                                                 Standard query 0x614c
A detectportal.firefox.com OPT
Frame 1771: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55943, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  1772 614.664774151 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          98
                                                                                Standard query 0x6d15
A outlook.office.com.ensea.fr OPT
Frame 1772: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41768, Dst Port: 53
Domain Name System (query)
```

Destination

Protocol Length Info

No.

Time

Source

```
1773 614.664834220 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           98
                                                                                  Standard query 0x1c28
AAAA outlook.office.com.ensea.fr OPT
Frame 1773: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41768, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1774 616.426251461 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           95
                                                                                  Standard query 0xa7d3
A detectportal.firefox.com OPT
Frame 1774: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48512, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
  1775 616.692452883 127.0.0.1
                                            127.0.0.53
                                                                           95
                                                                                  Standard query 0x614c
                                                                  DNS
A detectportal.firefox.com OPT
Frame 1775: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55943, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1776 617.371075209 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           206
                                                                                  Standard query response
0x614c A detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net A 34.107.221.82 OPT
Frame 1776: 206 bytes on wire (1648 bits), 206 bytes captured (1648 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55943
Domain Name System (response)
       Time
                      Source
                                                                  Protocol Length Info
No.
                                            Destination
  1777 617.371353377 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           206
                                                                                  Standard query response
0xa7d3 A detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net A 34.107.221.82 OPT
Frame 1777: 206 bytes on wire (1648 bits), 206 bytes captured (1648 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48512
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
No.
        Time
                      Source
   1778 617.371658310 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           95
                                                                                  Standard query 0xc1e8
AAAA detectportal.firefox.com OPT
Frame 1778: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48512, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1779 617.387253602 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           84
                                                                                  Standard query 0xb992
A ipv4only.arpa OPT
Frame 1779: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48517, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1780 617.387290705 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           84
                                                                                  Standard query 0x2daa
AAAA ipv4only.arpa OPT
Frame 1780: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48517, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
   1781 617.388483121 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           95
                                                                                  Standard query 0xb89c
A detectportal.firefox.com OPT
Frame 1781: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34140, Dst Port: 53
Domain Name System (query)
```

Destination

Protocol Length Info

AAAA outlook.office.com.ensea.fr OPT

```
1782 617.389216799 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           206
                                                                                  Standard query response
0xb89c A detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net A 34.107.221.82 OPT
Frame 1782: 206 bytes on wire (1648 bits), 206 bytes captured (1648 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34140
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   1783 617.392092707 127.0.0.53
                                                                  DNS
                                                                           116
                                            127.0.0.1
                                                                                  Standard query response
0xb992 A ipv4only.arpa A 192.0.0.171 A 192.0.0.170 OPT
Frame 1783: 116 bytes on wire (928 bits), 116 bytes captured (928 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48517
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
  1784 617.392256050 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           141
                                                                                  Standard query response
0x2daa AAAA ipv4only.arpa SOA sns.dns.icann.org OPT
Frame 1784: 141 bytes on wire (1128 bits), 141 bytes captured (1128 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48517
Domain Name System (response)
                                                                  Protocol Length Info
No.
       Time
                      Source
                                            Destination
  1785 617.392742675 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0x96fa
A ipv4only.arpa OPT
Frame 1785: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53365, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
No.
       Time
                                            Destination
                      Source
  1786 617.392768616 127.0.0.1
                                            127.0.0.53
                                                                           84
                                                                                  Standard query 0xc2e1
AAAA ipv4only.arpa OPT
Frame 1786: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53365, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                      Source
                                            Destination
   1787 617.393185284 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           116
                                                                                  Standard query response
0x96fa A ipv4only.arpa A 192.0.0.171 A 192.0.0.170 OPT
Frame 1787: 116 bytes on wire (928 bits), 116 bytes captured (928 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53365
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1788 617.395127564 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           141
                                                                                  Standard query response
0xc2e1 AAAA ipv4only.arpa SOA sns.dns.icann.org OPT
Frame 1788: 141 bytes on wire (1128 bits), 141 bytes captured (1128 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53365
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1789 618.785511879 127.0.0.53
                                            127.0.0.1
                                                                                  Standard query response
0xc1e8 AAAA detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net AAAA 2600:1901:0:38d7:: OPT
Frame 1789: 218 bytes on wire (1744 bits), 218 bytes captured (1744 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48512
Domain Name System (response)
                                            Destination
       Time
                                                                  Protocol Length Info
                      Source
   1790 619.670222317 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           98
                                                                                  Standard query 0x6d15
A outlook.office.com.ensea.fr OPT
Frame 1790: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41768, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
                      Source
  1791 619.670275901 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           98
                                                                                  Standard query 0x1c28
```

```
Frame 1791: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41768, Dst Port: 53
Domain Name System (query)
       Time
                                           Destination
                                                                 Protocol Length Info
No.
                      Source
   1792 619.696573485 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          287
                                                                                Standard query response
0xc992 A outlook.office.com CNAME substrate.office.com CNAME outlook.office365.com CNAME ooc-
g2.tm-4.office.com CNAME outlook.ms-acdc.office.com CNAME CDG-efz.ms-acdc.office.com A 52.98.228.18 A
52.97.233.114 A 52.98.241.2 A 52.98.178.178 OPT
Frame 1792: 287 bytes on wire (2296 bits), 287 bytes captured (2296 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44227
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  1793 619.696607662 127.0.0.1
                                           127.0.0.53
                                                                          315
                                                                                Destination unreachable
                                                                 ICMP
(Port unreachable)
Frame 1793: 315 bytes on wire (2520 bits), 315 bytes captured (2520 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
                                                                                Standard query response
   1794 619.697426306 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          335
0xcd89 AAAA outlook.office.com CNAME substrate.office.com CNAME outlook.office365.com CNAME ooc-
g2.tm-4.office.com CNAME outlook.ms-acdc.office.com CNAME CDG-efz.ms-acdc.office.com AAAA 2603:1026:c0a:
909::2 AAAA 2603:1026:c0a:185f::2 AAAA 2603:1026:100:18::2 AAAA 2603:1026:c0a:900::2 OPT
Frame 1794: 335 bytes on wire (2680 bits), 335 bytes captured (2680 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44227
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   1795 619.697435890 127.0.0.1
                                            127.0.0.53
                                                                 ICMP
                                                                          363
                                                                                 Destination unreachable
(Port unreachable)
Frame 1795: 363 bytes on wire (2904 bits), 363 bytes captured (2904 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                           Destination
        Time
                      Source
                                                                 Protocol Length Info
   1796 619.697685630 127.0.0.53
                                           127.0.0.1
                                                                          151
                                                                                 Standard query response
0x1c28 No such name AAAA outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 1796: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41768
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   1797 619.701440805 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          151
                                                                                Standard query response
0x6d15 No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 1797: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41768
Domain Name System (response)
                                            Destination
                      Source
                                                                 Protocol Length Info
   1798 619.701934697 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          101
                                                                                 Standard query 0x86c4
A outlook.office.com.etis-lab.fr OPT
Frame 1798: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58496, Dst Port: 53
Domain Name System (query)
                                            Destination
       Time
                                                                 Protocol Length Info
   1799 619.701965752 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          101
                                                                                 Standard query 0x0adf
AAAA outlook.office.com.etis-lab.fr OPT
Frame 1799: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58496, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                 Protocol Length Info
                      Source
   1800 619.711533048 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          150
                                                                                 Standard query response
```

0x86c4 No such name A outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT

```
Frame 1800: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58496
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
No.
  1801 619.711779693 127.0.0.53
                                           127.0.0.1
                                                                          150
                                                                                 Standard query response
0x0adf No such name AAAA outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 1801: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58496
Domain Name System (response)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  1802 619.712068144 127.0.0.1
                                           127.0.0.53
                                                                          103
                                                                                 Standard query 0x11f1
A outlook.office.com.guartz-lab.fr OPT
Frame 1802: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48656, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  1803 619.712098228 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          103
                                                                                Standard query 0xc8e2
AAAA outlook.office.com.quartz-lab.fr OPT
Frame 1803: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48656, Dst Port: 53
Domain Name System (query)
                      Source
                                           Destination
                                                                 Protocol Length Info
  1804 619.719761242 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          152
0x11f1 No such name A outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 1804: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48656
Domain Name System (response)
       Time
                                           Destination
                                                                 Protocol Length Info
                      Source
  1805 619.720008044 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          152
                                                                                 Standard query response
0xc8e2 No such name AAAA outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 1805: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48656
Domain Name System (response)
                                           Destination
                                                                 Protocol Length Info
       Time
  1806 619.720711852 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          89
                                                                                 Standard query 0x925d
A outlook.office.com OPT
Frame 1806: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 51594, Dst Port: 53
Domain Name System (query)
       Time
                                           Destination
                                                                 Protocol Length Info
  1807 619.720739083 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          89
                                                                                 Standard query 0x1754
AAAA outlook.office.com OPT
Frame 1807: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 51594, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
                                            Destination
  1808 619.722067646 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          399
                                                                                 Standard query response
0x925d A outlook.office.com CNAME substrate.office.com CNAME outlook.office365.com CNAME ooc-
q2.tm-4.office.com CNAME outlook.ms-acdc.office.com CNAME CDG-efz.ms-acdc.office.com A 52.98.178.178 A
52.97.233.114 A 52.98.228.18 A 52.98.241.2 AAAA 2603:1026:c0a:185f::2 AAAA 2603:1026:c0a:909::2 AAAA
2603:1026:c0a:900::2 AAAA 2603:1026:100:18::2 OPT
Frame 1808: 399 bytes on wire (3192 bits), 399 bytes captured (3192 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 51594
Domain Name System (response)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
```

```
1809 619.722878086 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          335
                                                                                 Standard query response
0x1754 AAAA outlook.office.com CNAME substrate.office.com CNAME outlook.office365.com CNAME ooc-
g2.tm-4.office.com CNAME outlook.ms-acdc.office.com CNAME CDG-efz.ms-acdc.office.com AAAA
2603:1026:100:18::2 AAAA 2603:1026:c0a:185f::2 AAAA 2603:1026:c0a:909::2 AAAA 2603:1026:c0a:900::2 OPT
Frame 1809: 335 bytes on wire (2680 bits), 335 bytes captured (2680 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 51594
Domain Name System (response)
                                           Destination
        Time
No.
                      Source
                                                                 Protocol Length Info
  1810 619.723826743 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          89
                                                                                 Standard query 0xa109
A outlook.office.com OPT
Frame 1810: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35930, Dst Port: 53
Domain Name System (query)
       Time
                                           Destination
                                                                 Protocol Length Info
No.
                      Source
  1811 619.723848167 127.0.0.1
                                           127.0.0.53
                                                                          89
                                                                                 Standard query 0x710e
AAAA outlook.office.com OPT
Frame 1811: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35930, Dst Port: 53
Domain Name System (query)
        Time
                                           Destination
                                                                 Protocol Length Info
                      Source
   1812 619.724956830 127.0.0.53
                                           127.0.0.1
                                                                                 Standard query response
                                                                 DNS
                                                                          399
0xa109 A outlook.office.com CNAME substrate.office.com CNAME outlook.office365.com CNAME ooc-
g2.tm-4.office.com CNAME outlook.ms-acdc.office.com CNAME CDG-efz.ms-acdc.office.com A 52.98.241.2 A
52.97.233.114 A 52.98.228.18 A 52.98.178.178 AAAA 2603:1026:c0a:185f::2 AAAA 2603:1026:c0a:900::2 AAAA
2603:1026:c0a:909::2 AAAA 2603:1026:100:18::2 OPT
Frame 1812: 399 bytes on wire (3192 bits), 399 bytes captured (3192 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35930
Domain Name System (response)
                                           Destination
       Time
                      Source
                                                                 Protocol Length Info
   1813 619.725573089 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          335
                                                                                Standard query response
0x710e AAAA outlook.office.com CNAME substrate.office.com CNAME outlook.office365.com CNAME ooc-
g2.tm-4.office.com CNAME outlook.ms-acdc.office.com CNAME CDG-efz.ms-acdc.office.com AAAA 2603:1026:c0a:
909::2 AAAA 2603:1026:100:18::2 AAAA 2603:1026:c0a:900::2 AAAA 2603:1026:c0a:185f::2 OPT
Frame 1813: 335 bytes on wire (2680 bits), 335 bytes captured (2680 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35930
Domain Name System (response)
                                           Destination
       Time
                      Source
                                                                 Protocol Length Info
   1814 621.880707946 127.0.0.1
                                                                 DNS
                                                                          96
                                           127.0.0.53
                                                                                 Standard query 0xb39d
A push.services.mozilla.com OPT
Frame 1814: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49090, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   1815 621.880742893 127.0.0.1
                                                                 DNS
                                           127.0.0.53
                                                                          96
                                                                                 Standard query 0xc293
AAAA push.services.mozilla.com OPT
Frame 1815: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49090, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   1816 621.883733155 127.0.0.53
                                           127.0.0.1
                                                                          150
                                                                                 Standard query response
                                                                 DNS
0xb39d A push.services.mozilla.com CNAME autopush.prod.mozaws.net A 34.107.243.93 OPT
Frame 1816: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49090
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   1817 621.886459165 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          216
                                                                                 Standard query response
0xc293 AAAA push.services.mozilla.com CNAME autopush.prod.mozaws.net SOA ns-1260.awsdns-29.org 0PT
Frame 1817: 216 bytes on wire (1728 bits), 216 bytes captured (1728 bits) on interface lo, id 0
```

Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)

Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1

```
User Datagram Protocol, Src Port: 53, Dst Port: 49090
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                  Protocol Length Info
   1818 621.888486507 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                           96
                                                                                  Standard query 0x7a43
A push.services.mozilla.com OPT
Frame 1818: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34887, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   1819 621.889018136 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           232
                                                                                  Standard query response
0x7a43 A push.services.mozilla.com CNAME autopush.prod.mozaws.net A 34.107.243.93 SOA
ns-1260.awsdns-29.org OPT
Frame 1819: 232 bytes on wire (1856 bits), 232 bytes captured (1856 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34887
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1820 621.937528796 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           96
                                                                                  Standard query Oxdaaa
A push.services.mozilla.com OPT
Frame 1820: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36989, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1821 621.937553057 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                                  Standard query Oxfdac
                                                                           96
AAAA push.services.mozilla.com OPT
Frame 1821: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36989, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
   1822 621.938249186 127.0.0.53
                                            127.0.0.1
                                                                           232
                                                                                  Standard query response
                                                                  DNS
0xdaaa A push.services.mozilla.com CNAME autopush.prod.mozaws.net A 34.107.243.93 SOA
ns-1260.awsdns-29.org OPT
Frame 1822: 232 bytes on wire (1856 bits), 232 bytes captured (1856 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36989
Domain Name System (response)
                                                                   Protocol Length Info
                      Source
                                            Destination
   1823 621.945076435 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            216
                                                                                  Standard query response
Oxfdac AAAA push.services.mozilla.com CNAME autopush.prod.mozaws.net SOA ns-1260.awsdns-29.org OPT
Frame 1823: 216 bytes on wire (1728 bits), 216 bytes captured (1728 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36989
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1824 632.651318422 127.0.0.1
                                            127.0.0.53
                                                                            89
                                                                                  Standard query 0x43f1
A res.cdn.office.net OPT
Frame 1824: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id \theta
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59451, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1825 632.651337091 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0x770d
AAAA res.cdn.office.net OPT
Frame 1825: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59451, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1826 632.673321770 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            347
                                                                                  Standard query response
0x43f1 A res.cdn.office.net CNAME res-prod.trafficmanager.net CNAME res-1-tls.cdn.office.net CNAME
owamail.public.cdn.office.net.edgekey.net CNAME
owamail.public.cdn.office.net.edgekey.net.globalredir.akadns.net CNAME e40491.dscg.akamaiedge.net A
23.200.87.232 A 23.200.86.9 OPT
Frame 1826: 347 bytes on wire (2776 bits), 347 bytes captured (2776 bits) on interface lo, id 0
```

Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)

```
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59451
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1827 632.674168128 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           371
                                                                                  Standard query response
0x770d AAAA res.cdn.office.net CNAME res-prod.trafficmanager.net CNAME res-1-tls.cdn.office.net CNAME
owamail.public.cdn.office.net.edgekey.net CNAME
owamail.public.cdn.office.net.edgekey.net.globalredir.akadns.net CNAME e40491.dscg.akamaiedge.net AAAA
2a02:26f0:82::17c8:5609 AAAA 2a02:26f0:82::17c8:57e8 OPT
Frame 1827: 371 bytes on wire (2968 bits), 371 bytes captured (2968 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59451
Domain Name System (response)
                                                                   Protocol Length Info
                                            Destination
   1828 634.658539646 127.0.0.1
                                            127.0.0.53
                                                                           93
                                                                                  Standard query 0xe532
A attachments.office.net OPT
Frame 1828: 93 bytes on wire (744 bits), 93 bytes captured (744 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57544, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
   1829 634.660433126 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           301
                                                                                  Standard query response
0xe532 A attachments.office.net CNAME substrate.office.com CNAME outlook.office365.com CNAME ooc-
g2.tm-4.office.com CNAME outlook.ms-acdc.office.com CNAME CDG-efz.ms-acdc.office.com A 40.99.153.146 A
40.101.136.2 A 40.101.137.66 A 40.99.213.98 OPT
Frame 1829: 301 bytes on wire (2408 bits), 301 bytes captured (2408 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57544
Domain Name System (response)
                      Source
                                                                  Protocol Length Info
No.
       Time
                                            Destination
  1830 634.660493178 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0x9a2d
AAAA attachments.office.net OPT
Frame 1830: 93 bytes on wire (744 bits), 93 bytes captured (744 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57544, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                      Source
                                                                  Protocol Length Info
   1831 634.662193066 127.0.0.53
                                            127.0.0.1
                                                                                  Standard query response
                                                                  DNS
                                                                            413
0x9a2d AAAA attachments.office.net CNAME substrate.office.com CNAME outlook.office365.com CNAME ooc-
g2.tm-4.office.com CNAME outlook.ms-acdc.office.com CNAME CDG-efz.ms-acdc.office.com AAAA 2603:1026:c0a:
90b::2 AAAA 2603:1026:c0a:1882::2 AAAA 2603:1026:c0a:8e9::2 AAAA 2603:1026:100:17::2 A 40.101.136.2 A
40.101.137.66 A 40.99.213.98 A 40.99.153.146 OPT
Frame 1831: 413 bytes on wire (3304 bits), 413 bytes captured (3304 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57544
Domain Name System (response)
                                                                  Protocol Length Info
                                            Destination
No.
       Time
                      Source
   1832 634.663610123 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0x93d1
A res.cdn.office.net OPT
Frame 1832: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59115, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   1833 634.663953943 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           403
                                                                                   Standard query response
0x93d1 A res.cdn.office.net CNAME res-prod.trafficmanager.net CNAME res-1-tls.cdn.office.net CNAME
owamail.public.cdn.office.net.edgekey.net CNAME
owamail.public.cdn.office.net.edgekey.net.globalredir.akadns.net CNAME e40491.dscg.akamaiedge.net A
23.200.86.9 A 23.200.87.232 AAAA 2a02:26f0:82::17c8:5609 AAAA 2a02:26f0:82::17c8:57e8 OPT
Frame 1833: 403 bytes on wire (3224 bits), 403 bytes captured (3224 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59115
Domain Name System (response)
                                            Destination
                                                                   Protocol Length Info
        Time
                      Source
   1834 634.665759647 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            93
                                                                                   Standard query 0x7037
A attachments.office.net OPT
Frame 1834: 93 bytes on wire (744 bits), 93 bytes captured (744 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
```

Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53

```
User Datagram Protocol, Src Port: 38213, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   1835 634.666064674 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          301
                                                                                 Standard query response
0x7037 A attachments.office.net CNAME substrate.office.com CNAME outlook.office365.com CNAME ooc-
q2.tm-4.office.com CNAME outlook.ms-acdc.office.com CNAME CDG-efz.ms-acdc.office.com A 40.99.153.146 A
40.101.136.2 A 40.101.137.66 A 40.99.213.98 OPT
Frame 1835: 301 bytes on wire (2408 bits), 301 bytes captured (2408 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38213
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   1836 635.417818805 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          96
                                                                                 Standard query 0x832a
A eur.loki.delve.office.com OPT
Frame 1836: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33187, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
No.
       Time
                      Source
                                            Destination
   1837 635.417835320 127.0.0.1
                                            127.0.0.53
                                                                          96
                                                                                 Standard query 0xb02e
AAAA eur.loki.delve.office.com OPT
Frame 1837: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33187, Dst Port: 53
Domain Name System (query)
                      Source
                                            Destination
                                                                 Protocol Length Info
No.
       Time
   1838 635.539371661 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          195
                                                                                 Standard query response
0x832a A eur.loki.delve.office.com CNAME fast-prod-atm-eur.trafficmanager.net CNAME prod-
francecentral.loki.delve.office.com A 52.111.231.0 OPT
Frame 1838: 195 bytes on wire (1560 bits), 195 bytes captured (1560 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33187
Domain Name System (response)
       Time
                                            Destination
                      Source
                                                                 Protocol Length Info
   1839 635.540023939 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          207
                                                                                 Standard query response
0xb02e AAAA eur.loki.delve.office.com CNAME fast-prod-atm-eur.trafficmanager.net CNAME prod-
francecentral.loki.delve.office.com AAAA 2603:1026:2400:1::b OPT
Frame 1839: 207 bytes on wire (1656 bits), 207 bytes captured (1656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00:00:00:00:00:00:00
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33187
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   1840 635.554447684 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          96
                                                                                 Standard query 0x5f71
A eur.loki.delve.office.com OPT
Frame 1840: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43324, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   1841 635.554895070 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          223
                                                                                 Standard query response
0x5f71 A eur.loki.delve.office.com CNAME fast-prod-atm-eur.trafficmanager.net CNAME prod-
francecentral.loki.delve.office.com A 52.111.231.0 AAAA 2603:1026:2400:1::b OPT
Frame 1841: 223 bytes on wire (1784 bits), 223 bytes captured (1784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43324
Domain Name System (response)
       Time
                                                                 Protocol Length Info
                      Source
                                            Destination
   1842 640.740354641 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          106
                                                                                 Standard query 0xb62c
A eu-office.events.data.microsoft.com OPT
Frame 1842: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33174, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                 Protocol Length Info
                      Source
   1843 640.740380104 127.0.0.1
                                            127.0.0.53
                                                                          106
                                                                                 Standard query 0xe32b
AAAA eu-office.events.data.microsoft.com OPT
Frame 1843: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
```

Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)

```
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33174, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                 Protocol Length Info
   1844 641.771257740 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          232
                                                                                Standard query response
0xb62c A eu-office.events.data.microsoft.com CNAME eu.aria.events.data.trafficmanager.net CNAME
onedscolprdneu03.northeurope.cloudapp.azure.com A 13.69.239.73 OPT
Frame 1844: 232 bytes on wire (1856 bits), 232 bytes captured (1856 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33174
Domain Name System (response)
                                                                 Protocol Length Info
       Time
                      Source
                                            Destination
   1845 641.778005849 127.0.0.53
                                            127.0.0.1
                                                                          277
                                                                                 Standard query response
0xe32b AAAA eu-office.events.data.microsoft.com CNAME eu.aria.events.data.trafficmanager.net CNAME
onedscolprdneu03.northeurope.cloudapp.azure.com SOA ns1-201.azure-dns.com OPT
Frame 1845: 277 bytes on wire (2216 bits), 277 bytes captured (2216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33174
Domain Name System (response)
                                            Destination
                                                                 Protocol Length Info
       Time
                      Source
   1846 641.793097180 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          106
                                                                                 Standard query 0x860c
A eu-office.events.data.microsoft.com OPT
Frame 1846: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55330, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   1847 641.793424391 127.0.0.53
                                            127.0.0.1
                                                                          293
0x860c A eu-office.events.data.microsoft.com CNAME eu.aria.events.data.trafficmanager.net CNAME
onedscolprdneu03.northeurope.cloudapp.azure.com A 13.69.239.73 SOA ns1-201.azure-dns.com OPT
Frame 1847: 293 bytes on wire (2344 bits), 293 bytes captured (2344 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55330
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   1848 646.655488653 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          98
                                                                                 Standard query 0x6fc0
A safebrowsing.googleapis.com OPT
Frame 1848: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49945, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   1849 646.661191530 127.0.0.53
                                                                          114
                                            127.0.0.1
                                                                 DNS
                                                                                 Standard query response
0x6fc0 A safebrowsing.googleapis.com A 142.250.179.106 OPT
Frame 1849: 114 bytes on wire (912 bits), 114 bytes captured (912 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49945
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   1850 759.374785846 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          95
                                                                                 Standard query 0xa71b
PTR 84.24.10.10.in-addr.arpa OPT
Frame 1850: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38760, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   1851 759.393396211 127.0.0.53
                                            127.0.0.1
                                                                          143
                                                                                 Standard query response
0xa71b PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1851: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38760
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   1852 759.393599858 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          143
                                                                                 Standard query 0xed19
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1852: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
```

Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)

Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53

User Datagram Protocol, Src Port: 53, Dst Port: 58223

```
User Datagram Protocol, Src Port: 60789, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   1853 759.394051799 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          191
                                                                               Standard query response
0xed19 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk, local OPT
Frame 1853: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60789
Domain Name System (response)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   1854 759.395573783 127.0.0.1
                                           127.0.0.53
                                                                                 Standard query 0x2bf8
                                                                          95
PTR 84.24.10.10.in-addr.arpa OPT
Frame 1854: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40983, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   1855 759.441133319 127.0.0.53
                                           127.0.0.1
                                                                          143
                                                                                Standard query response
                                                                 DNS
0x2bf8 PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1855: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40983
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   1856 759.441671310 127.0.0.1
                                           127.0.0.53
                                                                          143
                                                                                 Standard query 0x8d6c
                                                                 DNS
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1856: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50322, Dst Port: 53
Domain Name System (query)
No.
                                           Destination
                                                                 Protocol Length Info
       Time
                      Source
   1857 759.442502439 127.0.0.53
                                           127.0.0.1
                                                                          191
                                                                 DNS
                                                                                Standard query response
0x8d6c PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1857: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50322
Domain Name System (response)
                                                                 Protocol Length Info
       Time
                      Source
                                           Destination
   1858 759.444730254 127.0.0.1
                                                                 DNS
                                                                          95
                                                                                 Standard query 0x850f
                                           127.0.0.53
PTR 84.24.10.10.in-addr.arpa OPT
Frame 1858: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42517, Dst Port: 53
Domain Name System (query)
       Time
                                           Destination
                                                                 Protocol Length Info
                      Source
   1859 759.458768328 127.0.0.53
                                            127.0.0.1
                                                                          143
                                                                                 Standard query response
0x850f PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1859: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42517
Domain Name System (response)
       Time
                                           Destination
                                                                 Protocol Length Info
No.
                      Source
   1860 759.459190731 127.0.0.1
                                           127.0.0.53
                                                                                 Standard query 0x10cd
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1860: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58223, Dst Port: 53
Domain Name System (query)
                      Source
                                            Destination
                                                                 Protocol Length Info
       Time
   1861 759.460048758 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          191
                                                                                 Standard query response
0x10cd PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1861: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
```

0xc3cd A example.org A 93.184.216.34 OPT

```
Domain Name System (response)
       Time
                      Source
                                                                  Protocol Length Info
                                            Destination
  1862 759.462874609 127.0.0.1
                                            127.0.0.53
                                                                            95
                                                                                  Standard query 0x961a
PTR 84.24.10.10.in-addr.arpa OPT
Frame 1862: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33736, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
  1863 760.099568648 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            84
                                                                                   Standard query 0xa507
A ipv4only.arpa OPT
Frame 1863: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47278, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
  1864 760.099633702 127.0.0.1
                                             127.0.0.53
                                                                            82
                                                                                  Standard query 0xf4b2
A example.org OPT
Frame 1864: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33209, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1865 760.099818585 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            82
                                                                                   Standard query 0xc3cd
A example.org OPT
Frame 1865: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56227, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1866 760.099843877 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            82
                                                                                  Standard query 0x0cc7
AAAA example.org OPT
Frame 1866: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56227, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                   Protocol Length Info
No.
                      Source
   1867 760.101657010 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            95
                                                                                  Standard query 0x2dca
A detectportal.firefox.com OPT
Frame 1867: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59476, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1868 760.102330334 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            116
                                                                                  Standard query response
0xa507 A ipv4only.arpa A 192.0.0.170 A 192.0.0.171 OPT
Frame 1868: 116 bytes on wire (928 bits), 116 bytes captured (928 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47278
Domain Name System (response)
                                             Destination
                      Source
                                                                   Protocol Length Info
   1869 760.102454991 127.0.0.53
                                             127.0.0.1
                                                                  DNS
                                                                            98
                                                                                   Standard query response
0xf4b2 A example.org A 93.184.216.34 OPT
Frame 1869: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33209
Domain Name System (response)
        Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   1870 760.102470041 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            84
                                                                                  Standard query 0x540d
AAAA ipv4only.arpa OPT
Frame 1870: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47278, Dst Port: 53
Domain Name System (query)
        Time
                                             Destination
                                                                   Protocol Length Info
                      Source
   1871 760.102503693 127.0.0.53
                                             127.0.0.1
                                                                   DNS
```

98

Standard query response

User Datagram Protocol, Src Port: 53, Dst Port: 58343

```
Frame 1871: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56227
Domain Name System (response)
       Time
                                            Destination
                                                                   Protocol Length Info
No.
                       Source
   1872 760.102608880 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            110
                                                                                   Standard query response
0x0cc7 AAAA example.org AAAA 2606:2800:220:1:248:1893:25c8:1946 OPT
Frame 1872: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56227
Domain Name System (response)
No.
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1873 760.102652801 127.0.0.1
                                            127.0.0.53
                                                                            95
                                                                                   Standard query 0x364f
A detectportal.firefox.com OPT
Frame 1873: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58398, Dst Port: 53
Domain Name System (query)
                       Source
                                            Destination
                                                                   Protocol Length Info
       Time
   1874 760.102669482 127.0.0.1
                                            127.0.0.53
                                                                            95
                                                                                  Standard query 0x4252
AAAA detectportal.firefox.com OPT
Frame 1874: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58398, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1875 760.102980691 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            82
                                                                                   Standard query 0xfa60
A example.org OPT
Frame 1875: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57623, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1876 760.103167764 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            98
                                                                                   Standard query response
0xfa60 A example.org A 93.184.216.34 OPT
Frame 1876: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57623
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
        Time
  1877 760.103396938 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            82
                                                                                   Standard query 0xd50e
A example.org OPT
Frame 1877: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58343, Dst Port: 53
Domain Name System (query)
        Time
                                             Destination
                                                                   Protocol Length Info
                       Source
   1878 760.103421017 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            82
                                                                                   Standard query 0xd40b
AAAA example.org OPT
Frame 1878: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58343, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
                                             Destination
   1879 760.103618705 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            98
                                                                                   Standard query response
0xd50e A example.org A 93.184.216.34 OPT
Frame 1879: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58343
Domain Name System (response)
        Time
                                             Destination
                                                                   Protocol Length Info
   1880 760.103750362 127.0.0.53
                                             127.0.0.1
                                                                            110
                                                                                   Standard query response
0xd40b AAAA example.org AAAA 2606:2800:220:1:248:1893:25c8:1946 OPT
Frame 1880: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
```

User Datagram Protocol, Src Port: 35625, Dst Port: 53

```
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
  1881 760.104475756 127.0.0.53
                                            127.0.0.1
                                                                            206
                                                                                  Standard query response
0x2dca A detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net A 34.107.221.82 OPT
Frame 1881: 206 bytes on wire (1648 bits), 206 bytes captured (1648 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59476
Domain Name System (response)
                                                                   Protocol Length Info
                      Source
                                             Destination
   1882 760.104590682 127.0.0.53
                                             127.0.0.1
                                                                  DNS
                                                                            206
                                                                                  Standard query response
0x364f A detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net A 34.107.221.82 OPT
Frame 1882: 206 bytes on wire (1648 bits), 206 bytes captured (1648 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58398
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1883 760.104776772 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            95
                                                                                  Standard query 0x4eb7
A detectportal.firefox.com OPT
Frame 1883: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37496, Dst Port: 53
Domain Name System (query)
                      Source
                                                                   Protocol Length Info
       Time
                                             Destination
   1884 760.104853358 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            206
                                                                                  Standard query response
0x4eb7 A detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net A 34.107.221.82 OPT
Frame 1884: 206 bytes on wire (1648 bits), 206 bytes captured (1648 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37496
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
       Time
   1885 760.105050068 127.0.0.53
                                            127.0.0.1
                                                                                  Standard query response
0x540d AAAA ipv4only.arpa SOA sns.dns.icann.org OPT
Frame 1885: 141 bytes on wire (1128 bits), 141 bytes captured (1128 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47278
Domain Name System (response)
                      Source
                                                                  Protocol Length Info
                                            Destination
   1886 760.105107229 127.0.0.53
                                             127.0.0.1
                                                                            218
                                                                                   Standard query response
0x4252 AAAA detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net AAAA 2600:1901:0:38d7:: OPT
Frame 1886: 218 bytes on wire (1744 bits), 218 bytes captured (1744 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58398
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1887 760.105295945 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            84
                                                                                  Standard query 0x8f5f
A ipv4only.arpa OPT
Frame 1887: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35625, Dst Port: 53
Domain Name System (query)
                      Source
                                                                   Protocol Length Info
   1888 760.105326752 127.0.0.53
                                                                   DNS
                                                                            116
                                             127.0.0.1
                                                                                   Standard query response
0x8f5f A ipv4only.arpa A 192.0.0.170 A 192.0.0.171 OPT
Frame 1888: 116 bytes on wire (928 bits), 116 bytes captured (928 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35625
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   1889 760.105342509 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                                   Standard query 0x695d
                                                                            84
AAAA ipv4only.arpa OPT
Frame 1889: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

No.

Time

Source

```
Domain Name System (query)
       Time
                                                                 Protocol Length Info
                      Source
                                           Destination
  1890 760.107247876 127.0.0.53
                                           127.0.0.1
                                                                          141
                                                                                Standard query response
0x695d AAAA ipv4only.arpa SOA sns.dns.icann.org OPT
Frame 1890: 141 bytes on wire (1128 bits), 141 bytes captured (1128 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35625
Domain Name System (response)
       Time
                                           Destination
No.
                      Source
                                                                 Protocol Length Info
  1891 760.115873491 127.0.0.1
                                           127.0.0.53
                                                                                Standard query 0xcb82
A ipv4only.arpa OPT
Frame 1891: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42563, Dst Port: 53
Domain Name System (query)
       Time
                                           Destination
                                                                 Protocol Length Info
No.
                      Source
  1892 760.115898494 127.0.0.1
                                           127.0.0.53
                                                                          84
                                                                                Standard query 0x828a
AAAA ipv4only.arpa OPT
Frame 1892: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42563, Dst Port: 53
Domain Name System (query)
       Time
                                                                 Protocol Length Info
                      Source
                                           Destination
  1893 760.115990976 127.0.0.53
                                                                 DNS
                                                                          116
                                                                                Standard query response
                                           127.0.0.1
0xcb82 A ipv4only.arpa A 192.0.0.170 A 192.0.0.171 OPT
Frame 1893: 116 bytes on wire (928 bits), 116 bytes captured (928 bits) on interface lo, id \theta
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42563
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  1894 760.117079784 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          95
                                                                                Standard query 0xd92d
A detectportal.firefox.com OPT
Frame 1894: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38560, Dst Port: 53
Domain Name System (query)
                                           Destination
                                                                 Protocol Length Info
No.
       Time
                      Source
  1895 760.117101744 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          95
                                                                                Standard query 0x9828
AAAA detectportal.firefox.com OPT
Frame 1895: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38560, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  1896 760.117355127 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          234
                                                                                Standard query response
0xd92d A detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net A 34.107.221.82 AAAA 2600:1901:0:38d7:: OPT
Frame 1896: 234 bytes on wire (1872 bits), 234 bytes captured (1872 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38560
Domain Name System (response)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  1897 760.117532048 127.0.0.53
                                           127.0.0.1
                                                                          218
                                                                                 Standard query response
0x9828 AAAA detectportal.firefox.com CNAME detectportal.prod.mozaws.net CNAME
prod.detectportal.prod.cloudops.mozgcp.net AAAA 2600:1901:0:38d7:: OPT
Frame 1897: 218 bytes on wire (1744 bits), 218 bytes captured (1744 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38560
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  1898 760.117910539 127.0.0.53
                                           127.0.0.1
                                                                          141
                                                                                Standard query response
0x828a AAAA ipv4only.arpa SOA sns.dns.icann.org OPT
Frame 1898: 141 bytes on wire (1128 bits), 141 bytes captured (1128 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42563
Domain Name System (response)
```

Destination

Protocol Length Info

```
1899 764.468153098 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          95
                                                                                 Standard query 0x961a
PTR 84.24.10.10.in-addr.arpa OPT
Frame 1899: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33736, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   1900 764.474659330 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          143
                                                                                Standard query response
0x961a PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1900: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33736
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  1901 764.475286637 127.0.0.1
                                                                          143
                                           127.0.0.53
                                                                 DNS
                                                                                 Standard query 0x1911
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1901: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36794, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
                                                                                Standard query response
   1902 764.476377235 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          191
0x1911 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1902: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36794
Domain Name System (response)
                                                                 Protocol Length Info
No.
       Time
                      Source
                                           Destination
  1903 764.479383922 127.0.0.1
                                           127.0.0.53
                                                                          95
                                                                                Standard query 0x0d7e
PTR 84.24.10.10.in-addr.arpa OPT
Frame 1903: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34254, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
        Time
                      Source
                                           Destination
   1904 764.486667556 127.0.0.53
                                           127.0.0.1
                                                                          143
                                                                 DNS
                                                                                Standard query response
0x0d7e PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1904: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34254
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  1905 764.487084576 127.0.0.1
                                                                                 Standard query 0x6f9e
                                           127.0.0.53
                                                                 DNS
                                                                          143
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1905: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59059, Dst Port: 53
Domain Name System (query)
        Time
                                           Destination
                      Source
                                                                 Protocol Length Info
   1906 764.487978244 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          191
                                                                                Standard query response
0x6f9e PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1906: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59059
Domain Name System (response)
                                           Destination
        Time
                                                                 Protocol Length Info
                      Source
   1907 764.492132568 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          95
                                                                                 Standard query 0x8ca9
PTR 84.24.10.10.in-addr.arpa OPT
Frame 1907: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46604, Dst Port: 53
Domain Name System (query)
        Time
                                           Destination
                                                                 Protocol Length Info
                      Source
  1908 764.494966034 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          143
                                                                                 Standard query response
```

0x8ca9 PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT

```
Frame 1908: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46604
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                       Source
   1909 764.495285591 127.0.0.1
                                            127.0.0.53
                                                                           143
                                                                                  Standard query 0xc884
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1909: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57530, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
No.
        Time
                       Source
                                            Destination
   1910 764.495742129 127.0.0.53
                                            127.0.0.1
                                                                           191
                                                                                  Standard query response
0xc884 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1910: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57530
Domain Name System (response)
        Time
                                            Destination
                                                                  Protocol Length Info
   1911 764.499522165 127.0.0.1
                                            127.0.0.53
                                                                           95
                                                                                  Standard query 0xff1c
PTR 84.24.10.10.in-addr.arpa OPT
Frame 1911: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44816, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1912 764.502569156 127.0.0.53
                                            127.0.0.1
                                                                           143
                                                                                  Standard query response
0xff1c PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local 0PT
Frame 1912: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44816
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1913 764.502911584 127.0.0.1
                                            127.0.0.53
                                                                           143
                                                                  DNS
                                                                                  Standard query 0x94d9
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1913: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56981, Dst Port: 53
Domain Name System (query)
                                            Destination
       Time
                       Source
                                                                  Protocol Length Info
   1914 764.503480708 127.0.0.53
                                                                           191
                                                                                  Standard query response
                                            127.0.0.1
                                                                  DNS
0x94d9 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1914: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56981
Domain Name System (response)
                       Source
        Time
                                            Destination
                                                                  Protocol Length Info
   1915 764.504762635 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            95
                                                                                  Standard query 0xb361
PTR 84.24.10.10.in-addr.arpa OPT
Frame 1915: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52763, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   1916 764.507976397 127.0.0.53
                                            127.0.0.1
                                                                           143
                                                                                  Standard guery response
0xb361 PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1916: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52763
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1917 764.508121315 127.0.0.1
                                            127.0.0.53
                                                                            143
                                                                                  Standard query 0xef26
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1917: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
```

Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)

```
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36003, Dst Port: 53
Domain Name System (query)
       Time
                                           Destination
                                                                 Protocol Length Info
   1918 764.508559104 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          191
                                                                                Standard query response
0xef26 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1918: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36003
Domain Name System (response)
       Time
                                                                 Protocol Length Info
                      Source
                                            Destination
   1919 764.509868377 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          95
                                                                                 Standard query 0x3fda
PTR 84.24.10.10.in-addr.arpa OPT
Frame 1919: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52208, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
No.
   1920 764.512546292 127.0.0.53
                                           127.0.0.1
                                                                          143
                                                                                 Standard query response
0x3fda PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1920: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52208
Domain Name System (response)
                                           Destination
                                                                 Protocol Length Info
No.
       Time
                      Source
  1921 764.512645540 127.0.0.1
                                           127.0.0.53
                                                                                 Standard query 0xae44
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1921: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59375, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   1922 764.513098939 127.0.0.53
                                                                 DNS
                                                                          191
                                           127.0.0.1
                                                                                Standard query response
0xae44 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1922: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59375
Domain Name System (response)
                                           Destination
                                                                 Protocol Length Info
       Time
                      Source
  1923 764.514126290 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          95
                                                                                 Standard query 0x0194
PTR 84.24.10.10.in-addr.arpa OPT
Frame 1923: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43509, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                 Protocol Length Info
                      Source
   1924 764.516481003 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          143
                                                                                 Standard query response
0x0194 PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1924: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43509
Domain Name System (response)
                                                                 Protocol Length Info
                                            Destination
   1925 764.516574255 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          143
                                                                                 Standard query 0x1493
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1925: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52526, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                 Protocol Length Info
   1926 764.516931319 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          191
                                                                                 Standard query response
0x1493 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1926: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
```

Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1

User Datagram Protocol, Src Port: 41080, Dst Port: 53

Domain Name System (query)

```
User Datagram Protocol, Src Port: 53, Dst Port: 52526
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1927 764.517635404 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                           95
                                                                                  Standard query 0x35d3
PTR 84.24.10.10.in-addr.arpa OPT
Frame 1927: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55947, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1928 764.520396707 127.0.0.53
                                             127.0.0.1
                                                                  DNS
                                                                            143
                                                                                  Standard query response
0x35d3 PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1928: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55947
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1929 764.520466853 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           143
                                                                                  Standard query 0x2175
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1929: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 51015, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                   Protocol Length Info
        Time
                       Source
   1930 764.520831079 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                  Standard query response
0x2175 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1930: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 51015
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
No.
       Time
                       Source
   1931 764.521372668 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           95
                                                                                  Standard query 0x4191
PTR 84.24.10.10.in-addr.arpa OPT
Frame 1931: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38824, Dst Port: 53
Domain Name System (query)
No.
       Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1932 764.523576886 127.0.0.53
                                            127.0.0.1
                                                                            143
                                                                                  Standard query response
0x4191 PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 1932: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38824
Domain Name System (response)
                                            Destination
No.
       Time
                       Source
                                                                  Protocol Length Info
   1933 764.523693254 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           143
                                                                                  Standard query 0x6f97
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 1933: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36464, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                                                  Protocol Length Info
                                            Destination
   1934 764.524157169 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                  Standard guery response
0x6f97 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 1934: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36464
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1935 770.123766053 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            89
                                                                                  Standard query 0x9da2
A outlook.office.com OPT
Frame 1935: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id \theta
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

Domain Name System (query)

Source

Time

No.

```
Time
                       Source
                                            Destination
                                                                   Protocol Length Info
  1936 770.125798549 127.0.0.53
                                                                                   Standard query response
                                            127.0.0.1
                                                                  DNS
                                                                            287
0x9da2 A outlook.office.com CNAME substrate.office.com CNAME outlook.office365.com CNAME ooc-
g2.tm-4.office.com CNAME outlook.ms-acdc.office.com CNAME CDG-efz.ms-acdc.office.com A 40.99.217.82 A
52.98.228.34 A 52.97.201.34 A 40.99.155.50 OPT
Frame 1936: 287 bytes on wire (2296 bits), 287 bytes captured (2296 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41080
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1937 775.762027009 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            96
                                                                                   Standard query 0x4521
A push.services.mozilla.com OPT
Frame 1937: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36935, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1938 775.762061444 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            96
                                                                                   Standard query 0x1b57
AAAA push.services.mozilla.com OPT
Frame 1938: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36935, Dst Port: 53
Domain Name System (query)
        Time
                                             Destination
                                                                   Protocol Length Info
                       Source
   1939 775.765050311 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            150
                                                                                   Standard query response
0x4521 A push.services.mozilla.com CNAME autopush.prod.mozaws.net A 34.107.243.93 OPT
Frame 1939: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36935
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1940 775.768312817 127.0.0.53
                                            127.0.0.1
                                                                            216
                                                                                  Standard query response
                                                                  DNS
0x1b57 AAAA push.services.mozilla.com CNAME autopush.prod.mozaws.net SOA ns-1260.awsdns-29.org OPT
Frame 1940: 216 bytes on wire (1728 bits), 216 bytes captured (1728 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36935
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1941 775.770321364 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                                   Standard query 0x24bc
                                                                            96
A push.services.mozilla.com OPT
Frame 1941: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42973, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1942 775.770626908 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           232
                                                                                   Standard query response
0x24bc A push.services.mozilla.com CNAME autopush.prod.mozaws.net A 34.107.243.93 SOA
ns-1260.awsdns-29.org OPT
Frame 1942: 232 bytes on wire (1856 bits), 232 bytes captured (1856 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42973
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1943 775.809840246 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            96
                                                                                   Standard query 0xfc6f
A push.services.mozilla.com OPT
Frame 1943: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45634, Dst Port: 53
Domain Name System (query)
                       Source
                                             Destination
                                                                   Protocol Length Info
        Time
No.
   1944 775.809867697 127.0.0.1
                                            127.0.0.53
                                                                            96
                                                                                   Standard query 0x3114
AAAA push.services.mozilla.com OPT
Frame 1944: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45634, Dst Port: 53
```

Destination

Protocol Length Info

```
1945 775.810292534 127.0.0.53
                                             127.0.0.1
                                                                  DNS
                                                                            232
                                                                                   Standard query response
Oxfc6f A push.services.mozilla.com CNAME autopush.prod.mozaws.net A 34.107.243.93 SOA
ns-1260.awsdns-29.org OPT
Frame 1945: 232 bytes on wire (1856 bits), 232 bytes captured (1856 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45634
Domain Name System (response)
        Time
                                                                   Protocol Length Info
                       Source
                                             Destination
   1946 775.812358025 127.0.0.53
                                                                  DNS
                                            127.0.0.1
                                                                            216
                                                                                  Standard query response
0x3114 AAAA push.services.mozilla.com CNAME autopush.prod.mozaws.net SOA ns-1260.awsdns-29.org OPT
Frame 1946: 216 bytes on wire (1728 bits), 216 bytes captured (1728 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45634
Domain Name System (response)
       Time
                                             Destination
                                                                   Protocol Length Info
                      Source
   1947 910.832465062 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            89
                                                                                   Standard query 0x552c
A outlook.office.com OPT
Frame 1947: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40002, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   1948 914.839314830 127.0.0.1
                                             127.0.0.53
                                                                            106
                                                                                   Standard query 0x077e
A eu-office.events.data.microsoft.com OPT
Frame 1948: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47479, Dst Port: 53
Domain Name System (query)
No.
        Time
                                            Destination
                                                                   Protocol Length Info
                       Source
   1949 915.836370829 127.0.0.1
                                             127.0.0.53
                                                                                   Standard query 0x552c
A outlook.office.com OPT
Frame 1949: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40002, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
                                             Destination
        Time
                       Source
   1950 919.844605491 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            106
                                                                                   Standard query 0x077e
A eu-office.events.data.microsoft.com OPT
Frame 1950: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47479, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   1951 920.841611647 127.0.0.1
                                             127.0.0.53
                                                                            98
                                                                                   Standard query 0xa369
A outlook.office.com.ensea.fr OPT
Frame 1951: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54994, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
No.
                       Source
                                             Destination
   1952 924.850159785 127.0.0.1
                                                                   DNS
                                             127.0.0.53
                                                                            115
                                                                                   Standard query 0x1c8f
A eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 1952: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49949, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1953 925.846881176 127.0.0.1
                                             127.0.0.53
                                                                            98
                                                                                   Standard query 0xa369
A outlook.office.com.ensea.fr OPT
Frame 1953: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 54994, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1954 925.849670260 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                                   Standard query response
0xa369 No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
```

Frame 1954: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0

Domain Name System (response)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 54994
Domain Name System (response)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1955 925.849980361 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                   Standard query 0xda23
A outlook.office.com.etis-lab.fr OPT
Frame 1955: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45840, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
   1956 925.853820771 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            150
                                                                                   Standard query response
0xda23 No such name A outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 1956: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45840
Domain Name System (response)
                                                                   Protocol Length Info
No.
       Time
                       Source
                                             Destination
  1957 925.854046804 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            103
                                                                                   Standard query 0x66cc
A outlook.office.com.quartz-lab.fr OPT
Frame 1957: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 51292, Dst Port: 53
Domain Name System (query)
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
       Time
   1958 925.857533851 127.0.0.53
                                             127.0.0.1
                                                                            152
                                                                                   Standard query response
0x66cc No such name A outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 1958: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 51292
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
   1959 925.858061021 127.0.0.1
                                             127.0.0.53
                                                                            89
                                                                                   Standard query 0xd73c
A outlook.office.com OPT
Frame 1959: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46994, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                                                   Protocol Length Info
                                             Destination
   1960 929.855507951 127.0.0.1
                                                                   DNS
                                                                            115
                                                                                   Standard query 0x1c8f
                                             127.0.0.53
A eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 1960: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49949, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
   1961 929.863263371 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                                   Standard query response
0x1c8f No such name A eu-office.events.data.microsoft.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 1961: 168 bytes on wire (1344 bits), 168 bytes captured (1344 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49949
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1962 929.863593689 127.0.0.1
                                             127.0.0.53
                                                                            118
                                                                                   Standard query 0x6db5
A eu-office.events.data.microsoft.com.etis-lab.fr OPT
Frame 1962: 118 bytes on wire (944 bits), 118 bytes captured (944 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42736, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1963 929.865507724 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            167
0x6db5 No such name A eu-office.events.data.microsoft.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 1963: 167 bytes on wire (1336 bits), 167 bytes captured (1336 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42736
```

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
                                                                           120
  1964 929.865789209 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                                  Standard query 0x765e
A eu-office.events.data.microsoft.com.quartz-lab.fr OPT
Frame 1964: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46047, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   1965 929.867701834 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           169
                                                                                 Standard query response
0x765e No such name A eu-office.events.data.microsoft.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 1965: 169 bytes on wire (1352 bits), 169 bytes captured (1352 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46047
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1966 929.868400197 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           106
                                                                                  Standard query 0x070e
A eu-office.events.data.microsoft.com OPT
Frame 1966: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52637, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
No.
        Time
                      Source
                                            Destination
   1967 930.863393621 127.0.0.1
                                            127.0.0.53
                                                                           89
                                                                                  Standard query 0xd73c
A outlook.office.com OPT
Frame 1967: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46994, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
No.
        Time
                                            Destination
                      Source
  1968 934.873671229 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           106
                                                                                  Standard query 0x070e
A eu-office.events.data.microsoft.com OPT
Frame 1968: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52637, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                                            Destination
                      Source
   1969 935.868797106 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           98
                                                                                  Standard query 0x0cda
A outlook.office.com.ensea.fr OPT
Frame 1969: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44786, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1970 935.872877293 127.0.0.53
                                            127.0.0.1
                                                                           151
                                                                                  Standard query response
0x0cda No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 1970: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44786
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                                            Destination
                      Source
   1971 935.873137165 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0x3e46
A outlook.office.com.etis-lab.fr OPT
Frame 1971: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55790, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1972 935.874790957 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           150
                                                                                  Standard query response
0x3e46 No such name A outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 1972: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55790
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1973 935.875025750 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           103
                                                                                  Standard query 0x5d9c
A outlook.office.com.quartz-lab.fr OPT
```

Frame 1973: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0

Domain Name System (query)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47865, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1974 935.879153195 127.0.0.53
                                            127.0.0.1
                                                                                  Standard query response
                                                                  DNS
                                                                           152
0x5d9c No such name A outlook.office.com.guartz-lab.fr SOA ns1.guartz-lab.fr OPT
Frame 1974: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47865
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
  1975 935.880483161 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0xd5dd
A outlook.office.com OPT
Frame 1975: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36892, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
No.
  1976 935.880511086 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0x75d5
AAAA outlook.office.com OPT
Frame 1976: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36892, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
No.
       Time
                      Source
  1977 936.131824097 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0x327d
A outlook.office.com OPT
Frame 1977: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36987, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
   1978 939.879159281 127.0.0.1
                                            127.0.0.53
                                                                           115
                                                                                  Standard query 0x2b3d
A eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 1978: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 51751, Dst Port: 53
Domain Name System (query)
                      Source
                                                                  Protocol Length Info
       Time
                                            Destination
   1979 939.883292588 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           168
                                                                                  Standard query response
0x2b3d No such name A eu-office.events.data.microsoft.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 1979: 168 bytes on wire (1344 bits), 168 bytes captured (1344 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 51751
Domain Name System (response)
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1980 939.883608942 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           118
                                                                                  Standard query 0xd070
A eu-office.events.data.microsoft.com.etis-lab.fr OPT
Frame 1980: 118 bytes on wire (944 bits), 118 bytes captured (944 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53236, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
                      Source
                                            Destination
No.
       Time
   1981 939.887723843 127.0.0.53
                                            127.0.0.1
0xd070 No such name A eu-office.events.data.microsoft.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 1981: 167 bytes on wire (1336 bits), 167 bytes captured (1336 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53236
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1982 939.887992865 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           120
                                                                                  Standard query 0x17a1
A eu-office.events.data.microsoft.com.quartz-lab.fr OPT
Frame 1982: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52919, Dst Port: 53
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
  1983 939.891361084 127.0.0.53
                                                                           169
                                                                                  Standard query response
                                            127.0.0.1
                                                                  DNS
0x17a1 No such name A eu-office.events.data.microsoft.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 1983: 169 bytes on wire (1352 bits), 169 bytes captured (1352 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52919
Domain Name System (response)
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   1984 939.892600544 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           106
                                                                                  Standard query 0x3166
A eu-office.events.data.microsoft.com OPT
Frame 1984: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38504, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1985 939.892632049 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           106
                                                                                  Standard query 0x306d
AAAA eu-office.events.data.microsoft.com OPT
Frame 1985: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38504, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   1986 940.143670014 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           106
                                                                                  Standard query 0xc692
A eu-office.events.data.microsoft.com OPT
Frame 1986: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53302, Dst Port: 53
Domain Name System (query)
No.
        Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   1987 940.885828486 127.0.0.1
                                            127.0.0.53
                                                                           89
                                                                                  Standard query 0xd5dd
A outlook.office.com OPT
Frame 1987: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36892, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                                            Destination
                       Source
   1988 940.885873034 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0x75d5
AAAA outlook.office.com OPT
Frame 1988: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36892, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   1989 941.137168408 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0x327d
A outlook.office.com OPT
Frame 1989: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36987, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
No.
                       Source
   1990 944.897950438 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           106
                                                                                  Standard query 0x3166
A eu-office.events.data.microsoft.com OPT
Frame 1990: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38504, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   1991 944.897993947 127.0.0.1
                                            127.0.0.53
                                                                           106
                                                                                  Standard query 0x306d
                                                                  DNS
AAAA eu-office.events.data.microsoft.com OPT
Frame 1991: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38504, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   1992 945.148943257 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           106
                                                                                  Standard query 0xc692
A eu-office.events.data.microsoft.com OPT
```

Frame 1992: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0

Domain Name System (response)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53302, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
  1993 945.344625545 127.0.0.1
                                             127.0.0.53
                                                                            100
                                                                   DNS
                                                                                   Standard query 0xe790
A connectivity-check.ubuntu.com OPT
Frame 1993: 100 bytes on wire (800 bits), 100 bytes captured (800 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37998, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                       Source
                                             Destination
   1994 945.344635663 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            100
                                                                                   Standard query 0xd99f
AAAA connectivity-check.ubuntu.com OPT
Frame 1994: 100 bytes on wire (800 bits), 100 bytes captured (800 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37998, Dst Port: 53
Domain Name System (query)
       Time
                                             Destination
                                                                   Protocol Length Info
No.
                       Source
  1995 945.888540762 127.0.0.1
                                             127.0.0.53
                                                                            98
                                                                                   Standard query 0x436e
A outlook.office.com.ensea.fr OPT
Frame 1995: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58290, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
  1996 945.888574512 127.0.0.1
                                             127.0.0.53
                                                                                   Standard query 0x6472
AAAA outlook.office.com.ensea.fr OPT
Frame 1996: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58290, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
   1997 946.043050965 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            151
                                                                                   Standard query response
0x6472 No such name AAAA outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 1997: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58290
Domain Name System (response)
                                                                   Protocol Length Info
                       Source
                                             Destination
   1998 946.142629996 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            98
                                                                                   Standard query 0xf984
A outlook.office.com.ensea.fr OPT
Frame 1998: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45910, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   1999 947.729306800 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            89
                                                                                   Standard query response
0xd5dd Server failure A outlook.office.com OPT
Frame 1999: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36892
Domain Name System (response)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   2000 947.729350863 127.0.0.1
                                             127.0.0.53
                                                                            117
                                                                                   Destination unreachable
(Port unreachable)
Frame 2000: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   2001 947.729432126 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            89
                                                                                   Standard query response
0xd73c Server failure A outlook.office.com OPT
Frame 2001: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46994
```

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2002 947.729440933 127.0.0.1
                                                                           117
                                            127.0.0.53
                                                                  TCMP
                                                                                  Destination unreachable
(Port unreachable)
Frame 2002: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
        Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   2003 947.729484301 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           89
                                                                                  Standard query response
0x327d Server failure A outlook.office.com OPT
Frame 2003: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36987
Domain Name System (response)
       Time
                                            Destination
                      Source
                                                                  Protocol Length Info
   2004 947.729491944 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           117
                                                                                  Destination unreachable
(Port unreachable)
Frame 2004: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                                                  Protocol Length Info
No.
        Time
                      Source
                                            Destination
   2005 947.729530070 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           89
                                                                                  Standard query response
0x552c Server failure A outlook.office.com OPT
Frame 2005: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40002
Domain Name System (response)
                                                                  Protocol Length Info
No.
       Time
                      Source
                                            Destination
   2006 947.729537133 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           117
                                                                                  Destination unreachable
(Port unreachable)
Frame 2006: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                                            Destination
                      Source
   2007 949.901511031 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0x7c06
A eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 2007: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59360, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2008 949.901554927 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           115
                                                                                  Standard query 0x9818
AAAA eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 2008: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59360, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
No.
                      Source
                                                                  Protocol Length Info
   2009 949.906381114 127.0.0.53
                                            127.0.0.1
                                                                                  Standard query response
0x9818 No such name AAAA eu-office.events.data.microsoft.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2009: 168 bytes on wire (1344 bits), 168 bytes captured (1344 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59360
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2010 950.154290008 127.0.0.1
                                            127.0.0.53
                                                                           115
                                                                                  Standard query 0x9d9a
                                                                  DNS
A eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 2010: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36220, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2011 950.349935468 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           100
                                                                                  Standard query 0xe790
A connectivity-check.ubuntu.com OPT
```

Frame 2011: 100 bytes on wire (800 bits), 100 bytes captured (800 bits) on interface lo, id 0

Domain Name System (response)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37998, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2012 950.349983862 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           100
                                                                                  Standard query 0xd99f
AAAA connectivity-check.ubuntu.com OPT
Frame 2012: 100 bytes on wire (800 bits), 100 bytes captured (800 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37998, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                                                  Protocol Length Info
                                            Destination
   2013 950.734562734 127.0.0.53
                                            127.0.0.1
                                                                           106
                                                                                  Standard query response
0x306d Server failure AAAA eu-office.events.data.microsoft.com OPT
Frame 2013: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38504
Domain Name System (response)
                                                                  Protocol Length Info
No.
       Time
                      Source
                                            Destination
   2014 950.734612302 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           134
                                                                                  Destination unreachable
(Port unreachable)
Frame 2014: 134 bytes on wire (1072 bits), 134 bytes captured (1072 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
No.
       Time
                      Source
   2015 950.892167329 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0x436e
A outlook.office.com.ensea.fr OPT
Frame 2015: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58290, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
   2016 951.147953475 127.0.0.1
                                            127.0.0.53
                                                                           98
                                                                                  Standard query 0xf984
A outlook.office.com.ensea.fr OPT
Frame 2016: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45910, Dst Port: 53
Domain Name System (query)
                      Source
                                                                  Protocol Length Info
                                            Destination
   2017 951.724597526 127.0.0.53
                                                                  DNS
                                                                           106
                                                                                  Standard query response
                                            127.0.0.1
0x077e Server failure A eu-office.events.data.microsoft.com OPT
Frame 2017: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47479
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
   2018 951.724642209 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           134
                                                                                  Destination unreachable
(Port unreachable)
Frame 2018: 134 bytes on wire (1072 bits), 134 bytes captured (1072 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
   2019 951.724805597 127.0.0.53
                                            127.0.0.1
                                                                           106
                                                                                  Standard query response
0x070e Server failure A eu-office.events.data.microsoft.com OPT
Frame 2019: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52637
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
                                                                                  Destination unreachable
   2020 951.724824977 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           134
(Port unreachable)
Frame 2020: 134 bytes on wire (1072 bits), 134 bytes captured (1072 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
```

```
Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  2021 951.724946558 127.0.0.53
                                                                          106
                                           127.0.0.1
                                                                 DNS
                                                                                Standard query response
0x3166 Server failure A eu-office.events.data.microsoft.com OPT
Frame 2021: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38504
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  2022 951.724962183 127.0.0.1
                                           127.0.0.53
                                                                 ICMP
                                                                          134
                                                                                Destination unreachable
(Port unreachable)
Frame 2022: 134 bytes on wire (1072 bits), 134 bytes captured (1072 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                                           Destination
                                                                 Protocol Length Info
                      Source
  2023 951.725071326 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          106
                                                                                Standard query response
Oxc692 Server failure A eu-office.events.data.microsoft.com OPT
Frame 2023: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53302
Domain Name System (response)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  2024 951.725086087 127.0.0.1
                                           127.0.0.53
                                                                 ICMP
                                                                          134
                                                                                Destination unreachable
(Port unreachable)
Frame 2024: 134 bytes on wire (1072 bits), 134 bytes captured (1072 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  2025 951.831718376 127.0.0.1
                                           127.0.0.53
                                                                          95
                                                                                Standard query 0x912b
PTR 84.24.10.10.in-addr.arpa OPT
Frame 2025: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36397, Dst Port: 53
Domain Name System (query)
       Time
                                                                 Protocol Length Info
                      Source
                                           Destination
  2026 954.905864232 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          115
                                                                                Standard query 0x7c06
A eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 2026: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59360, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  2027 955.159646034 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          115
                                                                                Standard query 0x9d9a
A eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 2027: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36220, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
       Time
                                           Destination
No.
                      Source
  2028 955.897593785 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          98
                                                                                Standard query 0x436e
A outlook.office.com.ensea.fr OPT
Frame 2028: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58290, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  2029 956.153847873 127.0.0.1
                                           127.0.0.53
                                                                          89
                                                                                Standard query 0xe4c7
A outlook.office.com OPT
Frame 2029: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50680, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  2030 956.837151445 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          95
                                                                                Standard query 0x912b
PTR 84.24.10.10.in-addr.arpa OPT
```

Frame 2030: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0

Internet Control Message Protocol

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36397, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   2031 959.911203403 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            115
                                                                                   Standard query 0x7c06
A eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 2031: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59360, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                                                   Protocol Length Info
                                             Destination
   2032 960.165627294 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            106
                                                                                   Standard query 0x121b
A eu-office.events.data.microsoft.com OPT
Frame 2032: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46972, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                                            Destination
No.
                       Source
   2033 960.903487953 127.0.0.1
                                            127.0.0.53
                                                                            89
                                                                                   Standard query 0x49b2
A outlook.office.com OPT
Frame 2033: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48628, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                   Protocol Length Info
No.
        Time
                       Source
   2034 960.903525709 127.0.0.1
                                            127.0.0.53
                                                                                   Standard query 0x39bd
AAAA outlook.office.com OPT
Frame 2034: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48628, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   2035 961.159184199 127.0.0.1
                                            127.0.0.53
                                                                            89
                                                                                  Standard query 0xe4c7
A outlook.office.com OPT
Frame 2035: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50680, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
                                             Destination
   2036 961.842973269 127.0.0.1
                                                                            143
                                             127.0.0.53
                                                                                   Standard query 0x6343
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 2036: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44630, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   2037 961.844320162 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            191
                                                                                  Standard query response
0x6343 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 2037: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44630
Domain Name System (response)
                                                                   Protocol Length Info
   2038 961.846713894 127.0.0.53
                                                                            143
                                             127.0.0.1
                                                                   DNS
                                                                                   Standard query response
0x912b PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 2038: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36397
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   2039 961.846741891 127.0.0.1
                                            127.0.0.53
                                                                   ICMP
                                                                            171
                                                                                   Destination unreachable
(Port unreachable)
Frame 2039: 171 bytes on wire (1368 bits), 171 bytes captured (1368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

2049 965.908694938 127.0.0.1

A outlook.office.com OPT

```
Domain Name System (response)
      Time
                      Source
                                                                  Protocol Length Info
                                            Destination
   2040 961.856942320 127.0.0.1
                                            127.0.0.53
                                                                           76
                                                                                  Standard query 0xb158
SOA local OPT
Frame 2040: 76 bytes on wire (608 bits), 76 bytes captured (608 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55461, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
No.
                       Source
                                            Destination
   2041 961.858660192 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           151
                                                                                  Standard query response
0xb158 No such name SOA local SOA a.root-servers.net OPT
Frame 2041: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55461
Domain Name System (response)
       Time
                       Source
                                            Destination
                                                                  Protocol Length Info
No.
   2042 964.917187542 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           106
                                                                                  Standard query 0xf358
A eu-office.events.data.microsoft.com OPT
Frame 2042: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56251, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   2043 964.917226002 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           106
                                                                                  Standard query 0xe344
AAAA eu-office.events.data.microsoft.com OPT
Frame 2043: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56251, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2044 964.939311059 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           168
                                                                                  Standard query response
0x7c06 No such name A eu-office.events.data.microsoft.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2044: 168 bytes on wire (1344 bits), 168 bytes captured (1344 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59360
Domain Name System (response)
        Time
                                            Destination
                                                                  Protocol Length Info
No.
                       Source
   2045 964.939357768 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           196
                                                                                  Destination unreachable
(Port unreachable)
Frame 2045: 196 bytes on wire (1568 bits), 196 bytes captured (1568 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   2046 964.939599997 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           168
                                                                                Standard query response
0x9d9a No such name A eu-office.events.data.microsoft.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2046: 168 bytes on wire (1344 bits), 168 bytes captured (1344 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36220
Domain Name System (response)
                                             Destination
                       Source
                                                                  Protocol Length Info
   2047 964.939619856 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           196
                                                                                  Destination unreachable
(Port unreachable)
Frame 2047: 196 bytes on wire (1568 bits), 196 bytes captured (1568 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   2048 965.170964664 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           106
                                                                                  Standard query 0x121b
A eu-office.events.data.microsoft.com OPT
Frame 2048: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46972, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
```

127.0.0.53

DNS

89

Standard query 0x49b2

User Datagram Protocol, Src Port: 59359, Dst Port: 53

```
Frame 2049: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48628, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                   Protocol Length Info
No.
                       Source
   2050 965.908725939 127.0.0.1
                                            127.0.0.53
                                                                                   Standard query 0x39bd
AAAA outlook.office.com OPT
Frame 2050: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48628, Dst Port: 53
Domain Name System (query)
No.
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   2051 966.164630838 127.0.0.1
                                            127.0.0.53
                                                                            98
                                                                                   Standard query 0xa65d
A outlook.office.com.ensea.fr OPT
Frame 2051: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53691, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   2052 969.922532028 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            106
                                                                                   Standard query 0xf358
A eu-office.events.data.microsoft.com OPT
Frame 2052: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56251, Dst Port: 53
Domain Name System (query)
                       Source
                                             Destination
                                                                   Protocol Length Info
   2053 969.922572685 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            106
                                                                                   Standard query 0xe344
AAAA eu-office.events.data.microsoft.com OPT
Frame 2053: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56251, Dst Port: 53
Domain Name System (query)
       Time
                                                                   Protocol Length Info
                       Source
                                             Destination
   2054 970.176534271 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            115
                                                                                   Standard query 0x3a22
A eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 2054: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49260, Dst Port: 53
Domain Name System (query)
                                             Destination
                                                                   Protocol Length Info
       Time
                       Source
   2055 970.836067891 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            89
                                                                                   Standard query response
0x39bd Server failure AAAA outlook.office.com OPT
Frame 2055: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48628
Domain Name System (response)
        Time
                                             Destination
                                                                   Protocol Length Info
   2056 970.836278739 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            89
                                                                                   Standard query response
0x75d5 Server failure AAAA outlook.office.com OPT
Frame 2056: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36892
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
   2057 970.836317881 127.0.0.1
                                             127.0.0.53
                                                                   ICMP
                                                                            117
                                                                                   Destination unreachable
(Port unreachable)
Frame 2057: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
        Time
                                            Destination
                                                                   Protocol Length Info
   2058 970.908908357 127.0.0.1
                                                                   DNS
                                            127.0.0.53
                                                                            98
                                                                                   Standard query 0x1fec
A outlook.office.com.ensea.fr OPT
Frame 2058: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

A outlook.office.com.quartz-lab.fr OPT

```
Domain Name System (query)
      Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   2059 970.908951030 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0x62fc
AAAA outlook.office.com.ensea.fr OPT
Frame 2059: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59359, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
No.
                       Source
                                            Destination
   2060 970.917336574 127.0.0.53
                                            127.0.0.1
                                                                            151
                                                                                  Standard query response
0x1fec No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2060: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59359
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
No.
   2061 970.917528621 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           151
                                                                                  Standard query response
0xa65d No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2061: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53691
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   2062 970.917667022 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                                  Standard query response
                                                                            151
0x436e No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2062: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58290
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   2063 970.917699570 127.0.0.1
                                            127.0.0.53
                                                                   ICMP
                                                                            179
                                                                                  Destination unreachable
(Port unreachable)
Frame 2063: 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                            Destination
                                                                   Protocol Length Info
No.
        Time
                       Source
   2064 970.917860119 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            151
                                                                                  Standard query response
0xf984 No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2064: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45910
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   2065 970.917880015 127.0.0.1
                                            127.0.0.53
                                                                   ICMP
                                                                           179
                                                                                  Destination unreachable
(Port unreachable)
Frame 2065: 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                            Destination
                       Source
                                                                   Protocol Length Info
   2066 970.917885369 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                   Standard query 0x5e88
A outlook.office.com.etis-lab.fr OPT
Frame 2066: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49263, Dst Port: 53
Domain Name System (query)
        Time
                                             Destination
                                                                   Protocol Length Info
   2067 970.921066175 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                           150
                                                                                  Standard query response
0x5e88 No such name A outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 2067: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49263
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   2068 970.921315622 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                                  Standard query 0x2479
```

103

User Datagram Protocol, Src Port: 40854, Dst Port: 53

```
Frame 2068: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50456, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
   2069 970.924250664 127.0.0.53
                                            127.0.0.1
                                                                            152
                                                                                  Standard query response
0x2479 No such name A outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 2069: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50456
Domain Name System (response)
No.
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   2070 971.176443281 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0xd7a8
                                                                            89
A outlook.office.com OPT
Frame 2070: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55917, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2071 971.879929198 127.0.0.1
                                            127.0.0.53
                                                                            95
                                                                                  Standard query Oxeedf
PTR 84.24.10.10.in-addr.arpa OPT
Frame 2071: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40854, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2072 974.928030998 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            115
                                                                                  Standard query 0xe6c9
A eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 2072: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58780, Dst Port: 53
Domain Name System (query)
       Time
                                                                   Protocol Length Info
                      Source
                                            Destination
   2073 974.928073890 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            115
                                                                                  Standard query 0x6adf
AAAA eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 2073: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58780, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                   Protocol Length Info
       Time
                      Source
   2074 975.181920468 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            115
                                                                                  Standard query 0x3a22
A eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 2074: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49260, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   2075 975.913869054 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            98
                                                                                  Standard query 0x1fec
A outlook.office.com.ensea.fr OPT
Frame 2075: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59359, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
                      Source
                                            Destination
   2076 976.181810672 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            89
                                                                                  Standard query 0xd7a8
A outlook.office.com OPT
Frame 2076: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 55917, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                   Protocol Length Info
   2077 976.885344255 127.0.0.1
                                                                   DNS
                                            127.0.0.53
                                                                            95
                                                                                   Standard query Oxeedf
PTR 84.24.10.10.in-addr.arpa OPT
Frame 2077: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

```
Domain Name System (query)
       Time
                                                                 Protocol Length Info
                      Source
                                           Destination
  2078 978.526725520 127.0.0.53
                                           127.0.0.1
                                                                                 Standard query response
0x49b2 Server failure A outlook.office.com OPT
Frame 2078: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48628
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
No.
  2079 978.526774406 127.0.0.1
                                           127.0.0.53
                                                                 ICMP
                                                                          117
                                                                                 Destination unreachable
(Port unreachable)
Frame 2079: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
No.
  2080 978.526901096 127.0.0.53
                                           127.0.0.1
                                                                          89
                                                                                Standard query response
0xe4c7 Server failure A outlook.office.com OPT
Frame 2080: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50680
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  2081 978.526918716 127.0.0.1
                                           127.0.0.53
                                                                 ICMP
                                                                          117
                                                                                 Destination unreachable
(Port unreachable)
Frame 2081: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  2082 978.527010421 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          89
                                                                                 Standard query response
0xd7a8 Server failure A outlook.office.com OPT
Frame 2082: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 55917
Domain Name System (response)
       Time
                                           Destination
                                                                 Protocol Length Info
No.
                      Source
  2083 978.527485244 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          98
                                                                                 Standard query 0x5d88
A outlook.office.com.ensea.fr OPT
Frame 2083: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59937, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  2084 979.933228582 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          115
                                                                                Standard query 0xe6c9
A eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 2084: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58780, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
                      Source
                                            Destination
  2085 979.933237961 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          115
                                                                                 Standard query 0x6adf
AAAA eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 2085: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58780, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                 Protocol Length Info
  2086 979.935030587 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          106
                                                                                 Standard query response
Oxe344 Server failure AAAA eu-office.events.data.microsoft.com OPT
Frame 2086: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56251
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  2087 979.935039942 127.0.0.1
```

127.0.0.53

(Port unreachable)

ICMP

134

Destination unreachable

User Datagram Protocol, Src Port: 47070, Dst Port: 53

```
Frame 2087: 134 bytes on wire (1072 bits), 134 bytes captured (1072 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                           Destination
       Time
                      Source
                                                                  Protocol Length Info
No.
   2088 980.378398630 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           168
                                                                                  Standard query response
0xe6c9 No such name A eu-office.events.data.microsoft.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2088: 168 bytes on wire (1344 bits), 168 bytes captured (1344 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58780
Domain Name System (response)
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2089 980.378548443 127.0.0.53
                                            127.0.0.1
                                                                                  Standard query response
0x3a22 No such name A eu-office.events.data.microsoft.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2089: 168 bytes on wire (1344 bits), 168 bytes captured (1344 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49260
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
       Time
   2090 980.378572863 127.0.0.1
                                            127.0.0.53
                                                                           196
                                                                                  Destination unreachable
(Port unreachable)
Frame 2090: 196 bytes on wire (1568 bits), 196 bytes captured (1568 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
   2091 980.919211911 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           98
                                                                                  Standard query 0x1fec
A outlook.office.com.ensea.fr OPT
Frame 2091: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59359, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   2092 981.874581347 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           106
                                                                                  Standard query response
Ox121b Server failure A eu-office.events.data.microsoft.com OPT
Frame 2092: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46972
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
   2093 981.874635842 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           134
                                                                                  Destination unreachable
(Port unreachable)
Frame 2093: 134 bytes on wire (1072 bits), 134 bytes captured (1072 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
   2094 981.874802840 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           106
                                                                                  Standard query response
Oxf358 Server failure A eu-office.events.data.microsoft.com OPT
Frame 2094: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56251
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
   2095 981.874821643 127.0.0.1
                                                                           134
                                            127.0.0.53
                                                                  ICMP
                                                                                  Destination unreachable
(Port unreachable)
Frame 2095: 134 bytes on wire (1072 bits), 134 bytes captured (1072 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
        Time
                                            Destination
                                                                  Protocol Length Info
   2096 981.891357016 127.0.0.1
                                                                                  Standard query 0x6aab
                                            127.0.0.53
                                                                           143
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 2096: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

No.

Time

Source

```
Domain Name System (query)
                                                                 Protocol Length Info
       Time
                      Source
                                           Destination
  2097 981.893141165 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          191
                                                                                Standard query response
0x6aab PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 2097: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47070
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   2098 981.895841561 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          143
                                                                                 Standard query response
Oxeedf PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 2098: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40854
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   2099 981.895881365 127.0.0.1
                                           127.0.0.53
                                                                 ICMP
                                                                          171
                                                                                 Destination unreachable
(Port unreachable)
Frame 2099: 171 bytes on wire (1368 bits), 171 bytes captured (1368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                                           Destination
                                                                 Protocol Length Info
                      Source
   2100 981.896792202 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          95
                                                                                 Standard query 0xaec2
PTR 84.24.10.10.in-addr.arpa OPT
Frame 2100: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53106, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   2101 981.899299931 127.0.0.53
                                           127.0.0.1
                                                                          143
                                                                 DNS
                                                                                Standard query response
Oxaec2 PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 2101: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53106
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   2102 981.899685023 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          143
                                                                                 Standard query 0x5473
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 2102: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49818, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   2103 981.900321236 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          191
                                                                              Standard query response
0x5473 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 2103: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49818
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
                                                                                 Standard query 0x8b4e
   2104 981.901992992 127.0.0.1
                                           127.0.0.53
                                                                          95
PTR 84.24.10.10.in-addr.arpa OPT
Frame 2104: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42394, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                 Protocol Length Info
       Time
                      Source
   2105 981.905829430 127.0.0.53
                                           127.0.0.1
                                                                          143
                                                                                 Standard query response
0x8b4e PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 2105: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42394
Domain Name System (response)
```

Destination

Protocol Length Info

2115 991.931469153 127.0.0.1

SOA local OPT

```
2106 981.906256801 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          143
                                                                                 Standard query 0xefc4
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 2106: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33324, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   2107 981.906919961 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          191
                                                                                Standard query response
0xefc4 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 2107: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33324
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  2108 981.908492627 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          95
                                                                                Standard query 0x89bd
PTR 84.24.10.10.in-addr.arpa OPT
Frame 2108: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60725, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
No.
       Time
                      Source
                                           Destination
   2109 983.532818317 127.0.0.1
                                           127.0.0.53
                                                                                 Standard query 0x5d88
A outlook.office.com.ensea.fr OPT
Frame 2109: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59937, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
No.
       Time
                                           Destination
                      Source
   2110 984.937478200 127.0.0.1
                                           127.0.0.53
                                                                          115
                                                                                Standard query 0xe6c9
A eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 2110: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58780, Dst Port: 53
Domain Name System (query)
        Time
                                           Destination
                                                                 Protocol Length Info
                      Source
   2111 986.913905419 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          95
                                                                                 Standard query 0x89bd
PTR 84.24.10.10.in-addr.arpa OPT
Frame 2111: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60725, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   2112 988.538656263 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          89
                                                                                 Standard query 0x083d
A outlook.office.com OPT
Frame 2112: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33698, Dst Port: 53
Domain Name System (query)
        Time
                                           Destination
                      Source
                                                                 Protocol Length Info
   2113 991.919981632 127.0.0.1
                                           127.0.0.53
                                                                                 Standard query 0x4aa0
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 2113: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58750, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   2114 991.921458747 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          191
                                                                                Standard query response
0x4aa0 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 2114: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58750
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
```

127.0.0.53

DNS

76

Standard query 0x6d1c

Internet Control Message Protocol

```
Frame 2115: 76 bytes on wire (608 bits), 76 bytes captured (608 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47442, Dst Port: 53
Domain Name System (query)
       Time
                                             Destination
                                                                   Protocol Length Info
No.
                       Source
   2116 993.323956872 127.0.0.1
                                             127.0.0.53
                                                                            106
                                                                                   Standard query 0xa8bf
A eu-office.events.data.microsoft.com OPT
Frame 2116: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46051, Dst Port: 53
Domain Name System (query)
No.
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
  2117 993.543944215 127.0.0.1
                                            127.0.0.53
                                                                                   Standard query 0x083d
A outlook.office.com OPT
Frame 2117: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33698, Dst Port: 53
Domain Name System (query)
                       Source
                                            Destination
                                                                   Protocol Length Info
       Time
   2118 996.936879242 127.0.0.1
                                            127.0.0.53
                                                                            76
                                                                                   Standard query 0x6d1c
SOA local OPT
Frame 2118: 76 bytes on wire (608 bits), 76 bytes captured (608 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47442, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
                                                                                   Standard query response
   2119 996.940313042 127.0.0.53
                                             127.0.0.1
                                                                            143
0x89bd PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 2119: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60725
Domain Name System (response)
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   2120 996.940360360 127.0.0.1
                                            127.0.0.53
                                                                            171
                                                                                   Destination unreachable
(Port unreachable)
Frame 2120: 171 bytes on wire (1368 bits), 171 bytes captured (1368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                            Destination
                                                                   Protocol Length Info
       Time
                       Source
  2121 998.329231844 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            106
                                                                                   Standard query 0xa8bf
A eu-office.events.data.microsoft.com OPT
Frame 2121: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46051, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                   Protocol Length Info
                                            127.0.0.53
   2122 998.549509018 127.0.0.1
                                                                   DNS
                                                                            98
                                                                                   Standard query 0x55ce
A outlook.office.com.ensea.fr OPT
Frame 2122: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47215, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
                                             Destination
   2123 1000.376078863 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            168
                                                                                   Standard query response
0xe6c9 No such name A eu-office.events.data.microsoft.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2123: 168 bytes on wire (1344 bits), 168 bytes captured (1344 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58780
Domain Name System (response)
        Time
                                            Destination
                                                                   Protocol Length Info
   2124 1000.376124671 127.0.0.1
                                            127.0.0.53
                                                                   ICMP
                                                                            196
                                                                                   Destination unreachable
(Port unreachable)
Frame 2124: 196 bytes on wire (1568 bits), 196 bytes captured (1568 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

No.

Time

Source

```
Domain Name System (response)
      Time
                      Source
                                                                 Protocol Length Info
                                           Destination
  2125 1001.622757201 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          244
                                                                                 Standard query response
0xe790 A connectivity-check.ubuntu.com A 185.125.190.18 A 91.189.91.49 A 34.122.121.32 A 35.232.111.17 A
91.189.91.48 A 185.125.190.49 A 35.224.170.84 A 185.125.190.17 A 185.125.190.48 OPT
Frame 2125: 244 bytes on wire (1952 bits), 244 bytes captured (1952 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37998
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   2126 1001.622805502 127.0.0.1
                                           127.0.0.53
                                                                 TCMP
                                                                          272
                                                                                 Destination unreachable
(Port unreachable)
Frame 2126: 272 bytes on wire (2176 bits), 272 bytes captured (2176 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   2127 1001.623230301 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          268
                                                                                Standard query response
0xd99f AAAA connectivity-check.ubuntu.com AAAA 2001:67c:1562::23 AAAA 2620:2d:4000:1::22 AAAA 2001:67c:
1562::24 AAAA 2620:2d:4000:1::23 AAAA 2620:2d:4000:1::2a AAAA 2620:2d:4000:1::2b OPT
Frame 2127: 268 bytes on wire (2144 bits), 268 bytes captured (2144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37998
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   2128 1001.623243771 127.0.0.1
                                           127.0.0.53
                                                                 TCMP
                                                                          296
                                                                                 Destination unreachable
(Port unreachable)
Frame 2128: 296 bytes on wire (2368 bits), 296 bytes captured (2368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
No.
                                           Destination
                                                                 Protocol Length Info
       Time
                      Source
   2129 1001.625397449 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          151
                                                                                Standard query response
0x62fc No such name AAAA outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2129: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59359
Domain Name System (response)
No.
       Time
                                           Destination
                                                                 Protocol Length Info
                      Source
   2130 1001.625441086 127.0.0.1
                                           127.0.0.53
                                                                 ICMP
                                                                          179
                                                                                 Destination unreachable
(Port unreachable)
Frame 2130: 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                                                 Protocol Length Info
No.
       Time
                      Source
                                           Destination
   2131 1001.963620877 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          95
                                                                                 Standard query 0xdfdd
PTR 84.24.10.10.in-addr.arpa OPT
Frame 2131: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42445, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   2132 1001.965541599 127.0.0.53
                                           127.0.0.1
                                                                          151
                                                                                 Standard query response
0x6d1c No such name SOA local SOA a.root-servers.net OPT
Frame 2132: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47442
Domain Name System (response)
                                           Destination
                                                                 Protocol Length Info
       Time
                      Source
   2133 1001.965575231 127.0.0.1
                                           127.0.0.53
                                                                 ICMP
                                                                          179
                                                                                 Destination unreachable
(Port unreachable)
Frame 2133: 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
```

Destination

Protocol Length Info

```
2134 1001.965919042 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            143
                                                                                  Standard query response
Oxdfdd PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 2134: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42445
Domain Name System (response)
        Time
                                            Destination
                                                                   Protocol Length Info
                       Source
   2135 1001.966325744 127.0.0.1
                                            127.0.0.53
                                                                           143
                                                                                  Standard query 0x88bb
                                                                  DNS
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 2135: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42811, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   2136 1001.967071350 127.0.0.53
                                                                                Standard query response
                                            127.0.0.1
                                                                  DNS
                                                                           191
0x88bb PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 2136: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42811
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   2137 1002.097476438 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            76
                                                                                  Standard query 0x7313
SOA local OPT
Frame 2137: 76 bytes on wire (608 bits), 76 bytes captured (608 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41176, Dst Port: 53
Domain Name System (query)
No.
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   2138 1002.100544929 127.0.0.53
                                            127.0.0.1
                                                                           151
                                                                                  Standard query response
0x7313 No such name SOA local SOA a.root-servers.net OPT
Frame 2138: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41176
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
   2139 1002.154121448 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            76
                                                                                  Standard query 0xf639
SOA local OPT
Frame 2139: 76 bytes on wire (608 bits), 76 bytes captured (608 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 34078, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2140 1002.157323147 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            151
                                                                                  Standard query response
0xf639 No such name SOA local SOA a.root-servers.net OPT
Frame 2140: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 34078
Domain Name System (response)
        Time
                                            Destination
No.
                       Source
                                                                   Protocol Length Info
   2141 1002.251657381 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            95
                                                                                   Standard query 0xfec5
PTR 84.24.10.10.in-addr.arpa OPT
Frame 2141: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 51669, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   2142 1002.256921458 127.0.0.53
                                            127.0.0.1
                                                                            143
                                                                                  Standard query response
Oxfec5 PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 2142: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 51669
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   2143 1002.257125993 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            143
                                                                                   Standard query 0x2109
```

PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT

Frame 2143: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0

User Datagram Protocol, Src Port: 57345, Dst Port: 53

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44319, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                  Protocol Length Info
                                            127.0.0.1
   2144 1002.257504507 127.0.0.53
                                                                  DNS
                                                                           191
                                                                                Standard query response
0x2109 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 2144: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44319
Domain Name System (response)
No.
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   2145 1002.261499526 127.0.0.1
                                            127.0.0.53
                                                                            95
                                                                                  Standard query 0x5a19
PTR 84.24.10.10.in-addr.arpa OPT
Frame 2145: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37195, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   2146 1003.334592502 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                                  Standard query 0xd56e
                                                                            115
A eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 2146: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38464, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   2147 1003.339910926 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            168
                                                                                   Standard query response
0xd56e No such name A eu-office.events.data.microsoft.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2147: 168 bytes on wire (1344 bits), 168 bytes captured (1344 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38464
Domain Name System (response)
        Time
                                                                   Protocol Length Info
                       Source
                                            Destination
   2148 1003.340234429 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            118
                                                                                  Standard query 0x5c3e
A eu-office.events.data.microsoft.com.etis-lab.fr OPT
Frame 2148: 118 bytes on wire (944 bits), 118 bytes captured (944 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42575, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
        Time
                       Source
   2149 1003.342055655 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           167
                                                                                  Standard query response
0x5c3e No such name A eu-office.events.data.microsoft.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 2149: 167 bytes on wire (1336 bits), 167 bytes captured (1336 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42575
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   2150 1003.342310582 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            120
                                                                                  Standard query 0x6b18
A eu-office.events.data.microsoft.com.quartz-lab.fr OPT
Frame 2150: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33199, Dst Port: 53
Domain Name System (query)
                       Source
                                                                   Protocol Length Info
                                             Destination
   2151 1003.343999806 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            169
                                                                                   Standard query response
0x6b18 No such name A eu-office.events.data.microsoft.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 2151: 169 bytes on wire (1352 bits), 169 bytes captured (1352 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33199
Domain Name System (response)
        Time
                                             Destination
                                                                   Protocol Length Info
   2152 1003.344637450 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            106
                                                                                  Standard query 0xb0b6
A eu-office.events.data.microsoft.com OPT
Frame 2152: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

```
Domain Name System (query)
      Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   2153 1003.554847336 127.0.0.1
                                            127.0.0.53
                                                                            98
                                                                                  Standard query 0x55ce
A outlook.office.com.ensea.fr OPT
Frame 2153: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 47215, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
   2154 1007.266912612 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            95
                                                                                  Standard query 0x5a19
PTR 84.24.10.10.in-addr.arpa OPT
Frame 2154: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37195, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
   2155 1008.349997352 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                           106
                                                                                  Standard query 0xb0b6
A eu-office.events.data.microsoft.com OPT
Frame 2155: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57345, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2156 1008.555258048 127.0.0.53
                                             127.0.0.1
                                                                  DNS
                                                                            168
                                                                                  Standard query response
0x6adf No such name AAAA eu-office.events.data.microsoft.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2156: 168 bytes on wire (1344 bits), 168 bytes captured (1344 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58780
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   2157 1008.555284475 127.0.0.1
                                            127.0.0.53
                                                                   ICMP
                                                                            196
                                                                                  Destination unreachable
(Port unreachable)
Frame 2157: 196 bytes on wire (1568 bits), 196 bytes captured (1568 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                                            Destination
                                                                   Protocol Length Info
No.
                      Source
   2158 1008.557242514 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           89
                                                                                  Standard query 0xaad4
A outlook.office.com OPT
Frame 2158: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59402, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   2159 1008.824995617 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0x5149
A outlook.office.com OPT
Frame 2159: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40295, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
                      Source
                                             Destination
   2160 1009.429827633 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            151
                                                                                  Standard query response
0x55ce No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2160: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 47215
Domain Name System (response)
       Time
                                             Destination
                                                                   Protocol Length Info
                      Source
   2161 1009.429853661 127.0.0.1
                                            127.0.0.53
                                                                   ICMP
                                                                            179
                                                                                  Destination unreachable
(Port unreachable)
Frame 2161: 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   2162 1009.429930069 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            151
                                                                                  Standard query response
```

0x5d88 No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT

```
Frame 2162: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59937
Domain Name System (response)
                                            Destination
       Time
                       Source
                                                                  Protocol Length Info
No.
   2163 1009.429935358 127.0.0.1
                                            127.0.0.53
                                                                            179
                                                                                  Destination unreachable
(Port unreachable)
Frame 2163: 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   2164 1009.429985528 127.0.0.53
                                            127.0.0.1
                                                                                  Standard query response
0x1fec No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2164: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59359
Domain Name System (response)
                       Source
                                            Destination
                                                                  Protocol Length Info
       Time
   2165 1009.429989593 127.0.0.1
                                            127.0.0.53
                                                                            179
                                                                                  Destination unreachable
(Port unreachable)
Frame 2165: 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                       Source
                                            Destination
                                                                   Protocol Length Info
   2166 1012.273022509 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            143
                                                                                   Standard query 0x1c81
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 2166: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57662, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   2167 1012.274470658 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           191
                                                                                  Standard query response
0x1c81 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 2167: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57662
Domain Name System (response)
       Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   2168 1012.277483044 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           95
                                                                                  Standard query 0xe48f
PTR 84.24.10.10.in-addr.arpa OPT
Frame 2168: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60776, Dst Port: 53
Domain Name System (query)
        Time
No.
                       Source
                                            Destination
                                                                  Protocol Length Info
   2169 1013.355509125 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            115
                                                                                  Standard query 0x6998
A eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 2169: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49440, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   2170 1013.562550869 127.0.0.1
                                             127.0.0.53
                                                                           89
                                                                                  Standard query 0xaad4
                                                                   DNS
A outlook.office.com OPT
Frame 2170: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59402, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   2171 1013.830333056 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            89
                                                                                  Standard query 0x5149
A outlook.office.com OPT
Frame 2171: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
```

Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53

Domain Name System (query)

```
User Datagram Protocol, Src Port: 40295, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2172 1015.039978014 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           231
                                                                                Standard query response
0xb0b6 A eu-office.events.data.microsoft.com CNAME eu.aria.events.data.trafficmanager.net CNAME
onedscolprdweu04.westeurope.cloudapp.azure.com A 20.50.201.200 OPT
Frame 2172: 231 bytes on wire (1848 bits), 231 bytes captured (1848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57345
Domain Name System (response)
No.
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2173 1015.040023176 127.0.0.1
                                            127.0.0.53
                                                                  TCMP
                                                                           259
                                                                                  Destination unreachable
(Port unreachable)
Frame 2173: 259 bytes on wire (2072 bits), 259 bytes captured (2072 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2174 1015.040409000 127.0.0.53
                                            127.0.0.1
                                                                  DNS 231 Standard query response
0xa8bf A eu-office.events.data.microsoft.com CNAME eu.aria.events.data.trafficmanager.net CNAME
onedscolprdweu04.westeurope.cloudapp.azure.com A 20.50.201.200 OPT
Frame 2174: 231 bytes on wire (1848 bits), 231 bytes captured (1848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46051
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
No.
       Time
                      Source
   2175 1015.040417398 127.0.0.1
                                            127.0.0.53
                                                                           259
                                                                                  Destination unreachable
(Port unreachable)
Frame 2175: 259 bytes on wire (2072 bits), 259 bytes captured (2072 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
   2176 1017.282832352 127.0.0.1
                                            127.0.0.53
                                                                           95
                                                                                  Standard query 0xe48f
PTR 84.24.10.10.in-addr.arpa OPT
Frame 2176: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60776, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
                      Source
                                            Destination
   2177 1017.350732671 127.0.0.53
                                                                           143
                                            127.0.0.1
                                                                                  Standard query response
0x5a19 PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 2177: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37195
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2178 1017.350775086 127.0.0.1
                                           127.0.0.53
                                                                  ICMP
                                                                           171
                                                                                  Destination unreachable
(Port unreachable)
Frame 2178: 171 bytes on wire (1368 bits), 171 bytes captured (1368 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
No.
   2179 1017.351072643 127.0.0.53
                                            127.0.0.1
                                                                           143
                                                                                  Standard query response
0xe48f PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local 0PT
Frame 2179: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60776
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2180 1017.351831054 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           143
                                                                                  Standard query 0x4aff
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 2180: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40650, Dst Port: 53
```

Source

Time

No.

```
Time
                      Source
                                           Destination
                                                                Protocol Length Info
                                                                DNS 191 Standard query response
  2181 1017.352933667 127.0.0.53
                                           127.0.0.1
0x4aff PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 2181: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40650
Domain Name System (response)
       Time
                                           Destination
No.
                      Source
                                                                 Protocol Length Info
   2182 1017.356791211 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                                Standard query 0xee76
PTR 84.24.10.10.in-addr.arpa OPT
Frame 2182: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36093, Dst Port: 53
Domain Name System (query)
       Time
                                                                Protocol Length Info
No.
                      Source
                                           Destination
  2183 1017.361617621 127.0.0.53
                                           127.0.0.1
                                                                         143
                                                                                Standard query response
0xee76 PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 2183: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36093
Domain Name System (response)
       Time
                      Source
                                                                 Protocol Length Info
                                           Destination
   2184 1017.362059489 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                                Standard query 0xe89d
                                                                         143
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 2184: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49436, Dst Port: 53
Domain Name System (query)
                                           Destination
       Time
                      Source
                                                                Protocol Length Info
   2185 1017.362962201 127.0.0.53
                                           127.0.0.1
                                                                DNS
                                                                         191 Standard query response
0xe89d PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 2185: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49436
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   2186 1017.364843146 127.0.0.1
                                           127.0.0.53
                                                                DNS
                                                                                Standard query 0x8f2d
                                                                         95
PTR 84.24.10.10.in-addr.arpa OPT
Frame 2186: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 51191, Dst Port: 53
Domain Name System (query)
                      Source
       Time
                                           Destination
                                                                 Protocol Length Info
   2187 1017.368281369 127.0.0.53
                                           127.0.0.1
                                                                         143
                                                                DNS
                                                                                Standard query response
0x8f2d PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 2187: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 51191
Domain Name System (response)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   2188 1017.368515789 127.0.0.1
                                           127.0.0.53
                                                                                Standard query 0x5384
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 2188: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58994, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   2189 1017.369281906 127.0.0.53
                                           127.0.0.1
                                                                DNS
                                                                         191
                                                                               Standard query response
0x5384 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Frame 2189: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58994
```

Destination

Protocol Length Info

```
2190 1017.370747907 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          95
                                                                                 Standard query 0x081f
PTR 84.24.10.10.in-addr.arpa OPT
Frame 2190: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46715, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   2191 1017.373880204 127.0.0.53
                                            127.0.0.1
                                                                          143
                                                                                 Standard query response
                                                                 DNS
0x081f PTR 84.24.10.10.in-addr.arpa PTR Warhawk PTR Warhawk.local OPT
Frame 2191: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46715
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  2192 1017.374014264 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          143
                                                                                 Standard query 0xcbf7
PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa OPT
Frame 2192: 143 bytes on wire (1144 bits), 143 bytes captured (1144 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45053, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   2193 1017.374740598 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          191
                                                                                Standard query response
0xcbf7 PTR 4.5.3.3.b.3.d.f.5.9.f.d.2.e.5.f.0.0.0.0.0.0.0.0.0.0.0.0.0.8.e.f.ip6.arpa PTR Warhawk PTR
Warhawk.local OPT
Frame 2193: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45053
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
  2194 1017.903958074 127.0.0.1
                                           127.0.0.53
                                                                          76
                                                                                 Standard query 0x099b
SOA local OPT
Frame 2194: 76 bytes on wire (608 bits), 76 bytes captured (608 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38937, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
       Time
                                           Destination
                      Source
   2195 1017.951992595 127.0.0.53
                                                                 DNS
                                           127.0.0.1
                                                                          151
                                                                                 Standard query response
0x099b No such name SOA local SOA a.root-servers.net OPT
Frame 2195: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38937
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   2196 1018.360809125 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          115
                                                                                 Standard query 0x6998
A eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 2196: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49440, Dst Port: 53
Domain Name System (query)
        Time
                                           Destination
No.
                      Source
                                                                 Protocol Length Info
   2197 1018.568034697 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          98
                                                                                 Standard query 0x5598
A outlook.office.com.ensea.fr OPT
Frame 2197: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39729, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   2198 1018.573416443 127.0.0.53
                                            127.0.0.1
                                                                 DNS
                                                                          151
                                                                                 Standard query response
0x5598 No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2198: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39729
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   2199 1018.573632057 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          98
                                                                                 Standard query 0xfca9
AAAA outlook.office.com.ensea.fr OPT
```

Frame 2199: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39729, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   2200 1018.835830658 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           98
                                                                                  Standard query 0x0cb3
A outlook.office.com.ensea.fr OPT
Frame 2200: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52079, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                      Source
                                             Destination
   2201 1023,367273662 127,0,0,1
                                            127.0.0.53
                                                                  DNS
                                                                            106
                                                                                  Standard query 0x7207
A eu-office.events.data.microsoft.com OPT
Frame 2201: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44712, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
   2202 1023.367313102 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            106
                                                                                  Standard query 0x9538
AAAA eu-office.events.data.microsoft.com OPT
Frame 2202: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44712, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
   2203 1023.477973343 127.0.0.53
                                            127.0.0.1
                                                                                   Standard query response
0x6998 No such name A eu-office.events.data.microsoft.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2203: 168 bytes on wire (1344 bits), 168 bytes captured (1344 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49440
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
   2204 1023.478017713 127.0.0.1
                                            127.0.0.53
                                                                            196
                                                                                  Destination unreachable
(Port unreachable)
Frame 2204: 196 bytes on wire (1568 bits), 196 bytes captured (1568 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   2205 1023.573038223 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            98
                                                                                  Standard query 0x5598
A outlook.office.com.ensea.fr OPT
Frame 2205: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40569, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   2206 1023.618092973 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            106
                                                                                  Standard query 0xe33a
A eu-office.events.data.microsoft.com OPT
Frame 2206: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44930, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
No.
   2207 1023.841169471 127.0.0.1
                                            127.0.0.53
                                                                            98
                                                                                   Standard query 0x0cb3
A outlook.office.com.ensea.fr OPT
Frame 2207: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52079, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   2208 1025.042789948 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            89
                                                                                   Standard query response
Oxaad4 Server failure A outlook.office.com OPT
Frame 2208: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59402
```

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2209 1025.042847345 127.0.0.1
                                                                           117
                                            127.0.0.53
                                                                  TCMP
                                                                                  Destination unreachable
(Port unreachable)
Frame 2209: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
        Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   2210 1025.042972758 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           89
                                                                                  Standard query response
0x083d Server failure A outlook.office.com OPT
Frame 2210: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33698
Domain Name System (response)
       Time
                                            Destination
                      Source
                                                                  Protocol Length Info
   2211 1025.042991107 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           117
                                                                                  Destination unreachable
(Port unreachable)
Frame 2211: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                                                  Protocol Length Info
No.
       Time
                      Source
                                            Destination
   2212 1025.043079276 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           89
                                                                                  Standard query response
0x5149 Server failure A outlook.office.com OPT
Frame 2212: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40295
Domain Name System (response)
                                                                  Protocol Length Info
No.
       Time
                      Source
                                            Destination
   2213 1025.043094719 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           117
                                                                                  Destination unreachable
(Port unreachable)
Frame 2213: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
        Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   2214 1026.710808423 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           151
                                                                                  Standard query response
Oxfca9 No such name AAAA outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2214: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39729
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
                                                                                  Destination unreachable
   2215 1026.710867264 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           179
(Port unreachable)
Frame 2215: 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2216 1026.711223577 127.0.0.53
                                            127.0.0.1
                                                                           151
                                                                                  Standard query response
0x5598 No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2216: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40569
Domain Name System (response)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2217 1026.711432925 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           151
                                                                                  Standard query response
0x0cb3 No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2217: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52079
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2218 1026.711650491 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           98
                                                                                  Standard query 0xfca9
AAAA outlook.office.com.ensea.fr OPT
```

Frame 2218: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33269, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   2219 1026.711793129 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0xd64a
A outlook.office.com.etis-lab.fr OPT
Frame 2219: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33763, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
   2220 1026.715022475 127.0.0.53
                                            127.0.0.1
                                                                            151
                                                                                  Standard query response
Oxfca9 No such name AAAA outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2220: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33269
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
No.
       Time
                      Source
   2221 1026.715421385 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            101
                                                                                  Standard query 0x993f
A outlook.office.com.etis-lab.fr OPT
Frame 2221: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 45483, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
   2222 1026.715848887 127.0.0.53
                                            127.0.0.1
                                                                            150
                                                                                  Standard query response
0xd64a No such name A outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 2222: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33763
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
   2223 1026.715927621 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           150
                                                                                  Standard query response
0x993f No such name A outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 2223: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 45483
Domain Name System (response)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   2224 1026.716103206 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            103
                                                                                  Standard query 0x7bb7
A outlook.office.com.quartz-lab.fr OPT
Frame 2224: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50978, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   2225 1026.716155499 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                  Standard query 0x0237
AAAA outlook.office.com.etis-lab.fr OPT
Frame 2225: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57260, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
No.
   2226 1026.719046229 127.0.0.53
                                            127.0.0.1
                                                                            152
                                                                                   Standard query response
0x7bb7 No such name A outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 2226: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50978
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   2227 1026.719196529 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            150
                                                                                   Standard query response
0x0237 No such name AAAA outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 2227: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57260
```

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
                                                                           103
  2228 1026.719458676 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                                  Standard query 0x1766
A outlook.office.com.quartz-lab.fr OPT
Frame 2228: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56342, Dst Port: 53
Domain Name System (query)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   2229 1026.719564249 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0xdf42
A outlook.office.com OPT
Frame 2229: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58998, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   2230 1026.721438938 127.0.0.53
                                            127.0.0.1
                                                                           152
                                                                                  Standard query response
                                                                  DNS
0x1766 No such name A outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 2230: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56342
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   2231 1026.721687484 127.0.0.1
                                            127.0.0.53
                                                                           103
                                                                                  Standard query 0x4a9c
AAAA outlook.office.com.quartz-lab.fr OPT
Frame 2231: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44094, Dst Port: 53
Domain Name System (query)
No.
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   2232 1026.723708975 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           152
                                                                                  Standard query response
0x4a9c No such name AAAA outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 2232: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44094
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                                            Destination
                       Source
   2233 1026.724305878 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0x25d4
A outlook.office.com OPT
Frame 2233: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35235, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2234 1026.724330182 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0x68c2
AAAA outlook.office.com OPT
Frame 2234: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35235, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                                            Destination
No.
                       Source
   2235 1028.368927885 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           106
                                                                                  Standard query 0x7207
A eu-office.events.data.microsoft.com OPT
Frame 2235: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44712, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2236 1028.368970386 127.0.0.1
                                            127.0.0.53
                                                                           106
                                                                                  Standard query 0x9538
AAAA eu-office.events.data.microsoft.com OPT
Frame 2236: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44712, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
        Time
                       Source
                                             Destination
   2237 1028.373936205 127.0.0.53
                                             127.0.0.1
                                                                  DNS
                                                                           231
                                                                                  Standard query response
```

0x7207 A eu-office.events.data.microsoft.com CNAME eu.aria.events.data.trafficmanager.net CNAME

onedscolprdweu04.westeurope.cloudapp.azure.com A 20.50.201.200 OPT

```
Frame 2237: 231 bytes on wire (1848 bits), 231 bytes captured (1848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44712
Domain Name System (response)
       Time
                       Source
                                            Destination
                                                                  Protocol Length Info
No.
   2238 1028.374179751 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            231
                                                                                  Standard query response
0xe33a A eu-office.events.data.microsoft.com CNAME eu.aria.events.data.trafficmanager.net CNAME
onedscolprdweu04.westeurope.cloudapp.azure.com A 20.50.201.200 OPT
Frame 2238: 231 bytes on wire (1848 bits), 231 bytes captured (1848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44930
Domain Name System (response)
                                                                   Protocol Length Info
   2239 1028.380591408 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            276
                                                                                   Standard query response
0x9538 AAAA eu-office.events.data.microsoft.com CNAME eu.aria.events.data.trafficmanager.net CNAME
onedscolprdweu04.westeurope.cloudapp.azure.com SOA ns1-201.azure-dns.com OPT
Frame 2239: 276 bytes on wire (2208 bits), 276 bytes captured (2208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00:00:00:00:00:00:00
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44712
Domain Name System (response)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   2240 1028.381120630 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            106
                                                                                   Standard query 0x9b3e
A eu-office.events.data.microsoft.com OPT
Frame 2240: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53538, Dst Port: 53
Domain Name System (query)
       Time
                                                                   Protocol Length Info
                      Source
                                             Destination
   2241 1028.381142436 127.0.0.1
                                             127.0.0.53
                                                                            106
                                                                   DNS
                                                                                   Standard query 0x1f36
AAAA eu-office.events.data.microsoft.com OPT
Frame 2241: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53538, Dst Port: 53
Domain Name System (query)
       Time
No.
                       Source
                                            Destination
                                                                  Protocol Length Info
   2242 1028.381476009 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            292
                                                                                   Standard query response
0x9b3e A eu-office.events.data.microsoft.com CNAME eu.aria.events.data.trafficmanager.net CNAME
onedscolprdweu04.westeurope.cloudapp.azure.com A 20.50.201.200 SOA ns1-201.azure-dns.com OPT
Frame 2242: 292 bytes on wire (2336 bits), 292 bytes captured (2336 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53538
Domain Name System (response)
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   2243 1028.388364695 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            276
                                                                                  Standard query response
0x1f36 AAAA eu-office.events.data.microsoft.com CNAME eu.aria.events.data.trafficmanager.net CNAME
onedscolprdweu04.westeurope.cloudapp.azure.com SOA ns1-201.azure-dns.com OPT
Frame 2243: 276 bytes on wire (2208 bits), 276 bytes captured (2208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53538
Domain Name System (response)
                                             Destination
                       Source
                                                                   Protocol Length Info
   2244 1029.393856160 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            106
                                                                                   Standard query 0xc03d
A eu-office.events.data.microsoft.com OPT
Frame 2244: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40137, Dst Port: 53
Domain Name System (query)
       Time
                                             Destination
                                                                   Protocol Length Info
   2245 1029.393888051 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            106
                                                                                   Standard query 0xcc02
AAAA eu-office.events.data.microsoft.com OPT
Frame 2245: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40137, Dst Port: 53
Domain Name System (query)
No.
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
```

```
2246 1029.394788982 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           292
                                                                                  Standard query response
0xc03d A eu-office.events.data.microsoft.com CNAME eu.aria.events.data.trafficmanager.net CNAME
onedscolprdweu04.westeurope.cloudapp.azure.com A 20.50.201.200 SOA ns1-201.azure-dns.com OPT
Frame 2246: 292 bytes on wire (2336 bits), 292 bytes captured (2336 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40137
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2247 1029.397260249 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           276
                                                                                  Standard query response
0xcc02 AAAA eu-office.events.data.microsoft.com CNAME eu.aria.events.data.trafficmanager.net CNAME
onedscolprdweu04.westeurope.cloudapp.azure.com SOA ns1-201.azure-dns.com OPT
Frame 2247: 276 bytes on wire (2208 bits), 276 bytes captured (2208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40137
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
   2248 1031.724558236 127.0.0.1
                                            127.0.0.53
                                                                           89
                                                                                  Standard query 0x25d4
A outlook.office.com OPT
Frame 2248: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35235, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2249 1031.724600450 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                   Standard query 0x68c2
AAAA outlook.office.com OPT
Frame 2249: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35235, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   2250 1031.724783791 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0xdf42
A outlook.office.com OPT
Frame 2250: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58998, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                   Protocol Length Info
No.
                      Source
   2251 1035.488341006 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           89
                                                                                  Standard query response
0x68c2 Server failure AAAA outlook.office.com OPT
Frame 2251: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35235
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2252 1035.490041122 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           299
                                                                                  Standard query response
0x25d4 A outlook.office.com CNAME substrate.office.com CNAME outlook.office365.com CNAME ooc-
g2.tm-4.office.com A 52.98.227.210 A 40.99.214.50 A 40.99.220.146 A 52.98.226.242 A 52.98.229.2 A
52.97.233.2 A 52.98.227.162 A 40.101.137.18 OPT
Frame 2252: 299 bytes on wire (2392 bits), 299 bytes captured (2392 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35235
Domain Name System (response)
                      Source
                                            Destination
                                                                   Protocol Length Info
   2253 1035.490521866 127.0.0.53
                                                                                   Standard query response
                                            127.0.0.1
                                                                            299
0xdf42 A outlook.office.com CNAME substrate.office.com CNAME outlook.office365.com CNAME ooc-
g2.tm-4.office.com A 52.98.227.210 A 40.99.214.50 A 40.99.220.146 A 52.98.226.242 A 52.98.229.2 A
52.97.233.2 A 52.98.227.162 A 40.101.137.18 OPT
Frame 2253: 299 bytes on wire (2392 bits), 299 bytes captured (2392 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58998
Domain Name System (response)
       Time
                                            Destination
                                                                   Protocol Length Info
   2254 1168.470746825 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                                   Standard query 0x0fab
                                                                            89
A outlook.office.com OPT
Frame 2254: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
```

Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53

User Datagram Protocol, Src Port: 46117, Dst Port: 53

2264 1179.236439162 127.0.0.1

A outlook.office.com OPT

```
Domain Name System (query)
      Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   2255 1173.472443293 127.0.0.1
                                            127.0.0.53
                                                                                   Standard query 0x0fab
A outlook.office.com OPT
Frame 2255: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 46117, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                                             Destination
No.
                       Source
   2256 1174.225104795 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            89
                                                                                   Standard query response
0x0fab Server failure A outlook.office.com OPT
Frame 2256: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 46117
Domain Name System (response)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
   2257 1174.225415685 127.0.0.1
                                             127.0.0.53
                                                                            98
                                                                                  Standard query 0x129a
A outlook.office.com.ensea.fr OPT
Frame 2257: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59542, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   2258 1174.227468526 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                                   Standard query response
                                                                            151
0x129a No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2258: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59542
Domain Name System (response)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   2259 1174.227673258 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            101
                                                                                   Standard query 0xc50f
A outlook.office.com.etis-lab.fr OPT
Frame 2259: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35203, Dst Port: 53
Domain Name System (query)
        Time
                                             Destination
                                                                   Protocol Length Info
No.
                       Source
   2260 1174.229735962 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            150
                                                                                   Standard query response
0xc50f No such name A outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 2260: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35203
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   2261 1174.229975414 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            103
                                                                                  Standard query 0xba9b
A outlook.office.com.quartz-lab.fr OPT
Frame 2261: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 53601, Dst Port: 53
Domain Name System (query)
                       Source
                                             Destination
                                                                   Protocol Length Info
   2262 1174.232156498 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            152
                                                                                   Standard query response
0xba9b No such name A outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 2262: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 53601
Domain Name System (response)
       Time
                                             Destination
                                                                   Protocol Length Info
                       Source
   2263 1174.232636331 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            89
                                                                                   Standard query 0x7c75
A outlook.office.com OPT
Frame 2263: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33560, Dst Port: 53
Domain Name System (query)
       Time
                                             Destination
                                                                   Protocol Length Info
                       Source
```

127.0.0.53

DNS

89

Standard query 0x7c75

User Datagram Protocol, Src Port: 60098, Dst Port: 53

```
Frame 2264: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33560, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
       Time
                                           Destination
No.
   2265 1184.240457964 127.0.0.1
                                           127.0.0.53
                                                                                 Standard query 0xa28b
A outlook.office.com.ensea.fr OPT
Frame 2265: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58455, Dst Port: 53
Domain Name System (query)
No.
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   2266 1184.290245716 127.0.0.53
                                            127.0.0.1
                                                                          89
                                                                                 Standard query response
0x7c75 Server failure A outlook.office.com OPT
Frame 2266: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33560
Domain Name System (response)
       Time
                      Source
                                           Destination
                                                                 Protocol Length Info
   2267 1184.290272123 127.0.0.1
                                           127.0.0.53
                                                                 ICMP
                                                                                 Destination unreachable
                                                                          117
(Port unreachable)
Frame 2267: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                      Source
                                           Destination
                                                                 Protocol Length Info
   2268 1184.291525203 127.0.0.53
                                            127.0.0.1
                                                                          151
                                                                                 Standard query response
0xa28b No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2268: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58455
Domain Name System (response)
       Time
                                           Destination
                                                                 Protocol Length Info
                      Source
   2269 1184.291770201 127.0.0.1
                                           127.0.0.53
                                                                 DNS
                                                                          101
                                                                                 Standard query 0xbb01
A outlook.office.com.etis-lab.fr OPT
Frame 2269: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50855, Dst Port: 53
Domain Name System (query)
                                           Destination
                                                                 Protocol Length Info
                      Source
   2270 1184.294734999 127.0.0.53
                                           127.0.0.1
                                                                 DNS
                                                                          150
                                                                                 Standard query response
0xbb01 No such name A outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 2270: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50855
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                 Protocol Length Info
   2271 1184.294985045 127.0.0.1
                                            127.0.0.53
                                                                 DNS
                                                                          103
                                                                                 Standard query 0x4c49
A outlook.office.com.quartz-lab.fr OPT
Frame 2271: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33095, Dst Port: 53
Domain Name System (query)
                                                                 Protocol Length Info
                                            Destination
   2272 1184.296801446 127.0.0.53
                                                                          152
                                            127.0.0.1
                                                                 DNS
                                                                                 Standard query response
0x4c49 No such name A outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 2272: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33095
Domain Name System (response)
       Time
                                           Destination
                                                                 Protocol Length Info
   2273 1184.297790286 127.0.0.1
                                                                 DNS
                                                                                 Standard query 0x7cfe
                                           127.0.0.53
                                                                          89
A outlook.office.com OPT
Frame 2273: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

2283 1191.942151527 127.0.0.1

A outlook.office.com.etis-lab.fr OPT

```
Domain Name System (query)
      Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   2274 1184.297806985 127.0.0.1
                                            127.0.0.53
                                                                                   Standard query 0xc0fa
AAAA outlook.office.com OPT
Frame 2274: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60098, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                   Protocol Length Info
No.
                       Source
   2275 1184.548495989 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            89
                                                                                   Standard query 0x1e9d
A outlook.office.com OPT
Frame 2275: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57309, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                   Protocol Length Info
No.
                      Source
   2276 1189.303055123 127.0.0.1
                                             127.0.0.53
                                                                           89
                                                                                  Standard query 0x7cfe
A outlook.office.com OPT
Frame 2276: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60098, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   2277 1189.303087535 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            89
                                                                                   Standard query 0xc0fa
AAAA outlook.office.com OPT
Frame 2277: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 60098, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   2278 1189.553724150 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            89
                                                                                   Standard query 0x1e9d
A outlook.office.com OPT
Frame 2278: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57309, Dst Port: 53
Domain Name System (query)
        Time
                                             Destination
                                                                   Protocol Length Info
No.
                       Source
   2279 1191.938635679 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            89
                                                                                   Standard query response
0x7cfe Server failure A outlook.office.com OPT
Frame 2279: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60098
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   2280 1191.938704497 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                           89
                                                                                  Standard query response
0x1e9d Server failure A outlook.office.com OPT
Frame 2280: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57309
Domain Name System (response)
                                             Destination
                       Source
                                                                   Protocol Length Info
   2281 1191.938988305 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            98
                                                                                   Standard query 0x12e8
A outlook.office.com.ensea.fr OPT
Frame 2281: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58990, Dst Port: 53
Domain Name System (query)
        Time
                                                                   Protocol Length Info
                       Source
                                             Destination
   2282 1191.942016551 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            151
                                                                                  Standard query response
0x12e8 No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2282: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58990
Domain Name System (response)
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
```

127.0.0.53

DNS

101

Standard query 0xa0f4

```
Frame 2283: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52187, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
   2284 1191.944227623 127.0.0.53
                                            127.0.0.1
                                                                           150
                                                                                  Standard query response
0xa0f4 No such name A outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 2284: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52187
Domain Name System (response)
No.
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   2285 1191.944388275 127.0.0.1
                                            127.0.0.53
                                                                            103
                                                                                  Standard query 0xda2c
A outlook.office.com.quartz-lab.fr OPT
Frame 2285: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57438, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
   2286 1191.946428094 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           152
                                                                                  Standard query response
0xda2c No such name A outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 2286: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57438
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
   2287 1191.946904218 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0x5eab
A outlook.office.com OPT
Frame 2287: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33368, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
       Time
                      Source
                                            Destination
   2288 1194.305457025 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           98
                                                                                  Standard query 0xd60e
A outlook.office.com.ensea.fr OPT
Frame 2288: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38783, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                   Protocol Length Info
   2289 1194.305490815 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           98
                                                                                  Standard query 0x521b
AAAA outlook.office.com.ensea.fr OPT
Frame 2289: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 38783, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                  Protocol Length Info
   2290 1194.328865300 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           151
                                                                                  Standard query response
0x521b No such name AAAA outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2290: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38783
Domain Name System (response)
                                                                   Protocol Length Info
                                             Destination
   2291 1194.329030574 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            151
                                                                                  Standard query response
0xd60e No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2291: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 38783
Domain Name System (response)
       Time
                                            Destination
                                                                   Protocol Length Info
   2292 1194.329291053 127.0.0.1
                                                                   DNS
                                            127.0.0.53
                                                                            101
                                                                                  Standard query 0xa9d8
A outlook.office.com.etis-lab.fr OPT
Frame 2292: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
```

Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53

User Datagram Protocol, Src Port: 58700, Dst Port: 53

A outlook.office.com OPT

```
Domain Name System (query)
      Time
                      Source
                                                                  Protocol Length Info
                                            Destination
   2293 1194.329314299 127.0.0.1
                                            127.0.0.53
                                                                            101
                                                                                  Standard query 0x26d0
AAAA outlook.office.com.etis-lab.fr OPT
Frame 2293: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58700, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
No.
                      Source
                                                                  Protocol Length Info
   2294 1194.332296430 127.0.0.53
                                            127.0.0.1
                                                                                  Standard query response
0xa9d8 No such name A outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 2294: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58700
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
   2295 1194.332431974 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            150
                                                                                  Standard query response
0x26d0 No such name AAAA outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 2295: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58700
Domain Name System (response)
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2296 1194.332677811 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            103
                                                                                  Standard query 0xcea0
A outlook.office.com.quartz-lab.fr OPT
Frame 2296: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36045, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   2297 1194.332699719 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            103
                                                                                  Standard query 0x4bb8
AAAA outlook.office.com.quartz-lab.fr OPT
Frame 2297: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36045, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                   Protocol Length Info
No.
                      Source
   2298 1194.334758420 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            152
                                                                                  Standard query response
Oxcea0 No such name A outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 2298: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36045
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2299 1194.334876203 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           152
                                                                                 Standard query response
0x4bb8 No such name AAAA outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 2299: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36045
Domain Name System (response)
                                             Destination
                      Source
                                                                   Protocol Length Info
   2300 1194.335188848 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            89
                                                                                   Standard query Oxbbed
A outlook.office.com OPT
Frame 2300: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57674, Dst Port: 53
Domain Name System (query)
                                            Destination
       Time
                                                                   Protocol Length Info
                      Source
   2301 1194.335203752 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            89
                                                                                  Standard query 0xc8ea
AAAA outlook.office.com OPT
Frame 2301: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57674, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                   Protocol Length Info
                      Source
   2302 1196.952106668 127.0.0.1
                                            127.0.0.53
```

DNS

89

Standard query 0x5eab

User Datagram Protocol, Src Port: 50932, Dst Port: 53

```
Frame 2302: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33368, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                   Protocol Length Info
No.
                       Source
   2303 1199.340460299 127.0.0.1
                                            127.0.0.53
                                                                                   Standard query Oxbbed
A outlook.office.com OPT
Frame 2303: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57674, Dst Port: 53
Domain Name System (query)
No.
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   2304 1199.340488373 127.0.0.1
                                            127.0.0.53
                                                                            89
                                                                                   Standard query 0xc8ea
AAAA outlook.office.com OPT
Frame 2304: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57674, Dst Port: 53
Domain Name System (query)
                                            Destination
                                                                   Protocol Length Info
       Time
                       Source
   2305 1201.957461123 127.0.0.1
                                            127.0.0.53
                                                                            98
                                                                                   Standard query 0xdcf5
A outlook.office.com.ensea.fr OPT
Frame 2305: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 50932, Dst Port: 53
Domain Name System (query)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   2306 1201.979001394 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            89
                                                                                   Standard query response
Oxc8ea Server failure AAAA outlook.office.com OPT
Frame 2306: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57674
Domain Name System (response)
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   2307 1201.979085163 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            89
                                                                                   Standard query response
OxcOfa Server failure AAAA outlook.office.com OPT
Frame 2307: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60098
Domain Name System (response)
                                             Destination
                                                                   Protocol Length Info
   2308 1201.979103349 127.0.0.1
                                            127.0.0.53
                                                                   ICMP
                                                                            117
                                                                                   Destination unreachable
(Port unreachable)
Frame 2308: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
        Time
                                            Destination
                                                                   Protocol Length Info
   2309 1204.342949010 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            98
                                                                                   Standard query 0x1a37
A outlook.office.com.ensea.fr OPT
Frame 2309: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39414, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
                                            Destination
   2310 1204.342979432 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            98
                                                                                   Standard query 0xc70d
AAAA outlook.office.com.ensea.fr OPT
Frame 2310: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39414, Dst Port: 53
Domain Name System (query)
       Time
                                             Destination
                                                                   Protocol Length Info
   2311 1206.962787266 127.0.0.1
                                                                   DNS
                                             127.0.0.53
                                                                            98
                                                                                   Standard query 0xdcf5
A outlook.office.com.ensea.fr OPT
Frame 2311: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

2321 1219.354642249 127.0.0.1

A outlook.office.com.ensea.fr OPT

```
Domain Name System (query)
      Time
                                                                  Protocol Length Info
                      Source
                                            Destination
  2312 1209.348242876 127.0.0.1
                                            127.0.0.53
                                                                           98
                                                                                  Standard query 0x1a37
A outlook.office.com.ensea.fr OPT
Frame 2312: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39414, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
   2313 1209.348269833 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           98
                                                                                  Standard query 0xc70d
AAAA outlook.office.com.ensea.fr OPT
Frame 2313: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39414, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
   2314 1212.216448032 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           151
                                                                                  Standard query response
0xdcf5 No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2314: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 50932
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2315 1212.216484604 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           179
                                                                                  Destination unreachable
(Port unreachable)
Frame 2315: 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2316 1212.216558586 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           151
                                                                                  Standard query response
0x1a37 No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2316: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39414
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
   2317 1214.350159031 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           98
                                                                                  Standard query 0x1a37
A outlook.office.com.ensea.fr OPT
Frame 2317: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39414, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2318 1214.352554907 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           151
                                                                                  Standard query response
0xc70d No such name AAAA outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2318: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39414
Domain Name System (response)
                                            Destination
                      Source
                                                                  Protocol Length Info
   2319 1214.352719294 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           98
                                                                                  Standard query 0xc70d
AAAA outlook.office.com.ensea.fr OPT
Frame 2319: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 39414, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
                      Source
                                            Destination
   2320 1214.355085450 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           151
                                                                                  Standard query response
0xc70d No such name AAAA outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2320: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39414
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
```

127.0.0.53

DNS

98

Standard query 0x1a37

User Datagram Protocol, Src Port: 60402, Dst Port: 53

```
Frame 2321: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59865, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                   Protocol Length Info
No.
                      Source
   2322 1219.555917848 127.0.0.53
                                            127.0.0.1
                                                                                   Standard query response
0x5eab Server failure A outlook.office.com OPT
Frame 2322: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id \theta
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33368
Domain Name System (response)
No.
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   2323 1219.555953652 127.0.0.1
                                            127.0.0.53
                                                                            117
                                                                                   Destination unreachable
(Port unreachable)
Frame 2323: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                            Destination
                                                                   Protocol Length Info
       Time
                      Source
   2324 1219.556023492 127.0.0.53
                                            127.0.0.1
                                                                            89
                                                                                   Standard query response
Oxbbed Server failure A outlook.office.com OPT
Frame 2324: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57674
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   2325 1219.556032647 127.0.0.1
                                            127.0.0.53
                                                                   ICMP
                                                                            117
                                                                                   Destination unreachable
(Port unreachable)
Frame 2325: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                                            Destination
                                                                   Protocol Length Info
                      Source
   2326 1219.564754414 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            151
                                                                                  Standard query response
0x1a37 No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2326: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59865
Domain Name System (response)
                                            Destination
                                                                   Protocol Length Info
       Time
   2327 1219.564885965 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            151
                                                                                  Standard query response
0x1a37 No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2327: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 39414
Domain Name System (response)
       Time
                                             Destination
                                                                   Protocol Length Info
                      Source
   2328 1219.564910584 127.0.0.1
                                            127.0.0.53
                                                                   ICMP
                                                                            179
                                                                                   Destination unreachable
(Port unreachable)
Frame 2328: 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                            Destination
                                                                   Protocol Length Info
   2329 1219.565134933 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            98
                                                                                   Standard query 0xc70d
AAAA outlook.office.com.ensea.fr OPT
Frame 2329: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 35131, Dst Port: 53
Domain Name System (query)
       Time
                                             Destination
                                                                   Protocol Length Info
   2330 1224.359393535 127.0.0.1
                                                                   DNS
                                             127.0.0.53
                                                                            101
                                                                                   Standard query 0x9633
A outlook.office.com.etis-lab.fr OPT
Frame 2330: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

2340 1245.162844131 127.0.0.1

A pinpoint.us-west-2.amazonaws.com OPT

```
Domain Name System (query)
      Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   2331 1224.364887317 127.0.0.53
                                            127.0.0.1
                                                                           150
                                                                                  Standard query response
0x9633 No such name A outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 2331: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 60402
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
No.
   2332 1224.364987889 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0x5425
AAAA outlook.office.com.etis-lab.fr OPT
Frame 2332: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 57226, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
   2333 1224.366697883 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           150
                                                                                  Standard query response
0x5425 No such name AAAA outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 2333: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 57226
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2334 1224.366783447 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           103
                                                                                  Standard query 0xb2dd
A outlook.office.com.quartz-lab.fr OPT
Frame 2334: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56642, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2335 1224.369201964 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           152
                                                                                  Standard query response
0xb2dd No such name A outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 2335: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56642
Domain Name System (response)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
   2336 1224.369259107 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           103
                                                                                  Standard query 0xe8e5
AAAA outlook.office.com.quartz-lab.fr OPT
Frame 2336: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 40027, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2337 1224.370738317 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           152
                                                                                Standard query response
0xe8e5 No such name AAAA outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 2337: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 40027
Domain Name System (response)
                                            Destination
                      Source
                                                                  Protocol Length Info
   2338 1224.625286410 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           151
                                                                                  Standard query response
0xc70d No such name AAAA outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2338: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 35131
Domain Name System (response)
                                            Destination
       Time
                                                                  Protocol Length Info
                      Source
   2339 1224.625320294 127.0.0.1
                                            127.0.0.53
                                                                  ICMP
                                                                           179
                                                                                  Destination unreachable
(Port unreachable)
Frame 2339: 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
```

127.0.0.53

DNS

103

Standard query 0x47ed

```
Frame 2340: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33860, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                   Protocol Length Info
No.
                       Source
   2341 1255.226603828 127.0.0.53
                                            127.0.0.1
                                                                            103
                                                                                   Standard query response
0x47ed Server failure A pinpoint.us-west-2.amazonaws.com OPT
Frame 2341: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33860
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   2342 1255.226627634 127.0.0.1
                                            127.0.0.53
                                                                                   Destination unreachable
(Port unreachable)
Frame 2342: 131 bytes on wire (1048 bits), 131 bytes captured (1048 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                            Destination
       Time
                       Source
                                                                  Protocol Length Info
   2343 1268.843911788 127.0.0.1
                                            224.0.0.251
                                                                            259
                                                                  MDNS
                                                                                  Standard guery 0x0000
TXT HP Color LaserJet CP1510 @ kusanagi._ipps._tcp.local, "QM" question TXT HP DeskJet 3700 series @
Souhaila's MAC._ipps._tcp.local, "QM" question TXT HP_ENVY_Photo_6200_series_Souhaila_s_MAC @
kusanagi._ipps._tcp.local, "QM" question TXT HP Color LaserJet CP1515n @ kusanagi._ipps._tcp.local, "QM"
auestion
Frame 2343: 259 bytes on wire (2072 bits), 259 bytes captured (2072 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 224.0.0.251
User Datagram Protocol, Src Port: 5353, Dst Port: 5353
Multicast Domain Name System (query)
No.
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   2344 1288.816359474 127.0.0.1
                                            127.0.0.53
                                                                                  Standard query 0x335e
A outlook.office.com OPT
Frame 2344: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58715, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                                                                  Protocol Length Info
                       Source
   2345 1288.816395456 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            89
                                                                                   Standard query 0xb640
AAAA outlook.office.com OPT
Frame 2345: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58715, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   2346 1293.821572497 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            89
                                                                                   Standard query 0x335e
A outlook.office.com OPT
Frame 2346: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58715, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
No.
                       Source
                                                                   Protocol Length Info
   2347 1293.821607121 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            89
                                                                                   Standard query 0xb640
AAAA outlook.office.com OPT
Frame 2347: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 58715, Dst Port: 53
Domain Name System (query)
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   2348 1294.838711579 127.0.0.1
                                             127.0.0.53
                                                                            106
                                                                                   Standard query 0x7f36
A eu-office.events.data.microsoft.com OPT
Frame 2348: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44382, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   2349 1297.986027064 127.0.0.53
                                             127.0.0.1
                                                                   DNS
                                                                            89
                                                                                   Standard query response
0xb640 Server failure AAAA outlook.office.com OPT
```

Frame 2349: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58715
Domain Name System (response)
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   2350 1298.822346963 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                           98
                                                                                  Standard query 0xd279
A outlook.office.com.ensea.fr OPT
Frame 2350: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37990, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
   2351 1298.822377708 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            98
                                                                                  Standard query 0x7a61
AAAA outlook.office.com.ensea.fr OPT
Frame 2351: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37990, Dst Port: 53
Domain Name System (query)
       Time
                                                                  Protocol Length Info
No.
                      Source
                                            Destination
   2352 1299.843935004 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                            106
                                                                                  Standard query 0x7f36
A eu-office.events.data.microsoft.com OPT
Frame 2352: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 44382, Dst Port: 53
Domain Name System (query)
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
       Time
   2353 1300.026310005 127.0.0.53
                                            127.0.0.1
                                                                                   Standard query response
0x335e Server failure A outlook.office.com OPT
Frame 2353: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 58715
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
   2354 1300.026338596 127.0.0.1
                                            127.0.0.53
                                                                           117
                                                                                  Destination unreachable
(Port unreachable)
Frame 2354: 117 bytes on wire (936 bits), 117 bytes captured (936 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
                      Source
   2355 1302.864751563 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            106
                                                                                  Standard query response
0x7f36 Server failure A eu-office.events.data.microsoft.com OPT
Frame 2355: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44382
Domain Name System (response)
No.
       Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   2356 1302.864974603 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            115
                                                                                  Standard query 0xce6e
A eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 2356: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 43173, Dst Port: 53
Domain Name System (query)
                      Source
                                            Destination
                                                                   Protocol Length Info
No.
       Time
   2357 1302.871030582 127.0.0.53
                                            127.0.0.1
                                                                            151
                                                                                   Standard query response
0xd279 No such name A outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2357: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37990
Domain Name System (response)
                      Source
                                            Destination
                                                                   Protocol Length Info
       Time
   2358 1302.871198066 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                           168
                                                                                  Standard query response
0xce6e No such name A eu-office.events.data.microsoft.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2358: 168 bytes on wire (1344 bits), 168 bytes captured (1344 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 43173
```

AAAA outlook.office.com.quartz-lab.fr OPT

```
Time
                       Source
                                            Destination
                                                                  Protocol Length Info
  2359 1302.871305938 127.0.0.53
                                                                                  Standard query response
                                            127.0.0.1
                                                                  DNS
                                                                           151
0x7a61 No such name AAAA outlook.office.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2359: 151 bytes on wire (1208 bits), 151 bytes captured (1208 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37990
Domain Name System (response)
        Time
                                                                  Protocol Length Info
                       Source
                                            Destination
   2360 1302.871383336 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           118
                                                                                  Standard query 0xafcf
A eu-office.events.data.microsoft.com.etis-lab.fr OPT
Frame 2360: 118 bytes on wire (944 bits), 118 bytes captured (944 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56704, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   2361 1302.871571318 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0xd596
A outlook.office.com.etis-lab.fr OPT
Frame 2361: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36264, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2362 1302.871585745 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           101
                                                                                  Standard query 0xda90
AAAA outlook.office.com.etis-lab.fr OPT
Frame 2362: 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 36264, Dst Port: 53
Domain Name System (query)
No.
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   2363 1302.874138906 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           167
                                                                                 Standard query response
Oxafcf No such name A eu-office.events.data.microsoft.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 2363: 167 bytes on wire (1336 bits), 167 bytes captured (1336 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56704
Domain Name System (response)
                                                                  Protocol Length Info
        Time
                       Source
                                            Destination
   2364 1302.874243263 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                                  Standard query response
0xd596 No such name A outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 2364: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36264
Domain Name System (response)
       Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   2365 1302.874342990 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           120
                                                                                  Standard query 0x8099
A eu-office.events.data.microsoft.com.quartz-lab.fr OPT
Frame 2365: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 42751, Dst Port: 53
Domain Name System (query)
        Time
                                            Destination
                       Source
                                                                  Protocol Length Info
   2366 1302.875211193 127.0.0.53
                                            127.0.0.1
                                                                           150
                                                                                  Standard query response
0xda90 No such name AAAA outlook.office.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 2366: 150 bytes on wire (1200 bits), 150 bytes captured (1200 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 36264
Domain Name System (response)
No.
        Time
                       Source
                                            Destination
                                                                  Protocol Length Info
   2367 1302.875420231 127.0.0.1
                                            127.0.0.53
                                                                           103
                                                                                  Standard query 0x1406
A outlook.office.com.quartz-lab.fr OPT
Frame 2367: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41121, Dst Port: 53
Domain Name System (query)
        Time
                       Source
                                             Destination
                                                                  Protocol Length Info
   2368 1302.875432865 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                           103
                                                                                  Standard query 0x1103
```

Frame 2368: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface lo, id 0

Domain Name System (query)

```
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 41121, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2369 1302.876538778 127.0.0.53
                                            127.0.0.1
                                                                          169 Standard query response
                                                                  DNS
0x8099 No such name A eu-office.events.data.microsoft.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 2369: 169 bytes on wire (1352 bits), 169 bytes captured (1352 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 42751
Domain Name System (response)
                                                                  Protocol Length Info
       Time
                                            Destination
                      Source
   2370 1302.876892048 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           106
                                                                                  Standard query 0x3747
A eu-office.events.data.microsoft.com OPT
Frame 2370: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52431, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
No.
                      Source
                                                                  DNS
   2371 1302.877317916 127.0.0.53
                                            127.0.0.1
                                                                           152
                                                                                  Standard query response
0x1103 No such name AAAA outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 2371: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41121
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
       Time
   2372 1302.877671475 127.0.0.53
                                            127.0.0.1
                                                                           152
                                                                                  Standard query response
0x1406 No such name A outlook.office.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 2372: 152 bytes on wire (1216 bits), 152 bytes captured (1216 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 41121
Domain Name System (response)
                                            Destination
                                                                  Protocol Length Info
       Time
                      Source
   2373 1302.877984984 127.0.0.1
                                            127.0.0.53
                                                                           89
                                                                                  Standard query 0x8405
A outlook.office.com OPT
Frame 2373: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56610, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                                                  Protocol Length Info
                                            Destination
   2374 1302.877997592 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0x9f01
AAAA outlook.office.com OPT
Frame 2374: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56610, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2375 1307.882169688 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           106
                                                                                  Standard query 0x3747
A eu-office.events.data.microsoft.com OPT
Frame 2375: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52431, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
   2376 1307.883243251 127.0.0.1
                                            127.0.0.53
                                                                           89
                                                                                  Standard query 0x8405
A outlook.office.com OPT
Frame 2376: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56610, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2377 1307.883282968 127.0.0.1
                                            127.0.0.53
                                                                  DNS
                                                                           89
                                                                                  Standard query 0x9f01
AAAA outlook.office.com OPT
Frame 2377: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 56610, Dst Port: 53
```

User Datagram Protocol, Src Port: 44691, Dst Port: 53

Domain Name System (query)

```
Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   2378 1307.891444182 127.0.0.53
                                                                           335
                                                                                  Standard query response
                                            127.0.0.1
                                                                  DNS
0x9f01 AAAA outlook.office.com CNAME substrate.office.com CNAME outlook.office365.com CNAME ooc-
g2.tm-4.office.com CNAME outlook.ms-acdc.office.com CNAME CDG-efz.ms-acdc.office.com AAAA 2603:1026:c0a:
902::2 AAAA 2603:1026:c0a:901::2 AAAA 2603:1026:101::2 AAAA 2603:1026:c0a:1863::2 OPT
Frame 2378: 335 bytes on wire (2680 bits), 335 bytes captured (2680 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56610
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   2379 1307.893570619 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            287
                                                                                   Standard query response
0x8405 A outlook.office.com CNAME substrate.office.com CNAME outlook.office365.com CNAME ooc-
q2.tm-4.office.com CNAME outlook.ms-acdc.office.com CNAME CDG-efz.ms-acdc.office.com A 40.99.153.146 A
40.99.220.146 A 52.98.228.242 A 40.101.137.50 OPT
Frame 2379: 287 bytes on wire (2296 bits), 287 bytes captured (2296 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 56610
Domain Name System (response)
                                                                  Protocol Length Info
No.
       Time
                      Source
                                            Destination
   2380 1312.887502314 127.0.0.1
                                            127.0.0.53
                                                                   DNS
                                                                            115
                                                                                  Standard query 0x7d8e
A eu-office.events.data.microsoft.com.ensea.fr OPT
Frame 2380: 115 bytes on wire (920 bits), 115 bytes captured (920 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 59887, Dst Port: 53
Domain Name System (query)
                       Source
                                            Destination
                                                                   Protocol Length Info
No.
       Time
   2381 1312.918032683 127.0.0.53
                                            127.0.0.1
                                                                            106
                                                                                   Standard query response
0x3747 Server failure A eu-office.events.data.microsoft.com OPT
Frame 2381: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52431
Domain Name System (response)
                                                                   Protocol Length Info
       Time
                       Source
                                            Destination
   2382 1312.918065087 127.0.0.1
                                            127.0.0.53
                                                                            134
                                                                                  Destination unreachable
(Port unreachable)
Frame 2382: 134 bytes on wire (1072 bits), 134 bytes captured (1072 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
Internet Control Message Protocol
Domain Name System (response)
                                            Destination
                                                                   Protocol Length Info
                       Source
   2383 1312.919441833 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                            168
                                                                                   Standard query response
0x7d8e No such name A eu-office.events.data.microsoft.com.ensea.fr SOA blanche.ensea.fr OPT
Frame 2383: 168 bytes on wire (1344 bits), 168 bytes captured (1344 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 59887
Domain Name System (response)
       Time
                       Source
                                            Destination
                                                                   Protocol Length Info
   2384 1312.919645614 127.0.0.1
                                                                   DNS
                                                                            118
                                                                                   Standard query 0x36cf
                                             127.0.0.53
A eu-office.events.data.microsoft.com.etis-lab.fr OPT
Frame 2384: 118 bytes on wire (944 bits), 118 bytes captured (944 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 37871, Dst Port: 53
Domain Name System (query)
                                                                   Protocol Length Info
        Time
                       Source
                                            Destination
No.
   2385 1312.922004557 127.0.0.53
                                            127.0.0.1
                                                                   DNS
0x36cf No such name A eu-office.events.data.microsoft.com.etis-lab.fr SOA ns1.etis-lab.fr OPT
Frame 2385: 167 bytes on wire (1336 bits), 167 bytes captured (1336 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 37871
Domain Name System (response)
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   2386 1312.922144197 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            120
                                                                                   Standard query 0xa54a
A eu-office.events.data.microsoft.com.quartz-lab.fr OPT
Frame 2386: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
```

```
Time
                      Source
                                            Destination
                                                                  Protocol Length Info
  2387 1312.924885883 127.0.0.53
                                                                           169
                                                                                  Standard query response
                                            127.0.0.1
                                                                  DNS
0xa54a No such name A eu-office.events.data.microsoft.com.quartz-lab.fr SOA ns1.quartz-lab.fr OPT
Frame 2387: 169 bytes on wire (1352 bits), 169 bytes captured (1352 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00:00:00:00:00:00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 44691
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                  Protocol Length Info
   2388 1312.925900634 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            106
                                                                                  Standard query 0xb228
A eu-office.events.data.microsoft.com OPT
Frame 2388: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 33653, Dst Port: 53
Domain Name System (query)
       Time
                                            Destination
                                                                  Protocol Length Info
                      Source
   2389 1312.974766129 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           231
                                                                                  Standard query response
0xb228 A eu-office.events.data.microsoft.com CNAME eu.aria.events.data.trafficmanager.net CNAME
onedscolprdweu10.westeurope.cloudapp.azure.com A 20.50.201.204 OPT
Frame 2389: 231 bytes on wire (1848 bits), 231 bytes captured (1848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 33653
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                  Protocol Length Info
   2390 1312.975083030 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            106
                                                                                  Standard query 0xa720
AAAA eu-office.events.data.microsoft.com OPT
Frame 2390: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48688, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                            Destination
                                                                  Protocol Length Info
   2391 1312.977769324 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            292
                                                                                  Standard query response
0xa720 AAAA eu-office.events.data.microsoft.com CNAME eu.aria.events.data.trafficmanager.net CNAME
onedscolprdweu10.westeurope.cloudapp.azure.com SOA ns1-201.azure-dns.com A 20.50.201.204 OPT
Frame 2391: 292 bytes on wire (2336 bits), 292 bytes captured (2336 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48688
Domain Name System (response)
       Time
                      Source
                                             Destination
                                                                  Protocol Length Info
   2392 1312.978328398 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            106
                                                                                  Standard query 0xc93b
A eu-office.events.data.microsoft.com OPT
Frame 2392: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49856, Dst Port: 53
Domain Name System (query)
                                                                  Protocol Length Info
       Time
                      Source
                                            Destination
   2393 1312.978347702 127.0.0.1
                                                                                  Standard query 0x7030
                                             127.0.0.53
                                                                  DNS
                                                                            106
AAAA eu-office.events.data.microsoft.com OPT
Frame 2393: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 49856, Dst Port: 53
Domain Name System (query)
No.
        Time
                      Source
                                            Destination
                                                                   Protocol Length Info
   2394 1312.978810069 127.0.0.53
                                            127.0.0.1
                                                                   DNS
                                                                           231
                                                                                  Standard query response
0xc93b A eu-office.events.data.microsoft.com CNAME eu.aria.events.data.trafficmanager.net CNAME
onedscolprdweu10.westeurope.cloudapp.azure.com A 20.50.201.204 OPT
Frame 2394: 231 bytes on wire (1848 bits), 231 bytes captured (1848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49856
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
       Time
   2395 1312.981362550 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                           292
                                                                                  Standard query response
0x7030 AAAA eu-office.events.data.microsoft.com CNAME eu.aria.events.data.trafficmanager.net CNAME
onedscolprdweu10.westeurope.cloudapp.azure.com SOA ns1-201.azure-dns.com A 20.50.201.204 OPT
Frame 2395: 292 bytes on wire (2336 bits), 292 bytes captured (2336 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 49856
```

Multicast Domain Name System (query)

```
Protocol Length Info
       Time
                      Source
                                             Destination
  2396 1316.358703867 127.0.0.1
                                             127.0.0.53
                                                                           106
                                                                                  Standard query 0x75de
                                                                   DNS
A eu-office.events.data.microsoft.com OPT
Frame 2396: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 52467, Dst Port: 53
Domain Name System (query)
       Time
                                             Destination
                                                                  Protocol Length Info
                      Source
   2397 1316.359065818 127.0.0.53
                                            127.0.0.1
                                                                  DNS
                                                                            231
                                                                                  Standard query response
0x75de A eu-office.events.data.microsoft.com CNAME eu.aria.events.data.trafficmanager.net CNAME
onedscolprdweu10.westeurope.cloudapp.azure.com A 20.50.201.204 OPT
Frame 2397: 231 bytes on wire (1848 bits), 231 bytes captured (1848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 52467
Domain Name System (response)
No.
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   2398 1316.432521775 127.0.0.1
                                             127.0.0.53
                                                                   DNS
                                                                            106
                                                                                  Standard query 0x52a1
A eu-office.events.data.microsoft.com OPT
Frame 2398: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id \theta
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48580, Dst Port: 53
Domain Name System (query)
        Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   2399 1316.432536681 127.0.0.1
                                             127.0.0.53
                                                                  DNS
                                                                            106
                                                                                   Standard query 0xd8ac
AAAA eu-office.events.data.microsoft.com OPT
Frame 2399: 106 bytes on wire (848 bits), 106 bytes captured (848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.53
User Datagram Protocol, Src Port: 48580, Dst Port: 53
Domain Name System (query)
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
   2400 1316.432962621 127.0.0.53
                                             127.0.0.1
                                                                  DNS
                                                                           231
                                                                                  Standard query response
0x52a1 A eu-office.events.data.microsoft.com CNAME eu.aria.events.data.trafficmanager.net CNAME
onedscolprdweu10.westeurope.cloudapp.azure.com A 20.50.201.204 OPT
Frame 2400: 231 bytes on wire (1848 bits), 231 bytes captured (1848 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48580
Domain Name System (response)
                                                                   Protocol Length Info
       Time
                      Source
                                             Destination
   2401 1316.434988748 127.0.0.53
                                             127.0.0.1
                                                                  DNS
                                                                            292
                                                                                  Standard query response
0xd8ac AAAA eu-office.events.data.microsoft.com CNAME eu.aria.events.data.trafficmanager.net CNAME
onedscolprdweu10.westeurope.cloudapp.azure.com SOA ns1-201.azure-dns.com A 20.50.201.204 OPT
Frame 2401: 292 bytes on wire (2336 bits), 292 bytes captured (2336 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.53, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 53, Dst Port: 48580
Domain Name System (response)
                      Source
                                            Destination
                                                                  Protocol Length Info
No.
       Time
   2402 1366.139789444 127.0.0.1
                                            224.0.0.251
                                                                  MDNS
                                                                           259
                                                                                  Standard query 0x0000
TXT HP Color LaserJet CP1510 @ kusanagi._ipps._tcp.local, "QM" question TXT HP DeskJet 3700 series @
Souhaila's MAC._ipps._tcp.local, "QM" question TXT HP_ENVY_Photo_6200_series_Souhaila_s_MAC @
kusanagi._ipps._tcp.local, "QM" question TXT HP Color LaserJet CP1515n @ kusanagi._ipps._tcp.local, "QM"
question
Frame 2402: 259 bytes on wire (2072 bits), 259 bytes captured (2072 bits) on interface lo, id 0
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 224.0.0.251
User Datagram Protocol, Src Port: 5353, Dst Port: 5353
```