

# **Policy Catalog AWS Permissions List**

This document contains a list of cloud provider permissions required by each AWS policy template in the Flexera Cloud Cost Optimization Policy Catalog.

- Required permissions may change as policy templates in the catalog are updated. An up-to-date version of this PDF file is <u>available in the Flexera Policy</u> <u>Template Github Repository</u>.
- *Required* permissions are required for the policy template in question to work correctly; *optional* permissions enable additional functionality.
- Permissions with a green *Read Only* label are read-only, while those with a red *Write* label can potentially make changes to your cloud environment.

#### AWS Account Credentials 0.1.8

### **AWS Required Permissions:**

sts:GetCallerIdentity Read Only

# Flexera Required Permissions:

billing center viewer Read Only

# **AWS Accounts Missing Service Control Policies** 3.0.5

# **AWS Required Permissions:**

organizations:ListAccounts Read Only organizations:ListPolicies Read Only

organizations:ListPoliciesForTarget Read Only

#### Flexera Required Permissions:

billing center viewer Read Only

#### **AWS Burstable EC2 Instances** 4.4.5

#### **AWS Required Permissions:**

cloudwatch:GetMetricData Read Only cloudwatch:ListMetrics Read Only ec2:DescribeInstances Read Only ec2:DescribeRegions Read Only ec2:DescribeTags Read Only sts:GetCallerIdentity Read Only

#### **AWS Optional Permissions:**

ec2:DescribeInstanceStatus Write

ec2:ModifyInstanceAttribute write

ec2:StartInstances Write

ec2:StopInstances Write

### Flexera Required Permissions:

billing\_center\_viewer Read Only

# **AWS Cheaper Regions** 1.0.4

### Flexera Required Permissions:

billing center viewer Read Only

# AWS CloudTrail Not Enabled In All Regions 3.0.5

#### **AWS Required Permissions:**

cloudtrail:DescribeTrails Read Only cloudtrail:GetEventSelectors Read Only cloudtrail:GetTrailStatus Read Only sts:GetCallerIdentity Read Only

#### Flexera Required Permissions:

billing center viewer Read Only

# AWS CloudTrail S3 Buckets Without Access Logging 3.0.5

#### **AWS Required Permissions:**

cloudtrail:DescribeTrails Read Only s3:GetBucketLocation Read Only s3:GetBucketLogging Read Only sts:GetCallerIdentity Read Only

#### Flexera Required Permissions:

billing center viewer Read Only

# AWS CloudTrails Not Integrated With CloudWatch 3.0.5

### **AWS Required Permissions:**

cloudtrail:DescribeTrails Read Only cloudtrail:GetTrailStatus Read Only sts:GetCallerIdentity Read Only

# Flexera Required Permissions:

billing center viewer Read Only

# AWS CloudTrails With Read Logging Enabled 0.1.6

### **AWS Required Permissions:**

cloudtrail:DescribeTrails Read Only cloudtrail:GetEventSelectors Read Only sts:GetCallerIdentity Read Only

### **AWS Optional Permissions:**

cloudtrail:PutEventSelectors write

#### Flexera Required Permissions:

billing center viewer Read Only

### AWS CloudTrails Without Encrypted Logs 3.0.5

### **AWS Required Permissions:**

cloudtrail:DescribeTrails Read Only sts:GetCallerIdentity Read Only

### Flexera Required Permissions:

billing\_center\_viewer Read Only

# AWS CloudTrails Without Log File Validation Enabled 3.0.6

# **AWS Required Permissions:**

cloudtrail:DescribeTrails Read Only sts:GetCallerIdentity Read Only

# **Flexera Required Permissions:**

billing center viewer Read Only

# **AWS CloudTrails Without Object-level Events Logging Enabled** 3.0.5

### **AWS Required Permissions:**

cloudtrail:DescribeTrails Read Only cloudtrail:GetEventSelectors Read Only sts:GetCallerIdentity Read Only

#### Flexera Required Permissions:

billing center viewer Read Only

# **AWS Cost Report - EC2 Instance Cost Per Hour 0.2.3**

## Flexera Required Permissions:

billing\_center\_viewer Read Only

# **AWS Customer Managed Keys (CMKs) Without Rotation Enabled** 3.0.5

#### **AWS Required Permissions:**

ec2:DescribeRegions Read Only kms:GetKeyRotationStatus Read Only kms:ListKeys Read Only

sts:GetCallerIdentity Read Only

#### Flexera Required Permissions:

billing\_center\_viewer Read Only

### **AWS Disallowed Regions** 5.0.6

#### **AWS Required Permissions:**

ec2:DescribeInstances Read Only ec2:DescribeRegions Read Only sts:GetCallerIdentity Read Only

#### **AWS Optional Permissions:**

ec2:StopInstances *Write* ec2:TerminateInstances *Write* 

### Flexera Required Permissions:

billing center viewer Read Only

# AWS EC2 Compute Optimizer Recommendations 0.3.6

#### **AWS Required Permissions:**

compute-optimizer:GetEC2InstanceRecommendations Read Only ec2:DescribeInstances Read Only ec2:DescribeRegions Read Only sts:GetCallerIdentity Read Only

#### **AWS Optional Permissions:**

ec2:ModifyInstanceAttribute *write* ec2:StartInstances *write* ec2:StopInstances *write* 

#### Flexera Required Permissions:

billing center viewer Read Only

# AWS EC2 Instances Time Stopped Report 0.2.6

# **AWS Required Permissions:**

ec2:DescribeInstances Read Only

ec2:DescribeRegions Read Only sts:GetCallerIdentity Read Only

### **AWS Optional Permissions:**

ec2:DescribeInstanceStatus Write

ec2:StopInstances Write

ec2:TerminateInstances write

### **Flexera Required Permissions:**

billing center viewer Read Only

# AWS EC2 Instances not running FlexNet Inventory Agent 4.3.6

### **AWS Required Permissions:**

ec2:DescribeInstances Read Only ec2:DescribeRegions Read Only

# AWS EKS Clusters Without Spot Instances 0.1.6

#### **AWS Required Permissions:**

ec2:DescribeRegions Read Only

eks:DescribeCluster Read Only

eks:DescribeNodegroup Read Only

eks:ListClusters Read Only

eks:ListNodegroups Read Only

sts:GetCallerIdentity Read Only

#### Flexera Required Permissions:

billing center viewer Read Only

# AWS Elastic Load Balancers With Unencrypted Listeners 4.0.6

#### **AWS Required Permissions:**

ec2:DescribeRegions Read Only

elasticloadbalancing:DescribeListeners Read Only

elasticloadbalancing:DescribeLoadBalancers Read Only

elasticloadbalancing:DescribeTags Read Only

sts:GetCallerIdentity Read Only

#### Flexera Required Permissions:

billing center viewer Read Only

# **AWS Expiring Reserved Instances** 3.0.4

# Flexera Required Permissions:

# **AWS Expiring Savings Plans** 3.0.4

### **AWS Required Permissions:**

savingsplans:DescribeSavingsPlans Read Only

### Flexera Required Permissions:

billing center viewer Read Only

# **AWS GP3 Upgradeable Volumes** 4.4.8

### **AWS Required Permissions:**

ec2:DescribeRegions Read Only ec2:DescribeVolumes Read Only pricing:GetProducts Read Only

### **Flexera Required Permissions:**

billing\_center\_viewer Read Only

# AWS IAM Account Missing Support Role 3.0.6

### **AWS Required Permissions:**

iam:ListEntitiesForPolicy Read Only iam:ListPolicies Read Only sts:GetCallerIdentity Read Only

### **Flexera Required Permissions:**

billing center viewer Read Only

#### AWS IAM Attached Admin Policies 3.0.6

### **AWS Required Permissions:**

iam:GetPolicyVersion Read Only iam:ListPolicies Read Only sts:GetCallerIdentity Read Only

# Flexera Required Permissions:

billing center viewer Read Only

# AWS IAM Expired SSL/TLS Certificates 3.0.6

# **AWS Required Permissions:**

iam:ListServerCertificates Read Only

sts:GetCallerIdentity Read Only

### Flexera Required Permissions:

billing\_center\_viewer Read Only

# AWS IAM Insufficient Required Password Length 3.0.6

### **AWS Required Permissions:**

iam:GetAccountPasswordPolicy Read Only sts:GetCallerIdentity Read Only

### Flexera Required Permissions:

billing\_center\_viewer Read Only

# AWS IAM Password Policy Not Restricting Password Reuse 3.0.6

#### **AWS Required Permissions:**

iam:GetAccountPasswordPolicy Read Only sts:GetCallerIdentity Read Only

### Flexera Required Permissions:

billing center viewer Read Only

#### AWS IAM Role Audit 3.0.8

#### **AWS Required Permissions:**

iam:ListRoleTags Read Only iam:ListRoles Read Only sts:GetCallerIdentity Read Only

#### Flexera Required Permissions:

billing center viewer Read Only

# AWS IAM Root Account Access Keys 3.0.6

# **AWS Required Permissions:**

 $iam: Get Account Summary \textit{ Read Only} \\ sts: Get Caller Identity \textit{ Read Only} \\$ 

# Flexera Required Permissions:

billing center viewer Read Only

#### AWS IAM Root User Account Without Hardware MFA 3.0.6

# **AWS Required Permissions:**

iam:GetAccountSummary Read Only iam:ListVirtualMFADevices Read Only sts:GetCallerIdentity Read Only

### Flexera Required Permissions:

billing center viewer Read Only

#### AWS IAM Root User Account Without MFA 3.0.6

### **AWS Required Permissions:**

iam:GetAccountSummary Read Only iam:ListVirtualMFADevices Read Only sts:GetCallerIdentity Read Only

### Flexera Required Permissions:

billing center viewer Read Only

# AWS IAM Root User Doing Everyday Tasks 3.0.6

#### **AWS Required Permissions:**

iam:GenerateCredentialReport Read Only iam:GetCredentialReport Read Only sts:GetCallerIdentity Read Only

### **Flexera Required Permissions:**

billing center viewer Read Only

### AWS IAM User Accounts Without MFA 3.0.6

#### **AWS Required Permissions:**

iam:GenerateCredentialReport Read Only iam:GetCredentialReport Read Only sts:GetCallerIdentity Read Only

### Flexera Required Permissions:

billing center viewer Read Only

# **AWS IAM Users With Directly-Attached Policies** 3.0.6

# **AWS Required Permissions:**

iam:ListAttachedUserPolicies Read Only iam:ListUserPolicies Read Only iam:ListUsers Read Only sts:GetCallerIdentity Read Only

# Flexera Required Permissions:

# AWS IAM Users With Multiple Active Access Keys 3.0.6

### **AWS Required Permissions:**

iam:ListAccessKeys Read Only iam:ListUsers Read Only sts:GetCallerIdentity Read Only

#### **Flexera Required Permissions:**

billing center viewer Read Only

### AWS IAM Users With Old Access Keys 3.0.6

### **AWS Required Permissions:**

iam:GenerateCredentialReport Read Only iam:GetCredentialReport Read Only sts:GetCallerIdentity Read Only

#### Flexera Required Permissions:

billing center viewer Read Only

### **AWS Idle Compute Instances** 5.6.8

#### **AWS Required Permissions:**

cloudwatch:GetMetricData Read Only cloudwatch:GetMetricStatistics Read Only cloudwatch:ListMetrics Read Only ec2:DescribeInstances Read Only ec2:DescribeRegions Read Only ec2:DescribeTags Read Only

#### Flexera Required Permissions:

billing center viewer Read Only

# AWS Idle NAT Gateways 0.1.7

#### **AWS Required Permissions:**

ec2:DescribeNatGateways Read Only ec2:DescribeRegions Read Only sts:GetCallerIdentity Read Only

#### **AWS Optional Permissions:**

ec2:DeleteNatGateway write

### **Flexera Required Permissions:**

#### **AWS Internet-Accessible Elastic Load Balancers** 4.0.6

### **AWS Required Permissions:**

ec2:DescribeRegions Read Only

elasticloadbalancing:DescribeListeners Read Only

elasticloadbalancing:DescribeLoadBalancers Read Only

elasticloadbalancing:DescribeTags Read Only

sts:GetCallerIdentity Read Only

### **AWS Optional Permissions:**

elasticloadbalancing:DeleteLoadBalancer write

#### Flexera Required Permissions:

billing center viewer Read Only

### **AWS Lambda Functions With High Error Rate** 5.0.6

### **AWS Required Permissions:**

cloudwatch:GetMetricData Read Only cloudwatch:ListMetrics Read Only ec2:DescribeRegions Read Only lambda:ListFunctions Read Only lambda:ListTags Read Only sts:GetCallerIdentity Read Only

#### Flexera Required Permissions:

billing center viewer Read Only

# AWS Lambda Functions Without Provisioned Concurrency 0.1.6

#### **AWS Required Permissions:**

ec2:DescribeRegions Read Only lambda:ListFunctions Read Only

lambda:ListProvisionedConcurrencyConfigs Read Only

lambda:ListTags Read Only

lambda:ListVersionsByFunction Read Only

sts:GetCallerIdentity Read Only

#### Flexera Required Permissions:

billing center viewer Read Only

# **AWS Long Running Instances** 5.1.6

#### **AWS Required Permissions:**

ec2:DescribeInstances Read Only

ec2:DescribeRegions Read Only

sts:GetCallerIdentity Read Only

### **AWS Optional Permissions:**

ec2:DescribeInstanceStatus write

ec2:StopInstances write

ec2:TerminateInstances write

#### Flexera Required Permissions:

billing center viewer Read Only

### AWS Long Stopped EC2 Instances 6.0.7

#### **AWS Required Permissions:**

cloudwatch:GetMetricData Read Only

cloudwatch: GetMetricStatistics Read Only

cloudwatch:ListMetrics Read Only

ec2:DescribeInstances Read Only

ec2:DescribeRegions Read Only

sts:GetCallerIdentity Read Only

#### **AWS Optional Permissions:**

ec2:DescribeInstanceStatus write

ec2:TerminateInstances write

#### Flexera Required Permissions:

billing center viewer Read Only

# AWS Missing Regions 0.2.6

#### **AWS Required Permissions:**

ec2:DescribeInstances Read Only

ec2:DescribeRegions Read Only

sts:GetCallerIdentity Read Only

#### **Flexera Required Permissions:**

billing center viewer Read Only

# AWS New Marketplace Products 0.3.7

### Flexera Required Permissions:

billing center viewer Read Only

# **AWS Object Storage Optimization 4.0.8**

#### **AWS Required Permissions:**

s3:GetBucketLocation Read Only

s3:GetObject Read Only

s3:GetObjectTagging Read Only

s3:ListAllMyBuckets Read Only

s3:ListBucket Read Only

sts:GetCallerIdentity Read Only

### **AWS Optional Permissions:**

s3:DeleteObject *write* s3:PutObject *write* 

### Flexera Required Permissions:

billing center viewer Read Only

### **AWS Old Snapshots** 8.4.9

### **AWS Required Permissions:**

cloudtrail:LookupEvents Read Only

ec2:DescribeImages Read Only

ec2:DescribeRegions Read Only

ec2:DescribeSnapshots Read Only

rds:DescribeDBClusterSnapshots Read Only

rds:DescribeDBClusters Read Only

rds:DescribeDBInstances Read Only

rds:DescribeDBSnapshots Read Only

sts:GetCallerIdentity Read Only

#### **AWS Optional Permissions:**

ec2:DeleteSnapshot Write

ec2:DeregisterImage Write

rds:DeleteDBClusterSnapshot Write

rds:DeleteDBSnapshot Write

### **Flexera Required Permissions:**

billing center viewer Read Only

# AWS Open S3 Buckets 3.1.6

#### **AWS Required Permissions:**

s3:GetBucketAcl Read Only

s3:GetBucketLocation Read Only

s3:ListAllMyBuckets Read Only

sts:GetCallerIdentity Read Only

#### **Flexera Required Permissions:**

billing center viewer Read Only

#### AWS Oversized S3 Buckets 3.1.7

### **AWS Required Permissions:**

cloudwatch:GetMetricData Read Only cloudwatch:ListMetrics Read Only s3:GetBucketLocation Read Only s3:GetBucketTagging Read Only s3:ListAllMyBuckets Read Only sts:GetCallerIdentity Read Only

#### **Flexera Required Permissions:**

billing center viewer Read Only

#### AWS Overutilized EC2 Instances 0.1.5

### **AWS Required Permissions:**

cloudwatch:GetMetricData Read Only cloudwatch:GetMetricStatistics Read Only cloudwatch:ListMetrics Read Only ec2:DescribeInstances Read Only ec2:DescribeRegions Read Only ec2:DescribeTags Read Only sts:GetCallerIdentity Read Only

### **AWS Optional Permissions:**

ec2:DescribeInstanceStatus write ec2:ModifyInstanceAttribute write ec2:StartInstances write ec2:StopInstances write

### Flexera Required Permissions:

billing center viewer Read Only

# AWS Publicly Accessible CloudTrail S3 Buckets 3.0.5

# **AWS Required Permissions:**

cloudtrail:DescribeTrails Read Only s3:GetBucketAcl Read Only s3:GetBucketLocation Read Only s3:GetBucketPolicy Read Only sts:GetCallerIdentity Read Only

# Flexera Required Permissions:

billing center viewer Read Only

# **AWS Publicly Accessible RDS Instances** 5.1.4

#### **AWS Required Permissions:**

ec2:DescribeRegions Read Only rds:DescribeDBInstances Read Only rds:ListTagsForResource Read Only sts:GetCallerIdentity Read Only

### **AWS Optional Permissions:**

rds:DeleteDBInstance write rds:ModifyDBInstance write

### **Flexera Required Permissions:**

billing center viewer Read Only

#### **AWS RDS Instances** 4.2.8

### **AWS Required Permissions:**

ec2:DescribeRegions Read Only rds:DescribeDBInstances Read Only sts:GetCallerIdentity Read Only

### Flexera Required Permissions:

billing center viewer Read Only

## AWS RDS Instances With Unapproved Backup Settings 3.0.6

### **AWS Required Permissions:**

ec2:DescribeRegions Read Only rds:DescribeDBInstances Read Only rds:ListTagsForResource Read Only sts:GetCallerIdentity Read Only

#### **Flexera Required Permissions:**

billing center viewer Read Only

# **AWS Regions Without Access Analyzer Enabled** 4.0.6

### **AWS Required Permissions:**

access-analyzer:ListAnalyzers Read Only ec2:DescribeRegions Read Only sts:GetCallerIdentity Read Only

#### Flexera Required Permissions:

billing center viewer Read Only

# **AWS Regions Without Config Fully Enabled** 3.0.6

### **AWS Required Permissions:**

config:DescribeConfigurationRecorderStatus Read Only ec2:DescribeRegions Read Only sts:GetCallerIdentity Read Only

### Flexera Required Permissions:

billing center viewer Read Only

# **AWS Regions Without Default EBS Encryption 4.0.5**

### **AWS Required Permissions:**

ec2:DescribeRegions Read Only ec2:GetEbsEncryptionByDefault Read Only sts:GetCallerIdentity Read Only

### Flexera Required Permissions:

billing center viewer Read Only

### AWS Reserved Instances Coverage 3.0.4

#### **AWS Required Permissions:**

ce:GetReservationCoverage Read Only

# Flexera Required Permissions:

billing center viewer Read Only

# **AWS Reserved Instances Recommendations 3.6.7**

#### **AWS Required Permissions:**

ce:GetReservationPurchaseRecommendation Read Only

#### **Flexera Required Permissions:**

billing center viewer Read Only

#### **AWS Reserved Instances Utilization 3.0.4**

#### Flexera Required Permissions:

billing center viewer Read Only

# AWS Resources Under Extended Support 0.2.6

### Flexera Required Permissions:

billing\_center\_viewer Read Only

# AWS Rightsize EBS Volumes 0.3.9

### **AWS Required Permissions:**

ec2:DescribeRegions Read Only ec2:DescribeVolumes Read Only pricing:GetProducts Read Only

### **AWS Optional Permissions:**

ec2:ModifyVolume Write

### Flexera Required Permissions:

billing center viewer Read Only

### **AWS Rightsize EC2 Instances** 5.4.6

### **AWS Required Permissions:**

cloudwatch:GetMetricData Read Only cloudwatch:GetMetricStatistics Read Only cloudwatch:ListMetrics Read Only ec2:DescribeInstances Read Only ec2:DescribeRegions Read Only ec2:DescribeTags Read Only sts:GetCallerIdentity Read Only

### **AWS Optional Permissions:**

ec2:DescribeInstanceStatus write ec2:ModifyInstanceAttribute write ec2:StartInstances write ec2:StopInstances write ec2:TerminateInstances write

# Flexera Required Permissions:

billing center viewer Read Only

# AWS Rightsize ElastiCache 0.3.5

# **AWS Required Permissions:**

cloudwatch:GetMetricData Read Only ec2:DescribeRegions Read Only elasticache:DescribeCacheClusters Read Only elasticache:ListTagsForResource Read Only sts:GetCallerIdentity Read Only

### **AWS Optional Permissions:**

 $elastic ache: Modify Cache Cluster \ {\it write}$ 

# Flexera Required Permissions:

billing center viewer Read Only

# **AWS Rightsize RDS Instances** 5.8.6

### **AWS Required Permissions:**

cloudwatch:GetMetricData Read Only

cloudwatch:GetMetricStatistics Read Only

ec2:DescribeRegions Read Only

rds:DescribeDBInstances Read Only

rds:DescribeOrderableDBInstanceOptions Read Only

rds: List Tags For Resource Read Only

sts:GetCallerIdentity Read Only

### **AWS Optional Permissions:**

rds:DeleteDBInstance *write* rds:ModifyDBInstance *write* 

#### **Flexera Required Permissions:**

billing center viewer Read Only

# AWS Rightsize Redshift 0.1.8

#### **AWS Required Permissions:**

cloudwatch:GetMetricData Read Only ec2:DescribeRegions Read Only redshift:DescribeClusters Read Only sts:GetCallerIdentity Read Only

#### **AWS Optional Permissions:**

redshift:ModifyCluster write

# Flexera Required Permissions:

billing center viewer Read Only

# AWS Rule-Based Dimension From Account Tags 3.1.0

#### Flexera Required Permissions:

billing\_center\_viewer Read Only observer Read Only rule based dimensions manager Read Only

# AWS S3 Buckets Accepting HTTP Requests 3.0.7

### **AWS Required Permissions:**

s3:GetBucketLocation Read Only

s3:GetBucketPolicy Read Only

s3:GetBucketTagging Read Only

s3:ListAllMyBuckets Read Only sts:GetCallerIdentity Read Only

### Flexera Required Permissions:

billing\_center\_viewer Read Only

# AWS S3 Buckets Without Default Encryption Configuration 3.0.6

# **AWS Required Permissions:**

s3:GetBucketLocation Read Only

s3:GetBucketTagging Read Only

s3:GetEncryptionConfiguration Read Only

s3:ListAllMyBuckets Read Only

sts:GetCallerIdentity Read Only

### **AWS Optional Permissions:**

s3:DeleteBucket Write

s3:PutEncryptionConfiguration Write

### Flexera Required Permissions:

billing center viewer Read Only

# AWS S3 Buckets Without Intelligent Tiering 4.0.6

### **AWS Required Permissions:**

s3:GetBucketLocation Read Only

s3:GetBucketTagging Read Only

s3:GetIntelligentTieringConfiguration Read Only

s3:ListAllMyBuckets Read Only

sts:GetCallerIdentity Read Only

#### Flexera Required Permissions:

billing center viewer Read Only

# AWS S3 Buckets Without Lifecycle Configuration 0.1.5

### **AWS Required Permissions:**

s3:GetBucketLocation Read Only

s3:GetBucketTagging Read Only

s3:GetLifecycleConfiguration Read Only

s3:ListAllMyBuckets Read Only

sts:GetCallerIdentity Read Only

#### Flexera Required Permissions:

billing center viewer Read Only

#### AWS S3 Buckets Without MFA Delete Enabled 3.0.6

### **AWS Required Permissions:**

s3:GetBucketLocation Read Only

s3:GetBucketTagging Read Only

s3:GetBucketVersioning Read Only

s3:ListAllMyBuckets Read Only

sts:GetCallerIdentity Read Only

### Flexera Required Permissions:

billing center viewer Read Only

#### AWS S3 Buckets Without Public Access Blocked 3.0.6

### **AWS Required Permissions:**

s3:GetBucketLocation Read Only

s3:GetBucketPublicAccessBlock Read Only

s3:GetBucketTagging Read Only

s3:ListAllMyBuckets Read Only

sts:GetCallerIdentity Read Only

#### **Flexera Required Permissions:**

billing center viewer Read Only

# AWS S3 Buckets Without Server Access Logging 3.0.6

#### **AWS Required Permissions:**

s3:GetBucketLocation Read Only

s3:GetBucketLogging Read Only

s3:GetBucketTagging Read Only

s3:ListAllMyBuckets Read Only

sts:GetCallerIdentity Read Only

#### **AWS Optional Permissions:**

s3:PutBucketLogging Write

### Flexera Required Permissions:

billing center viewer Read Only

# AWS S3 Incomplete Multi-Part Uploads 0.1.4

#### **AWS Required Permissions:**

s3:GetBucketLocation Read Only

s3:GetBucketTagging Read Only

s3:ListAllMyBuckets Read Only

s3:ListBucketMultipartUploads Read Only

s3:ListMultipartUploadParts Read Only sts:GetCallerIdentity Read Only

### **AWS Optional Permissions:**

s3:AbortMultipartUpload write

### Flexera Required Permissions:

billing center viewer Read Only

# AWS S3 Usage Type Rule-Based Dimension 0.1.4

#### **Flexera Required Permissions:**

billing\_center\_viewer Read Only observer Read Only rule\_based\_dimensions\_manager Read Only

# **AWS Savings Plan Recommendations** 3.3.7

### **AWS Required Permissions:**

ce:GetSavingsPlansPurchaseRecommendation Read Only

### Flexera Required Permissions:

billing center viewer Read Only

# **AWS Savings Plan Utilization** 4.0.5

# **AWS Required Permissions:**

ce:GetSavingsPlansUtilization Read Only savingsplans:DescribeSavingsPlans Read Only

# **Flexera Required Permissions:**

billing center viewer Read Only

# **AWS Savings Realized From Rate Reduction Purchases** 4.0.5

# Flexera Required Permissions:

billing center viewer Read Only

#### AWS Schedule Instance 8.0.6

# **AWS Required Permissions:**

ec2:CreateTags write

ec2:DeleteTags write

ec2:DescribeInstances Read Only

ec2:DescribeRegions Read Only

ec2:StartInstances Write

ec2:StopInstances Write

ec2:TerminateInstances Write

kms:CreateGrant Write

kms:Decrypt write

### **Flexera Required Permissions:**

billing center viewer Read Only

#### AWS Scheduled EC2 Events 4.0.6

#### **AWS Required Permissions:**

ec2:DescribeInstanceStatus Read Only

ec2:DescribeInstances Read Only

ec2:DescribeRegions Read Only

sts:GetCallerIdentity Read Only

### **Flexera Required Permissions:**

billing center viewer Read Only

### **AWS Superseded EBS Volumes** 6.3.10

### **AWS Required Permissions:**

ec2:DescribeRegions Read Only

ec2:DescribeVolumes Read Only

pricing:GetProducts Read Only

sts:GetCallerIdentity Read Only

#### **AWS Optional Permissions:**

ec2:ModifyVolume Write

#### **Flexera Required Permissions:**

billing center viewer Read Only

# AWS Superseded EC2 Instances 3.0.1

### **AWS Required Permissions:**

ec2:DescribeInstances Read Only

ec2:DescribeRegions Read Only

ec2:DescribeTags Read Only

sts:GetCallerIdentity Read Only

#### **AWS Optional Permissions:**

ec2:DescribeInstanceStatus write

ec2:ModifyInstanceAttribute write

ec2:StartInstances write

### Flexera Required Permissions:

billing center viewer Read Only

### AWS Tag Cardinality Report 3.1.7

#### **AWS Required Permissions:**

ec2:DescribeRegions Read Only organizations:ListAccounts Read Only organizations:ListTagsForResource Read Only tag:GetResources Read Only

### Flexera Required Permissions:

billing center\_viewer Read Only

# **AWS Unencrypted EBS Volumes** 5.0.6

### **AWS Required Permissions:**

ec2:DescribeRegions Read Only ec2:DescribeVolumes Read Only sts:GetCallerIdentity Read Only

# Flexera Required Permissions:

billing center viewer Read Only

# **AWS Unencrypted RDS Instances** 4.1.4

### **AWS Required Permissions:**

ec2:DescribeRegions Read Only rds:DescribeDBInstances Read Only rds:ListTagsForResource Read Only sts:GetCallerIdentity Read Only

### **AWS Optional Permissions:**

rds:DeleteDBInstance Write

# Flexera Required Permissions:

billing center viewer Read Only

# **AWS Untagged Resources** 5.4.4

# **AWS Required Permissions:**

ec2:DescribeRegions Read Only sts:GetCallerIdentity Read Only tag:GetResources Read Only

### **AWS Optional Permissions:**

organizations:TagResource write tag:TagResources write

### **Flexera Required Permissions:**

billing center viewer Read Only

### AWS Unused Application Load Balancers 0.2.8

### **AWS Required Permissions:**

ec2:DescribeRegions Read Only elasticloadbalancing:DescribeListeners Read Only elasticloadbalancing:DescribeLoadBalancers Read Only elasticloadbalancing:DescribeTags Read Only elasticloadbalancing:DescribeTargetGroups Read Only elasticloadbalancing:DescribeTargetHealth Read Only sts:GetCallerIdentity Read Only

### **AWS Optional Permissions:**

elasticloadbalancing:DeleteLoadBalancer write

#### Flexera Required Permissions:

billing center viewer Read Only

### AWS Unused Classic Load Balancers 6.4.8

#### **AWS Required Permissions:**

ec2:DescribeRegions Read Only elasticloadbalancing:DescribeInstanceHealth Read Only elasticloadbalancing:DescribeLoadBalancers Read Only elasticloadbalancing:DescribeTags Read Only sts:GetCallerIdentity Read Only

#### **AWS Optional Permissions:**

elasticloadbalancing:DeleteLoadBalancer write

#### Flexera Required Permissions:

billing center viewer Read Only

#### AWS Unused ECS Clusters 4.0.6

#### **AWS Required Permissions:**

ec2:DescribeRegions Read Only ecs:DescribeClusters Read Only ecs:ListClusters Read Only sts:GetCallerIdentity Read Only

#### **AWS Optional Permissions:**

ecs:DeleteCluster write

### Flexera Required Permissions:

billing center viewer Read Only

#### AWS Unused IAM Credentials 3.0.6

#### **AWS Required Permissions:**

iam:GenerateCredentialReport Read Only iam:GetCredentialReport Read Only sts:GetCallerIdentity Read Only

### Flexera Required Permissions:

billing center viewer Read Only

#### AWS Unused IP Addresses 9.2.8

### **AWS Required Permissions:**

cloudtrail:LookupEvents Read Only ec2:DescribeAddresses Read Only ec2:DescribeRegions Read Only sts:GetCallerIdentity Read Only

### **AWS Optional Permissions:**

ec2:ReleaseAddress Write

### Flexera Required Permissions:

billing center viewer Read Only

#### AWS Unused Network Load Balancers 0.2.8

### **AWS Required Permissions:**

ec2:DescribeRegions Read Only

elasticloadbalancing:DescribeListeners Read Only

elasticloadbalancing:DescribeLoadBalancers Read Only

elasticloadbalancing:DescribeTags Read Only

 $elastic load balancing: Describe Target Groups \ {\it Read Only}$ 

elasticloadbalancing:DescribeTargetHealth Read Only

sts:GetCallerIdentity Read Only

#### **AWS Optional Permissions:**

elasticloadbalancing:DeleteLoadBalancer write

#### Flexera Required Permissions:

billing center viewer Read Only

#### AWS Unused Volumes 8.3.8

### **AWS Required Permissions:**

cloudwatch:GetMetricData Read Only

cloudwatch:GetMetricStatistics Read Only

ec2:DescribeRegions Read Only

ec2:DescribeSnapshots Read Only

ec2:DescribeVolumes Read Only

#### **AWS Optional Permissions:**

ec2:CreateSnapshot Write

ec2:CreateTags write

ec2:DeleteVolume Write

ec2:DetachVolume write

#### Flexera Required Permissions:

billing center viewer Read Only

# **AWS Usage Forecast - Instance Time Used 1.1.3**

#### Flexera Required Permissions:

billing center viewer Read Only

# **AWS Usage Forecast - Number of Instance Hours Used 3.3.8**

#### Flexera Required Permissions:

billing center viewer Read Only

# AWS Usage Forecast - Number of Instance vCPUs Used 3.3.8

#### Flexera Required Permissions:

billing center viewer Read Only

# AWS Usage Report - Instance Time Used 1.1.3

#### Flexera Required Permissions:

billing\_center\_viewer Read Only

# **AWS Usage Report - Number of Instance Hours Used 4.1.7**

# Flexera Required Permissions:

billing\_center\_viewer Read Only

# AWS Usage Report - Number of Instance vCPUs Used 4.1.7

### **Flexera Required Permissions:**

billing center viewer Read Only

# **AWS VPCs Without FlowLogs Enabled 4.0.6**

#### **AWS Required Permissions:**

ec2:DescribeFlowLogs Read Only

ec2:DescribeRegions Read Only

ec2:DescribeVpcs Read Only

sts:GetCallerIdentity Read Only

#### Flexera Required Permissions:

billing center viewer Read Only

# Common Bill Ingestion from AWS S3 Object Storage 0.2.3

#### **AWS Optional Permissions:**

s3:GetObject Read Only

### Flexera Required Permissions:

billing\_center\_viewer Read Only csm bill upload admin Read Only

# Common Bill Ingestion from AWS S3 Object Storage (Iterating)

0.1.1

#### **AWS Optional Permissions:**

s3:GetObject Read Only s3:ListBucket Read Only

#### Flexera Required Permissions:

billing\_center\_viewer Read Only csm bill upload admin Read Only