

Policy Catalog AWS Permissions List

This document contains a list of cloud provider permissions required by each AWS policy template in the Flexera Cloud Cost Optimization Policy Catalog.

- Required permissions may change as policy templates in the catalog are updated. An up-to-date version of this PDF file is <u>available in the Flexera Policy</u> <u>Template Github Repository</u>.
- *Required* permissions are required for the policy template in question to work correctly; *optional* permissions enable additional functionality.
- Permissions with a green *Read Only* label are read-only, while those with a red *Write* label can potentially make changes to your cloud environment.

AWS Account Credentials 0.1.5

AWS Required Permissions:

sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Accounts Missing Service Control Policies 3.0.3

AWS Required Permissions:

organizations:ListAccounts Read Only organizations:ListPolicies Read Only

organizations:ListPoliciesForTarget Read Only

Flexera Required Permissions:

billing_center_viewer Read Only

AWS Burstable EC2 Instances 4.4.1

AWS Required Permissions:

cloudwatch:GetMetricData Read Only cloudwatch:ListMetrics Read Only ec2:DescribeInstances Read Only ec2:DescribeRegions Read Only ec2:DescribeTags Read Only sts:GetCallerIdentity Read Only

AWS Optional Permissions:

ec2:DescribeInstanceStatus write

ec2:ModifyInstanceAttribute write

ec2:StartInstances Write

ec2:StopInstances Write

Flexera Required Permissions:

billing_center_viewer Read Only

AWS Cheaper Regions 1.0.2

Flexera Required Permissions:

billing center viewer Read Only

AWS CloudTrail Not Enabled In All Regions 3.0.3

AWS Required Permissions:

cloudtrail:DescribeTrails Read Only cloudtrail:GetEventSelectors Read Only cloudtrail:GetTrailStatus Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing_center_viewer Read Only

AWS CloudTrail S3 Buckets Without Access Logging 3.0.3

AWS Required Permissions:

cloudtrail:DescribeTrails Read Only s3:GetBucketLocation Read Only s3:GetBucketLogging Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing_center_viewer Read Only

AWS CloudTrails Not Integrated With CloudWatch 3.0.3

AWS Required Permissions:

cloudtrail:DescribeTrails Read Only cloudtrail:GetTrailStatus Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS CloudTrails With Read Logging Enabled 0.1.3

AWS Required Permissions:

cloudtrail:DescribeTrails Read Only cloudtrail:GetEventSelectors Read Only sts:GetCallerIdentity Read Only

AWS Optional Permissions:

cloudtrail:PutEventSelectors write

Flexera Required Permissions:

billing center viewer Read Only

AWS CloudTrails Without Encrypted Logs 3.0.3

AWS Required Permissions:

cloudtrail:DescribeTrails Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing_center_viewer Read Only

AWS CloudTrails Without Log File Validation Enabled 3.0.4

AWS Required Permissions:

cloudtrail:DescribeTrails Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS CloudTrails Without Object-level Events Logging Enabled 3.0.3

AWS Required Permissions:

cloudtrail:DescribeTrails Read Only cloudtrail:GetEventSelectors Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Cost Report - EC2 Instance Cost Per Hour 0.2.1

Flexera Required Permissions:

billing_center_viewer Read Only

AWS Customer Managed Keys (CMKs) Without Rotation Enabled 3.0.3

AWS Required Permissions:

ec2:DescribeRegions Read Only kms:GetKeyRotationStatus Read Only kms:ListKeys Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Disallowed Regions 5.0.3

AWS Required Permissions:

ec2:DescribeInstances Read Only ec2:DescribeRegions Read Only sts:GetCallerIdentity Read Only

AWS Optional Permissions:

ec2:StopInstances *Write* ec2:TerminateInstances *Write*

Flexera Required Permissions:

billing center viewer Read Only

AWS EC2 Compute Optimizer Recommendations 0.3.3

AWS Required Permissions:

compute-optimizer:GetEC2InstanceRecommendations Read Only ec2:DescribeInstances Read Only ec2:DescribeRegions Read Only sts:GetCallerIdentity Read Only

AWS Optional Permissions:

ec2:ModifyInstanceAttribute *write* ec2:StartInstances *write* ec2:StopInstances *write*

Flexera Required Permissions:

billing center viewer Read Only

AWS EC2 Instances Time Stopped Report 0.2.3

AWS Required Permissions:

ec2:DescribeInstances Read Only

ec2:DescribeRegions Read Only sts:GetCallerIdentity Read Only

AWS Optional Permissions:

ec2:DescribeInstanceStatus Write

ec2:StopInstances write

ec2:TerminateInstances write

Flexera Required Permissions:

billing center viewer Read Only

AWS EC2 Instances not running FlexNet Inventory Agent 4.3.4

AWS Required Permissions:

ec2:DescribeInstances Read Only

ec2:DescribeRegions Read Only

AWS EKS Clusters Without Spot Instances 0.1.3

AWS Required Permissions:

ec2:DescribeRegions Read Only

eks:DescribeCluster Read Only

eks:DescribeNodegroup Read Only

eks:ListClusters Read Only

eks:ListNodegroups Read Only

sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Elastic Load Balancers With Unencrypted Listeners 4.0.3

AWS Required Permissions:

ec2:DescribeRegions Read Only

elasticloadbalancing:DescribeListeners Read Only

elasticloadbalancing:DescribeLoadBalancers Read Only

elasticloadbalancing:DescribeTags Read Only

sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Expiring Reserved Instances 3.0.2

Flexera Required Permissions:

AWS Expiring Savings Plans 3.0.2

AWS Required Permissions:

savingsplans:DescribeSavingsPlans Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS GP3 Upgradeable Volumes 4.4.6

AWS Required Permissions:

ec2:DescribeRegions Read Only ec2:DescribeVolumes Read Only pricing:GetProducts Read Only

Flexera Required Permissions:

billing_center_viewer Read Only

AWS IAM Account Missing Support Role 3.0.4

AWS Required Permissions:

iam:ListEntitiesForPolicy Read Only iam:ListPolicies Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS IAM Attached Admin Policies 3.0.4

AWS Required Permissions:

iam:GetPolicyVersion Read Only iam:ListPolicies Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing_center_viewer Read Only

AWS IAM Expired SSL/TLS Certificates 3.0.4

AWS Required Permissions:

iam:ListServerCertificates Read Only

sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS IAM Insufficient Required Password Length 3.0.4

AWS Required Permissions:

iam:GetAccountPasswordPolicy Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing_center_viewer Read Only

AWS IAM Password Policy Not Restricting Password Reuse 3.0.4

AWS Required Permissions:

iam:GetAccountPasswordPolicy Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS IAM Role Audit 3.0.5

AWS Required Permissions:

iam:ListRoleTags Read Only iam:ListRoles Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS IAM Root Account Access Keys 3.0.4

AWS Required Permissions:

 $iam: Get Account Summary \textit{ Read Only} \\ sts: Get Caller Identity \textit{ Read Only} \\$

Flexera Required Permissions:

billing center viewer Read Only

AWS IAM Root User Account Without Hardware MFA 3.0.4

AWS Required Permissions:

iam:GetAccountSummary Read Only iam:ListVirtualMFADevices Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS IAM Root User Account Without MFA 3.0.4

AWS Required Permissions:

iam:GetAccountSummary Read Only iam:ListVirtualMFADevices Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS IAM Root User Doing Everyday Tasks 3.0.4

AWS Required Permissions:

iam:GenerateCredentialReport Read Only iam:GetCredentialReport Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS IAM User Accounts Without MFA 3.0.4

AWS Required Permissions:

iam:GenerateCredentialReport Read Only iam:GetCredentialReport Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS IAM Users With Directly-Attached Policies 3.0.4

AWS Required Permissions:

iam:ListAttachedUserPolicies Read Only iam:ListUserPolicies Read Only iam:ListUsers Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

AWS IAM Users With Multiple Active Access Keys 3.0.4

AWS Required Permissions:

iam:ListAccessKeys Read Only iam:ListUsers Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS IAM Users With Old Access Keys 3.0.4

AWS Required Permissions:

iam:GenerateCredentialReport Read Only iam:GetCredentialReport Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Idle Compute Instances 5.6.6

AWS Required Permissions:

cloudwatch:GetMetricData Read Only cloudwatch:GetMetricStatistics Read Only cloudwatch:ListMetrics Read Only ec2:DescribeInstances Read Only ec2:DescribeRegions Read Only ec2:DescribeTags Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Idle NAT Gateways 0.1.4

AWS Required Permissions:

ec2:DescribeNatGateways Read Only ec2:DescribeRegions Read Only sts:GetCallerIdentity Read Only

AWS Optional Permissions:

ec2:DeleteNatGateway write

Flexera Required Permissions:

AWS Internet-Accessible Elastic Load Balancers 4.0.3

AWS Required Permissions:

ec2:DescribeRegions Read Only

elasticloadbalancing:DescribeListeners Read Only

elasticloadbalancing:DescribeLoadBalancers Read Only

elasticloadbalancing:DescribeTags Read Only

sts:GetCallerIdentity Read Only

AWS Optional Permissions:

elasticloadbalancing:DeleteLoadBalancer write

Flexera Required Permissions:

billing center viewer Read Only

AWS Lambda Functions With High Error Rate 5.0.3

AWS Required Permissions:

cloudwatch:GetMetricData Read Only cloudwatch:ListMetrics Read Only ec2:DescribeRegions Read Only lambda:ListFunctions Read Only lambda:ListTags Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Lambda Functions Without Provisioned Concurrency 0.1.3

AWS Required Permissions:

ec2:DescribeRegions Read Only lambda:ListFunctions Read Only

lambda:ListProvisionedConcurrencyConfigs Read Only

lambda:ListTags Read Only

lambda:ListVersionsByFunction Read Only

sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Long Running Instances 5.1.3

AWS Required Permissions:

ec2:DescribeInstances Read Only

ec2:DescribeRegions Read Only

sts:GetCallerIdentity Read Only

AWS Optional Permissions:

ec2:DescribeInstanceStatus Write

ec2:StopInstances write

ec2:TerminateInstances write

Flexera Required Permissions:

billing center viewer Read Only

AWS Long Stopped EC2 Instances 6.0.3

AWS Required Permissions:

cloudwatch:GetMetricData Read Only

cloudwatch: GetMetricStatistics Read Only

cloudwatch:ListMetrics Read Only

ec2:DescribeInstances Read Only

ec2:DescribeRegions Read Only

sts:GetCallerIdentity Read Only

AWS Optional Permissions:

ec2:DescribeInstanceStatus write

ec2:TerminateInstances write

Flexera Required Permissions:

billing center viewer Read Only

AWS Missing Regions 0.2.3

AWS Required Permissions:

ec2:DescribeInstances Read Only

ec2:DescribeRegions Read Only

sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS New Marketplace Products 0.3.5

Flexera Required Permissions:

billing center viewer Read Only

AWS Object Storage Optimization 4.0.5

AWS Required Permissions:

s3:GetBucketLocation Read Only

s3:GetObject Read Only

s3:GetObjectTagging Read Only

s3:ListAllMyBuckets Read Only

s3:ListBucket Read Only

sts:GetCallerIdentity Read Only

AWS Optional Permissions:

s3:DeleteObject *write* s3:PutObject *write*

Flexera Required Permissions:

billing center viewer Read Only

AWS Old Snapshots 8.4.5

AWS Required Permissions:

cloudtrail:LookupEvents Read Only

ec2:DescribeImages Read Only

ec2:DescribeRegions Read Only

ec2:DescribeSnapshots Read Only

rds:DescribeDBClusterSnapshots Read Only

rds:DescribeDBClusters Read Only

rds:DescribeDBInstances Read Only

rds:DescribeDBSnapshots Read Only

sts:GetCallerIdentity Read Only

AWS Optional Permissions:

ec2:DeleteSnapshot Write

ec2:DeregisterImage Write

rds:DeleteDBClusterSnapshot Write

rds:DeleteDBSnapshot Write

Flexera Required Permissions:

billing center viewer Read Only

AWS Open S3 Buckets 3.1.3

AWS Required Permissions:

s3:GetBucketAcl Read Only

s3:GetBucketLocation Read Only

s3:ListAllMyBuckets Read Only

sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Oversized S3 Buckets 3.1.3

AWS Required Permissions:

cloudwatch:GetMetricData Read Only cloudwatch:ListMetrics Read Only s3:GetBucketLocation Read Only s3:GetBucketTagging Read Only s3:ListAllMyBuckets Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Overutilized EC2 Instances 0.1.1

AWS Required Permissions:

cloudwatch:GetMetricData Read Only cloudwatch:GetMetricStatistics Read Only cloudwatch:ListMetrics Read Only ec2:DescribeInstances Read Only ec2:DescribeRegions Read Only ec2:DescribeTags Read Only sts:GetCallerIdentity Read Only

AWS Optional Permissions:

ec2:DescribeInstanceStatus write ec2:ModifyInstanceAttribute write ec2:StartInstances write ec2:StopInstances write

Flexera Required Permissions:

billing_center_viewer Read Only

AWS Publicly Accessible CloudTrail S3 Buckets 3.0.3

AWS Required Permissions:

cloudtrail:DescribeTrails Read Only s3:GetBucketAcl Read Only s3:GetBucketLocation Read Only s3:GetBucketPolicy Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Publicly Accessible RDS Instances 5.1.1

AWS Required Permissions:

ec2:DescribeRegions Read Only rds:DescribeDBInstances Read Only rds:ListTagsForResource Read Only sts:GetCallerIdentity Read Only

AWS Optional Permissions:

rds:DeleteDBInstance write rds:ModifyDBInstance write

Flexera Required Permissions:

billing center viewer Read Only

AWS RDS Instances 4.2.6

AWS Required Permissions:

ec2:DescribeRegions Read Only rds:DescribeDBInstances Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS RDS Instances With Unapproved Backup Settings 3.0.3

AWS Required Permissions:

ec2:DescribeRegions Read Only rds:DescribeDBInstances Read Only rds:ListTagsForResource Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Regions Without Access Analyzer Enabled 4.0.4

AWS Required Permissions:

access-analyzer:ListAnalyzers Read Only ec2:DescribeRegions Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Regions Without Config Fully Enabled 3.0.3

AWS Required Permissions:

config:DescribeConfigurationRecorderStatus Read Only ec2:DescribeRegions Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Regions Without Default EBS Encryption 4.0.2

AWS Required Permissions:

ec2:DescribeRegions Read Only ec2:GetEbsEncryptionByDefault Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Reserved Instances Coverage 3.0.2

AWS Required Permissions:

ce:GetReservationCoverage Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Reserved Instances Recommendations 3.6.4

AWS Required Permissions:

ce:GetReservationPurchaseRecommendation Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Reserved Instances Utilization 3.0.2

Flexera Required Permissions:

billing center viewer Read Only

AWS Resources Under Extended Support 0.2.4

Flexera Required Permissions:

billing_center_viewer Read Only

AWS Rightsize EBS Volumes 0.3.5

AWS Required Permissions:

ec2:DescribeRegions Read Only ec2:DescribeVolumes Read Only pricing:GetProducts Read Only

AWS Optional Permissions:

ec2:ModifyVolume Write

Flexera Required Permissions:

billing center viewer Read Only

AWS Rightsize EC2 Instances 5.4.1

AWS Required Permissions:

cloudwatch:GetMetricData Read Only cloudwatch:GetMetricStatistics Read Only cloudwatch:ListMetrics Read Only ec2:DescribeInstances Read Only ec2:DescribeRegions Read Only ec2:DescribeTags Read Only sts:GetCallerIdentity Read Only

AWS Optional Permissions:

ec2:DescribeInstanceStatus write ec2:ModifyInstanceAttribute write ec2:StartInstances write ec2:StopInstances write ec2:TerminateInstances write

Flexera Required Permissions:

billing center viewer Read Only

AWS Rightsize ElastiCache 0.3.1

AWS Required Permissions:

cloudwatch:GetMetricData Read Only ec2:DescribeRegions Read Only elasticache:DescribeCacheClusters Read Only elasticache:ListTagsForResource Read Only sts:GetCallerIdentity Read Only

AWS Optional Permissions:

 $elastic ache: Modify Cache Cluster \ \textit{write}$

Flexera Required Permissions:

billing center viewer Read Only

AWS Rightsize RDS Instances 5.8.2

AWS Required Permissions:

cloudwatch:GetMetricData Read Only

cloudwatch:GetMetricStatistics Read Only

ec2:DescribeRegions Read Only

rds:DescribeDBInstances Read Only

rds:DescribeOrderableDBInstanceOptions Read Only

rds: List Tags For Resource Read Only

sts:GetCallerIdentity Read Only

AWS Optional Permissions:

rds:DeleteDBInstance *write* rds:ModifyDBInstance *write*

Flexera Required Permissions:

billing center viewer Read Only

AWS Rightsize Redshift 0.1.4

AWS Required Permissions:

cloudwatch:GetMetricData Read Only ec2:DescribeRegions Read Only redshift:DescribeClusters Read Only sts:GetCallerIdentity Read Only

AWS Optional Permissions:

redshift:ModifyCluster write

Flexera Required Permissions:

billing center viewer Read Only

AWS Rule-Based Dimension From Account Tags 3.0.1

Flexera Required Permissions:

billing_center_viewer Read Only observer Read Only rule based dimensions manager Read Only

AWS S3 Buckets Accepting HTTP Requests 3.0.3

AWS Required Permissions:

s3:GetBucketLocation Read Only

s3:GetBucketPolicy Read Only

s3:GetBucketTagging Read Only

s3:ListAllMyBuckets Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS S3 Buckets Without Default Encryption Configuration 3.0.3

AWS Required Permissions:

s3:GetBucketLocation Read Only

s3:GetBucketTagging Read Only

s3:GetEncryptionConfiguration Read Only

s3:ListAllMyBuckets Read Only

sts:GetCallerIdentity Read Only

AWS Optional Permissions:

s3:DeleteBucket Write

s3:PutEncryptionConfiguration Write

Flexera Required Permissions:

billing center viewer Read Only

AWS S3 Buckets Without Intelligent Tiering 4.0.3

AWS Required Permissions:

s3:GetBucketLocation Read Only

s3:GetBucketTagging Read Only

s3:GetIntelligentTieringConfiguration Read Only

s3:ListAllMyBuckets Read Only

sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS S3 Buckets Without Lifecycle Configuration 0.1.2

AWS Required Permissions:

s3:GetBucketLocation Read Only

s3:GetBucketTagging Read Only

s3:GetLifecycleConfiguration Read Only

s3:ListAllMyBuckets Read Only

sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS S3 Buckets Without MFA Delete Enabled 3.0.3

AWS Required Permissions:

s3:GetBucketLocation Read Only

s3:GetBucketTagging Read Only

s3:GetBucketVersioning Read Only

s3:ListAllMyBuckets Read Only

sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS S3 Buckets Without Public Access Blocked 3.0.3

AWS Required Permissions:

s3:GetBucketLocation Read Only

s3:GetBucketPublicAccessBlock Read Only

s3:GetBucketTagging Read Only

s3:ListAllMyBuckets Read Only

sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS S3 Buckets Without Server Access Logging 3.0.3

AWS Required Permissions:

s3:GetBucketLocation Read Only

s3:GetBucketLogging Read Only

s3:GetBucketTagging Read Only

s3:ListAllMyBuckets Read Only

sts:GetCallerIdentity Read Only

AWS Optional Permissions:

s3:PutBucketLogging Write

Flexera Required Permissions:

billing center viewer Read Only

AWS S3 Incomplete Multi-Part Uploads 0.1.1

AWS Required Permissions:

s3:GetBucketLocation Read Only

s3:GetBucketTagging Read Only

s3:ListAllMyBuckets Read Only

s3:ListBucketMultipartUploads Read Only

s3:ListMultipartUploadParts Read Only sts:GetCallerIdentity Read Only

AWS Optional Permissions:

s3:AbortMultipartUpload write

Flexera Required Permissions:

billing center viewer Read Only

AWS S3 Usage Type Rule-Based Dimension 0.1.1

Flexera Required Permissions:

billing_center_viewer Read Only observer Read Only rule_based_dimensions_manager Read Only

AWS Savings Plan Recommendations 3.3.4

AWS Required Permissions:

ce:GetSavingsPlansPurchaseRecommendation Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Savings Plan Utilization 4.0.3

AWS Required Permissions:

ce:GetSavingsPlansUtilization Read Only savingsplans:DescribeSavingsPlans Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Savings Realized From Rate Reduction Purchases 4.0.2

Flexera Required Permissions:

billing center viewer Read Only

AWS Schedule Instance 8.0.1

AWS Required Permissions:

ec2:CreateTags write

ec2:DeleteTags write

ec2:DescribeInstances Read Only

ec2:DescribeRegions Read Only

ec2:StartInstances Write

ec2:StopInstances Write

ec2:TerminateInstances Write

kms:CreateGrant Write

kms:Decrypt Write

Flexera Required Permissions:

billing center viewer Read Only

AWS Scheduled EC2 Events 4.0.3

AWS Required Permissions:

ec2:DescribeInstanceStatus Read Only

ec2:DescribeInstances Read Only

ec2:DescribeRegions Read Only

sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Superseded EBS Volumes 6.3.7

AWS Required Permissions:

ec2:DescribeRegions Read Only

ec2:DescribeVolumes Read Only

pricing:GetProducts Read Only

sts:GetCallerIdentity Read Only

AWS Optional Permissions:

ec2:ModifyVolume Write

Flexera Required Permissions:

billing center viewer Read Only

AWS Superseded EC2 Instances 2.4.1

AWS Required Permissions:

ec2:DescribeInstances Read Only

ec2:DescribeRegions Read Only

ec2:DescribeTags Read Only

sts:GetCallerIdentity Read Only

AWS Optional Permissions:

ec2:DescribeInstanceStatus write

ec2:ModifyInstanceAttribute write

ec2:StartInstances write

Flexera Required Permissions:

billing center viewer Read Only

AWS Tag Cardinality Report 3.1.5

AWS Required Permissions:

ec2:DescribeRegions Read Only organizations:ListAccounts Read Only organizations:ListTagsForResource Read Only tag:GetResources Read Only

Flexera Required Permissions:

billing center_viewer Read Only

AWS Unencrypted EBS Volumes 5.0.3

AWS Required Permissions:

ec2:DescribeRegions Read Only ec2:DescribeVolumes Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Unencrypted RDS Instances 4.1.1

AWS Required Permissions:

ec2:DescribeRegions Read Only rds:DescribeDBInstances Read Only rds:ListTagsForResource Read Only sts:GetCallerIdentity Read Only

AWS Optional Permissions:

rds:DeleteDBInstance Write

Flexera Required Permissions:

billing center viewer Read Only

AWS Untagged Resources 5.4.1

AWS Required Permissions:

ec2:DescribeRegions Read Only sts:GetCallerIdentity Read Only tag:GetResources Read Only

AWS Optional Permissions:

organizations: TagResource write tag: TagResources write

Flexera Required Permissions:

billing center viewer Read Only

AWS Unused Application Load Balancers 0.2.4

AWS Required Permissions:

ec2:DescribeRegions Read Only
elasticloadbalancing:DescribeListeners Read Only
elasticloadbalancing:DescribeLoadBalancers Read Only
elasticloadbalancing:DescribeTags Read Only
elasticloadbalancing:DescribeTargetGroups Read Only
elasticloadbalancing:DescribeTargetHealth Read Only
sts:GetCallerIdentity Read Only

AWS Optional Permissions:

elasticloadbalancing:DeleteLoadBalancer write

Flexera Required Permissions:

billing center viewer Read Only

AWS Unused Classic Load Balancers 6.4.4

AWS Required Permissions:

ec2:DescribeRegions Read Only elasticloadbalancing:DescribeInstanceHealth Read Only elasticloadbalancing:DescribeLoadBalancers Read Only elasticloadbalancing:DescribeTags Read Only sts:GetCallerIdentity Read Only

AWS Optional Permissions:

elasticloadbalancing:DeleteLoadBalancer write

Flexera Required Permissions:

billing center viewer Read Only

AWS Unused ECS Clusters 4.0.3

AWS Required Permissions:

ec2:DescribeRegions Read Only ecs:DescribeClusters Read Only ecs:ListClusters Read Only sts:GetCallerIdentity Read Only

AWS Optional Permissions:

ecs:DeleteCluster write

Flexera Required Permissions:

billing center viewer Read Only

AWS Unused IAM Credentials 3.0.4

AWS Required Permissions:

iam:GenerateCredentialReport Read Only iam:GetCredentialReport Read Only sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

AWS Unused IP Addresses 9.2.4

AWS Required Permissions:

cloudtrail:LookupEvents Read Only ec2:DescribeAddresses Read Only ec2:DescribeRegions Read Only sts:GetCallerIdentity Read Only

AWS Optional Permissions:

ec2:ReleaseAddress Write

Flexera Required Permissions:

billing center viewer Read Only

AWS Unused Network Load Balancers 0.2.4

AWS Required Permissions:

ec2:DescribeRegions Read Only

elasticloadbalancing:DescribeListeners Read Only

elasticloadbalancing:DescribeLoadBalancers Read Only

elasticloadbalancing:DescribeTags Read Only

elasticloadbalancing:DescribeTargetGroups Read Only

elasticloadbalancing:DescribeTargetHealth Read Only

sts:GetCallerIdentity Read Only

AWS Optional Permissions:

elasticloadbalancing:DeleteLoadBalancer write

Flexera Required Permissions:

billing center viewer Read Only

AWS Unused Volumes 8.3.5

AWS Required Permissions:

cloudwatch:GetMetricData Read Only

cloudwatch:GetMetricStatistics Read Only

ec2:DescribeRegions Read Only

ec2:DescribeSnapshots Read Only

ec2:DescribeVolumes Read Only

AWS Optional Permissions:

ec2:CreateSnapshot Write

ec2:CreateTags write

ec2:DeleteVolume Write

ec2:DetachVolume Write

Flexera Required Permissions:

billing center viewer Read Only

AWS Usage Forecast - Instance Time Used 1.1.1

Flexera Required Permissions:

billing center viewer Read Only

AWS Usage Forecast - Number of Instance Hours Used 3.3.6

Flexera Required Permissions:

billing center viewer Read Only

AWS Usage Forecast - Number of Instance vCPUs Used 3.3.6

Flexera Required Permissions:

billing center viewer Read Only

AWS Usage Report - Instance Time Used 1.1.1

Flexera Required Permissions:

billing_center_viewer Read Only

AWS Usage Report - Number of Instance Hours Used 4.1.6

Flexera Required Permissions:

billing_center_viewer Read Only

AWS Usage Report - Number of Instance vCPUs Used 4.1.6

Flexera Required Permissions:

billing center viewer Read Only

AWS VPCs Without FlowLogs Enabled 4.0.3

AWS Required Permissions:

ec2:DescribeFlowLogs Read Only

ec2:DescribeRegions Read Only

ec2:DescribeVpcs Read Only

sts:GetCallerIdentity Read Only

Flexera Required Permissions:

billing center viewer Read Only

Common Bill Ingestion from AWS S3 Object Storage 0.2.1

AWS Optional Permissions:

s3:GetObject Read Only

Flexera Required Permissions:

billing_center_viewer Read Only csm bill upload admin Read Only