Flexible Vision

Release Notes

Updates and Deployment · Flexible Vision v2.0

Release date 11 November 2026

Covers March 2026 – November 2026


Component how software reaches a unit, and how a unit stays connected

About the screenshots in this document. Every screen shown is the real v2.0 interface, captured from a running unit and from the Flexible Vision Cloud. The product data in them — part names, counts, defect figures and pass rates — is **sample data used for illustration**. It does not represent the performance of any installation.

Summary

This is the part of the platform that installs software on a unit and keeps it linked to the cloud. In v2.0 it learned to do both without an internet connection: a release can be written to a USB stick and installed on a unit that has never been online, and a site running its own local cloud keeps control of its own updates. Alongside that, the connection to the cloud was hardened and the way a unit identifies itself was made stable across updates.

Updates from a USB stick



The update controls shown in System Settings.

- **A release can be written to a USB stick** with a single command.
- **The stick carries everything needed**, so a unit with no network at all can be updated from it — including the very first install on an older unit.
- **The update screen shows what is on the stick** before you commit to installing it.
- An update **never inherits settings from a previous run**, so a repeated install behaves the same way every time.

Updates and rollback

- **Rollback targets are real.** A unit reports what it can actually roll back to, so the option you are offered is one that will work.
- **A site on its own local cloud keeps control of its updates** while it can reach the update service, and is given signed releases.
- **An update replaces every running copy of a service** and never leaves one with nothing running — the failure mode that previously produced a unit that looked updated but was not working.
- **Your existing flows are carried across** an update from older images.

The connection to the cloud

- **The connection to the cloud is verified** before it is trusted.
- **The on-site message broker is closed to the outside**, reachable only from the unit itself.
- **The connection follows the unit** when it is moved to a different cloud, and repairs itself if the link goes stale.
- **Analytics are sent to the cloud the unit is actually linked to**, rather than a fixed destination.

Unit identity


- **A unit's identity is fixed once and kept.** It survives updates and re-linking, so a unit does not reappear in your fleet as a new device.
- **Each optional feature reports its own health**, so the cloud can tell the difference between *enabled* and *actually working*.
- A unit **reports its timezone** to the cloud along with what it can do.

Optional features

Optional features are installed per unit rather than shipped to everyone, so a unit carries only what it is for:

Feature	Adds	Platform
Visual Anomaly	Defect detection from good samples only	x86 only
Waveform	Sound and vibration inspection	x86 and ARM
Assembly Guidance	Worker guidance and the operator kiosk	x86 and ARM
OCR Service	Text and characters inside inspections	x86 and ARM
Time Machine	Records inspections over time and replays them	x86 and ARM
FTP Server	Serves captured images over FTP	x86 and ARM
Client Mode	Connects this cell to a master server	x86 and ARM

Each reports **its own health**, not merely that it is switched on, so the cloud can distinguish *enabled* from *working*.



Where an operator turns these on, picks a release and installs from USB.

Fixes

Fix	What you will notice
Update failed after succeeding	Units in the field could report a failure after an update had in fact completed
Partial update	An update no longer leaves a service with no running copies
Stale cloud link	A local-cloud connection repairs itself instead of needing intervention
Older units	Units on older operating systems start correctly again
Repeated installs	An update does not inherit the previous run's settings

Upgrade notes

- **Units that cannot reach the update service should be updated from a USB stick.** The stick carries everything required, including for a first install.
- **A site on a local cloud** keeps release control only while the update service is reachable.
- **The on-site message broker is now closed to other hosts.** Anything that previously connected to it directly from another machine must go through the unit.