

DETENTION FACILITY MANAGEMENT SYSTEM – DATABASE SCHEMA

1. **Persons Deprived of Liberty (PDL / Inmates)** – core records
2. **Visitors** – people allowed to visit inmates
3. **Date of Visits** – logs of visits
4. **Incidents** – records of notable incidents (riots, fights, medical issues)

TABLE 1. PDL

ArrestID	CHAR (11) format AUYYYYY0000 ex A0120250001
PDL_ID	CHAR (11) format PUYYYYY0000 ex P0120250001
Fname	CHAR (50)
Lname	CHAR (50)
Mname	CHAR (50)
DOB	DATE
Gender	CHAR(1)
Nationality	CHAR (50)
Occupation	VARCHAR (100)
AgeduringArrest	INT
Education	VARCHAR (100)
PlaceCaseFiled	VARCHAR (200)
CasesFiled	VARCHAR (300)
DocketNumber	CHAR (30)
CCNum_ISNum	VARCHAR (50)
RTCBranch	CHAR (50)
Status	CHAR (50)
Remarks	VARCHAR (1000)
DetaineePic	VARCHAR (200) (DOC OR PDF)

TABLE2. VisitorsProfile

VisitorID	CHAR (11) VUYYYYY0000
Fname	CHAR (50)
Lname	CHAR (50)
Mname	CHAR (50)
Relationship	CHAR (50)
DOB	DATE
Gender	CHAR (1)
Nationality	CHAR (50)
Occupation	CHAR (50)
PDLtoVisit	VARCHAR (200)
ContactNum	CHAR (50)
Remarks	VARCHAR (5000)
PhotoID	VARCHAR (300)


TABLE 3 DateofVisits

VisitID	CHAR (11) DUYYYYY0000
InmatelID	CHAR (11)
VisitorID	CHAR (11)
VisitDate	DATETIME
Purpose	VARCHAR(200),
DutyPersonnel	CHAR (100)

TABLE 4. Incidents

IncidentID	CHAR (11) format IUYYYYY0000 ex A0120250001
PDL_ID	CHAR (11) format PUYYYYY0000 ex P0120250001
IncidentDate	DATETIME
NatureOfIncident	CHAR (100)
IncidentDesc	VARCHAR (5000)

ERD DIAGRAM



SCRIPT TABLES

```
-- =====
-- Create Database
-- =====

CREATE DATABASE DFMS;
GO

USE DFMS;
GO

-- =====
-- 1. PDL Table (Persons Deprived of Liberty)
-- =====

CREATE TABLE PDL (
    PDL_ID CHAR(11) PRIMARY KEY,
    Fname CHAR(50),
    Lname CHAR(50),
    Mname CHAR(50),
    DOB DATE,
    Gender CHAR(1),
    Nationality CHAR(50),
    Occupation VARCHAR(100),
    AgeduringArrest INT,
    Education VARCHAR(100),
    DetaineePic VARCHAR(200),
    DateOfArrest DATETIME,
    ArrestingUnit VARCHAR(300),
    PlaceOfArrest VARCHAR(300),
    AttachedFile VARCHAR(200),
    CasesFiled VARCHAR(300),
    PlaceCaseFiled VARCHAR(200),
    DocketNumber CHAR(30),
    CCNum_ISNum VARCHAR(50),
    ProsRTCBranch CHAR(50),
    Status CHAR(50),
    Remarks VARCHAR(1000)
);

-- =====
-- 2. Incidents Table
-- =====

CREATE TABLE Incidents (
    IncidentID CHAR(11) PRIMARY KEY,
```

```

PDL_ID CHAR(11),
IncidentDate DATETIME,
NatureOfIncident CHAR(100),
IncidentDesc VARCHAR(5000),
FOREIGN KEY (PDL_ID) REFERENCES PDL(PDL_ID)
);

```

```

-- =====
-- 3. VisitorsProfile Table
-- =====

```

```

CREATE TABLE VisitorsProfile (
    VisitorID CHAR(11) PRIMARY KEY,
    Fname CHAR(50),
    Lname CHAR(50),
    Mname CHAR(50),
    Relationship CHAR(50),
    DOB DATE,
    Gender CHAR(1),
    Nationality CHAR(50),
    Occupation CHAR(50),
    PDLtoVisit VARCHAR(200),
    ContactNum CHAR(50),
    Remarks VARCHAR(5000),
    PhotoID VARCHAR(300)
);

```

```

-- =====
-- 4. DateOfVisits Table
-- =====

```

```

CREATE TABLE DateOfVisits (
    VisitID CHAR(11) PRIMARY KEY,
    InmateID CHAR(11), -- Refers to PDL_ID
    VisitorID CHAR(11),
    VisitDate DATETIME,
    Purpose VARCHAR(200),
    DutyPersonnel CHAR(100),
    FOREIGN KEY (InmateID) REFERENCES PDL(PDL_ID),
    FOREIGN KEY (VisitorID) REFERENCES VisitorsProfile(VisitorID)
);

```

