

SYNTHETIC QUALITY DOSSIER

Sequence: 194 174 12

Document: SQD-001-6812

PAGE 01/50

DATE: 11/07/2026 14:05

TRACEABILITY / LABEL RECORD

REFERENCE AND CONSUMPTION LOG

| STEP | PART / OPERATION   | REFERENCE | LOT     | VALIDATION |
|------|--------------------|-----------|---------|------------|
| 01   | ENGINE SHIELD      | RF-42266  | L906416 | OK         |
| 02   | WHEEL ARCH LINER   | RF-76100  | L461303 | OK         |
| 03   | PARKING SENSOR     | RF-16279  | L423146 | OK         |
| 04   | STEERING COLUMN    | RF-51983  | L803690 | OK         |
| 05   | BRAKE LINE SUPPORT | RF-75485  | L188455 | OK         |
| 06   | CONTROL UNIT COVER | RF-96228  | L205877 | HOLD       |
| 07   | RIGHT SIDE PANEL   | RF-37851  | L192716 | OK         |
| 08   | BATTERY TRAY       | RF-93714  | L787481 | OK         |
| 09   | ENGINE SHIELD      | RF-18676  | L341732 | OK         |
| 10   | LEFT DOOR LOCK     | RF-71879  | L368477 | OK         |
| 11   | WHEEL ARCH LINER   | RF-90245  | L896417 | OK         |
| 12   | WIRING HARNESS     | RF-66192  | L729354 | HOLD       |
| 13   | RIGHT SIDE PANEL   | RF-12068  | L987341 | OK         |
| 14   | BATTERY TRAY       | RF-59203  | L899257 | OK         |
| 15   | CLIMATE MODULE     | RF-56202  | L491907 | OK         |



SYNTHETIC QUALITY DOSSIER

Sequence: 483 582 85  
Document : SQD-002-9111

PAGE 02/50

DATE: 11/07/2026 04:58  
ASSEMBLY CHECK LIST

LISTE SSR - SERIES K9

| DESIGNATION          | POSTE | TORQUE | ANGLE | OK | REWORK | NOTE |
|----------------------|-------|--------|-------|----|--------|------|
| FUEL PIPE CLIP       | M01F6 | 20     | 90    | X  |        |      |
| STEERING COLUMN      | P02F9 | 40     | 30    | X  |        |      |
| STEERING COLUMN      | M19F5 | 40     | 0     | X  |        |      |
| CLIMATE MODULE       | B19F7 | 20     | 0     | X  |        |      |
| ENGINE SHIELD        | P06F4 | 40     | 0     | X  |        |      |
| LEFT DOOR LOCK       | M01F9 | 15     | 0     |    |        |      |
| LOWER ARM ASSEMBLY   | B08F3 | 65     | 0     | X  |        |      |
| SEAT RAIL FIXING     | P04F3 | 65     | 30    | X  |        |      |
| FRONT AXLE ALIGNMENT | B18F8 | 90     | 0     | X  |        |      |
| STEERING COLUMN      | M03F2 | 8      | 0     | X  |        |      |
| CLIMATE MODULE       | P12F4 | 110    | 0     | X  |        |      |
| RIGHT SIDE PANEL     | P16F5 | 20     | 30    | X  |        |      |
| ENGINE SHIELD        | B02F6 | 40     | 0     | X  |        |      |
| FRONT AXLE ALIGNMENT | M02F3 | 8      | 30    |    |        |      |
| SEAT RAIL FIXING     | B09F7 |        |       |    |        |      |
| LEFT DOOR LOCK       | M17F  |        |       |    |        |      |
| FRONT AXLE ALIGNMENT | P11F: |        |       |    |        |      |
| CONTROL UNIT COVER   | B05F5 | 15     | 45    | X  |        |      |
| BATTERY TRAY         | M07F3 | 15     | 45    | X  |        |      |
| WIRING HARNESS       | M01F5 | 12     | 90    |    |        |      |
| STEERING COLUMN      | M13F8 | 110    | 0     |    |        |      |
| CLIMATE MODULE       | P11F1 | 15     | 0     | X  |        |      |
| ENGINE SHIELD        | B07F6 | 65     | 45    | X  |        |      |
| REAR SENSOR BRACKET  | M05F4 | 40     | 45    | X  |        |      |
| FUEL PIPE CLIP       | P09F8 | 8      | 45    | X  |        |      |
| FRONT AXLE ALIGNMENT | B05F3 | 12     | 30    | X  |        |      |
| BRAKE LINE SUPPORT   | P01F2 | 65     | 30    | X  |        |      |
| REAR SENSOR BRACKET  | M11F1 | 15     | 0     |    |        |      |
| FRONT AXLE ALIGNMENT | B13F9 | 40     | 90    | X  |        |      |
| REAR SENSOR BRACKET  | P10F3 | 40     | 45    | X  |        |      |



SYNTHETIC QUALITY DOSSIER

Sequence: 171 632 96

Document: SQR-004-2516

PAGE 04/50

DATE: 11/07/2026 01:31

FINAL INSPECTION

| EXTERIOR / DIMENSIONAL                                                                                                   | FUNCTION / TRACEABILITY                                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| No visible damage <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       | Label presence <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A<br><div><br/>PO82529051114</div> |
| Reference matches order <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Gap within limit <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                                                                                                                   |
| Seal continuous <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         | Torque confirmed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                                                                                                                   |
| Seal continuous <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         | Panel alignment <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                                                                                                                    |
| Harness routing <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         | Seal continuous <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                                                                                                                    |
| Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A   | Harness routing <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                                                                                                                    |
| Reference matches order <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Connector locked <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                                                                                                                   |
| Label presence <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                     | Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                                                                                                              |
| Protective film removed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Connector locked <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                                                                                                                   |
| Harness routing <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                    | No visible damage <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                                                                                                                  |
| Torque confirmed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        | Panel alignment <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                                                                                                                    |
| Label presence <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A          | Connector locked <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                                                                                                                   |
| Inspector signature:                  |                                                                                                                                                                                                                                     |

**SYNTHETIC QUALITY DOSSIER**

Sequence: 844 609 59

Document: SQD-005-4786

PAGE 05/50

DATE: 11/07/2026 11:37

**MEASUREMENT REPORT****Vehicle / batch information**

Product **PX-K9**  
Serial **SN9200202976**  
Operator **OP800**

Batch **B269924**  
Station **QC-17**  
Global result **OK**

| ITEM / CHARACTERISTIC | LOW   | HIGH  | VALUE | UNIT | STATUS |
|-----------------------|-------|-------|-------|------|--------|
| STEERING COLUMN       | 39.55 | 60.62 | 54.75 | mm   | OK     |
| RIGHT SIDE PANEL      | 9.87  | 20.00 | 19.34 | V    | OK     |
| WIRING HARNESS        | 7.84  | 20.42 | 11.33 | V    | OK     |
| WHEEL ARCH LINER      | 34.52 | 54.65 | 38.35 | Nm   | OK     |
| BRAKE LINE SUPPORT    | 7.89  | 24.65 | 24.50 | V    | OK     |
| WIRING HARNESS        | 3.08  | 22.98 | 19.55 | deg  | OK     |
| BRAKE LINE SUPPORT    | 35.32 | 38.95 | 36.10 | Nm   | OK     |
| CLIMATE MODULE        | 29.84 | 33.78 | 30.37 | mm   | OK     |
| CONTROL UNIT COVER    |       |       |       | V    | OK     |
| LOWER ARM ASSEMBLY    |       |       |       | V    | OK     |
| LOWER ARM ASSEMBLY    |       |       |       | deg  | OK     |
| REAR SENSOR BRACKET   | 24.10 | 28.22 | 26.30 | deg  | OK     |
| ENGINE SHIELD         | 33.12 | 47.81 | 47.00 | mm   | OK     |
| FRONT AXLE ALIGNMENT  | 34.86 | 43.33 | 42.93 | mm   | OK     |
| STEERING COLUMN       | 8.27  | 23.63 | 21.47 | mm   | OK     |
| WIRING HARNESS        | 11.60 | 25.33 | 13.46 | mm   | OK     |
| LOWER ARM ASSEMBLY    | 27.03 | 31.14 | 29.43 | mm   | OK     |
| FRONT AXLE ALIGNMENT  | 24.35 | 46.60 | 42.67 | Nm   | OK     |
| FRONT AXLE ALIGNMENT  | 5.48  | 24.12 | 14.20 | deg  | OK     |
| FUEL PIPE CLIP        | 33.90 | 39.35 | 34.17 | V    | OK     |
| SEAT RAIL FIXING      | 0.49  | 14.89 | 2.70  | V    | OK     |
| REAR SENSOR BRACKET   | 14.71 | 17.21 | 16.62 | V    | OK     |
| RIGHT SIDE PANEL      | 35.56 | 57.39 | 51.62 | mm   | OK     |

SYNTHETIC QUALITY DOSSIER

Sequence: 640 150 52  
Document: SQD-006-7998

PAGE 06/50  
DATE: 11/07/2026 00:20  
CONTROL CERTIFICATE

CERTIFICATE OF CONFORMITY

This synthetic record confirms that the listed characteristics were inspected.

PRODUCTION ORDER PO-96406211

MODEL / VARIANT PX-A7

SERIAL NUMBER SYN159694392301

INSPECTION PLAN QP-86.3

DECISION ACCEPTED

Inspection summary

|                     |       |     |      |
|---------------------|-------|-----|------|
|                     |       |     |      |
| LEFT DOOR LOCK      | 92.97 | Nm  | PASS |
| FUEL PIPE CLIP      | 4.20  | Nm  | PASS |
| WIRING HARNESS      | 86.79 | mm  | PASS |
| STEERING COLUMN     | 59.18 | deg | PASS |
| REAR SENSOR BRACKET | 91.45 | mm  | PASS |
| DR LOCK             | 72.02 | deg | PASS |
| 3 COLUMN            | 97.25 | deg | PASS |



Approved by:

*[Signature]*



SYNTHETIC QUALITY DOSSIER

Sequence: 890 493 21  
Document: SQD-007-2397


PAGE 07/50  
DATE: 11/07/2026 21:27  
FINAL INSPECTION

| EXTERIOR / DIMENSIONAL                                                                                                   | FUNCTION / TRACEABILITY                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Surface condition <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       | Connector locked <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        |
| Protective film removed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Protective film removed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Connector locked <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        | Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A   |
| Protect <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                 | Torque confirmed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        |
| Surface <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                 | Connector locked <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        |
| Gap wi <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                  | Reference matches order <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Torque confirmed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        | Protective film removed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Harness routing <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         | Surface condition <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       |
| Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A   | Seal continuous <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         |
| Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A   | Seal continuous <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         |
| Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A   | Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A   |
| Reference matches order <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | No visible damage <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       |


Inspector signature: \_\_\_\_\_



SYN007347154125



LOT-951555-07



PO73862380946

SYNTHETIC QUALITY DOSSIER

Sequence: 126 239 59  
Document: SQD-008-8348

Vehicle / batch information

|          |              |               |         |
|----------|--------------|---------------|---------|
| Product  | PX-R2        | Batch         | B441084 |
| Serial   | SN3401152239 | Station       | QC-20   |
| Operator | OP819        | Global result | OK      |

| ITEM / CHARACTERISTIC | LOW   | HIGH  | VALUE | UNIT | STATUS                                                                                                              |
|-----------------------|-------|-------|-------|------|---------------------------------------------------------------------------------------------------------------------|
| PARKING SENSOR        | 33.27 | 50.76 | 39.99 | Nm   | OK                                                                                                                  |
| LEFT DOOR LOCK        | 18.47 | 28.21 | 23.09 | deg  | OK                                                                                                                  |
| REAR SENSOR BRACKET   | 21.29 | 24.28 | 22.39 | deg  | OK                                                                                                                  |
| FRONT AXLE ALIGNMENT  | 20.67 | 23.90 | 23.55 | mm   | OK                                                                                                                  |
| CLIMATE MODULE        | 0.26  | 18.64 | 1.88  | deg  | OK                                                                                                                  |
| CLIMATE MODULE        | 9.19  | 10.49 | 9.95  | mm   | OK                                                                                                                  |
| REAR SENSOR BRACKET   | 30.31 | 34.77 | 32.26 | deg  | OK                                                                                                                  |
| FRONT AXLE ALIGNMENT  | 23.31 | 39.27 | 33.86 | mm   | OK                                                                                                                  |
| SEAT RAIL FIXING      | 22.35 | 33.91 | 30.74 | mm   | OK                                                                                                                  |
| CONTROL UNIT COVER    | 18.26 | 38.49 | 19.55 | Nm   | OK                                                                                                                  |
| LEFT DOOR LOCK        | 2.61  | 12.02 | 11.74 | V    | OK                                                                                                                  |
| BRAKE LINE SUPPORT    | 6.52  | 26.18 | 11.06 | V    | OK                                                                                                                  |
| SEAT RAIL FIXING      | 10.69 | 22.93 | 21.47 | mm   | <div><br/>RF5350847625Q1</div> |
| CLIMATE MODULE        | 9.69  | 15.77 | 9.96  | Nm   |                                                                                                                     |
| REAR SENSOR BRACKET   | 22.39 | 36.57 | 33.46 | deg  | OK                                                                                                                  |
| LEFT DOOR LOCK        | 35.29 | 53.03 | 50.22 | Nm   | OK                                                                                                                  |
| CONTROL UNIT COVER    | 39.96 | 51.76 | 42.29 | V    | OK                                                                                                                  |
| BRAKE LINE SUPPORT    | 17.47 | 37.63 | 18.80 | V    | OK                                                                                                                  |
| LOWER ARM ASSEMBLY    | 24.19 | 43.90 | 29.72 | Nm   | OK                                                                                                                  |
| FRONT AXLE ALIGNMENT  | 0.46  | 22.46 | 7.67  | mm   | OK                                                                                                                  |
| WHEEL ARCH LINER      | -1.87 | 12.56 | -0.45 | deg  | OK                                                                                                                  |
| FRONT AXLE ALIGNMENT  | 22.07 | 37.88 | 24.50 | deg  | OK                                                                                                                  |
| REAR SENSOR BRACKET   | 16.72 | 26.25 | 24.25 | V    | OK                                                                                                                  |

SYNTHETIC QUALITY DOSSIER

Sequence: 449 814 12

Document: SQD-009-3414

PAGE 09/50

DATE: 11/07/2026 21:42

TRACEABILITY / LABEL RECORD

REFERENCE AND CONSUMPTION LOG

| STEP | PART / OPERATION    | REFERENCE | LOT     | VALIDATION |
|------|---------------------|-----------|---------|------------|
| 01   | SEAT RAIL FIXING    | RF-20606  | L909001 | OK         |
| 02   | BATTERY TRAY        | RF-42648  | L494603 | OK         |
| 03   | WIRING HARNESS      | RF-24860  | L566228 | HOLD       |
| 04   | CONTROL UNIT COVER  | RF-95440  | L641137 | OK         |
| 05   | PARKING SENSOR      | RF-66958  | L583847 | OK         |
| 06   | PARKING SENSOR      | RF-45065  | L666349 | OK         |
| 07   | RIGHT SIDE PANEL    | RF-95711  | L132038 | OK         |
| 08   | SEAT RAIL FIXING    |           | L518141 | HOLD       |
| 09   | BRAKE LINE SUPPOF   |           | L741338 | OK         |
| 10   | STEERING COLUMN     | RF-11452  | L689454 | OK         |
| 11   | CLIMATE MODULE      | RF-27161  | L890347 | OK         |
| 12   | WIRING HARNESS      | RF-50478  | L490997 | OK         |
| 13   | REAR SENSOR BRACKET | RF-74389  | L117004 | OK         |
| 14   | WIRING HARNESS      |           |         | HOLD       |
| 15   | BRAKE LINE SUPPORT  | RF-95313  | L424790 | HOLD       |



SYNTHETIC QUALITY DOSSIER

Sequence: 124 944 47

Document: SQD-010-2614

PAGE 10/50

DATE: 11/07/2026 07:35

ASSEMBLY CHECK LIST

LISTE SSR - SERIES K9

| DESIGNATION          | POSTE | TORQUE | ANGLE | OK | REWORK | NOTE |
|----------------------|-------|--------|-------|----|--------|------|
| WHEEL ARCH LINER     | B18F3 | 8      | 0     | X  |        |      |
| CLIMATE MODULE       | B02F2 | 15     | 45    | X  |        |      |
| FRONT AXLE ALIGNMENT | B14F9 | 110    | 90    | X  |        |      |
| SEAT RAIL FIXING     | P18F1 | 8      | 0     | X  |        |      |
| SEAT RAIL FIXING     | B08F5 | 65     | 30    | X  |        |      |
| BRAKE LINE SUPPORT   | M01F7 | 90     | 0     | X  |        |      |
| CONTROL UNIT COVER   | B07F5 | 12     | 0     | X  |        |      |
| RIGHT SIDE PANEL     | B08F9 | 8      | 45    | X  |        |      |
| CONTROL UNIT COVER   | B01F7 | 15     | 90    | X  |        |      |
| FRONT AXLE ALIGNMENT | B10F8 | 40     | 90    | X  |        |      |
| PARKING SENSOR       | M15F9 | 110    | 45    | X  |        |      |
| WHEEL ARCH LINER     | B11F7 | 12     | 30    | X  |        |      |
| LEFT DOOR LOCK       | B17F1 | 15     | 90    | X  |        |      |
| CONTROL UNIT COVER   | B19F1 | 12     | 0     | X  |        |      |
| REAR SENSOR BRACKET  | M06F5 | 12     | 45    | X  |        |      |
| WHEEL ARCH LINER     | B02F9 | 15     | 90    | X  |        |      |
| WIRING HARNESS       | P08F2 | 65     | 45    | X  |        |      |
| SEAT RAIL FIXING     | M01F8 | 15     | 0     | X  |        |      |
| RIGHT SIDE PANEL     | P13F5 | 8      | 90    |    |        |      |
| SEAT RAIL FIXING     | M09F2 | 15     | 30    | X  |        |      |
| WHEEL ARCH LINER     | M02F1 | 90     | 0     |    |        |      |
| LOWER ARM ASSEMBLY   | B08F7 | 90     | 45    | X  |        |      |
| WIRING HARNESS       | P14F3 | 40     | 45    | X  |        |      |
| WIRING HARNESS       | M19F3 | 40     | 0     | X  |        |      |
| BATTERY TRAY         | B02F5 | 15     | 45    |    |        |      |
| WHEEL ARCH LINER     | P11F8 | 12     | 30    | X  |        |      |
| PARKING SENSOR       | B06F5 | 65     | 30    | X  |        |      |
| FUEL PIPE CLIP       | P05F5 | 20     | 0     | X  |        |      |
| FUEL PIPE CLIP       | B07F6 | 65     | 45    | X  |        |      |
| CONTROL UNIT COVER   | P04F6 | 40     | 45    |    |        |      |



CERTIFICATE OF CONFORMITY

This synthetic record confirms that the listed characteristics were inspected.

|                  |                 |
|------------------|-----------------|
| PRODUCTION ORDER | PO-96164299     |
| MODEL / VARIANT  | R2-HYB          |
| SERIAL NUMBER    | SYN370673734510 |
| INSPECTION PLAN  | QP-36.6         |
| DECISION         | ACCEPTED        |

Inspection summary

|                    |       |     |      |
|--------------------|-------|-----|------|
|                    |       |     |      |
| CONTROL UNIT COVER | 46.60 | mm  | PASS |
| ENGINE SHIELD      | 38.80 | deg | PASS |
| WHEEL ARCH LINER   | 53.18 | deg | PASS |
| WHEEL ARCH LINER   | 48.58 | deg | PASS |
| LEFT DOOR LOCK     | 85.59 | Nm  | PASS |
| BATTERY TRAY       | 10.98 | Nm  | PASS |
| PARKING SENSOR     | 2.67  |     |      |

Approved by:



Quality Stamp




SYNTHETIC QUALITY DOSSIER

Sequence: 326 227 38  
Document: SQD-012-7396

PAGE 12/50  
DATE: 11/07/2026 02:10  
TRACEABILITY / LABEL RECORD

REFERENCE AND CONSUMPTION LOG

| STEP | PART / OPERATION    | REFERENCE | LOT     | VALIDATION |
|------|---------------------|-----------|---------|------------|
| 01   | LEFT DOOR LOCK      | RF-94308  | L964556 | OK         |
| 02   | SEAT RAIL FIXING    | RF-84390  | L107798 | OK         |
| 03   | REAR SENSOR BRACKET | RF-19364  | L743816 | OK         |
| 04   | BATTERY TRAY        | RF-66087  | L918695 | HOLD       |
| 05   | WHEEL ARCH LINER    | RF-10120  | L793912 | HOLD       |
| 06   | FUEL PIPE CLIP      | RF-10120  | L882338 | OK         |
| 07   | SEAT RAIL FIXING    | RF-19654  | L711062 | OK         |
| 08   | WHEEL ARCH LINER    | RF-71402  | L157958 | OK         |
| 09   | CONTROL UNIT COVER  | RF-68199  | L595806 | HOLD       |
| 10   | WHEEL ARCH LINER    | RF-32338  | L941145 | OK         |
| 11   | WIRING HARNESS      | RF-21577  | L866034 | OK         |
| 12   | FUEL PIPE CLIP      | RF-16638  | L212681 | HOLD       |
| 13   | SEAT RAIL FIXING    | RF-62450  | L755341 | OK         |
| 14   | PARKING SENSOR      | RF-54836  | L220816 | OK         |
| 15   | CONTROL UNIT COVER  | RF-73323  | L119610 | OK         |



## SYNTHETIC QUALITY DOSSIER

Sequence: 688 209 19

Document: SQD-013-7157

PAGE 13/50

DATE: 11/07/2026 08:41

ASSEMBLY CHECK LIST

## AUDIT PROCESS SHEET

| DESIGNATION          |       | TORQUE | ANGLE | OK | REWORK | NOTE |
|----------------------|-------|--------|-------|----|--------|------|
| WHEEL ARCH LINER     |       | 15     | 90    | X  |        |      |
| CLIMATE MODULE       | P13F9 | 15     | 45    | X  |        |      |
| FRONT AXLE ALIGNMENT | B04F7 | 15     | 0     | X  |        |      |
| SEAT RAIL FIXING     | P14F2 | 90     | 45    | X  |        |      |
| STEERING COLUMN      | P17F3 | 65     | 30    |    |        |      |
| WHEEL ARCH LINER     | M17F7 | 8      | 90    |    |        |      |
| SEAT RAIL FIXING     | P03F9 | 8      | 0     |    |        |      |
| STEERING COLUMN      | M18F7 | 12     | 0     | X  |        |      |
| FRONT AXLE ALIGNMENT | P12F1 | 90     | 0     | X  |        |      |
| SEAT RAIL FIXING     | P15F2 | 90     | 90    | X  |        |      |
| LOWER ARM ASSEMBLY   | M10F2 | 110    | 0     | X  |        |      |
| FUEL PIPE CLIP       | B08F6 | 110    | 30    | X  |        |      |
| STEERING COLUMN      | B06F7 | 12     | 90    | X  |        |      |
| CLIMATE MODULE       | B19F9 | 15     | 45    | X  |        |      |
| BRAKE LINE SUPPORT   | P14F3 | 8      | 30    | X  |        |      |
| CONTROL UNIT COVER   | P16F9 | 90     | 30    | X  | X      |      |
| CONTROL UNIT COVER   |       |        |       |    |        |      |
| FUEL PIPE CLIP       |       |        |       |    |        |      |
| CONTROL UNIT COVER   |       |        |       |    |        |      |
| FRONT AXLE ALIGNMENT | M11F1 | 65     | 0     |    |        |      |
| WIRING HARNESS       | P12F8 | 40     | 0     |    |        |      |
| CONTROL UNIT COVER   | B09F8 | 12     | 45    | X  |        |      |
| LEFT                 |       | 20     | 30    | X  |        |      |
| WHEEL                |       | 8      | 30    | X  | X      |      |
| WHEEL                |       | 110    | 45    | X  |        |      |
| SEAT RAIL FIXING     | B10F4 | 65     | 90    | X  |        |      |
| FUEL PIPE CLIP       | P09F3 | 90     | 0     | X  |        |      |
| PARKING SENSOR       | P07F1 | 20     | 90    |    |        |      |
| BATTERY TRAY         | M09F4 | 65     |       |    |        |      |
| BATTERY TRAY         | M12F8 | 20     |       |    |        |      |

SYN013489278109

PO80203056370

LOT-289774-13

LOT-638306-13

SYNTHETIC QUALITY DOSSIER

Sequence: 634 879 18

Document: SQD-014-4064

PAGE 14/50

DATE: 11/07/2026 07:05

CONTROL CERTIFICATE

CERTIFICATE OF CONFORMITY

This synthetic record confirms that the listed characteristics were inspected.

PRODUCTION ORDER

PO-7682642



RF5260226319Q3

MODEL / VARIANT

K9-VU



BER

SYN279473485892

PLAN

QP-41.8

ACCEPTED

Summary

|                      |       |     |      |
|----------------------|-------|-----|------|
|                      |       |     |      |
| PARKING SENSOR       | 70.94 | Nm  | PASS |
| FRONT AXLE ALIGNMENT | 72.21 | mm  | PASS |
| FRONT AXLE ALIGNMENT | 48.92 | mm  | PASS |
| WIRING HARNESS       | 31.08 | deg | PASS |
| FUEL PIPE CLIP       | 44.76 | Nm  | PASS |
| CLIMATE MODULE       | 11.99 | Nm  | PASS |
| FUEL PIPE CLIP       | 16.90 | deg | PASS |

Approved by:



LOT-586263-14

Quality stamp



SYNTHETIC QUALITY DOSSIER

Sequence: 117 274 96

Document: SQD-015-9255

PAGE 15/50

DATE: 11/07/2026 14:13

FINAL INSPECTION

| EXTERIOR / DIMENSIONAL           |                                                                                                                            | FUNCTION / TRACEABILITY |                                                                                                  |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------------------------------------------------------------------------------------|
| Gap within limit                 | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                           | Fastener witness mark   | <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A            |
| Label presence                   | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                           | Reference matches order | <input checked="" type="checkbox"/> <div>LOT-951494-15</div> /A                                  |
| Protective film removed          | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                           | Harness routing         | <input checked="" type="checkbox"/> /A                                                           |
| Reference matches order          | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                           | Harness routing         | <input checked="" type="checkbox"/> /A                                                           |
| Gap within limit                 | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                           | Panel alignment         | <input checked="" type="checkbox"/> /A                                                           |
| Reference matches order          | <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                                      | Reference matches order | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Label presence                   | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                           | Panel alignment         | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Harness routing                  | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                           | Panel alignment         | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| No visible damage                | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                           | Torque confirmed        | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Fastener witness mark            | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                           | Seal continuous         | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Torque c                         | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                           | Protective film removed | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Surface                          | <div>RF6547709749Q1</div> <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Gap within limit        | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Inspector signature: <div></div> |                                                                                                                            |                         |                                                                                                  |

SYNTHETIC QUALITY DOSSIER

Sequence: 837 760 46  
Document: SQD-016-7464

PAGE 16/50  
DATE: 11/07/2026 00:56  
MEASUREMENT REPORT

Vehicle / batch information

Product PX-K9  
Serial SN6915049356  
Operator OP614

Batch B781301  
Station QC-13  
Global result OK

| ITEM / CHARACTERISTIC | LOW   | HIGH  | VALUE | UNIT | STATUS |
|-----------------------|-------|-------|-------|------|--------|
| PARKING SENSOR        | 30.20 | 36.00 | 31.47 | deg  | OK     |
| BATTERY TRAY          | 5.13  | 11.52 | 7.43  | mm   | OK     |
| FUEL                  | 38.60 | 43.70 | 41.85 | mm   | OK     |
| BRAK                  | 20.20 | 40.23 | 27.53 | Nm   | OK     |
| BRAK                  | 15.78 | 25.30 | 22.14 | V    | OK     |
| REAF                  | 8.80  | 15.12 | 10.52 | mm   | OK     |
| ENGL                  | 18.47 | 19.77 | 19.41 | Nm   | OK     |
| ENGL                  | 27.64 | 35.82 | 34.64 | Nm   | OK     |
| STEE                  | 14.35 | 28.48 | 26.80 | Nm   | OK     |
| SEAT RAIL FIXING      | 24.54 | 48.33 | 47.81 | deg  | OK     |
| ENGINE SHIELD         | 9.53  | 19.23 | 14.94 | V    | OK     |
| LEFT DOOR LOCK        | 30.20 | 31.71 | 30.46 | mm   | OK     |
| LEFT DOOR LOCK        | 29.63 | 38.26 | 37.58 | deg  | OK     |
| PARKING SENSOR        | 18.45 | 23.27 | 21.70 | V    | OK     |
| WIRING HARNESS        | 25.22 | 49.20 | 42.93 | mm   | OK     |
| FRONT AXLE ALIGNMENT  | 33.08 | 43.63 | 42.21 | Nm   | OK     |
| PARKING SENSOR        | 20.25 | 23.32 | 21.79 | mm   | OK     |
| ENGINE SHIELD         | 15.37 | 22.85 | 20.89 | V    | OK     |
| FRONT AXLE ALIGNMENT  | 18.70 | 43.65 | 19.54 | deg  | OK     |
| REAR SENSOR BRACKET   | 19.02 | 20.51 | 19.41 | Nm   | OK     |
| STEERING COLUMN       | 26.38 | 39.39 | 37.61 | mm   | OK     |
| CLIMATE MODULE        | 32.60 | 51.72 | 45.30 | V    | OK     |
| FUEL PIPE CLIP        | 3.61  | 21.55 | 8.35  | mm   | OK     |

SYNTHETIC QUALITY DOSSIER

Sequence: 515 499 66

Document: SQD-017-6729

PAGE 17/50

DATE: 11/07/2026 12:18

TRACEABILITY / LABEL RECORD

REFERENCE AND CONSUMPTION LOG

| STEP | PART / OPERATION     | REFERENCE | LOT     | VALIDATION |
|------|----------------------|-----------|---------|------------|
| 01   | FRONT AXLE ALIGNMENT | RF-56710  | L817325 | OK         |
| 02   | WHEEL ARCH LINER     | RF-98686  | L860312 | OK         |
| 03   | SEAT RAIL FIXING     | RF-76884  | L244050 | HOLD       |
| 04   | FRONT AXLE ALIGNMENT | RF-48560  | L760749 | OK         |
| 05   | SEAT RAIL FIXING     | RF-12152  | L235775 | OK         |
| 06   | SEAT RAIL FIXING     | RF-97658  | L915234 | HOLD       |
| 07   | LEFT DOOR LOCK       | RF-60419  | L983846 | HOLD       |
| 08   | BRAKE LINE SUPPORT   | RF-62824  | L177026 | OK         |
| 09   | REAR SENSOR BRACKET  | RF-47905  | L945023 | OK         |
| 10   | LEFT DOOR LOCK       | RF-30100  | L451490 | OK         |
| 11   | SEAT RAIL FIXING     | RF-92926  | L453603 | HOLD       |
| 12   | STEERING COLUMN      | RF-10966  | L370186 | OK         |
| 13   | FUEL PIPE CLIP       | RF-17705  | L409395 | HOLD       |
| 14   | PARKING SENSOR       | RF-76968  | L740634 | HOLD       |
| 15   | REAR SENSOR BRACKET  | RF-43826  | L957590 | OK         |



# SYNTHETIC QUALITY DOSSIER

Sequence: 479 467 87

Document: SQD-018-9108

PAGE 18/50

DATE: 11/07/2026 10:50

FINAL INSPECTION

| EXTERIOR / DIMENSIONAL                                                                                                   | FUNCTION / TRACEABILITY                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Protective film removed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Surface condition <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       |
| Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A   | Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A   |
| No visible damage <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       | Seal continuous <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         |
| Harness routing <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         | Protective film removed <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A            |
| Harness routing <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         | Protective film removed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Torque confirmed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        | Surface condition <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       |
| Surface condition                                                                                                        | Surface condition <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       |
| <br>RF1523552857Q1                   |                                                                                                                          |
| Protective film removed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Connector locked <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        |
| Panel alignment <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         | Label presence <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A          |
| Reference matches order <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Connector locked <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        |
| Label presence <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A          | Surface condition <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                  |
| No visible damage <input checked="" type="checkbox"/>                                                                    | <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                                    |
| Inspector signature: _____                                                                                               | <br>PO15135608313                    |

SYNTHETIC QUALITY DOSSIER

Sequence: 191 898 14  
Document: SQD-019-9162

Vehicle / batch information

Product           PX-V4  
Serial            SN6429727710  
Operator         OP734



| ITEM / CHARACTERISTIC | LOW   | HIGH  | VALUE | UNIT | STATUS |
|-----------------------|-------|-------|-------|------|--------|
| STEERING COLUMN       | 27.66 | 31.03 | 28.03 | deg  | OK     |
| WIRING HARNESS        | 26.01 | 43.61 | 29.14 | Nm   | OK     |
| BRAKE LINE SUPPORT    | 36.05 | 48.06 | 37.19 | deg  | OK     |
| PARKING SENSOR        | 8.23  | 11.72 | 9.26  | V    | OK     |
| WHEEL ARCH LINER      | 13.34 | 34.73 | 31.09 | V    | OK     |
| SEAT RAIL FIXING      | 32.80 | 40.32 | 35.73 | V    | OK     |
| WIRING HARNESS        | 7.03  | 9.63  | 8.59  | Nm   | OK     |
| FRONT AXLE ALIGNMENT  | 10.07 | 13.81 | 13.39 | mm   | OK     |
| CONTROL UNIT COVER    | 15.42 | 21.63 | 21.35 | V    | OK     |
| CLIMATE MODULE        | 4.09  | 13.31 | 4.76  | deg  | OK     |
| WIRING HARNESS        | 7.50  | 14.76 | 9.47  | mm   | OK     |
| LOWER ARM ASSEMBLY    | 13.19 | 15.78 | 15.05 | deg  | OK     |
| WIRING HARNESS        | -1.25 | 9.11  | 0.33  | Nm   | OK     |
| BRAKE LINE SUPPORT    | 38.20 | 41.60 | 40.25 | V    | OK     |
| BRAKE LINE SUPPORT    | 23.39 | 43.87 | 42.04 | mm   | OK     |
| LEFT DOOR LOCK        | 5.73  | 28.20 | 13.13 | V    | OK     |
| BATTERY TRAY          | 11.33 | 33.75 | 21.97 | mm   | OK     |
| FRONT AXLE ALIGNMENT  | 30.58 | 32.26 | 31.00 | V    | OK     |
| PARKING SENSOR        | 14.19 | 31.15 | 16.12 | mm   | OK     |
| REAR SENSOR BRACKET   | -0.34 | 16.39 | 12.08 | deg  | OK     |
| CLIMATE MODULE        | 29.06 | 37.37 | 35.62 | V    | OK     |
| LEFT DOOR LOCK        | 31.14 | 55.04 | 45.62 | V    | OK     |
| LOWER ARM ASSEMBLY    | 26.35 | 44.72 | 39.12 | V    | OK     |

SYNTHETIC QUALITY DOSSIER

Sequence: 580 272 24

Document: SQD-020-5773

DATE: 11/07/2026 21:35

REFERENCE AND CONSUMPTION LOG

| STEP | PART / OPERATION     | REFERENCE | LOT     | VALIDATION |
|------|----------------------|-----------|---------|------------|
| 01   | FRONT AXLE ALIGNMENT | RF-96167  | L733828 | OK         |
| 02   | CLIMATE MODULE       | RF-34555  | L280409 | OK         |
| 03   | STEERING COLUMN      | RF-11907  | L358699 | OK         |
| 04   | WHEEL ARCH LINER     | RF-61535  | L435861 |            |
| 05   | CONTROL UNIT COVER   | RF-59630  | L299002 |            |
| 06   | WIRING HARNESS       | RF-26947  | L132203 | OK         |
| 07   | CLIMATE MODULE       | RF-95419  | L799631 | OK         |
| 08   | FRONT AXLE ALIGNMENT | RF-38639  | L665577 | OK         |
| 09   | LEFT DOOR LOCK       | RF-89509  | L984191 | OK         |
| 10   | LEFT DOOR LOCK       | RF-97343  | L230768 | OK         |
| 11   | ENGINE SHIELD        | RF-53600  | L816267 | HOLD       |
| 12   | RIGHT SIDE PANEL     | RF-10936  | L459889 | OK         |
| 13   | WIRING HARNESS       | RF-66469  | L800373 | OK         |
| 14   | LEFT DOOR LOCK       | RF-51646  | L591870 | OK         |
| 15   | ENGINE SHIELD        | RF-76814  | L363569 | OK         |



SYNTHETIC QUALITY DOSSIER

Sequence: 581 467 69  
Document: SQD-021-2196

PAGE 21/50  
DATE: 11/07/2026 02:02  
ASSEMBLY CHECK LIST

AUDIT PROCESS SHEET

| DESIGNATION          | POSTE | TORQUE | ANGLE | OK | REWORK | NOTE |
|----------------------|-------|--------|-------|----|--------|------|
| WIRING HARNESS       | P15F7 | 40     | 45    | X  |        |      |
| LOWER ARM ASSEMBLY   | M11F3 | 15     | 30    | X  |        |      |
| CONTROL UNIT COVER   | P07F5 | 15     | 45    | X  |        |      |
| WIRING HARNESS       | M16F3 | 65     | 45    | X  |        |      |
| PARKING SENSOR       | M17F4 | 8      | 45    |    |        |      |
| WIRING HARNESS       | B04F1 | 20     | 90    | X  |        |      |
| FUEL PIPE CLIP       | P06F6 | 20     | 90    | X  |        |      |
| SEAT RAIL FIXING     | P02F4 | 90     | 90    | X  |        |      |
| ENGINE SHIELD        | P18F3 | 110    | 30    | X  |        |      |
| SEAT RAIL FIXING     | P08F2 | 40     | 0     |    |        |      |
| RIGHT SIDE PANEL     | P14F1 | 20     | 45    | X  |        |      |
| CLIMATE MODULE       |       |        | 90    | X  |        |      |
| FRONT AXLE ALIGNMENT |       |        | 90    | X  |        |      |
| PARKING SENSOR       | P01F6 | 20     | 0     | X  |        |      |
| WIRING HARNESS       | P04F5 | 15     | 45    | X  |        |      |
| PARKING SENSOR       | P12F3 | 12     | 90    | X  |        |      |
| STEERING COLUMN      | P13F3 | 65     | 0     | X  |        |      |
| FRONT AXLE ALIGNMENT | B17F1 | 110    | 90    | X  |        |      |



SYNTHETIC QUALITY DOSSIER

Sequence: 688 968 68  
Document: SQD-022-8755

PAGE 22/50  
DATE: 11/07/2026 02:17  
CONTROL CERTIFICATE

CERTIFICATE OF CONFORMITY

This synthetic record confirms that the listed characteristics were inspected.

|                  |                 |
|------------------|-----------------|
| PRODUCTION ORDER | PO-82954510     |
| MODEL / VARIANT  | M4-STD          |
| SERIAL NUMBER    | SYN599873890208 |
| INSPECTION PLAN  | QP-27.8         |
| DECISION         | CONDITIONAL     |

Inspection summary

|                    |       |     |      |
|--------------------|-------|-----|------|
|                    |       |     |      |
| BRAKE LINE SUPPORT | 63.91 | Nm  | PASS |
| WIRING HARNESS     | 22.38 | mm  | PASS |
| CLIMATE MODULE     | 85.21 | mm  | PASS |
| LEFT DOOR LOCK     | 72.21 | mm  | PASS |
| SEAT RAIL FIXING   | 12.49 | deg | PASS |
| STEERING COLUMN    | 4.45  | Nm  | PASS |
| LOWER ARM ASSEMBLY | 72.65 | Nm  | PASS |



Approved by:

Quality stamp



SYNTHETIC QUALITY DOSSIER

Sequence: 518 536 81  
Document: SQD-023-6479

PAGE 23/50

DATE: 11/07/2026 16:31

FINAL INSPECTION

| EXTERIOR / DIMENSIONAL                                                                                                   | FUNCTION / TRACEABILITY                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Surface condition <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       | Surface condition <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       |
| Label presence <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A          | Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A   |
| Seal continuous <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                    | No visible damage <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       |
| Gap within limit <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                   | Connector locked <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        |
| No visible damage <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                  | Label presence <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A          |
| Panel alignment <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         | Reference matches order <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Reference matches order <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Surface condition <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       |
| Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A   | Protective film removed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A   | Surface condition <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       |
| Seal continuous <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         | Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A   |
| Label presence <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A          | Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A   |
| No visible damage <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       | Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A   |
| Inspector signature:                  |                                                                                                                          |

SYNTHETIC QUALITY DOSSIER

Sequence: 717 208 29  
Document : SQD-024-8825

PAGE 24/50

DATE: 11/07/2026 22:02  
ASSEMBLY CHECK LIST

CONTROL PLAN - MODULE V4

| DESIGNATION          | POSTE | TORQUE | ANGLE | OK | REWORK | NOTE |
|----------------------|-------|--------|-------|----|--------|------|
| FRONT AXLE ALIGNMENT | B19F3 | 65     | 30    | X  |        |      |
| CLIMATE MODULE       | B12F3 | 8      | 0     | X  |        |      |
| LOWER ARM ASSEMBLY   | M01F3 | 40     | 30    | X  |        |      |
| BRAKE LINE SUPPORT   | B16F3 | 8      | 90    |    |        |      |
| BATTERY TRAY         | M10F5 | 12     | 45    |    | X      |      |
| LEFT DOOR LOCK       | P19F8 | 12     | 90    | X  |        |      |
| LEFT DOOR LOCK       | P16F1 | 12     | 30    | X  | X      |      |
| PARKING SENSOR       | B07F9 | 90     | 0     | X  |        |      |
| CLIMATE MODULE       | M18F3 | 15     | 45    | X  |        |      |
| RIGHT SIDE PANEL     | M14F3 | 12     | 90    | X  |        |      |
| MENT                 | M15F9 | 15     | 90    |    |        |      |
|                      | P07F5 | 12     | 0     | X  |        |      |
| MENT                 | B11F6 | 15     | 0     | X  |        |      |
|                      | P04F4 | 15     | 90    |    |        |      |
| MBLY                 | P07F8 | 20     | 0     | X  | X      |      |
|                      | P17F4 | 65     | 45    | X  |        |      |
|                      | M10F4 | 110    | 30    | X  |        |      |
| CONTROL UNIT COVER   | B15F4 | 15     | 30    | X  | X      |      |
| PARKING SENSOR       | B03F5 | 40     | 30    | X  |        |      |
| BATTERY TRAY         | P03F3 | 40     | 45    |    |        |      |
| RIGHT SIDE PANEL     | M04F8 | 90     | 45    | X  |        |      |
| BATTERY TRAY         | M13F6 | 90     | 30    | X  |        |      |
| WIRING HARNESS       | M05F7 | 12     | 90    | X  |        |      |
| WHEEL ARCH LINER     | B09F1 | 15     | 90    | X  |        |      |
| RIGHT SIDE PANEL     | P04F2 | 40     | 45    | X  |        |      |
| FUEL PIPE CLIP       | P10F7 | 90     | 0     | X  |        |      |
| CONTROL UNIT COVER   | B19F8 | 15     | 90    | X  |        |      |
| LEFT DOOR LOCK       | M08F1 | 8      | 45    | X  |        |      |
| WIRING HARNESS       | P16F5 | 8      | 30    | X  |        |      |
| CLIMATE MODULE       | M11F4 | 90     | 30    | X  |        |      |



SYNTHETIC QUALITY DOSSIER

Sequence: 758 863 68  
Document: SQD-025-5256

PAGE 25/50  
DATE: 11/07/2026 03:11  
CONTROL CERTIFICATE

CERTIFICATE OF CONFORMITY

This synthetic record confirms that the listed characteristics were inspected.

|                  |                 |
|------------------|-----------------|
| PRODUCTION ORDER | PO-68233421     |
| MODEL / VARIANT  | K9-VU           |
| SERIAL NUMBER    | SYN608505589769 |
| INSPECTION PLAN  | QP-21.4         |
| DECISION         | CONDITIONAL     |

Inspection summary

|                                                |       |    |      |
|------------------------------------------------|-------|----|------|
|                                                |       |    |      |
| FRONT AXLE ALIGNMENT                           | 42.21 | mm | PASS |
| SEAT RAIL FIXING                               | 68.04 | mm | PASS |
| FRONT AXLE ALIGNMENT                           | 56.45 | mm | PASS |
| WHEEL ARCH LINER                               | 92.92 | Nm | PASS |
| ENGINE SHIELD                                  | 44.35 | Nm | PASS |
| FUEL PIPE CLIP                                 | 47.41 | mm | PASS |
| STEERING COLUMN                                | 97.98 | Nm | PASS |
| <div><div></div><div>PO64545322687</div></div> |       |    |      |

Approved by:

Quality stamp



## SYNTHETIC QUALITY DOSSIER

Sequence: 825 110 62

Document: SQD-026-9875

PAGE 26/50

DATE: 11/07/2026 08:07

FINAL INSPECTION

## EXTERIOR / DIMENSIONAL

Reference matches order



LOT-651645-26

## FUNCTION / TRACEABILITY

☒ OK ☐ NOK ☐ N/A

Protective film removed

☒ OK ☐ NOK ☐ N/A

Panel alignment

☒ OK ☐ NOK ☐ N/A

Torque confirmed

☒ OK ☐ NOK ☐ N/A

Surface condition

☒ OK ☐ NOK ☐ N/A

Witness mark

☒ OK ☐ NOK ☐ N/A

Seal continuous

☒ OK ☐ NOK ☐ N/A

Limit

☒ OK ☐ NOK ☐ N/A

Label presence

☒ OK ☐ NOK ☐ N/A

Damage

☒ OK ☐ NOK ☐ N/A

Prot



PO81788026680

☒ OK ☐ NOK ☐ N/A

Unlocked

☐ OK ☐ NOK ☐ N/A

Surface condition

☒ OK ☐ NOK ☐ N/A

Locked

☒ OK ☐ NOK ☐ N/A

Seal continuous

☒ OK ☐ NOK ☐ N/A

Connector locked

☐ OK ☐ NOK ☐ N/A

Seal continuous

☒ OK ☐ NOK ☐ N/A

Torque confirmed

☒ OK ☐ NOK ☐ N/A

Fastener witness mark

☒ OK ☐ NOK ☐ N/A

No visible damage

☒ OK ☐ NOK ☐ N/A

Traceability



LOT-193952-26

☐ OK ☐ NOK ☐ N/A

Panel alignment

☒ OK ☐ NOK ☐ N/A

No visible damage

☒ OK ☐ NOK ☐ N/A

Inspector signature:

## SYNTHETIC QUALITY DOSSIER

Sequence: 498 946 86

Document: SQD-027-7088

PAGE 27/50

DATE: 11/07/2026 21:42

## MEASUREMENT REPORT

## Vehicle / batch information

Product PX-A7  
Serial SN4743021387  
Operator OP347



B760328

QC-11

OK

| ITEM / CHARACTERISTIC | LOW   | HIGH  | VALUE | UNIT | STATUS |
|-----------------------|-------|-------|-------|------|--------|
| PARKING SENSOR        | 22.20 | 47.10 | 26.17 | Nm   | OK     |
| WIRING HARNESS        | 33.26 | 58.24 | 54.11 | mm   | OK     |
| RIGHT SIDE PANEL      | -0.39 | 22.26 | 1.50  | V    | OK     |
| RIGHT SIDE PANEL      | 25.85 | 41.27 | 41.12 | V    | OK     |
| PARKING SENSOR        | 8.06  | 27.68 | 24.18 | Nm   | OK     |
| WIRING HARNESS        | 22.97 | 25.37 | 24.77 |      |        |
| BRAKE LINE SUPPORT    | 16.44 | 20.61 | 17.71 |      |        |
| FRONT AXLE ALIGNMENT  | 38.57 | 55.33 | 49.71 |      |        |
| LEFT DOOR LOCK        | 12.45 | 22.61 | 15.20 | mm   | OK     |
| REAR SENSOR BRACKET   | 3.71  | 14.87 | 5.19  | Nm   | OK     |
| RIGHT SIDE PANEL      | 11.36 | 34.41 | 29.75 | deg  | OK     |
| SEAT RAIL FIXING      | 18.66 | 41.58 | 21.42 | mm   | OK     |
| RIGHT SIDE PANEL      | 31.69 | 41.25 | 34.62 | mm   | OK     |
| RIGHT SIDE PANEL      | 39.68 | 59.19 | 52.41 | Nm   | OK     |
| RIGHT SIDE PANEL      | 38.58 | 39.90 | 39.41 | deg  | OK     |
| FRONT AXLE ALIGNMENT  | -1.40 | 20.37 | 12.18 | Nm   | OK     |
| STEERING COLUMN       | 3.53  | 17.81 | 8.71  | deg  | OK     |
| CLIMATE MODULE        | 3.71  | 28.47 | 19.70 | V    | OK     |
| BRAKE LINE SUPPORT    | -2.34 | 10.99 | 0.95  | V    | OK     |
| CONTROL UNIT COVER    | 2.16  | 11.10 | 3.99  | mm   | OK     |
| ENGINE SHIELD         | 28.19 | 39.94 | 31.58 | Nm   | OK     |
| CLIMATE MODULE        | 4.40  | 9.72  | 7.35  | mm   | OK     |
| BRAKE LINE SUPPORT    | 36.08 | 56.51 | 53.36 | Nm   | OK     |



SYNTHETIC QUALITY DOSSIER

Sequence: 783 106 63  
Document: SQD-028-2857

PAGE 28/50  
DATE: 11/07/2026 20:22  
TRACEABILITY / LABEL RECORD

REFERENCE AND CONSUMPTION LOG

| STEP | PART / OPERATION                                                                                     | REFERENCE | <br>RF1263308501Q3 |      |
|------|------------------------------------------------------------------------------------------------------|-----------|---------------------------------------------------------------------------------------------------------|------|
| 01   | BATTERY TRAY                                                                                         | RF-41817  |                                                                                                         |      |
| 02   | REAR SENSOR BRACKET                                                                                  | RF-34557  | L627454                                                                                                 | HOLD |
| 03   | FUEL PIPE CLIP                                                                                       | RF-93870  | L785112                                                                                                 | OK   |
| 04   | WHEEL ARCH LINER                                                                                     | RF-25219  | <br>PO46467339013  | OK   |
| 05   | LEFT DOOR LOCK                                                                                       | RF-10991  |                                                                                                         | OK   |
| 06   | WHEEL ARCH LINER                                                                                     | RF-98857  | L702189                                                                                                 | OK   |
| 07   | LEFT DOOR LOCK                                                                                       | RF-71569  | L820794                                                                                                 | OK   |
| 08   | BATTERY TRAY                                                                                         | RF-96372  | L421029                                                                                                 | HOLD |
| 09   | WIRING HARNESS                                                                                       | RF-88637  | L174890                                                                                                 | OK   |
| 10   | WIRING HARNESS                                                                                       | RF-11707  | L821243                                                                                                 | OK   |
| 11   | FRONT AXLE ALIGNMENT                                                                                 | RF-47585  | L369138                                                                                                 | HOLD |
| 12   | FRONT AXLE ALIGNMENT                                                                                 | RF-84363  | L271111                                                                                                 | OK   |
| 13   | CONTROL UNIT COVER                                                                                   | RF-60111  | L830972                                                                                                 | OK   |
| 14   | SEAT RAIL FIXING                                                                                     | RF-98415  | L764550                                                                                                 | OK   |
| 15   | <br>PO13609359820 | RF-53128  | L529081                                                                                                 | OK   |
|      |                                                                                                      |           |                                                                                                         |      |

SYNTHETIC QUALITY DOSSIER

Sequence: 239 371 43

Document : SQD-029-3427

CONTROL PLAN - MODULE V4

| DESIGNATION          | POSTE | TORQUE | ANGLE | OK | REWORK | NOTE |
|----------------------|-------|--------|-------|----|--------|------|
| BRAKE LINE SUPPORT   | B02F8 | 20     | 0     |    |        |      |
| BATTERY TRAY         | P11F2 | 12     | 90    | X  |        |      |
| PARKING SENSOR       | B12F9 | 40     | 30    |    |        |      |
| ENGINE SHIELD        | M19F3 | 40     | 90    | X  |        |      |
| BATTERY TRAY         | M05F4 | 65     | 90    | X  |        |      |
| ENGINE SHIELD        | M02F9 | 110    | 0     | X  |        |      |
| WHEEL ARCH LINER     | M11F3 |        | 0     | X  |        |      |
| CONTROL UNIT COVER   | P14F6 |        | 0     | X  |        |      |
| LEFT DOOR LOCK       | P19F5 |        | 45    | X  |        |      |
| LEFT DOOR LOCK       | P06F4 |        | 90    | X  |        |      |
| BATTERY TRAY         | B04F7 | 20     | 30    | X  |        |      |
| WHEEL ARCH LINER     | M13F1 | 90     | 0     |    |        |      |
| BRAKE LINE SUPPORT   | P05F3 | 8      | 30    | X  |        |      |
| BATTERY TRAY         | P07F1 | 40     | 45    | X  |        |      |
| BATTERY TRAY         | M15F1 | 8      | 30    |    |        |      |
| WHEEL ARCH LINER     | M10F6 | 110    | 45    | X  |        |      |
| ENGINE SHIELD        | B04F4 | 8      | 0     | X  |        |      |
| BATTERY TRAY         | M07F9 | 65     | 0     | X  |        |      |
| PARKING SENSOR       | M16F9 | 110    | 90    | X  |        |      |
| BRAKE LINE SUPPORT   | P08F5 | 110    | 0     | X  |        |      |
| BRAKE LINE SUPPORT   | P08F1 | 15     | 30    | X  |        |      |
| FRONT AXLE ALIGNMENT | M14F5 | 15     | 30    |    | X      |      |
| FRONT AXLE ALIGNMENT | M04F3 | 20     | 30    | X  |        |      |
| BRAKE LINE SUPPORT   | P19F5 | 12     | 0     |    |        |      |
| CONTROL UNIT COVER   | M13F7 | 40     | 90    | X  |        |      |
| BATTERY TRAY         | P08F9 | 20     | 45    | X  |        |      |
| WIRING HARNESS       | M04F9 | 40     | 0     | X  |        |      |
| BATTERY TRAY         | P18F5 | 20     | 30    | X  |        |      |
| ENGINE SHIELD        | P13F4 | 40     | 90    |    |        |      |
| WIRING HARNESS       | P06F3 | 40     | 90    | X  |        |      |

# SYNTHETIC QUALITY DOSSIER

Sequence: 125 775 25  
Document: SQD-030-5368

PAGE 30/50

DATE: 11/07/2026 10:24

## MEASUREMENT REPORT

### Vehicle / batch information

Product **PX-A7**  
Serial **SN8112001222**  
Operator **OP660**

Batch **B728435**  
Station **QC-05**  
Global result **OK**



| ITEM / CHARACTERISTIC | LOW   | HIGH  | VALUE | UNIT |    |
|-----------------------|-------|-------|-------|------|----|
| RIGHT SIDE PANEL      | 29.91 | 31.43 | 30.30 | mm   |    |
| FRONT AXLE ALIGNMENT  | 8.53  | 23.71 | 22.63 | deg  |    |
| LEFT DOOR LOCK        | 9.55  | 27.55 | 13.12 | V    | OK |
| ENGINE SHIELD         | 23.32 | 25.39 | 24.18 | V    | OK |
| SEAT RAIL FIXING      | 24.36 | 29.22 | 25.65 | mm   | OK |
| WIRING HARNESS        | 11.18 | 30.30 | 27.75 | deg  | OK |
| FUEL PIPE CLIP        | 11.70 |       |       |      | OK |
| STEERING COLUMN       | 4.71  |       |       |      | OK |
| RIGHT SIDE PANEL      | 18.31 | 31.77 | 24.39 | V    | OK |
| ENGINE SHIELD         | 25.75 | 44.63 | 33.80 | deg  | OK |
| CLIMATE MODULE        | 13.04 | 29.53 | 25.38 | mm   | OK |
| FUEL PIPE CLIP        | 32.79 | 50.57 | 45.72 | V    | OK |
| FRONT AXLE ALIGNMENT  | 4.19  | 25.88 | 5.18  | deg  | OK |
| BRAKE LINE SUPPORT    | 26.51 | 43.31 | 33.87 | deg  | OK |
| FUEL PIPE CLIP        | 17.21 | 23.83 | 20.46 | Nm   | OK |
| RIGHT SIDE PANEL      | 8.17  | 12.91 | 8.69  | mm   | OK |
| WIRING HARNESS        | -0.62 | 5.03  | 4.47  | Nm   | OK |
| FRONT AXLE ALIGNMENT  | 0.67  | 3.40  | 1.65  | V    | OK |
| STEERING COLUMN       | 16.39 | 22.30 | 19.01 | mm   | OK |
| CLIMATE MODULE        | 21.16 | 31.15 | 27.38 | mm   | OK |
| BRAKE LINE SUPPORT    | 28.58 | 52.63 | 41.67 | deg  | OK |
| STEERING COLUMN       | -1.48 | 18.70 | 15.08 | mm   | OK |
| LOWER ARM ASSEMBLY    | 31.24 | 43.75 | 32.89 | Nm   | OK |



SYNTHETIC QUALITY DOSSIER

Sequence: 447 948 70

Document: SQD-031-5771

PAGE 31/50

DATE: 11/07/2026 12:13

TRACEABILITY / LABEL RECORD

REFERENCE AND CONSUMPTION LOG

| STEP | PART / OPERATION    | REFERENCE | LOT     | VALIDATION |
|------|---------------------|-----------|---------|------------|
| 01   | RIGHT SIDE PANEL    | RF-71684  | L614263 | OK         |
| 02   | LEFT DOOR LOCK      | RF-36666  | L285990 | HOLD       |
| 03   | BRAKE LINE SUPPORT  | RF-39936  | L833202 | OK         |
| 04   | BRAKE LINE SUPPORT  | RF-35529  | L797056 | OK         |
| 05   | CONTROL UNIT COVER  | RF-77536  | L503069 | OK         |
| 06   | RIGHT SIDE PANEL    | RF-19589  | L233100 | OK         |
| 07   | CONTROL UNIT COVER  | RF-44579  | L886269 | OK         |
| 08   | LOWER ARM ASSEMBLY  | RF-12308  | L648596 | OK         |
| 09   | RIGHT SIDE PANEL    | RF-60896  | L726300 | OK         |
| 10   | CONTROL UNIT COVER  | RF-83736  | L315887 | OK         |
| 11   | RIGHT SIDE PANEL    | RF-36767  | L364338 | OK         |
| 12   | SEAT RAIL FIXING    | RF-57921  | L779315 | OK         |
| 13   | BATTERY TRAY        | RF-91750  | L560577 | OK         |
| 14   | REAR SENSOR BRACKET | RF-53906  | L570694 | OK         |
| 15   | STEERING COLUMN     | RF-51176  | L554668 | OK         |



RF9631210457Q1

SYNTHETIC QUALITY DOSSIER

Sequence: 978 365 92

Document: SQD-032-2512

PAGE 32/50

DATE: 11/07/2026 18:04

ASSEMBLY CHECK LIST

CONTROL PLAN - MODULE V4

| DESIGNATION          | POSTE | TORQUE | ANGLE | OK | REWORK | NOTE |
|----------------------|-------|--------|-------|----|--------|------|
| FRONT AXLE ALIGNMENT | B02F2 | 90     | 30    |    |        |      |
| PARKING SENSOR       | M14F1 | 90     | 90    | X  |        |      |
| BRAKE LINE SUPPORT   | B04F5 | 15     | 90    | X  |        |      |
| CONTROL UNIT COVER   | P07F7 | 15     | 90    | X  |        |      |
| LOWER ARM ASSEMBLY   | P06F2 | 20     | 30    | X  |        |      |
| REAR SENSOR BRACKET  | B06F7 | 110    | 45    | X  |        |      |
| CLIMATE MODULE       | B13F4 | 20     | 30    | X  |        |      |
| SEAT RAIL FIXING     | B09F4 | 15     | 45    | X  |        |      |
| CLIMATE MODULE       | M02F4 | 8      | 30    | X  |        |      |
| CONTROL UNIT COVER   | P09F6 | 110    | 0     | X  |        |      |
| RIGHT SIDE PANEL     | P06F6 | 8      | 30    | X  |        |      |
| PARKING SENSOR       | P19F6 | 8      | 45    | X  |        |      |
| WHEEL ARCH LINER     | P02F9 | 15     | 30    | X  |        |      |
| BATTERY TRAY         | M13F5 | 20     | 0     |    |        |      |
| FUEL PIPE CLIP       | M18F3 | 20     | 90    | X  |        |      |
| REAR SENSOR BRACKET  | M04F3 | 8      | 0     | X  |        |      |
| FRONT AX             | M02F6 | 8      | 30    | X  |        |      |
| REAR SEN             | P18F6 | 20     | 0     |    |        |      |
| STEERING             | P09F2 | 90     | 0     |    |        |      |
| SEAT RAIL            | P01F7 | 20     | 30    | X  |        |      |
| LEFT DOG             | B07F4 | 15     | 90    | X  |        |      |
| CLIMATE I            | B12F1 | 20     | 90    | X  |        |      |
| WHEEL AF             | M07F3 | 40     | 0     | X  |        |      |
| CONTROL              | M08F4 | 15     | 30    |    |        |      |
| WIRING H.            | M10F4 | 90     | 90    | X  |        |      |
| REAR SEN             | P06F6 | 15     | 0     | X  |        |      |
| LOWER ARM ASSEMBLY   | B07F9 | 110    | 0     | X  |        |      |
| CLIMATE MODULE       | B18F1 | 15     | 30    | X  |        |      |
| LOWER ARM ASSEMBLY   | P09F2 | 15     | 30    |    |        |      |
| FRONT AXLE ALIGNMENT | M15F3 | 110    | 30    |    |        |      |



SYNTHETIC QUALITY DOSSIER

Sequence: 179 463 52  
Document: SQD-033-5767

PAGE 33/50  
DATE: 11/07/2026 13:11  
CONTROL CERTIFICATE

CERTIFICATE OF CONFORMITY

This synthetic record confirms that the listed characteristics were inspected.

PRODUCTION ORDER

MODEL / VARIANT

SERIAL NUMBER

SYN729590977922

INSPECTION PLAN

QP-12.8

DECISION

ACCEPTED



Inspection summary

|                    |       |     |      |
|--------------------|-------|-----|------|
|                    |       |     |      |
| PARKING SENSOR     | 19.46 | mm  | PASS |
| LEFT DOOR LOCK     | 2.92  | mm  | PASS |
| BATTERY TRAY       | 15.40 | mm  | PASS |
| STEERING COLUMN    | 72.86 | Nm  | PASS |
| LOWER ARM ASSEMBLY | 82.84 | deg | PASS |
| STEERING COLUMN    | 63.29 | Nm  | PASS |
| SEAT RAIL FIXING   | 23.78 | deg | PASS |



Approved by:

Quality stamp



SYNTHETIC QUALITY DOSSIER

Sequence: 813 776 96

Document: SQD-034-2224

PAGE 34/50

DATE: 11/07/2026 07:43

FINAL INSPECTION

| EXTERIOR / DIMENSIONAL                                                                                                   | FUNCTION / TRACEABILITY                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Seal continuous <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         | Surface condition <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       |
| Surface condition <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       | Label presence <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A          |
| Seal continuous <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         | Gap within limit <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        |
| Seal continuous <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         | Label presence <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A          |
| Surface condition <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       | Reference matches order <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Torque confirmed <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                   | Connector locked <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        |
| Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A   | Protective film removed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Gap within limit <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                   | Gap within limit <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        |
| Protective film removed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | No visible damage <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       |
| Reference matches order <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Gap within limit <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                   |
| Surface condition <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       | No visible damage <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       |
| Label presence <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A          | Seal continuous <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         |
| Inspector signature:                  | <br>RF5679157361Q1                  |

SYNTHETIC QUALITY DOSSIER

Sequence: 347 918 74

Document: SQD-035-3290

Vehicle / batch information

Product           PX-V4

Serial            SN7584078281

Operator        OP533

Batch            B814150

Station         QC-01

Global result    REVIEW

| ITEM / CHARACTERISTIC | <br>SYN035225133076 |                                                                                                         | VALUE | UNIT | STATUS |
|-----------------------|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|-------|------|--------|
|                       |                                                                                                       |                                                                                                         |       |      |        |
| FUEL PIPE CLIP        | -1.34                                                                                                 | 9.30                                                                                                    | 4.08  | Nm   | OK     |
| WIRING HARNESS        | 2.65                                                                                                  | 27.01                                                                                                   | 24.07 | V    | OK     |
| BRAKE LINE SUPPORT    | 34.12                                                                                                 | 56.02                                                                                                   | 46.38 | mm   | OK     |
| BRAKE LINE SUPPORT    | 14.43                                                                                                 | 39.16                                                                                                   | 18.22 | mm   | OK     |
| FUEL PIPE CLIP        | 21.92                                                                                                 | 29.97                                                                                                   | 29.55 | V    | OK     |
| RIGHT SIDE PANEL      | 36.85                                                                                                 | 45.58                                                                                                   | 43.53 | V    | OK     |
| WHEEL ARCH LINER      | -1.61                                                                                                 | 0.97                                                                                                    | 0.29  | mm   | OK     |
| LOWER ARM ASSEMBLY    | 7.28                                                                                                  | <br>SYN035127928748 |       | V    | OK     |
| RIGHT SIDE PANEL      | 35.77                                                                                                 |                                                                                                         |       | mm   | OK     |
| REAR SENSOR BRACKET   | -2.03                                                                                                 | 16.40                                                                                                   | 13.67 | deg  | OK     |
| ENGINE SHIELD         | 3.08                                                                                                  | 19.67                                                                                                   | 8.25  | deg  | OK     |
| ENGINE SHIELD         | 8.41                                                                                                  | 24.00                                                                                                   | 15.32 | mm   | OK     |
| STEERING COLUMN       | 19.01                                                                                                 | 34.80                                                                                                   | 30.27 | deg  | OK     |
| CLIMATE MODULE        | -1.60                                                                                                 | 19.14                                                                                                   | 13.05 | Nm   | OK     |
| REAR SENSOR BRACKET   | -0.48                                                                                                 | 12.55                                                                                                   | 7.26  | mm   | OK     |
| FUEL PIPE CLIP        | 37.27                                                                                                 | 50.29                                                                                                   | 38.31 | mm   | OK     |
| RIGHT SIDE PANEL      | 11.12                                                                                                 | 32.27                                                                                                   | 15.27 | deg  | OK     |
| WIRING HARNESS        | 32.65                                                                                                 | 51.97                                                                                                   | 42.61 | V    | OK     |
| WHEEL ARCH LINER      | 27.41                                                                                                 | 33.52                                                                                                   | 28.96 | V    | OK     |
| PARKING SENSOR        | 7.94                                                                                                  | 28.96                                                                                                   | 24.95 | V    | OK     |
| REAR SENSOR BRACKET   | -0.24                                                                                                 | <br>SYN035336673794 | 9.61  | V    | OK     |
| STEERING COLUMN       | -1.09                                                                                                 |                                                                                                         | 1.41  | V    | OK     |
| SEAT RAIL FIXING      | 36.54                                                                                                 | 61.44                                                                                                   | 46.02 | Nm   | OK     |

SYNTHETIC QUALITY DOSSIER

Sequence: 661 444 94

Document: SQD-036-6242

PAGE 36/50

DATE: 11/07/2026 15:40

CONTROL CERTIFICATE

CERTIFICATE OF CONFORMITY

This synthetic record confirms that the listed characteristics were inspected.

|                  |                 |
|------------------|-----------------|
| PRODUCTION ORDER | PO-52308875     |
| MODEL / VARIANT  | R2-HYB          |
| SERIAL NUMBER    | SYN922692739483 |
| INSPECTION PLAN  | QP-52.4         |
| DECISION         | ACCEPTED        |

Inspection summary

|                     |       |                                                                                       |      |
|---------------------|-------|---------------------------------------------------------------------------------------|------|
|                     |       |  |      |
|                     |       | SYN036218870108                                                                       |      |
| RIGHT SIDE PANEL    | 97.71 | Nm                                                                                    | PASS |
| LEFT DOOR LOCK      | 90.12 | deg                                                                                   | PASS |
| REAR SENSOR BRACKET | 77.38 | mm                                                                                    | PASS |
| CONTROL UNIT COVER  | 93.76 | mm                                                                                    | PASS |
| CLIMATE MODULE      | 24.94 | Nm                                                                                    | PASS |
| LEFT DOOR LOCK      | 34.96 | Nm                                                                                    | PASS |
| CLIMATE MODULE      | 54.46 | Nm                                                                                    | PASS |



Approved by:

Quality stamp



# SYNTHETIC QUALITY DOSSIER

Sequence: 179 737 34

Document: SQD-037-5893

PAGE 37/50

DATE: 11/07/2026 19:54

FINAL INSPECTION

| EXTERIOR / DIMENSIONAL                                                                                                   | FUNCTION / TRACEABILITY                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Reference matches order <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Reference matches order <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Surface condition <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       | Gap within limit <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        |
| Seal continuous <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         | Surface condition <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       |
| Harness routing <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         | Torque confirmed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        |
| Panel alignment <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         | Harness routing <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         |
| Reference matches order <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Panel alignment <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         |
| Protective film removed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A   |
| Protective film removed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Connector locked <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        |
| Harness routing <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         | Gap within limit <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                   |
| Gap within limit <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                   | Panel alignment <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         |
| Surface condition <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A       | Harness routing <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         |
| Panel alignment                                                                                                          | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                         |
| Inspector signature: _____                                                                                               |                                                                                                                          |



SYN037113285693

SYNTHETIC QUALITY DOSSIER

Sequence: 274 282 44

Document: SQD-038-9507

PAGE 38/50

DATE: 11/07/2026 04:55

MEASUREMENT REPORT

Vehicle / batch information

Product PX-R2  
Serial SN9466300975  
Operator OP980



Global result OK

| ITEM / CHARACTERISTIC | LOW   | HIGH  | VALUE | UNIT | STATUS |
|-----------------------|-------|-------|-------|------|--------|
| LOWER ARM ASSEMBLY    | 24.17 | 44.38 | 36.12 | V    | OK     |
| FUEL PIPE CLIP        | 36.44 | 58.33 | 36.93 | deg  | OK     |
| BATTERY TRAY          | 6.19  | 26.65 | 15.41 | mm   | OK     |
| BATTERY TRAY          | 18.08 | 22.64 | 21.16 | Nm   | OK     |
| WIRING HARNESS        | 9.84  | 15.54 | 11.76 | deg  | OK     |
| REAR SENSOR BRACKET   | 7.35  | 11.24 | 7.52  | Nm   | OK     |
| REAR SENSOR BRACKET   | 8.40  | 33.03 | 18.19 | Nm   | OK     |
| BATTERY TRAY          | 21.78 | 40.08 | 28.62 | V    | OK     |
| RIGHT SIDE PANEL      | 35.72 | 48.18 | 41.18 | deg  | OK     |
| ENGINE SHIELD         | 4.36  | 12.83 | 10.58 | Nm   | OK     |
| BRAKE LINE SUPPORT    | 0.11  | 13.41 | 10.51 | mm   | OK     |
| BRAKE LINE SUPPORT    | 3.35  | 27.36 | 20.46 | Nm   | OK     |
| WIRING HARNESS        | 15.12 | 27.74 | 22.12 | mm   | OK     |
| WHEEL ARCH LINER      | -1.99 | 12.01 | 8.31  | mm   | OK     |
| CLIMATE MODULE        | 27.53 | 51.91 | 36.71 | Nm   | OK     |
| SEAT RAIL FIXING      | 19.54 | 38.31 | 32.41 | mm   | OK     |
| CLIMATE MODULE        | 2.58  | 24.40 | 11.94 | deg  | OK     |
| RIGHT SIDE PANEL      | 31.90 | 35.96 | 33.19 | V    | OK     |
| ENGINE SHIELD         | 31.37 | 50.59 | 46.00 | deg  | OK     |
| WIRING HARNESS        | 6.44  | 28.89 | 22.90 | mm   | OK     |
| CLIMATE MODULE        | 0.80  | 3.44  | 2.15  | V    | OK     |
| STEERING COLUMN       | 39.63 | 45.94 | 41.26 | V    | OK     |
| LOWER ARM ASSEMBLY    | 7.11  | 28.70 | 9.27  | Nm   | OK     |

SYNTHETIC QUALITY DOSSIER

Sequence: 261 943 87  
Document: SQD-039-9591

PAGE 39/50  
DATE: 11/07/2026 10:47  
TRACEABILITY / LABEL RECORD

REFERENCE AND CONSUMPTION LOG

| STEP | PART / OPERATION     | REFERENCE     | LOT     | VALIDATION |
|------|----------------------|---------------|---------|------------|
| 01   | FRONT AX             | 768           | L102288 | OK         |
| 02   | CLIMATE I            | 206           | L292287 | OK         |
| 03   | BRAKE LINE SUPPORT   | RF-50075      | L384729 | OK         |
| 04   | ENGINE SHIELD        | RF-18695      | L480833 | OK         |
| 05   | CLIMATE MODULE       | PO23067062058 | L194987 | HOLD       |
| 06   | RIGHT SIDE PANEL     | RF-18150      | L233605 | HOLD       |
| 07   | SEAT RAIL FIXING     | RF-97918      | L436496 | OK         |
| 08   | FRONT AXLE ALIGNMENT | RF-45998      | L898920 | OK         |
| 09   | LOWER ARM ASSEMBLY   | RF-37450      | L612374 | OK         |
| 10   | FRONT AXLE ALIGNMENT | RF-94130      | L169228 | OK         |
| 11   | RIGHT SIDE PANEL     | RF-73624      | L913552 | OK         |
| 12   | LEFT DOOR LOCK       | RF-72877      | L260920 | HOLD       |
| 13   | SEAT RAIL FIXING     | RF-64286      | L620761 | OK         |
| 14   | CLIMATE MODULE       | RF-94294      | L388198 | HOLD       |
| 15   | ENGINE SHIELD        | RF-60131      | L686451 | OK         |

SYNTHETIC QUALITY DOSSIER

Sequence: 782 187 55

Document: SQD-040-4787

PAGE 40/50

DATE: 11/07/2026 19:35

ASSEMBLY CHECK LIST

LISTE SSR - SERIES K9

| DESIGNATION          | POSTE | TORQUE | ANGLE | OK | REWORK | NOTE |
|----------------------|-------|--------|-------|----|--------|------|
| CLIMATE MODULE       | M06F1 | 15     | 30    | X  |        |      |
| FUEL PIPE CLIP       | B06F5 |        |       |    |        |      |
| LEFT DOOR LOCK       | M09F5 |        |       |    |        |      |
| WHEEL ARCH LINER     | B10F8 |        |       |    |        |      |
| SEAT RAIL FIXING     | P05F1 |        |       |    |        |      |
| BATTERY TRAY         | P12F4 | 110    | 30    | X  |        |      |
| STEERING COLUMN      | B06F5 | 110    | 0     | X  |        |      |
| CLIMATE MODULE       | P10F2 | 12     | 90    | X  |        |      |
| BRAKE LINE SUPPORT   | B14F9 | 40     | 90    | X  |        |      |
| WIRING HARNESS       | B05F2 | 8      | 90    | X  |        |      |
| REAR SENSOR BRACKET  | M06F1 | 110    | 90    | X  |        |      |
| CONTROL UNIT COVER   | P09F9 | 110    | 45    | X  |        |      |
| WHEEL ARCH LINER     | B10F7 | 65     | 45    | X  |        |      |
| BATTERY TRAY         | M19F4 | 15     | 0     | X  |        |      |
| FRONT AXLE ALIGNMENT | M06F2 | 110    | 0     | X  |        |      |
| RIGHT SIDE PANEL     | P19F8 | 65     | 45    | X  |        |      |
| SEAT RAIL FIXING     | P13F5 | 40     | 45    | X  |        |      |
| CONTROL UNIT COVER   | B05F5 | 20     | 30    | X  |        |      |
| PARKING SENSOR       | P14F4 | 8      | 45    | X  |        |      |
| WIRING HARNESS       | M16F9 | 110    | 90    | X  | X      |      |
| RIGHT SIDE PANEL     | P14F2 | 110    | 90    | X  |        |      |
| BATTERY TRAY         | P09F5 | 90     | 30    | X  |        |      |
| RIGHT SIDE PANEL     | P05F4 | 20     | 45    |    |        |      |
| CLIMATE MODULE       | P10F4 | 8      | 0     | X  |        |      |
| ENGINE SHIELD        | M05F2 | 8      | 0     | X  |        |      |
| WIRING HARNESS       | B18F3 | 12     | 45    | X  | X      |      |
| BATTERY TRAY         | B09F2 | 90     | 90    | X  |        |      |
| LEFT DOOR LOCK       | M18F4 | 40     | 45    | X  |        |      |
| BATTERY TRAY         | P10F6 | 90     | 30    | X  |        |      |
| SEAT RAIL FIXING     | P13F5 | 20     | 0     | X  |        |      |

SYNTHETIC QUALITY DOSSIER

Sequence: 657 767 35  
Document: SQD-041-9813

PAGE 41/50  
DATE: 11/07/2026 23:47  
CONTROL CERTIFICATE

CERTIFICATE OF CONFORMITY

This synthetic record confirms that the listed characteristics were inspected.

|                  |                 |
|------------------|-----------------|
| PRODUCTION ORDER | PO-28948522     |
| MODEL / VARIANT  | R2-HYB          |
| SERIAL NUMBER    | SYN118917779546 |
| INSPECTION PLAN  | QP-62.5         |
| DECISION         | CONDITIONAL     |

Inspection summary



|                    |       |     |      |
|--------------------|-------|-----|------|
|                    |       |     |      |
| CONTROL UNIT COVER | 59.41 | mm  | PASS |
| WHEEL ARCH LINER   | 24.71 | mm  | PASS |
| LEFT DOOR LOCK     | 79.84 | mm  | PASS |
| WHEEL ARCH LINER   | 61.52 | Nm  | PASS |
| LEFT DOOR LOCK     | 21.01 | Nm  | PASS |
| BRAKE LINE SUPPORT | 89.84 | deg | PASS |
| WHEEL ARCH LINER   | 79.89 | deg | PASS |

Approved by: \_\_\_\_\_

Quality stamp



SYNTHETIC QUALITY DOSSIER

Sequence: 682 416 47

Document: SQD-042-8225

DATE: 11/07/2026 22:57

TRACEABILITY / LABEL RECORD

REFERENCE AND CONSUMPTION LOG

| STEP | PART / OPERATION   | REFERENCE | LOT     | VALIDATION |
|------|--------------------|-----------|---------|------------|
| 01   | ENGINE SHIELD      | RF-70439  | L627100 | OK         |
| 02   | BATTERY TRAY       | RF-30428  | L357445 | HOLD       |
| 03   | SEAT RAIL FIXING   | RF-45802  | L475384 | OK         |
| 04   | RIGHT SIDE PANEL   | RF-18919  | L577368 | OK         |
| 05   | LEFT DOOR LOCK     | RF-56554  | L257696 | HOLD       |
| 06   | BRAKE LINE SUPPORT | RF-90426  | L341313 | OK         |
|      | BATTERY TRAY       | RF-49124  | L217456 | OK         |
|      | FUEL PIPE CLIP     |           |         | HOLD       |
|      | ENGINE SHIELD      |           |         | HOLD       |
|      | BRAKE LINE SUPPORT | RF-82062  | L430286 | OK         |
| 11   | RIGHT SIDE PANEL   | RF-14950  | L748334 | OK         |
| 12   | STEERING COLUMN    | RF-30117  | L364361 | OK         |
| 13   | LEFT DOOR LOCK     | RF-45478  | L801547 | OK         |
| 14   | FUEL PIPE CLIP     | RF-29917  | L338957 | OK         |
| 15   | CLIMATE MODULE     |           | L158437 | HOLD       |



SYNTHETIC QUALITY DOSSIER

Sequence: 297 556 40  
Document: SQD-043-1591



CONTROL PLAN - MODULE V4

| DESIGNATION          | POSTE | TORQUE | ANGLE | OK | REWORK | NOTE |
|----------------------|-------|--------|-------|----|--------|------|
| CLIMATE MODULE       | B04F5 | 90     | 45    | X  |        |      |
| ENGINE SHIELD        | P02F7 | 12     | 90    | X  |        |      |
| WHEEL ARCH LINER     | B12F9 | 65     | 45    | X  |        |      |
| BRAKE LINE SUPPORT   | M01F9 | 110    | 45    | X  |        |      |
| BRAKE LINE SUPPORT   | M05F6 | 20     | 90    |    |        |      |
| LEFT DOOR LOCK       | M09F9 | 8      | 0     | X  | X      |      |
| FUEL PIPE CLIP       | M04F7 | 12     | 90    | X  |        |      |
| BRAKE LINE SUPPORT   | M05F3 | 20     | 45    |    |        |      |
| RIGHT SIDE PANEL     | B01F6 | 20     | 45    | X  |        |      |
| FRONT AXLE ALIGNMENT | B03F3 | 65     | 30    | X  |        |      |
| BRAKE LINE SUPPORT   | B11F4 | 40     | 90    |    |        |      |
| WIRING HARNESS       | M08F9 | 65     | 30    | X  |        |      |
| RIGHT SIDE PANEL     | M09F3 | 15     | 0     | X  |        |      |
| SEAT RAIL FIXING     | B06F8 | 40     | 45    | X  |        |      |
| WHEEL ARCH LINER     | B18F6 | 15     | 45    | X  |        |      |
| RIGHT SIDE PANEL     | B06F6 | 20     | 90    | X  |        |      |
| LEFT DOOR LOCK       | B08F2 | 8      | 90    | X  |        |      |
| CLIMATE MODULE       | M04F8 | 110    | 30    | X  |        |      |

CERTIFICATE OF CONFORMITY

This synthetic record confirms that the listed characteristics were inspected.

|                  |                 |
|------------------|-----------------|
| PRODUCTION ORDER | PO-34968850     |
| MODEL / VARIANT  | R2-HYB          |
| SERIAL NUMBER    | SYN559272202643 |
| INSPECTION PLAN  | QP-25.8         |
| DECISION         | ACCEPTED        |



Inspection summary

|                    |       |     |      |
|--------------------|-------|-----|------|
|                    |       |     |      |
| SEAT RAIL FIXING   | 15.70 | mm  | PASS |
| BATTERY TRAY       | 93.91 | Nm  | PASS |
| LOWER ARM ASSEMBLY | 33.39 | deg | PASS |
| BRAKE LINE SUPPORT | 28.29 | deg | PASS |
| PARKING SENSOR     | 42.39 | Nm  | PASS |
| CLIMATE MODULE     | 23.77 | deg | PASS |
| ENGINE SHIELD      | 22.99 | mm  | PASS |

Approved by: \_\_\_\_\_

Quality stamp



SYNTHETIC QUALITY DOSSIER

Sequence: 405 641 48  
Document: SQD-045-8243

PAGE 45/50

DATE: 11/07/2026 20:58  
FINAL INSPECTION

| EXTERIOR / DIMENSIONAL                                                                                                                     | FUNCTION / TRACEABILITY                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                     | Torque confirmed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        |
| Reference matches order <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                   | Torque confirmed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        |
| Surface condition <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                         | Connector locked <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        |
| Label presence <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                                       | Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A   |
| r witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                            | Reference matches order <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| tinuous <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                                              | Harness routing <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                    |
| le damage <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                                 | Gap within limit <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        |
| Gap within limit <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                          | Gap within limit <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        |
| No visible damage <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                         | Seal continuous <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         |
| Label presence <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                            | Seal continuous <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A         |
| Seal c  <input type="checkbox"/> N/A<br>RF5637107025Q1 | Harness routing <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                    |
| Fastener witness mark <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A                     | Torque confirmed <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A        |
| Inspector signature:                                    |                                                                                                                          |



RF7955053201Q2

Vehicle / batch information

|          |              |               |         |
|----------|--------------|---------------|---------|
| Product  | PX-V4        | Batch         | B311598 |
| Serial   | SN1020048813 | Station       | QC-08   |
| Operator | OP597        | Global result | OK      |

| ITEM / CHARACTERISTIC | LOW                                            | HIGH  | VALUE | UNIT | STATUS |
|-----------------------|------------------------------------------------|-------|-------|------|--------|
| LOWER ARM ASSEMBLY    | 0.15                                           | 18.72 | 9.41  | V    | OK     |
| REAR SENSOR BRACKET   | 19.26                                          | 20.90 | 20.07 | Nm   | OK     |
| CLIMATE MODULE        | 34.30                                          | 57.63 | 55.39 | deg  | OK     |
| REAR SENSOR BRACKET   | 15.50                                          | 28.26 | 26.42 | mm   | OK     |
| WIRING HARNESS        | 22.04                                          | 31.91 | 24.93 | mm   | OK     |
| BRAKE LINE SUPPORT    | 23.87                                          | 39.47 | 38.61 | mm   | OK     |
| WHEEL ARCH LINER      | 9.57                                           | 13.71 | 10.37 | deg  | OK     |
| STEERING COLUMN       | 38.70                                          | 56.90 | 48.23 | V    | OK     |
| CONTROL UNIT COVER    | <div><div></div><div>PO80497900391</div></div> |       |       | Nm   | OK     |
| LOWER ARM ASSEMBLY    |                                                |       |       | V    | OK     |
| CONTROL UNIT COVER    | 2.03                                           | 12.81 | 8.78  | V    | OK     |
| WHEEL ARCH LINER      | 10.25                                          | 22.70 | 20.00 | V    | OK     |
|                       |                                                |       |       |      |        |
| CLIMATE MODULE        | 34.00                                          | 58.76 | 52.93 | deg  | OK     |
| WHEEL ARCH LINER      | 23.72                                          | 40.50 | 37.77 | V    | OK     |
| WHEEL ARCH LINER      | -0.24                                          | 10.06 | 2.94  | V    | OK     |
| PARKING SENSOR        | 12.05                                          | 25.63 | 14.12 | deg  | OK     |
| REAR SENSOR BRACKET   | 19.32                                          | 36.01 | 35.16 | deg  | OK     |
| ENGINE SHIELD         | 34.14                                          | 37.79 | 35.45 | mm   | OK     |
| LOWER ARM ASSEMBLY    | 5.08                                           | 30.03 | 13.87 | mm   | OK     |
| LOWER ARM ASSEMBLY    | 14.85                                          | 37.02 | 20.06 | V    | OK     |
| BRAKE LINE SUPPORT    | 31.96                                          | 36.76 | 32.59 | Nm   | OK     |
| LOWER ARM ASSEMBLY    | 23.56                                          | 41.34 | 37.36 | mm   | OK     |
| CLIMATE MODULE        | 22.78                                          | 29.38 | 27.35 | V    | OK     |

## SYNTHETIC QUALITY DOSSIER

Sequence: 261 515 13

Document: SQD-047-4969

PAGE 47/50

DATE: 11/07/2026 04:56

TRACEABILITY / LABEL RECORD

## REFERENCE AND CONSUMPTION LOG

| STEP | PART / OPERATION    | REFERENCE                                                                                             | LOT     | VALIDATION |
|------|---------------------|-------------------------------------------------------------------------------------------------------|---------|------------|
| 01   | SEAT RAIL FIXING    | RF-16869                                                                                              | L403141 | HOLD       |
| 02   | LOWER ARM ASSEMBLY  | RF-96149                                                                                              | L387495 | HOLD       |
| 03   | CLIMATE MODULE      | RF-92750                                                                                              | L423500 | HOLD       |
| 04   | LEFT DOOR LOCK      | RF-42311                                                                                              | L757204 | OK         |
| 05   | REAR SENSOR BRACKET | RF-18848                                                                                              | L398322 | HOLD       |
| 06   | ENGINE SHIELD       | RF-30554                                                                                              | L196849 | OK         |
| 07   | FUEL PIPE CLIP      | RF-39963                                                                                              | L996910 | OK         |
| 08   | BRAKE LINE SUPPORT  | RF-19278                                                                                              | L177814 | OK         |
| 09   | LEFT DOOR LOCK      | RF-98865                                                                                              | L994355 | HOLD       |
| 10   | WIRING HARNESS      | RF-10336                                                                                              | L902441 | OK         |
| 11   | CLIMATE MODULE      | RF-91229                                                                                              | L999234 | OK         |
| 12   | WHEEL ARCH LINER    | RF-72835                                                                                              | L356601 | OK         |
| 13   | LOWER ARM ASSEMBLY  | RF-66979                                                                                              | L368263 | OK         |
| 14   | LEFT DOOR LOCK      | <br>LOT-129878-47 | 8755    | OK         |
| 15   | BRAKE LINE SUPPORT  |                                                                                                       | L765595 | OK         |

SYNTHETIC QUALITY DOSSIER


Sequence: 499 369 35

Document: SQD-048-1823

PAGE 48/50

DATE: 11/07/2026 10:06

FINAL INSPECTION

| EXTERIOR / DIMENSIONAL                                                                                              |                                                                                                  | FUNCTION / TRACEABILITY                                                                                                              |                                                                                                  |
|---------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| Fastener witness mark                                                                                               | <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A            | Harness routing                                                                                                                      | <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A            |
| Torque confirmed                                                                                                    | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Protective film removed                                                                                                              | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Connector locked                                                                                                    | <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A            | Fastener witness mark                                                                                                                | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Fastener witness mark                                                                                               | <input checked="" type="checkbox"/>                                                              |                                                                                                                                      | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| <div><br/>LOT-149138-48</div>   |                                                                                                  |                                                                                                                                      |                                                                                                  |
| Panel alignment                                                                                                     | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Reference matches order                                                                                                              | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Torque confirmed                                                                                                    | <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A            | Connector locked                                                                                                                     | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Reference matches order                                                                                             | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Label presence                                                                                                                       | <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A            |
| Torque confirmed                                                                                                    | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Fastener witness mark                                                                                                                | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Seal continuous                                                                                                     | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Fastener witness mark                                                                                                                | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Surface condition                                                                                                   | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Protective film removed                                                                                                              | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| No visible damage                                                                                                   | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Label <div><div><br/>RF5473448170Q2</div></div> | <input type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A            |
| Panel alignment                                                                                                     | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A | Connector locked                                                                                                                     | <input checked="" type="checkbox"/> OK <input type="checkbox"/> NOK <input type="checkbox"/> N/A |
| Inspector signature: <div></div> |                                                                                                  |                                                                                                                                      |                                                                                                  |

Vehicle / batch information

Product

PX-A7

Batch

B777656

Serial

SN3145804740

Station

QC-11

Operator

OP734

Final result

REVIEW



PO69961523109

| ITEM / CHARACTERISTIC | L                  |       | VALUE | UNIT | STATUS |
|-----------------------|--------------------|-------|-------|------|--------|
| FUEL PIPE CLIP        | 35.23              | 53.10 | 50.10 | mm   | OK     |
| STEERING COLUMN       | 18.56              | 40.44 | 19.66 | deg  | OK     |
| CONTROL UNIT COVER    | 30.25              | 50.91 | 31.40 | mm   | OK     |
| WIRING HARNESS        | 8.85               | 11.08 | 10.04 | mm   | OK     |
| LOWER ARM ASSEMBLY    | <br>RF9318000538Q1 | 38.44 | 35.83 | V    | OK     |
| LOWER ARM ASSEMBLY    |                    | 55.81 | 44.75 | V    | OK     |
| RIGHT SIDE PANEL      | 10.28              | 32.50 | 11.43 | deg  | OK     |
| SEAT RAIL FIXING      | 8.98               | 12.62 | 9.55  | Nm   | OK     |
| RIGHT SIDE PANEL      | 31.82              | 51.39 | 49.47 | deg  | OK     |
| FUEL PIPE CLIP        | 13.48              | 18.70 | 18.60 | V    | OK     |
| LEFT DOOR LOCK        | 1.83               | 16.68 | 3.75  | Nm   | OK     |
| LEFT DOOR LOCK        | 36.22              | 58.09 | 57.50 | deg  | OK     |
| REAR SENSOR BRACKET   | 15.97              | 32.83 | 20.50 | deg  | OK     |
| PARKING SENSOR        | 2.55               | 21.77 | 3.16  | mm   | OK     |
| LOWER ARM ASSEMBLY    | -0.27              | 2.56  | 1.08  | Nm   | OK     |
| SEAT RAIL FIXING      | -2.01              | 3.66  | -0.86 | Nm   | OK     |
| CONTROL UNIT COVER    | 32.80              | 42.59 | 36.14 | mm   | OK     |
| LEFT DOOR LOCK        | 7.00               | 9.54  | 7.17  |      |        |
| WIRING HARNESS        | 25.35              | 33.64 | 29.59 |      |        |
| FUEL PIPE CLIP        | 21.16              | 24.96 | 22.14 |      |        |
| LOWER ARM ASSEMBLY    | 10.12              | 29.77 | 26.55 |      |        |
| BRAKE LINE SUPPORT    | 9.38               | 21.54 | 13.62 |      |        |
| CONTROL UNIT COVER    | 28.87              | 45.02 | 33.54 |      |        |



RF7399563002Q2

**SYNTHETIC QUALITY DOSSIER**

Sequence: 492 447 51

Document: SQD-050-7904

PAGE 50/50

DATE: 11/07/2026 16:12

TRACEABILITY / LABEL RECORD

**REFERENCE AND CONSUMPTION LOG**

| STEP | PART / OPERATION        | REFERENCE | LOT     | VALIDATION |
|------|-------------------------|-----------|---------|------------|
| 01   | STEERING COLUMN         | RF-86193  | L834217 | HOLD       |
| 02   | REAR SENSOR BRACKET     | RF-53551  | L424527 | HOLD       |
| 03   | CONTROL UNIT COVER      | RF-52515  | L810228 | HOLD       |
| 04   | CONTROL UNIT COVER      | RF-10270  | L518893 | HOLD       |
| 05   | FRONT AXLE ALIGNMENT    | RF-39458  | L528802 | OK         |
| 06   | LEFT DOOR LOCK          | RF-82540  | L581013 | OK         |
| 07   | RIGHT DOOR LOCK         | RF-57924  | L921516 | OK         |
| 08   | RIGHT DOOR LOCK         | RF-75184  | L602590 | OK         |
| 09   | WIRING HARNESS          | RF-10908  | L689247 | OK         |
| 10   | ANTI-RATTLE RAIL FIXING | RF-66626  | L371289 | OK         |
| 11   | PARKING SENSOR          | RF-40422  | L854206 | OK         |
| 12   | BATTERY TRAY            | RF-11346  | L854803 | OK         |
| 13   | WIRING HARNESS          | RF-11695  | L727693 | OK         |
| 14   | CONTROL UNIT COVER      | RF-57818  | L471823 | HOLD       |
| 15   | RIGHT SIDE PANEL        | RF-60954  | L278059 | OK         |

