

Congratulations! You passed!

Grade received 89.47% Latest Submission Grade 89.47%

To pass 80% or higher

Go to next item

 $\textbf{1.} \ \ \text{You have received some sales data from your company's database}. \ \text{The data is in a dirty format and you are}$ required to clean it up in order to perform some analysis on it. Since your company will need to perform this analysis each month with new data, you are to use formulas to clean the data so that the workbook can be easily $up dated \ each \ month \ with \ new \ records \ from \ the \ database. Follow \ the \ instructions \ carefully \ and \ answer \ the$ questions as you go.

0 / 1 point

Download and open the assignment workbook. There are 2 versions of the workbook, depending on which version of Excel you are using. If you use Excel for Windows Office 365, 2016 or 2013, or Excel for Mac Office 365, 2016 or 2011, use the Unicode version



C4 W3 Final Assessment Unicode

XLSX File

If you use Excel for Windows 2010 or 2007, use this version:



C4 W3 Final Assessment

XLSX File

Look at the **Data** worksheet and **Clean** worksheet. Make sure the **Check Sum** value in **Data** cell **B2** is 95858 (90898 on Excel for Mac 2011). Do not insert any rows or columns into the Data sheet during your work or the Check Sums may give different results than programmed.

Our goal is to populate the columns of the **Clean** worksheet with the data in a form that we can easily analyse. This may look daunting, but we are told by the Data Manager that the raw data always follows a certain pattern. That pattern is:

- 1. Some / characters
- 2. The product type sold, with the prefix PR:
- 3. Some "_" characters
- 4. The Sales Person's name, with the prefix SP:
- 5. The date of the sales, in the format yyyymmd. All sales are from October 2017
- 6. Some non-breaking space characters
- 7. The amount of sales, with the prefix \$. All sales amounts are below \$10000
- 8. Some space characters
- 9. A final random character that has an ASCII value between 28 and 31.

We will clean up the data one item at a time, by using formulas to make copies of the data to the right of column B, with each copy being slightly cleaner than the previous. When we are done we will separate the data into 4 components on the Clean worksheet tab, and perform some basic analysis.

Go to the **Data** worksheet. To begin, we want to verify what special characters might be at the end of each data entry. In column C (cells C5:C500) write a formula using the RIGHT and CODE functions to return the ASCII code of the final character in each record.

How many records have the character 30 as the final character? (Hint: After writing your formula in column ${\bf C}$, you can write a formula in cell C3 that uses the COUNTIFS function to count how many times the value in column C is 30.)






2. Next, we want to remove some of these final characters with the CLEAN function. In column D. write a formula that applies the CLEAN function to the column B data. To check if this has been done correctly, enter the value of the Question 2 checksum from cell D2.

0/1 point

Enter just the 5 digits (6 on a Mac), without any commas or other thousands separator.

992221





11	When you are done, instead of using the Check Sum to see if this has been done correctly, we're going to use the LEN function. In cells J5:J500, use the LEN function to find the length of each now-trimmed record from column I. Cell J2 contains a formula that is summing all of these lengths. What is the value in cell J2? 15186 Correct O. In cell K5, write a formula to find the ASCII code of the final character of each record and apply it to cells K5:K500. If we look at the results we will see that all values range between 48 and 57, which correspond to the digits 0 through 9. That's good news, since we expect every record to be ending with the sales amount at this point. The digits 0 through 9 for the final character is exactly what we would expect. Performing checks like this as we go can be helpful to make sure we are on the right track. Now it is time to get rid of the of the prefixes in front of the product names and the Sales Person names. In column L, write a formula that refers to our records in column I but substitutes the text PR: for blank text (remember the double quotation marks). When you are done, enter the value of the Check Sum from cell L2.	1/1 point	
i:	 In column M, further clean the data by substituting SP: with blank text. After you do, what is the value of the check 	1/1 point	
	sum in cell M2? 70357 ⊘ Correct		
Σ:	2. Now we need to insert a space between the end of the Sales Person name and the start of the Date. Notice how every date begins with the text 201710. So we can substitute "201710" with "201710" which will place a space in front of the start of the date. Now this particular formula would need to be updated each month, since if we were to use our workbook for data from November 2017, the dates would begin with 201711. But that is a problem for another day. For now, go ahead and perform this substitution in column N. Finally, note that we don't just want to substitute 2 or 201 because that might alter some of the sales amounts which could contain those numbers. But since we know that all sales amounts are less than \$10000, substituting the string 201710 will leave the sales amounts untouched. If you have done this correctly, you should have the Check Sum value 65831 in cell N2. We now have clean data in column N. The only problem is, each record is still a continuous text string. Our next challenge is to separate the 4 pieces of information from each individual record (Product, Sales person, Date and Sales Amount). To do this, we are going to use the LEFT and MID functions to extract the desired pieces from each record, and the FIND function to help us enter the arguments for the LEFT and MID functions. We didn't include the FIND function in the videos. We will use it to locate where a specified text string (in our case, a single space character) occurs within another text string (the complete clean record).	1/1 point	
Ľ	In cell 05 , write the following formula and then apply it to cells 05:0500 . =FIND("",N5,1) . The 1 at the end of this formula is an optional argument, and it tells the FIND function to begin searching for the text string "" starting at the 1st character within N5 . When you are done, write down the value in cell 02 . 3348 Correct 3. In cell P5 , write a formula to find the location of the second space character within column N , and apply it to cells P5:P500 . Hint: you can use the location of the first space that we found earlier as the place to start our search. You will need to add 1 to the previous location so that it doesn't find the same space again. What is the value in cell P2 ?	1/1 point	

14.	There is one more space character we need the location of. The third space character in the string is between the date and the Sales Amount. In cell QS we can write =FIND("",NS,PS+1) , or we can write =FIND("",NS,1)-1 . They should give equivalent results. Do you see why? The second of these formulas is looking for the location of the first dollar sign, and then subtracting one from that value. Since our data is structured in a way that the third space character is immediately before the \$ character, either formula should work. Apply one of these formulas in cells QS:Q500 , and then enter the value from cell Q2 . 10768 Correct	1/1 point
15.	In column R we are going to extract the product names. Since they are at the beginning of the record, we can use the LEFT function. The number of characters we want returned by the LEFT function will be one less than the location of the first space. Column O tells us the location of the first space. Write a formula in cell R5 to extract the product names and apply it to cells R5:R500. What is the value in cell R2? 37696	1/1 point
16.	In column S we will extract the Sales Person. For this, we need to use the MID function, and the location of our space characters to determine: 1. the start point of extraction, and 2. how many characters to extract. Write a formula in S5 to extract the Sales Person and apply this down column S . What is the value in cell S2 ? 35588	1/1 point
17.	In column T we will extract the date, as text. We can convert it into a value later. Using the same type of formula construction as we did in column S , but with references to the second and third space locations instead of the first and second space locations, write a formula in cells T5:T500 that will return the date as a text string. There is no need to use the TEXT function at this point. When you are done, enter the value from cell T2 . 28624 Correct	1/1 point
18.	We're almost done! In column U , we want the Sales Amount, without the dollar sign. This formula is actually more simple since we do not need to worry about getting precisely the correct value for the length of the string to extract. If we enter a large number in the third argument of the MID function, say 99, and there are fewer than 99 characters remaining in the string, then the function will just return what is remaining in the string. This is useful when we want to extract text from the end of a string. Also, since we do not want the S character returned, we will start our extraction 2 characters after the location of the final space. We would also like the Sales Amount to be returned as a numeric value, rather than a text string. Therefore we will also wrap our MID function inside a VALUE function. In cell U5 , write a formula to extract the Sales Amount as a numeric value and apply this down column U. What is the value of the sum in cell U2 ?	1/1 point
	441522 ⊙ Correct	
19.	The final thing we will do on this sheet is to convert the dates in column T from text strings to date values recognised by Excel in column V. We can do this with the formula =DATE(2017,10,??) where the ?? represent the day of the month, which will be either the 7th, or the 7th and 8th characters from column T. Use a MID function to extract these day characters from column T, and embed that MID function within the DATE function in place of the ??. So, the formula at column V5 will look like =DATE(2017,10,MID()) You will need to write appropriate arguments inside the MID function in place of "". When you are done, enter the value from the Check Sum at cell V2.	1/1 point

We have now finished cleaning our data! If you navigate over to the **Clean** worksheet tab, you should see the columns **B** to **E** filled in, ready for analysis to be performed. Save your work. Well done for completing the assignment for this week.

28272

