/Users/frankie/Dropbox/Harper College/CIS 2026/M13

/Users/frankie/Dropbox/Harper College/CIS 2026/M13/M13P2.py

M11 Advanced function P2.py | M12P3.py | M13P3 Data.txt | M12P4.py | M12P5.py | M12P2.py | M13P2.py

```python
#!/usr/bin/env python3
# -*- coding: utf-8 -*-
"""
Created on Thu Apr  9 13:35:23 2026

@author: flkc
Description:
    Write the code for the following problem. Expand the dictionary above to have a list of three
grades as the value. Create a function to create a list of three grade averages for the class. This
list may be a dictionary, a list of lists ([name, average] as each element of the list, or some other
list structure of your choice.
Print the list of students and their grade averages. Also print the class average for each of the
three grades. Layout the output for ease of readability by the use

"""

scores={"Chan":[80,90,70],
        "Brothers":[85,60,70],
        "Kennth":[80,91,73],
        "Vara":[84,94,70],
        "Blish":[70,79,75],
        "Batt":[84,90,74],
        "Cho":[83,90,73],
        "Gend":[82,90,78],
        "Tropp":[80,70,75],
        "Herro":[81,94,80]
        }

def print_dicionary(dic1,titleOfList):
    total = 0
    print(titleOfList)
    print("="*45)
    for key, val in dic1.items():
        print(f"{key.ljust(30)}{val:15.2f}")
        total += val
    print("="*45)
    print(f"{"Average".ljust(30)}{total/len(dic1):15.2f}")


def grade_average(dic1):
    dic2= {}
    for key, values in dic1.items():
        total = 0
        for val in values:
            total += val
        dic2[key] = total/len(values)
    return dic2

def main():
    #print_dicionary(scores, f"\n{"Last Name".ljust(30," ")}{"Score".rjust(5," ")}")
    average_scores = grade_average(scores)
    print_dicionary(average_scores, f"\n{"Last Name".ljust(30," ")}{"Average Grade".rjust(15," ")}")


main()
```

Name	Date Modified
M13P1.pdf	4/10/26 10:42 PM
M13P1.png	4/10/26 10:41 PM
M13P1.py	4/9/26 5:37 PM
M13P2.py	4/10/26 10:44 PM
M13P3 Data.txt	4/10/26 9:20 PM
M13P3.py	4/10/26 9:33 PM

Help | Variable Explorer | Debugger | Profiler | Plots | Files

Console 1/A

```
In [28]: %runfile '/Users/frankie/Dropbox/Harper College/CIS 2026/M13/
M13P2.py' --wdir

Last Name                          Average Grade
=============================================
Chan                                       80.00
Brothers                                   71.67
Kennth                                     81.33
Vara                                       82.67
Blish                                      74.67
Batt                                       82.67
Cho                                        82.00
Gend                                       83.33
Tropp                                      75.00
Herro                                      85.00
=============================================
Average                                    79.83

In [29]:
```

IPython Console | History

Inline | Conda: spyder-runtime (Python 3.12.11) | LSP: Python | Line 31, Col 23 | UTF-8 | LF | RW | Mem 43%