



Filename: 2025-07-15 - 14.43.42.D5000



Default image (Contrast 100%)

Sample Info

Well	Conc. [ng/μl]	Sample Description	Alert	Observations
A1	50.3	Ladder		Ladder
B1	7.75	MD-5		


A1: Ladder**Sample Table**

Well	Conc. [ng/μl]	Sample Description	Alert	Observations
A1	50.3	Ladder		Ladder

Peak Table

Size [bp]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
15	7.09	-	727	-		Lower Marker
100	6.73	-	104	13.38		
250	5.76	-	35.4	11.45		
400	5.70	-	21.9	11.33		
600	5.64	-	14.5	11.21		
1000	5.65	-	8.69	11.23		
1500	5.56	-	5.70	11.04		
2500	5.13	-	3.16	10.21		
3500	5.12	-	2.25	10.19		
5000	5.01	-	1.54	9.97		
10000	3.25	3.25	0.500	-		Upper Marker

B1: MD-5



Sample Table

Well	Conc. [ng/μl]	Sample Description	Alert	Observations
B1	7.75	MD-5		

Peak Table

Size [bp]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
15	7.70	-	790	-		Lower Marker
156	0.277	-	2.72	3.57		
380	7.48	-	30.2	96.43		
10000	3.25	3.25	0.500	-		Upper Marker