Stronger Together: Female Export Consortia - Table Overview

Florian Muench, Amira Bouziri, Fabian Scheifele October 24, 2024

1 Regression Tables

Table 1: Business Performance: Sales

| | (1) Total Sales | (2) Domestic Sales | (3) Export Sales |
|--------------------|--------------------|-------------------------|---|
| | Panel A: Inten | tion-to-treat (ITT) | |
| Treatment | 0.915* (0.485) | 0.911 (0.672) | 1.017 (0.797) |
| | | fect on the Treated (TC | , |
| Consortium member | 1.518** (0.673) | 1.500 (0.934) | $ \begin{array}{c} 1.710 \\ (1.150) \end{array} $ |
| Control group mean | 11.03 | 10.09 | 3.82 |
| Control group SD | 4.14 | 4.67 | 5.55 |
| Observations | 119 | 119 | 124 |
| Strata controls | Yes | Yes | Yes |
| BL controls | Yes | Yes | |

Notes: All outcome variables are winsorised at the 95^{th} percentile and inverse hyperbolic sine transormed as pre-specified. 'Total', 'Domestic', and 'Export sales' are in units of Tunisian Dinar before transformation. Panel A reports ANCOVA estimates as defined in Bruhn.2009. Panel B documents IV estimates, instrumenting take-up with treatment assignment. Standard errors are clustered on the firm-level for the control group and on the consortium-level for the treatment group following Cai.2018 and reported in parentheses. Each specification includes controls for randomization strata and baseline values of the outcome variable. *** p < 0.01, ** p < 0.05, * p < 0.1 denote the significance level.

Table 2: Export: Market Access Intensive and Extensive Margins

| | (1) | (2) |
|-----------|--|---------|
| | Exported (Yes $= 1$) N. of Export countries | |
| Γreatment | Panel A: Intention-to 0.165** | 0.329 |
| | (0.064) | (0.228) |

Panel B: Treatment Effect on the Treated (TOT)

| Consortium member | 0.281*** | 0.560* | |
|-----------------------|----------|---------|--|
| | (0.094) | (0.337) | |
| EL control group mean | 0.26 | 1.02 | |
| EL control group SD | 0.44 | 1.55 | |
| Observations | 127 | 127 | |
| BL controls | Yes | Yes | |
| Strata controls | Yes | Yes | |

Notes: The outcome variable 'Exported' is based on firms' survey response to whether they exported in 2023 or the first six month of 2024. The 'Export countries' variable is winsorized at the 95th percentile as pre-specified. Panel A reports ANCOVA estimates as defined in Bruhn.2009. Panel B documents IV estimates, instrumenting take-up with treatment assignment. Standard errors are clustered on the firm-level for the control group and on the consortium-level for the treatment group following Cai.2018 and reported in parentheses. Each specification includes controls for randomization strata and baseline values of the outcome variable. *** p < 0.01, ** p < 0.05, * p < 0.1 denote the significance level.

2 Examples

This is a basic LaTeX document. You can use this template to preview LaTeX tables in RStudio. Below is an example of a table:

Table 3: Business Performance

| | (1) | (2) | (3) | (4) | (5) | (6) |
|---|-------------|----------------|--------------|---------|---------|-----------------|
| | Total Sales | Domestic Sales | Export Sales | Profits | Costs | N. of Employees |
| Panel A: Intention-to-treat (ITT) | | | | | | |
| Treatment | 0.915* | 0.911 | 1.017 | -0.094 | 0.911 | -0.075 |
| | (0.485) | (0.672) | (0.797) | (1.376) | (0.665) | (0.120) |
| Panel B: Treatment Effect on the Treated (TOT) Consortium member 1.518** 1.500 1.710 -0.157 1.516 -0.127 (0.673) (0.934) (1.150) (1.954) (0.941) (0.176) | | | | | | |
| Control group mean | 11.03 | 10.09 | 3.82 | 4.94 | 10.57 | 2.18 |
| Control group SD | 4.14 | 4.67 | 5.55 | 8.98 | 4.89 | 1.08 |
| Observations | 119 | 119 | 124 | 119 | 119 | 124 |
| Strata controls | Yes | Yes | Yes | Yes | Yes | Yes |
| BL controls | Yes | Yes | Yes | Yes | Yes | Yes |

Notes: All outcome variables are winsorised at the 95^{th} percentile and inverse hyperbolic sine transormed as pre-specified. 'Total', 'Domestic', and 'Export sales' are in units of Tunisian Dinar before transformation. Panel A reports ANCOVA estimates as defined in Bruhn.2009. Panel B documents IV estimates, instrumenting take-up with treatment assignment. Standard errors are clustered on the firm-level for the control group and on the consortium-level for the treatment group following Cai.2018 and reported in parentheses. Each specification includes controls for randomization strata and baseline values of the outcome variable. *** p < 0.01, ** p < 0.05, * p < 0.1 denote the significance level.

Table 4: Sample Table

| Column 1 | Column 2 | Column 3 |
|--------------|--------------|--------------|
| Row 1, Col 1 | Row 1, Col 2 | Row 1, Col 3 |
| Row 2, Col 1 | Row 2, Col 2 | Row 2, Col 3 |
| Row 3, Col 1 | Row 3, Col 2 | Row 3, Col 3 |