

```
MINGW64/c/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/
TEMA 2/Ejercicios
$ git init libro
Initialized empty Git repository in C:/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro/.git/

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios
$ cd libro

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ ls -la
total 4
drwxr-xr-x 1 flope 197609 0 Nov 28 17:55 ./
drwxr-xr-x 1 flope 197609 0 Nov 28 17:55 ../
drwxr-xr-x 1 flope 197609 0 Nov 28 17:55 .git/

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$
```

```
MINGW64/c/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$
```

```
MINGW64/c/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro

GNU nano 2.9.3 indice.txt Modified
Capítulo 1: Introducción
Capítulo 2: Los tres cerditos
Capítulo 3: Caperucita Roja

^G Help      ^O Write Out  ^W Where Is   ^K Cut        ^T Execute    ^C Location   M-U Undo     M-A Set Mark  M-J To Bracket
^X Exit      ^R Read File  ^\ Replace    ^U Paste      ^J Justify    ^_ Go To Line M-E Redo     M-6 Copy      ^Q Where Was
```

```
MINGW64:/c/Users/flope/Desktop/Ejercicios/Contornos de desenvolvemento/TEMA 2/Ejercicios/libro

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvemento/TEMA 2/Ejercicios/libro (master)
$ git add .
warning: LF will be replaced by CRLF in indice.txt.
The file will have its original line endings in your working directory

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvemento/TEMA 2/Ejercicios/libro (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   indice.txt

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvemento/TEMA 2/Ejercicios/libro (master)
$ git commit -m "Añadido índice del libro"
[master (root-commit) f651ed6] Añadido índice del libro
 1 file changed, 3 insertions(+)
 create mode 100644 indice.txt

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvemento/TEMA 2/Ejercicios/libro (master)
$ |
```

```
MINGW64:/c/Users/flope/Desktop/Ejercicios/Contornos de desenvolvemento/TEMA 2/Ejercicios/libro

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvemento/TEMA 2/Ejercicios/libro (master)
$ git status
On branch master
nothing to commit, working tree clean

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvemento/TEMA 2/Ejercicios/libro (master)
$ |
```

```
MINGW64:/c/Users/flope/Desktop/Ejercicios/Contornos de desenvolvemento/TEMA 2/Ejercicios/libro

GNU nano 2.9.3 indice.txt
Capítulo 1: Introducción
Capítulo 2: Los tres cerditos
Capítulo 3: Caperucita Roja
Capítulo 4: La bella y la bestia

Read 4 lines
^G Help      ^O Write Out  ^W Where Is   ^K Cut        ^T Execute    ^C Location   M-U Undo     M-A Set Mark  M-J To Bracket
^X Exit      ^R Read File  ^\ Replace    ^U Paste      ^J Justify    ^_ Go To Line M-E Redo     M-6 Copy     ^Q Where Was
```

```
MINGW64/c/Users/flope/Desktop/Ejercicios/Contornos de desenvolvmento/TEMA 2/Ejercicios/libro

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvmento/TEMA 2/Ejercicios/libro (master)
$ git add .
warning: LF will be replaced by CRLF in indice.txt.
The file will have its original line endings in your working directory

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvmento/TEMA 2/Ejercicios/libro (master)
$ git commit -m "Añadido 4: La bella y la bestia"
[master 763c629] Añadido 4: La bella y la bestia
1 file changed, 1 insertion(+)

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvmento/TEMA 2/Ejercicios/libro (master)
$ |
```

```
MINGW64/c/Users/flope/Desktop/Ejercicios/Contornos de desenvolvmento/TEMA 2/Ejercicios/libro

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvmento/TEMA 2/Ejercicios/libro (master)
$ git log
commit 763c62959d173b6e225db946abe7c851d15b2aed (HEAD -> master)
Author: Mini <floopyomg@gmail.com>
Date: Sat Nov 28 18:06:21 2020 +0100

    Añadido 4: La bella y la bestia

commit f651ed690d4f7216778ba02b6b0004e7cbb48b22
Author: Mini <floopyomg@gmail.com>
Date: Sat Nov 28 18:01:20 2020 +0100

    Añadido indice del libro

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvmento/TEMA 2/Ejercicios/libro (master)
$
```

```
MINGW64/c/Users/flope/Desktop/Ejercicios/Contornos de desenvolvmento/TEMA 2/Ejercicios/libro/capitulos

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvmento/TEMA 2/Ejercicios/libro (master)
$ mkdir capitulos

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvmento/TEMA 2/Ejercicios/libro (master)
$ cd capitulos/

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvmento/TEMA 2/Ejercicios/libro/capitulos (master)
$ |
```

```
MINGW64/c/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro/capitulos
GNU nano 3.2 capitulo1.txt Modified
y el lobo sopló y sopló y la casa derribó

AG Help      AO Write Out  AW Where Is  AK Cut       AT Execute   AC Location  M-U Undo     M-A Set Mark M-J To Bracket
AX Exit      AR Read File A\ Replace   AU Paste     AJ Justify   ^_ Go To Line M-E Redo     M-6 Copy     AQ Where Was
```

```
MINGW64/c/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro/capitulos
flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro/capitulos (master)
$ git add .
warning: LF will be replaced by CRLF in capitulos/capitulo1.txt.
The file will have its original line endings in your working directory
flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro/capitulos (master)
$ git commit -m "Añadido capítulo 1"
[master 51c1e53] Añadido capítulo 1
1 file changed, 1 insertion(+)
create mode 100644 capitulos/capitulo1.txt
flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro/capitulos (master)
$ |
```

```
MINGW64/c/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro/capitulos
flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro/capitulos (master)
$ git log
commit 51c1e535ffe3f6b141e8cd6a236cd30e5918ebf6 (HEAD -> master)
Author: Mini <floopyomg@gmail.com>
Date: Sat Nov 28 18:23:18 2020 +0100

    Añadido capítulo 1

commit 763c62959d173b6e225db946abe7c851d15b2aed
Author: Mini <floopyomg@gmail.com>
Date: Sat Nov 28 18:06:21 2020 +0100

    Añadido 4: La bella y la bestia

commit f651ed690d4f7216778ba02b6b0004e7cbb48b22
Author: Mini <floopyomg@gmail.com>
Date: Sat Nov 28 18:01:20 2020 +0100

    Añadido índice del libro
flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro/capitulos (master)
$
```

```
MINGW64:/c/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro/capitulos
GNU nano 5.3 capitulo2.txt Modified
Abuelita qué ojos más grandes tienes|

^G Help      ^O Write Out  ^W Where Is   ^K Cut        ^T Execute    ^C Location   M-U Undo     M-A Set Mark  M-] To Bracket
^X Exit      ^R Read File  ^\ Replace    ^U Paste      ^J Justify    ^_ Go To Line M-E Redo     M-6 Copy      ^Q Where Was
```

```
MINGW64:/c/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro
GNU nano 5.3 indice.txt
Capítulo 1: Introducción
Capítulo 2: Los tres cerditos
Capítulo 3: Caperucita Roja
Capítulo 4: La bella y la bestia
Capítulo 5: Frozen

Read 5 lines
^G Help      ^O Write Out  ^W Where Is   ^K Cut        ^T Execute    ^C Location   M-U Undo     M-A Set Mark  M-] To Bracket
^X Exit      ^R Read File  ^\ Replace    ^U Paste      ^J Justify    ^_ Go To Line M-E Redo     M-6 Copy      ^Q Where Was
```

```
MINGW64:/c/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro
flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ nano indice.txt
flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ nano indice.txt
flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ git status --short
M indice.txt
?? capitulos/capitulo2.txt
flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$
```

- M: Archivo modificado
- ??: Archivo nuevo creado

```
MINGW64:/c:/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro
GNU nano 2.9.3 _gitignore Modified
*

^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execute   ^C Location  M-U Undo    M-A Set Mark M-] To Bracket
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify   ^_ Go To Line M-E Redo    M-6 Copy     ^Q Where Was
```

```
MINGW64:/c:/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro
GNU nano 2.9.3 _logs.txt Modified
fichero para almacenar logs

^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execute   ^C Location  M-U Undo    M-A Set Mark M-] To Bracket
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify   ^_ Go To Line M-E Redo    M-6 Copy     ^Q Where Was
```

```
MINGW64:/c:/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro
GNU nano 2.9.3 _ayuda.txt Modified
fichero de ayuda

^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execute   ^C Location  M-U Undo    M-A Set Mark M-] To Bracket
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify   ^_ Go To Line M-E Redo    M-6 Copy     ^Q Where Was
```

```
MINGW64/c/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ git add .
warning: LF will be replaced by CRLF in indice.txt.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in .gitignore.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in capitulos/capitulo2.txt.
The file will have its original line endings in your working directory

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ git commit -m "Añadido capítulo 2"
[master 3d7fb39] Añadido capítulo 2
3 files changed, 3 insertions(+)
create mode 100644 .gitignore
create mode 100644 capitulos/capitulo2.txt

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ |
```

- Se ha añadido el capitulo2.txt
- Se ha añadido el gitignore
- Se han modificado archivos.

```
MINGW64/c/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ rm _ayuda.txt

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ ls
_logs.txt  capitulos/  indice.txt

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$
```

```
MINGW64/c/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ git mv indice.txt indice_libros.txt

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ ls
_logs.txt  capitulos/  indice_libros.txt

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$
```

```
MINGW64:/c:/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ git mv indice.txt indice_libros.txt

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ ls
_logs.txt  capitulos/  indice_libros.txt

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ git commit -m "Cambio nombre"
[master 38fe6bf] Cambio nombre
1 file changed, 0 insertions(+), 0 deletions(-)
rename indice.txt => indice_libros.txt (100%)

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ git status
On branch master
nothing to commit, working tree clean

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ |
```

```
MINGW64:/c:/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ git branch bibliografia

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ git log
commit 38fe6bf6d8011733616c05ed1e1adf36eda673d6 (HEAD -> master, bibliografia)
Author: Mini <floopyomg@gmail.com>
Date: Sat Nov 28 19:30:20 2020 +0100

    Cambio nombre

commit 3d7fb3916a05f135d9205069d0c56cb4ee9c0540
Author: Mini <floopyomg@gmail.com>
Date: Sat Nov 28 18:52:00 2020 +0100

    Añadido capítulo 2

commit 51c1e535ffe3f6b141e8cd6a236cd30e5918ebf6
Author: Mini <floopyomg@gmail.com>
Date: Sat Nov 28 18:23:18 2020 +0100

    Añadido capítulo 1

commit 763c62959d173b6e225db946abe7c851d15b2aed
Author: Mini <floopyomg@gmail.com>
Date: Sat Nov 28 18:06:21 2020 +0100

    Añadido 4: La bella y la bestia

commit f651ed690d4f7216778ba02b6b0004e7cbb48b22
Author: Mini <floopyomg@gmail.com>
Date: Sat Nov 28 18:01:20 2020 +0100

    Añadido índice del libro

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ |
```

```
MINGW64:/c:/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (bibliografia)
$ git add .
warning: LF will be replaced by CRLF in bibliografia.txt.
The file will have its original line endings in your working directory

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (bibliografia)
$ git commit -m "Añadida primera referencia bibliográfica"
[bibliografia 67a5086] Añadida primera referencia bibliográfica
1 file changed, 1 insertion(+)
create mode 100644 bibliografia.txt

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (bibliografia)
$ |
```



```
MINGW64/c/Users/flope/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (bibliografia)
$ git checkout master
Switched to branch 'master'

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ git merge bibliografia
Updating 38fe6bf..67a5086
Fast-forward
 bibliografia.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 bibliografia.txt

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ git branch -D bibliografia
Deleted branch bibliografia (was 67a5086).

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$ git branch
* master

flope@DESKTOP-98ABRVU MINGW64 ~/Desktop/Ejercicios/Contornos de desenvolvimento/TEMA 2/Ejercicios/libro (master)
$
```