## Actividad integradora 2: Control Escolar


```
SCRIPT
-- phpMyAdmin SQL Dump
-- version 3.2.4
-- http://www.phpmyadmin.net
-- Servidor: localhost
-- Tiempo de generaciÃ<sup>3</sup>n: 22-08-2023 a las 21:38:47
-- Versión del servidor: 5.1.41
-- VersiÃ<sup>3</sup>n de PHP: 5.3.1
SET SQL MODE="NO AUTO VALUE ON ZERO";
/*!40101 SET @OLD CHARACTER SET CLIENT=@@CHARACTER SET CLIENT */;
/*!40101 SET @OLD CHARACTER SET RESULTS=@@CHARACTER SET RESULTS
*/;
/*!40101 SET @OLD COLLATION CONNECTION=@@COLLATION CONNECTION */;
/*!40101 SET NAMES utf8 */;
-- Base de datos: `controlesc`
-- Estructura de tabla para la tabla `alumnos`
CREATE TABLE IF NOT EXISTS `alumnos` (
  `nif` double NOT NULL DEFAULT '0',
  `apenom` varchar(30) DEFAULT NULL,
  `direc` varchar(30) DEFAULT NULL,
  `pobla` varchar(15) DEFAULT NULL,
  `telef` varchar(10) DEFAULT NULL,
  PRIMARY KEY (`nif`)
) ENGINE=MyISAM DEFAULT CHARSET=latin1;
-- Volcar la base de datos para la tabla `alumnos`
INSERT INTO `alumnos` (`nif`, `apenom`, `direc`, `pobla`, `telef`)
(12344345, 'Alcalde GarcÃa, Elena', 'C/Las Matas, 24', 'Madrid',
'917766545'),
```

```
(4448242, 'Cerrato Vela, Luis', 'C/Mina 28 - 3A', 'Madrid',
'916566545'),
(56882942, 'DÃaz FernÃ; ndez, MarÃa', 'C/Luis Vives 25',
'MÃ<sup>3</sup>stoles', '915577545');
__ ______
-- Estructura de tabla para la tabla `asignaturas`
CREATE TABLE IF NOT EXISTS `asignaturas` (
 `cod` int(11) NOT NULL DEFAULT '0',
  `nombre` varchar(25) DEFAULT NULL,
 PRIMARY KEY (`cod`)
) ENGINE=MyISAM DEFAULT CHARSET=latin1;
-- Volcar la base de datos para la tabla `asignaturas`
INSERT INTO `asignaturas` (`cod`, `nombre`) VALUES
(1, 'Prog. Leng. Estr.'),
(2, 'Sist. InformÃ; ticos'),
(3, 'AnÃ;lisis'),
(4, 'FOL'),
(5, 'RET'),
(6, 'Entornos GrÃ; ficos'),
(7, 'Aplic. Entornos 4ªGen'),
(8, 'Idioma');
__ ______
-- Estructura de tabla para la tabla `notas`
CREATE TABLE IF NOT EXISTS `notas` (
  `id` int(11) NOT NULL AUTO INCREMENT,
 `nif` double DEFAULT NULL,
  `cod` int(11) DEFAULT NULL,
 `nota` float DEFAULT NULL,
 PRIMARY KEY ('id')
) ENGINE=MyISAM DEFAULT CHARSET=latin1 AUTO INCREMENT=12;
-- Volcar la base de datos para la tabla `notas`
INSERT INTO `notas` (`id`, `nif`, `cod`, `nota`) VALUES
(1, 12344345, 1, 6),
(2, 12344345, 2, 5),
```


```
(3, 12344345, 3, 6),
(4, 4448242, 4, 6),
(5, 4448242, 5, 8),
(6, 4448242, 6, 4),
(7, 4448242, 7, 5),
(8, 56882942, 4, 8),
(9, 56882942, 5, 7),
(10, 56882942, 6, 8),
(11, 56882942, 7, 9);

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```

## Diseño Físico



## Diseño Lógico



## Diseño Conceptual (E-R)

