Floria Léger

Cognitive UX Designer

Bridging cognitive engineering and visual craft to simplify mission-critical software, enterprise design systems, and complex human-machine workflows.

All visuals © Floria Leger

01 About me

I am a Master's graduate in UX Design, Cognitive Science, and Computer Science from the National Superior School of Cognitics (ENSC Bordeaux). I combine cognitive ergonomics, empirical user research, and technical software principles to craft scalable digital products.

Backed by over three years of dedicated product design practice and 18 years of visual art discipline, I design systems that align with human mental models, streamline developer handoffs, and scale cleanly across engineering teams.



















Cognitive Load Minimization

Complex software should not require a user manual. I structure user interface architectures around human working memory limits to eliminate operational friction and decision fatigue.

Function-Driven Visual Hierarchy

Aesthetics must always drive functional clarity. I leverage spatial hierarchy, dynamic typography, and data visualization to translate dense telemetry into immediate, confident action.

Systemic Engineering Rigor

Interface consistency establishes operational trust. I architect modular Figma design systems with tokenized Auto Layout components that accelerate development velocity and maintain design integrity.

Cognitive Research

Methods: Contextual Inquiry, Qual/Quant Research, Usability Protocols
Analysis: Mental Model Mapping, Cognitive Load, AttrakDiff
Eval: Heuristic Audits (10-Criteria), Information Architecture

Systems Architecture

UI Systems: Enterprise Design Systems, Tokens (Auto Layout 5.0)
Specs: Hi-Fi Prototyping, Micro-Interactions, WCAG Standards
Spatial UX: 2D Overlays for 3D/CAD Viewports

Strategy

Alignment: RACI Frameworks, Operational Strategy
Decision: Impact/Effort Matrices, Product Benchmarking

Software Mastery

Design: Figma, Procreate, Motion Graphics, Vector
Dev Stack: HTML5, CSS3, JavaScript, React, Node, Git

UX Designer Intern Ubisoft 2026, Paris

Driven under the guidance of my Design Manager, I led the UX research and operational architecture for global Creator Visibility across six corporate departments, transforming unexploited partner content into scalable social marketing assets while securing 100% executive alignment.

Lead UX Designer Stealth Startup 2025 - 2026, Bordeaux

Co-led product strategy by executing competitive market benchmarks and user research, while engineering an enterprise-grade Figma design system with components and design tokens to accelerate front-end development velocity.

UX Consultant Intern Airbus & IMS Lab 2025, Bordeaux

Executed a corrective user-centered overhaul of the Virtual Maintenance Trainer interface by evaluating 75 total participant responses across 3 questionnaires (including a self-created UMUX survey), 7 qualitative instructor interviews, and CAD-compliant 2D overlay specifications.

UX Instructor Intern Bordeaux INP 2024, Bordeaux

Designed and facilitated interactive UX/UI workshops for undergraduate students, teaching Auto Layout component architectures, wireframing workflows, and cognitive design principles.

01 **Creator Visibility** Intra-Enterprise Workflow Architecture — Ubisoft

02 **VMT** Optimizing Cognitive Affordance in Industrial CAD Training — Airbus & IMS Lab

03 **EmCo** Decoupling Emotional State from Cognitive Workload — Academic

04 **Multi-Product UCD Sprint** Rapid Systems Architecture & Field Testing — Academic

05 Case Study 1: Creator Visibility, Intra-Enterprise Workflow Architecture

Ubisoft, Feb 2026 - July 2026, Paris



This case study is presented under non-disclosure constraints. Proprietary internal tools, sensitive business metrics, and specific UI interfaces have been anonymized, sanitized, or generalized for portfolio display without altering the core design methodology or outcomes.

Role: UX Designer & Researcher Intern

Domain: Intra-Enterprise SaaS, Creator Ecosystems & Social Operations

Context

Ubisoft's Online Services division powers global infrastructure connecting games to millions of players. Within the Ubisoft Creator Program, over 14,000 partner creators represent a vast community network capable of generating content across Ubisoft's entire game portfolio.

Operational Bottleneck

Despite this vast content volume, internal publishing and marketing teams lacked a standardized operational pipeline to discover, validate, and activate creator videos. As a result, valuable earned media potential remained untapped, while partner creators consistently reported feeling invisible to the brand. Working as the primary UX designer under the guidance of my Design Manager, I directed the research and workflow architecture to build an end-to-end operational visibility strategy across six corporate departments



Discovery

To evaluate competitive industry standards and validate creator friction, I executed a multi-method discovery phase following the Double Diamond framework. I conducted a comparative benchmark across twelve entertainment brands alongside a digital netnography auditing over 20 partner creator channels and analyzing 60+ Discord community reports.

This research confirmed that creator invisibility was driven by a fundamental operational gap. At the time, Ubisoft had no formal workflow or pipeline to route community content to internal publishing teams.

Cross-Functional Co-Design

To address this gap and bridge departmental silos, I structured and facilitated a cross-functional co-design workshop with key internal stakeholders across Social Media, Creator Strategy, and Platform leads.

Strategic Frameworks

Engaging internal staff rather than external creators was a deliberate methodological choice: because the bottleneck was rooted in internal brand safety risks and operational confusion, external creators could not solve the backend handoff mechanics. Using an Impact/Effort matrix, we collapsed 24 raw workflow concepts into a single multi-tiered content activation pipeline.



Workflow Refinement

Following the workshop, I conducted semi-structured interviews with Creator Strategy Managers and Social Media Managers to align the pipeline with their daily tools and publishing constraints. The workflow evolved across five iterations, integrating mandatory Brand Safety validation gates and optimized task allocation.

Large-Scale Validation

To establish a baseline for post-rollout validation across a user base of over 2,000 creators on the official Discord server, I designed a quantitative creator survey. Reviewed and vetted by Strategy and Platform leads, this asset was integrated into the final project handoff documentation.









Executive Alignment

To align decision-makers, I established a RACI framework defining exact operational responsibilities across six internal roles: Strategy, Brand, Social Media, Regional Hubs, CRM, and Platform Administrators.

Executive Storytelling

To secure buy-in across diverse business units, I translated technical workflow specifications into a visual, narrative-driven executive deck. I structured the presentation around two concrete use-case scenarios (proactive vs. reactive) to illustrate clearly how content flows across cross-functional teams.

This approach secured 100% approval from the three key department leads present at the final executive review, validating the operational blueprint for future global execution.

While central directive priorities delayed immediate live deployment, the project successfully established an approved workflow blueprint ready for global execution when corporate roadmaps align.

100%

Executive Approval

3

Approving Executive Leads

* Excerpt from the executive presentation storyboard (Anonymized)

Impact, Field Realities & Strategic Reflections

The primary strategic goal was met by resolving long-standing cross-silo ambiguity and securing complete stakeholder alignment across three departments.

Navigating strict 30-minute availability limits for internal staff taught me to structure highly focused interview touchpoints.

When third-party feedback stalled on my primary project, I maintained momentum by conducting comparative usability evaluations on an internal administration platform.

Ultimately, this project demonstrated that framing UX methodology as a business narrative is pivotal for securing cross-departmental buy-in



13 # Case Study 2: VMT, Optimizing Cognitive Affordance in Industrial CAD Training

IMS & Airbus Lab, May 2025 - Jul 2025, Bordeaux



Actual VMT software interfaces are withheld to respect client IP. All visuals are generic reconstructions built to demonstrate UX methodology.

Role: UX Consultant & Cognitive Ergonomist Intern

Domain: Industrial CAD/3D Software, Virtual Reality Simulation & Ergonomics

Context

Airbus Helicopters utilizes the Virtual Maintenance Trainer (VMT), a 3D simulation platform, to train aeronautical instructors and technicians on maintenance procedures. Despite its high-fidelity 3D modeling, the software suffered from low adoption across training facilities like Aérocampus Aquitaine.

Diagnostic Challenge

Operating as an embedded UX consultant through the IMS Laboratory, my goal was to diagnose the cognitive and ergonomic root causes of instructor resistance, align the interface with actual classroom teaching workflows, and deliver targeted improvements and specifications to enhance the overall learning and training experience.



Field Research

I structured a corrective User-Centered Design audit, analyzing aeronautical doctoral theses, software documentation, and conducting a heuristic audit to isolate 3 primary adoption risks: low visual affordance, high cognitive strain, and unproven pedagogical value.

Empirical Triangulation

I executed field research at Aérocampus Aquitaine, conducting 7 semi-structured interviews with flight instructors and maintenance trainees, transcribed via WhisperAI to accelerate analysis.

When live classroom observations revealed that instructors deliberately bypassed the 3D software during lessons, I pivoted to contextual inquiries to analyze setup friction.

Quantitatively, I deployed an instructor survey yielding 11 primary responses, contextualized alongside two historical Airbus internal questionnaires to evaluate a combined dataset of 75 participant responses.





3
Research Hypotheses

7
Instructor Interviews

75
Total Survey Responses

Ergonomic Audit

Synthesizing research using a 10-point ergonomic heuristic framework, I validated that instructor resistance was driven by high cognitive load and ergonomic friction.

Usability Barriers

I isolated 3 core product adoption barriers:

- Unstandardized camera navigation disoriented users during engine inspections.
- Nested menus constantly forced instructors to look away from the task while lecturing.
- Selecting small 3D engine components required pinpoint mouse accuracy with zero visual hover affordance.

Unstandardized camera navigation

Nested menus

Imprecise selection

Spatial Interaction & 2D UI Overhaul

To resolve spatial friction without altering core 3D models, I rearchitected the interaction layer around standard CAD conventions:

- Designed an inspection mode paired with automatic orbit controls anchored to selected components.
- Replaced nested drop-downs with a radial contextual menu, providing one-click access to core maintenance tools directly at the cursor.
- Specified permissive click hitboxes combined with real-time hover outlines and floating labels.



Impact, Field Realities & Strategic Reflections

Delivered a CAD-compliant 2D interaction specification package and modular Figma library that achieved unanimous engineering sign-off from Airbus leads for production integration, resolving 9 critical usability blockers.

Operating within secure industrial environments demonstrated the importance of research flexibility. Pivoting from formal classroom observations to informal contextual inquiries when instructors bypassed the software allowed me to discover setup friction that traditional usability testing missed.

Ultimately, this experience solidified my conviction that exploratory user research and cognitive simplification are essential for bridging the gap between complex software and human adoption.

9

Critical Usability Blockers Resolved

63 Pages

Comprehensive UX Analysis Report



Case Study 3: EmCo, Decoupling Emotional State from Cognitive Workload

ENSC, Jan 2026, Bordeaux, 5-Day Cross-Disciplinary Sprint

Role: Lead UX Designer & Systems Architect (Academic Sprint)

Domain: MedTech Biometrics, Workplace Ergonomics & Diagnostic UX

Context

Corporate ergonomists evaluate workplace quality of life and prevent psychosocial risks, but traditional methods rely on retrospective questionnaires. The EmCo project set out to create an objective diagnostic system translating real-time biometric telemetry (HRV, electrodermal activity, eye-tracking) into clear Quality of Work Life (QVT) indicators.

Scientific Challenge

The core UX challenge was visually isolating emotional states from cognitive workload without causing data overload. As UX Lead across a six-person team, I owned information architecture and UI design, delivering a 20-screen mobile design system in 2 days.

3 Biometrics

HRV, Electrodermal & Eye-Tracking

Owned IA, AI-Audited Wireframes & Prototyping

20 Screens

2-Day Sprint

Telemetry Architecture

On Day 1, I co-led a scientific benchmark analyzing Russell's Dimensional Circumplex Model (mapping Valence against Arousal).

I structured the application into four core modules: Live Group Analytics, Sensor Management, Patient History, and Diagnostic Reporting.

To prevent misdiagnosis, I implemented diagnostic status badges, data quality indicators that signal sensor noise, and FaceID privacy controls to ensure GDPR compliance during worker monitoring.

Usability Evaluation

To validate the interface under tight constraints, I utilized AI Studio to audit wireframe layouts before executing usability testing with 5 ENSC Cognitive Engineering Professors and PhD Researchers acting as evaluation proxies.

AttrakDiff testing revealed strong engagement (+1.5 Stimulation) but real-time data clutter (-0.5 Pragmatic Quality), as continuous 2D emotional heatmaps proved difficult to interpret during extended monitoring.

Russell's (1980) Circumplex Models



5

Professors and PhD Researchers

AttrakDiff Results



Empirical Iteration

I immediately executed three targeted visualization improvements:

- Added explicit threshold baselines to the Heart Rate Variability charts.
- Replaced dense block heatmaps with discrete subject coordinate markers on the Valence/Arousal grid paired with a temporal scrubbing slider.
- Consolidated header actions into a structured navigation drawer, removing ambient visual clutter to keep ergonomists focused purely on diagnostic tasks.







Organizational Overview



Telemetry sorting & Anomaly filters



Group Cognitive Workload View





Individual Biometric Telemetry





* UI microcopy rendered in native French deployment context

Indice de Fiabilité 56%

Groupe Commerciaux 4/6

Tension Sourde

1
Seuil d'Intervention
0.75
0.5

Signal Reliability Index

Cohort vs. Individual View Switcher

15:41 Groupe Dev

15:41 Sujet A006

19 20 21 22 23 24 25

Collectif Individuel

Masquer les identités

Données sensibles affichées

Sujets

Nicolas

Sophie

Jérôme

Caroline Lasse A001

Anomalie
Par rapport à sa base

Intensité
Surcharge actuel

Durée
Persistance d'un problème

GDPR & Subject Anonymization Controls

Indice de Fiabilité 76%

État émotionnel

Signal propre

Tension Interférante

Stress Arousal Joie

A006 A005 A002 A001

Valence

Tristesse Calme

9h 11h 13h 15h

Group Emotional Valence Chart

Indice de Fiabilité 94%

Bilan de mobilisation temporelle

12h 9h 6h 3h 0

temps cumulé

L Ma Me J V

Repos Focus Stress

Temporal Workload Distribution

* UI microcopy rendered in native French deployment context

Impact, Field Realities & Strategic Reflections

Engineered a fully integrated, 20-screen MedTech mobile design system in 48 hours, eliminating cognitive clutter and enabling ergonomists to instantly differentiate acute stress events from baseline recovery during live monitoring.

Delivering a functional design system under extreme time limits required aggressive scoping of core user flows. Using AI tools to critique wireframes accelerated iteration loops, while negative pragmatic feedback highlighted the danger of over-designing real-time charts. This project proved that in MedTech diagnostics, visual filtering is vital for preventing user cognitive overload.

Case Study 4: Multi-Product UCD Sprint, Rapid Systems Architecture & Field Testing

ENSC, Oct 2024 - Feb 2025, Bordeaux



Role: Co-Researcher, Visual Design Lead (DeskFriend) & Testing Co-Lead (Smart Cart) (Academic)

Domain: Urban Mobility, Remote Work Ergonomics & Autonomous Retail

Sprint Context

Following the Double Diamond framework, this intensive multi-product sprint simulated agency conditions across three separate product domains. The objective was to rapidly adapt to unfamiliar industries, analyze incomplete specification sheets created by peer student teams, construct modular Figma design systems, and execute empirical field testing under real-world conditions.



Discovery

Urban bicycle theft causes 400,000 stolen bikes annually in France. Contextual observations and interviews across Bordeaux established that 11% of cyclists skipped locking during quick stops due to a 23.2-second lock friction delay.

Ideation

To bypass generic lock clichés, our 5-student team executed 'The Purge', a rapid ideation exercise to flush out obvious ideas before scoring concepts on a feasibility-versus-originality matrix. This yielded RIDAR, a phygital security device embedded inside the seat-post combining GPS, BLE, GSM, and an audible motion alarm.

Contextual Inquiry Session (Bergonié, Bordeaux)



* Excerpt from the User Story (storyboard)

Visual Storyboarding

As Co-Researcher, I held full responsibility for constructing the visual User Story and storyboard, illustrating the core workflow of Rayan (a delivery driver persona). The storyboard visually demonstrated Rayan receiving an instant phone alert during a delivery pickup, scaring off a thief via the seat-post alarm, and tracking his bike in real time.

Crucially, our research justified auto-arming the seat-post hardware passively in the background as the cyclist walks away, removing app interaction during brief stops and eliminating digital friction entirely.



Specification Audit Rescoping

Inheriting specification documents created by a peer student team for a smart desk controller, our audit revealed significant feature bloat, with 11 fragmented proposal themes that diluted usability. Our team conducted a rescoping session to consolidate these 11 themes down to 6 major features within a single application.

Systems Architecture

As Visual Design Lead and Figma Systems Architect, I engineered the high-fidelity Figma prototype from scratch using Auto Layout rules, tokenized color palettes, and reusable component libraries. The core UX solution was a physical Focus Mode requiring users to dock their smartphone onto the desk controller, turning the phone into a workspace remote while automatically filtering non-essential notifications.





Smart Workspace Dashboard & Ergonomic Adjustments



Environmental Comfort & Acoustic Controls

Tactile Stepper UI

Ambient Lighting Control Widget



Contextual Focus Mode State

* UI microcopy rendered in native French deployment context

Guerrilla Field Testing Setup

Evaluating an unbuilt 100L autonomous supermarket cart concept designed by a third student team, I co-designed a guerrilla field usability test at a Leclerc supermarket in Pessac with 9 shoppers.

To evaluate spatial navigation efficiently, we engineered a hybrid testing protocol pairing an interactive Figma mobile app with a physical "board game" cardboard store map and cart token, allowing rapid evaluation of shopper mental models without lengthy full-store walks.

9 shoppers

Tested (Guerilla)
in supermarket

Findings (Social Dynamics)

Testing demonstrated a 100% task completion rate for cart pairing, but uncovered critical interface flaws: promotional banners obscured primary pairing CTAs, and quantity controls (-1+) caused hyphen confusion.

Crucially, 5 of 9 shoppers explicitly chose traditional cashier lanes over automated checkout to maintain human social contact, proving that retail automation must respect human social needs.

100%

Task completion rate for cart pairing

44%

Task completion for quantity controls (-1+)

55%

Shoppers chose traditional cashier lanes

Impact, Field Realities & Strategic Reflections

Navigating specification ambiguity during Phase 2 required diplomatically challenging external student documentation to prevent building a flawed product.

In Phase 3, testing inside an active commercial environment required rapid adaptation when translating digital prototype flows into physical retail behaviors

This multi-product sprint reinforced three core pillars:

- Rigorous specification auditing prevents feature bloat before prototyping.
- Systemic Figma design systems built with Auto Layout, Components and Variables accelerate iteration under tight deadlines.
- True human-centered design recognizes that digital efficiency must always respect emotional and social user needs.







+33 6 51 57 89 60
floria.leger@gmail.com
florialger.web.app

linkedin.com/in/florialeger
figma.com/@florialeger
karde.me/floria