Comandos Git

Mkdir "Crear carpeta"

usuario@DESKTOP-O8PP9CM MINGW64 ~/desktop (main)

$ mkdir clase6

Cd "entrar en la carpeta"

usuario@DESKTOP-O8PP9CM MINGW64 ~/desktop (main)
$ cd clase 6

Git clone " clonar la carpeta"

```
usuario@DESKTOP-O8PP9CM MINGW64 ~/desktop (main)
$ git clone https://github.com/kerlysantos/hermanas.git
Cloning into 'hermanas'...
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 5 (delta 1), reused 4 (delta 0), pack-reused 0
Receiving objects: 100% (5/5), done.
Resolving deltas: 100% (1/1), done.
```

Establecer el usuario y el e-mail

```
usuario@DESKTOP-O8PP9CM MINGW64 ~/desktop/hermanas (main)
$ git config user.name kerlysantos

usuario@DESKTOP-O8PP9CM MINGW64 ~/desktop/hermanas (main)
$ git config user.email kerly_santo@hotmail.com
```

Git init "Crear un nuevo repositorio"

```
usuario@DESKTOP-O8PP9CM MINGW64 ~/desktop/hermanas (main)
$ git init
Reinitialized existing Git repository in C:/Users/usuario/Desktop/hermanas/.git/
```

Git pull origin main

```
usuario@DESKTOP-O8PP9CM MINGW64 ~/desktop/hermanas (main)
$ git pull origin main
From https://github.com/kerlysantos/hermanas
 * branch            main       -> FETCH_HEAD
Already up to date.
```

Git Add .

```
usuario@DESKTOP-O8PP9CM MINGW64 ~/desktop/hermanas (main)
$ ls
nazareth   nilka   romina.js   sobrino

usuario@DESKTOP-O8PP9CM MINGW64 ~/desktop/hermanas (main)
$ git add .
```

Git commit –m

```
$ git commit -m "agregue a romina"
[main 737bd21] agregue a romina
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 romina.js
```

Git push origin main

```
usuario@DESKTOP-O8PP9CM MINGW64 ~/desktop/hermanas (main)
$ git push origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 236 bytes | 236.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local objec
To https://github.com/kerlysantos/hermanas.git
   16fc503  737bd21  main  -> main
```

Git status

```
usuario@DESKTOP-O8PP9CM MINGW64 ~/desktop/hermanas (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```

Git log

```
$ git log
commit 737bd21fd7eb3af5e9e197fc53fa20469ff04fc6 (HEAD -> main)
Author: kerlysantosv <kerly_santo@hotmail.com>
Date:   Sun Oct 31 03:23:43 2021 -0300

    agregue a romina

commit 16fc50368f1111ae96a568c3a3708f07d6a9f063 (origin/main, origin/HEA
Author: kerlysantos <kerly_santo@hotmail.com>
Date:   Thu Oct 28 20:52:33 2021 -0300

    maximiliano

commit 6ba16be589dae5784e2a2bb65a8aa383a2ab8d9f
Author: kerlysantos <kerly_santo@hotmail.com>
Date:   Thu Oct 28 20:40:22 2021 -0300

    hermanas de sangre
```

Git remote –v

```
usuario@DESKTOP-O8PP9CM MINGW64 ~/desktop/hermanas (main)
$ git remote -v
origin  https://github.com/kerlysantos/hermanas.git (fetch)
origin  https://github.com/kerlysantos/hermanas.git (push)
```

Git rm "borrar archive o carpeta

```
$ ls
nazareth   nilka   romina.js   sobrino

usuario@DESKTOP-O8PP9CM MINGW64 ~/desktop/hermanas (main)
$ git rm sobrino
rm 'sobrino'

usuario@DESKTOP-O8PP9CM MINGW64 ~/desktop/hermanas (main)
$ ls
nazareth   nilka   romina.js
```