JPETSTORE-1 / Login / Positive

User login with valid credentials

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Not set	Functional	Not set	No

Is Muted	Automation	Status	Milestone		
No	To be automated	Draft	-		

Preconditions

User terdaftar dan aplikasi dapat diakses

Steps to reproduce

#	Keyword	Step
1	Given	the user is on the login page
2	When	user input valid username "florida"
3	And	user input valid password "12345"
4	And	user click the sign up button
5	Then	user should be redirect to the dashboard

JPETSTORE-2 / Login / Negative

Valid username, wrong password

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Not set	Functional	Not set	No

Is Muted	Automation	Status	Milestone		
No	To be automated	Draft	-		

Preconditions

user is on the login page

Steps to reproduce

#	Keyword	Step
1	Given	user is on the login page
2	When	the user enters username "florida"
3	And	the user enters wrong password "WRONGPASScom"
4	And	the user click the sign up button
5	Then	the system should display an error message "Invalid username or password"
6	And	the user should remain on the Login page

JPETSTORE-3 / Login / Negative

Invalid username, valid password

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Not set	Functional	Unit	No

Is Muted	Automation	Status	Milestone
No	To be automated	Draft	-

Preconditions

User is on the Login page

Steps to reproduce

#	Keyword	Step
1	Given	user is on the login page
2	When	the user enters wrong username "WRONGPASScom"
3	And	the user enters password 12345
4	And	the user click the sign up button
5	Then	the system should display an error message "Invalid username or password"

#	Keyword	Step
6	And	the user should remain on the Login page

JPETSTORE-4 / Login / Negative

Invalid username and invalid password

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Not set	Functional	Not set	No

Is Muted	Automation	Status	Milestone
No	To be automated	Draft	-

Preconditions

user is on the login page

Steps to reproduce

#	Keyword	Step
1	Given	user is on the login page
2	When	the user enters wrong username "WRONGPASScom"
3	And	the user enters wrong password "wrongpassword"
4	And	the user click the sign up button
5	Then	the system should display an error message "Invalid username or password"
6	And	the user should remain on the Login page

JPETSTORE-5 / Login / Negative

Empty username field

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Normal	Not set	Functional	Not set	No

Is Muted	Automation	Status	Milestone		
No	To be automated	Actual	-		

Preconditions

user is on the login page

Steps to reproduce

#	Keyword	Step
1	Given	the user is on the Login page
2	When	the user leaves the username field blank
3	And	the user enters password "12345"
4	And	the user clicks the "Sign In" button
5	Then	the system should display a validation message "Username is required"
6	And	the user should remain on the Login page

JPETSTORE-6 / Login / Negative

empty password field

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Normal	Not set	Functional	Not set	No

Is Muted	Automation	Status	Milestone		
No	To be automated	Draft	-		

Preconditions

user is on the login page

Steps to reproduce

#	Keyword	Step
1	Given	the user is on the Login page
2	When	the user enters username "florida."
3	And	the user leaves the password field blank
4	And	the user clicks the "Sign In" button
5	Then	the system should display a validation message "Password is required"
6	And	the user should remain on the Login page

JPETSTORE-7 / Login / Negative

Username or password with special symbols

Priority	Severity	Behavior	Type	Layer	Is Flaky
Low	Minor	Not set	Functional	Not set	No

Is Muted	Automation	Status	Milestone
No	Manual	Draft	-

Preconditions

user is on the login page

Steps to reproduce

#	Keyword	Step
1	Given	the user is on the Login page
2	When	the user enters username "Flo@#@@"
3	And	the user enters password "12345"
4	And	the user clicks the "Sign In" button

#	Keyword	Step
5	Then	the system should display a validation message "Invalid username format"
6	And	the user should remain on the Login page

JPETSTORE-8 / Checkout / Positive

successful order placement

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Not set	Functional	Not set	No

Is Muted	Automation	Status	Milestone
No	To be automated	Draft	-

Preconditions

User is logged in and has at least one product in cart

Steps to reproduce

#	Keyword	Step
1	Given	the user has added a product to the shopping cart
2	And	the user is logged in
3	When	the user proceeds to checkout
4	And	the user enters valid shipping details
5	And	the user selects a payment method
6	And	the user confirms the order
7	Then	the system should display an order confirmation page
8	And	the user should receive an order number

JPETSTORE-9 / Checkout / Negative

attempt with empty cart

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Not set	Functional	Not set	No

Is Muted	Automation	Status	Milestone		
No	To be automated	Draft	-		

Preconditions

user is logged in with empty cart

Steps to reproduce

#	Keyword	Step
1	Given	the user is logged in
2	And	the shopping cart is empty
3	When	the user proceeds to checkout
4	Then	the system should prevent checkout
5	And	the system should display message "Your cart is empty"

JPETSTORE-10 / Checkout / Negative

missing shipping information

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Not set	Functional	Not set	No

Is Muted	Automation	Status	Milestone		
No	To be automated	Draft	-		

Preconditions

User is logged in and has product in cart

Steps to reproduce

#	Keyword	Step
1	Given	the user has added a product to the shopping cart
2	And	the user is logged in
3	When	the user proceeds to checkout
4	And	the user leaves shipping information empty
5	Then	the system should display a validation error "Shipping details are required"
6	And	the user should remain on the checkout page

JPETSTORE-11 / Checkout / Negative

Checkout with Invalid Payment Method

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Not set	Other	Not set	No

Is Muted	Automation	Status	Milestone		
No	To be automated	Draft	-		

Preconditions

User is logged in and has product in cart

Steps to reproduce

#	Keyword	Step
1	Given	the user has added a product to the shopping cart
2	And	the user is logged in
3	When	the user proceeds to checkout
4	And	the user enters valid shipping information
5	And	the user selects an invalid payment method

#	Keyword	Step
6	Then	the system should display a message "Invalid payment method"
7	And	the user should remain on the checkout page

JPETSTORE-13 / Checkout / Negative

Invalid shipping information

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Normal	Not set	Functional	Not set	No

Is Muted	Automation	Status	Milestone
No	Manual	Draft	-

Preconditions

User is logged in and has product in cart

Steps to reproduce

#	Keyword	Step
1	Given	the user has added a product to the shopping cart
2	And	the user is logged in
3	When	the user proceeds to checkout
4	And	the user leaves shipping information empty
5	Then	the system should display a validation error "Shipping details are required"
6	And	the user should remain on the checkout page

JPETSTORE-14 / Checkout / Negative

Payment declined by bank

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Normal	Not set	Functional	Not set	No

Is Muted	Automation	Status	Milestone
No	Manual	Draft	-

Steps to reproduce

#	Keyword	Step
1	Given	the user has items in the shopping cart
2	When	the user enters valid payment information
3	And	the bank declines the transaction
4	Then	the system should show "Payment declined, please use another method"
5	And	the user should remain on the payment page

JPETSTORE-15 / Checkout / Negative

Server error during checkout

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Normal	Not set	Integration	Not set	No

Is Muted	Automation	Status	Milestone
No	To be automated	Draft	-

Preconditions

the user has items in the shopping cart

Steps to reproduce

#	Keyword	Step
1	Given	the user has items in the shopping cart
2	When	the user confirms the order
3	And	the system encounters a server error
4	Then	the system should display "An error occurred, please try again later"
5	And	the order should not be created

JPETSTORE-16 / Checkout / Negative

Network disconnected during checkout

Priority	Severity	Behavior	Type	Layer	Is Flaky
Not set	Normal	Not set	Functional	Not set	No

Is Muted	Automation	Status	Milestone
No	Manual	Draft	-

Preconditions

user has items in the shopping cart

Steps to reproduce

#	Keyword	Step
1	Given	the user has items in the shopping cart
2	When	the user tries to confirm the order
3	And	the internet connection is lost
4	Then	the system should display "Network error. Please check your connection."
5	And	the checkout should not proceed

JPETSTORE-12 / Logout / Positive

Logout Successfully

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Major	Not set	Other	Not set	No

Is Muted	Automation	Status	Milestone
No	Manual	Actual	-

Preconditions

user is logged in

Steps to reproduce

#	Keyword	Step
1	Given	the user is logged in
2	When	the user clicks the logout button
3	Then	the system should end the session
4	And	the user should be redirected to the login page

JPETSTORE-17 / Logout / Negative

Logout without Active Session

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Normal	Not set	Functional	Not set	No

Is Muted	Automation	Status	Milestone
No	Manual	Draft	-

Preconditions

User is not logged in

Steps to reproduce

#	Keyword	Step
1	Given	the user is not logged in
2	When	the user tries to access the logout function
3	Then	the system should not perform any action
4	And	the user should be redirected to the login page

JPETSTORE-18 / Logout / Negative

Logout request fails (server error)

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Normal	Not set	Functional	Not set	No

Is Muted	Automation	Status	Milestone
No	Manual	Draft	-

Preconditions

user is logged in

Steps to reproduce

#	Keyword	Step
1	Given	user is logged into the application
2	When	the user clicks the logout button
3	And	the server fails to process the request
4	Then	the system should show an error message "Unable to log out. Please try again."
5	And	the user should remain logged in

JPETSTORE-19 / Logout / Negative

Logout from multiple sessions

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Normal	Not set	Functional	Not set	No

Is Muted	Automation	Status	Milestone		
No	To be automated	Draft	-		

Steps to reproduce

#	Keyword	Step
1	Given	user is logged into the application on multiple devices
2	When	the user logs out from one device
3	Then	the system should log out only from that device
4	And	the other sessions should remain active