FIAT PROFESSIONAL

E-DOBLO & DOBLO



MY26A Prices and Specifications

Pricing effective from 1 July 2025



E-DOBLO & DOBLO

MY26A Prices and Specifications

- MODEL TRIMS >
- PRICES >
- EQUIPMENT >
- OPTIONS >
- COLOURS >
- WHEELS & INTERIORS >
- ENGINE SPECIFICATION >
- ELECTRIC RANGE >
- CO2 & FUEL ECONOMY >
- WEIGHTS & LOADS >
- DIMENSIONS >
- CONNECTED SERVICES >

Model Trims

● Plus ○ Primo

Click the trim names to compare features.

Panel Van >

Doblo Panel Van models include:

INFOTAINMENT

- Audio Controls through steering wheel buttons
- Uconnect Infotainment system w/10" touchscreen: AM/FM/DAB digital radio, Bluetooth® & 2 USB connection, 2 Speakers & 2 tweeters
- Connected Services
- Short antenna (200mm)

CABIN INTERIOR

- Electric Parking Brake
- 6-way Driver's Seat (Reach/Rake/ Height) & Lumbar/Armrest
- Double Passenger bench seat with centre multi-purpose seat (shelf, seat, armrest, storage)
- 10" Digital instrument cluster
- Primary + spare folding keys
- Manual Air Conditioning w/air recirculation facility
- Sport steering wheel
- 12 volt socket in dashboard
- Overhead storage shelf
- Hard plastic floor protection in cabin (Diesel)
- Carpeted Floor in Cabin (Electric)
- Chrome interior door handles
- Chrome air vents
- Steering column adjustable for reach and rake

CARGO INTERIOR

- Asymmetrical solid panel rear doors (open to 180°)
- Sliding door, Left side [L1]
- Sliding doors, Left + right side [L2]
- Versatile Load-through bulkhead
- Six fixed floor-mounted load restraint tie bracket points

EXTERIOR

- Electrically adjustable/heated door mirrors
- Electrically operated front windows with one-touch facility
- 16 " steel wheels with half hubcap
- 205/60 R16 96H XL Classe A+ Tyres Nexen / Goodyear Efficientgrip Performance 2
- Black Front/Rear Bumper, Door Handles & Side protection, Exterior Mirror
- Sliding Door rail cover - short black trim
- Single-Phase (7kW) Onboard Charger with Mode-3 Type-2 Charging Cable (Electric)
- Eco LED headlamps with integrated daytime running lamp (Diesel only)
- Halogen headlamps with integrated daytime running lamp (Electric only)

SAFETY/SECURITY

- Remote control central deadlocking with immobiliser
- Driver & Passenger Airbag
- Side Airbag
- Curtain Airbag
- Acoustic vehicle alerting system (audible outside of vehicle for Electric only)
- Dashboard mounted central locking push button and auto locking above 7mph
- 3 x 3 point seatbelts

DRIVER ASSISTANCE

- Tyre Pressure Monitoring System (TPMS)
- Electronic Stability Control and ABS with Hill Start Assist, EBA and EBFD
- Automatic activation of hazard warning lights on major deceleration
- Cruise control with speed limiter
- Rear Parking Sensors
- Lane Keep Assist
- Advanced Emergency Braking System
- Intelligent Speed Assistance Speed Limit Information
- Driver Attention Alert
- Automatic on/off headlight control
- High Beam Assist
- Tyre inflation kit in lieu of spare wheel

CREW VAN

- 4-way foldable Passenger Seat (Reach/Rake) Adjustable headrest. Storage/trays on back of seat.
- Three-seat second-row bench with Rear lap and diagonal inertia-reel seatbelts
- Carpeted Floor in R1 & R2 (BEV)
- Two-position moveable ladder frame bulkhead
- Loading Floor Trim
- 2x 3 Point seatbelts R1 / 3x 3 Point seatbelts R2
- Uconnect Infotainment system with Navigation and 10" HD colour touchscreen: AM/FM/DAB digital radio, Bluetooth® & 2 USB connection, 2 Speakers & 2 tweeters


FIAT
GN-423KQ

Model Trims

○ Plus ● Primo

Click the trim names to compare features.

Panel Van >

Primo Panel Van models features above Doblo Plus:

INFOTAINMENT

- Uconnect Infotainment system with Navigation and 10" HD colourtouchscreen: AM/FM/DAB digital radio, Bluetooth® & 2 USB connection, 2 Speakers & 2 tweeters

EXTERIOR

- Electrically foldable door mirrors
- 16" black Steel wheels with full size hubcap
- Body Colour Rear Bumper & Sliding door rail cover
- Painted black Side mouldings, door handles & Exterior mirror
- Front fog lights

DRIVER ASSISTANCE

- Rain-sensitive windscreen wipers
- High Beam Assist
- Perimetric Alarm
- Dynamic Surround View:
  - Digital rear view mirror and lateral side view
  - Front & Rear Park Assist
  - Visiopark 180°
  - Blind spot detection
  - Flankguard detection
- EcoLED Headlights (Electric)

Dynamic surround view incorporates a digital rearview mirror with cameras above the rear door and in the nearside exterior door mirror, extending the view of traditional rear view mirrors. The system features include:

- Side blind spot detection – Enables the driver to clearly see obstacles on the nearside.
- Visiopark 180° rear parking camera – Working with 12 parking sensors enables safer reversing as the driver is now able to view a larger area via the digital display screen. Automatically activates when reverse gear is engaged or the rear doors are opened.


FIAT
GN-423KQ

Prices

● Electric ○ Diesel

	Length	MVS Codes	Maximum Indicative Payload (kg)	Load Space (m^3)	Gross Vehicle Weight (kg)	WLTP Combined Electric Range (Miles)	Basic MRRP	OTR RRP before PIVG exc. VAT	OTR RRP after PIVG exc. VAT
PANEL VANS									
E-Doblo Van 136PS 52kwh Auto Plus MY25	L1	511.122.4PLU	759	3.3	2,450	179.6-222	£28,955	£30,350	£27,850
	L2	511.322.4PLU	691	3.9	2,450	179.6-222	£29,905	£31,300	£28,800
E-Doblo Van 136PS 52kwh Auto Primo MY25	L1	511.122.4PRI	759	3.3	2,450	179.6-222	£30,055	£31,450	£28,950
	L2	511.322.4PRI	691	3.9	2,450	179.6-222	£31,005	£32,400	£29,900
CREW VANS									
E-Doblo Crew Van 52kwh Auto MY25	L2	511.HJ2.4	642	4.0	2,455	179.6-222	£31,255	£32,650	£30,150

All information and prices correct at time of publication, but are subject to change at any time without prior notice (which may occur as a result of matters including, but not limited to, any changes in legislation and/or any changes by the government).
Please contact your local Fiat Professional Retailer for the most up-to-date prices and specification details for all models.
The fuel consumption or electric range achieved, and CO2 produced (where applicable), in real world conditions will depend upon a number of factors including, but not limited to: the accessories fitted (pre and post registration); the starting charge of the battery; variations in weather; driving styles and vehicle load. The WLTP (Worldwide Harmonised Light Vehicles Test Procedure) is used to measure fuel consumption, electric range and CO2 figures. Figures shown are for comparison purposes and should only be compared to the fuel consumption, electric range and CO2 figures.
Figures quoted reflect a range of configurations (including non-UK market vehicles) and are subject to changes resulting from ongoing product development, range evolutions, testing and evaluations.
All Manufacturer's Recommended Basic Prices (Basic MRRP) are exclusive of V.A.T., Delivery to Retailer and Number Plates, Government First Registration Fee and Vehicle Excise Duty.
The Government PiVG is worked out at 35% of the Base Vehicle Price (incl. VAT) and including any discounts applied up to a maximum of £2,500. On-the-road pricing includes number plates and delivery to Retailer exc. VAT and new vehicle first registration fee of £55.00 (correct at time of publication). Excludes fuel and insurance.


FIAT
GN-423KQ

Prices

○ Electric ● Diesel

	Length	MVS Codes	Maximum Indicative Payload (kg)	Load Space (m^3)	Gross Vehicle Weight (kg)	WLTP CO_2 (g/km)	Basic MRRP	OTR RRP exc. VAT
PANEL VANS								
Doblo Van Multijet3 1.5 100PS S&S Manual Plus MY25 (Low Payload)	L1	510.02L.4PLU	669	3.3	2,040	136-161	£22,645	£24,040
Doblo Van L1 Multijet3 1.5 100PS S/&S Manual Plus MY25	L1	510.12L.4PLU	982	3.3	2,390	136-161	£22,995	£24,390
	L2	510.32L.4PLU	936	3.9	2,400	136-161	£23,945	£25,340
Doblo Van L1 Multijet3 1.5 130PS S&S Auto Plus MY25	L1	510.12K.4PLU	982	3.3	2400	143-171	£25,395	£26,790
	L1	510.32K.4PLU	927	3.9	2400	143-171	£26,345	£27,740
Doblo Van Multijet3 1.5 100PS S&S Manual Primo MY25	L1	510.12L.4PLU	982	3.3	2,390	136-161	£24,035	£25,430
	L2	510.32L.4PLU	936	3.9	2,400	136-161	£24,985	£26,380
Doblo Van L1 Multijet3 1.5 130PS S&S Auto Primo MY25	L1	510.12K.4PLU	982	3.3	2,400	143-171	£26,435	£27,830
	L2	510.32K.4PLU	927	3.9	2,400	143-171	£27,385	£28,780
CREW VANS								
Doblo Crew Van Multijet3 1.5 100PS S&S Manual MY25	L2	510.HJL.4	840	4.0	2,400	136-161	£25,295	£26,690

All information and prices correct at time of publication, but are subject to change at any time without prior notice (which may occur as a result of matters including, but not limited to, any changes in legislation and/or any changes by the government).
Please contact your local Fiat Professional Retailer for the most up-to-date prices and specification details for all models.
The fuel consumption or electric range achieved, and CO2 produced (where applicable), in real world conditions will depend upon a number of factors including, but not limited to: the accessories fitted (pre and post registration); the starting charge of the battery; variations in weather; driving styles and vehicle load. The WLTP (Worldwide Harmonised Light Vehicles Test Procedure) is used to measure fuel consumption, electric range and CO2 figures. Figures shown are for comparison purposes and should only be compared to the fuel consumption, electric range and CO2 figures.
Figures quoted reflect a range of configurations (including non-UK market vehicles) and are subject to changes resulting from ongoing product development, range evolutions, testing and evaluations.
All Manufacturer's Recommended Basic Prices (Basic MRRP) are exclusive of V.A.T., Delivery to Retailer and Number Plates, Government First Registration Fee and Vehicle Excise Duty.
The Government PiVG is worked out at 35% of the Base Vehicle Price (incl. VAT) and including any discounts applied up to a maximum of £2,500. On-the-road pricing includes number plates and delivery to Retailer exc. VAT and new vehicle first registration fee of £55.00 (correct at time of publication). Excludes fuel and insurance.



Equipment

● Standard Equipment ○ Optional

	Panel Van			Crew
	Doblo*	Plus	Primo	Doblo
INFOTAINMENT				
Audio Controls through steering wheel buttons	●	●	●	●
Smartphone Station: DAB digital radio, Bluetooth® & 2 USB connection, 2 Speakers (Smartphone Station with DAB is a FOC option - please ensure you select this option when ordering a vehicle)	●			
Uconnect Infotainment system w/10" HD colour touchscreen: WiFi mirroring, AM/FM/DAB digital radio, Bluetooth® & 2 USB connection, 2 speakers & 2 tweeters	○	●		
Uconnect Infotainment system with Navigation and 10" HD colour touchscreen: WiFi mirroring, AM/FM/DAB digital radio, Bluetooth® & 2 USB connection, 2 speakers & 2 tweeters			●	●
Connected Services	●	●	●	●
Short antenna (200mm)	●	●	●	●
CABIN INTERIOR				
Electric parking brake	●	●	●	●
6-way Driver's Seat (Reach/Rake/Height) & Lumbar/armrest	●	●	●	●
4-way Passenger Seat (Reach/Rake) with adjustable headrest	●			
Double Passenger bench seat with centre multi-purpose seat (shelf, seat, armrest, storage)		●	●	
4-way Passenger Seat (Reach/Rake) with adjustable headrest and storage/trays on back of seat.				●
Three-seat second-row bench with Rear lap and diagonal inertia-reel seatbelts				●
Primary + spare folding keys	●	●	●	●
Manual Air Conditioning w/air recirculation facility	●	●	●	●
Sport steering wheel	●	●	●	●
12 volt socket in dashboard	●	●	●	●
Overhead storage shelf	●	●	●	●
Hard plastic floor protection in cabin (Diesel)	●	●	●	●
Carpeted Floor in Cabin (Electric)	●	●	●	●
10" Digital instrument cluster		●	●	
Chrome interior door handles	●	●	●	●
Chrome air vents	●	●	●	●
CARGO INTERIOR				
Tyre inflation kit in lieu of spare wheel	●	●	●	●
Asymmetrical solid panel rear doors (open to 180°)	●	●	●	●

*Doblo Multijet3 100PS remains available for fleets only

Equipment

● Standard Equipment ○ Optional

	Panel Van			Crew
	Doblo*	Plus	Primo	Doblo
CARGO INTERIOR				
Sliding door, Left side (L1)	●	●	●	
Sliding doors, Left + right side (L2)	●	●	●	●
Full bulkhead with clothes hook	●			
Versatile load-through bulkhead	○	●	●	
Two-position moveable ladder frame bulkhead				●
Six fixed floor-mounted load restraint lashing eyes	●	●	●	●
Loading floor trim				●
EXTERIOR				
Electrically adjustable/heated door mirrors	●	●	●	●
Electrically foldable door mirrors			●	
Electrically operated front windows with one-touch facility	●	●	●	●
16" Steel wheels with half hubcap	●	●		●
16" Black steel wheels with full size hubcap			●	
205/60 R16 96H XL Classe A+ Tires Nexen / Goodyear Efficientgrip Performance 2	●	●	●	●
Black front/rear bumper, door handles & side protection, exterior mirror & sliding door rail cover	●	●		●
Body colour rear bumper & sliding door rail cover			●	
Painted black side protection, exterior mirrors & door handles			●	
Front fog lights			●	
Halogen headlamps wiih integrated daytime running lamps	● (Electric)	● (Electric)		● (Electric)
Eco LED headlamps with integrated daytime running lamp	● (Diesel)	● (Diesel)	●	● (Diesel)
Single-Phase (7kW) Onboard Charger with Mode-3 Type-2 Charging Cable (Electric Only)	●	●	●	●
SAFETY & SECURITY				
Remote control central deadlocking with immobiliser	●	●	●	●
Driver & Passenger Airbag	●	●	●	●
Row-1 Side Airbag & row-1 curtain Airbag	●	●	●	●
Acoustic vehicle alerting system (audible outside of vehicle for Electric Only)	●	●	●	●
Dashboard mounted central locking push button and auto locking above 7mph	●	●	●	●
3 Point seatbelts	●	●	●	●

*Doblo Multijet3 100PS remains available for fleets only

Equipment

● Standard Equipment ○ Optional

	Panel Van			Crew
	Doblo*	Plus	Primo	Doblo
DRIVER ASSISTANCE				
Rear parking sensors	●	●	●	●
Tyre Pressure Monitoring System (TPMS)	●	●	●	●
Electronic Stability Control and ABS with Hill Start Assist, EBA and EBFD	●	●	●	●
Automatic activation of hazard warning lights on major deceleration	●	●	●	●
Steering column adjustable for reach and rake	●	●	●	●
Cruise control with speed limiter	●	●	●	●
Automatic on/off headlight control	●	●	●	●
Perimetric alarm	○	○	●	
Dynamic Surround View (NEW): - Digital rear view mirror and lateral side view - Front & Rear Park Assist - Visiopark 180° - Blind spot detection			●	
Rain-sensitive windscreen wipers			●	
Lane Keep Assist	●	●	●	●
Advanced Emergency Braking System	●	●	●	●
Intelligent Speed Assistance Speed Limit Information	●	●	●	●
Driver Attention Alert	●	●	●	●
High Beam Assist	●	●	●	●

*Doblo Multijet3 100PS remains available for fleets only


16°C
ADAS
Clima
Navigazione
Radio
Hey Fiat
Telefono
Impostazioni
In attesa di connessione
55 % 142 km
100
%
PWR
FIAT

Options

● Standard Equipment – Not Available

	Option Code	Panel Van			Crew
		Doblo	Plus	Primo	Doblo
SAFETY & SECURITY					
Perimetric alarm	LSA	£225	£225	●	-
INFOTAINMENT					
Uconnect Infotainment system with Navigation and 10" HD colour	RDC	–	–	●	●
10" Touchscreen		–	●	–	–
Smartphone Station with DAB (Smartphone Station with DAB is a no cost option - please ensure you select this option when ordering a vehicle)	4HE	£0	–	–	–
CARGO & LOADING					
Glazed window in bulkhead	8GB	£60	£60	–	–
2 Sliding doors, without window	736	£275	£275	£275	–
Glazed asymmetric rear doors (1/3 RHS & 2/3 LHS), opening to 180°. Window in larger door is heated with a windscreen wiper	40K	£200[2]	£200	–	£200
Load-through bulkhead and dual front passengers' bench seat	5ZJ	£450	●	●	–
Floor trim : non-skid wood	CKC	£270	£270	£270	£270
BEV					
11kW Tri-phase On Board Charger. Reduces charging times when used in conjunction with an 11kW Tri-phase Wallbox	1U9	–	£350	£350	£350
ePTO (Electrical Power Take-Off)	E03	–	£360	£360	–
Vehicle to Load predisposition - requires 11kW bi-directional tri-phase OBC (IU9). Charge port adaptor and onboard power panel available as Aftersales Accessories	C6G	£0	£0	£0	£0
WHEELS & TYRES					
Full size steel spare wheel	TBB	£140	£140	£140	£140
16" Alloy Wheel "Starlit" Style	3CV	–	–	£300	–

1 Not available with 40K Glazed asymmetric rear doors
2 Not available with BJK Rear Cameras

Options

● Standard Equipment – Not Available

	Option Code	Panel Van			Crew
		Doblo	Plus	Primo	Doblo
PACKS					
Cargo Pack: - LED Illuminated Load Area - Additional Stowage Rings (4) - 12V Socket in Load Area	1KS	£250	£250	£250	–
Worksite Kit Pack: - Ground Clearance Upsize - Engine Protection - Re-inforced Tyres - Grip Control - Spare Wheel	0LT	£450	£450	–	–
Worksite Kit Pack - Crewvan: - Ground Clearance Upsize - Engine Protection - Re-inforced Tyres - Grip Control - Spare Wheel - Perimetric Alarm	C6H	–	–	–	£650
Access & Go Pack: - Keyless Access - Wireless Charging - Automatic Climate Control - Electric Parking Brake - Automatic Windscreen Wipers - Foglamps - Foldable Mirrors	A0U	£500	£500	–	–
Drive Assist GSRV2.2 (Auto & Electric only): - Highway Integrated Assist - Adaptive Cruise Control with Stop & Go - Lane Positioning Assist - Advanced Emergency Braking System 3 - Extended Panels Recognition - Driver Monitotring Camera (Driver Attention Alert Level-4)	J36	–	£1,400	–	–
Winter Pack: - Leather Heated Steering Wheel - Heatpump - Automatic Air Conditioning and Recirculation System	BDX	–	£750 Electric	–	£750 Electric

Colours

Gelato White Solid
5DL (Colour Code 549)



Maestro Grey Metallic
5DN (Colour Code 113)
£500



Volare Blue Metallic
28C (Colour Code 528)
£500



Cinema Black Metallic
5DP (Colour Code 632)
£500



Wheels



16” steel wheels with half hubcap
Standard on Doblo



16” steel wheels with fullsize hubcap
Standard on Primo



16" Alloy Wheel
Optional on Primo

Interiors



Grey Seat Trim
005

Technical

Electric Engine

	Battery Electric Vehicle Lithium-ion 52kwh
MOTOR	
Torque Nm	270 / 3,674
Max power CEE (kW (hp)/rpm)	100 (136) / 5,500
TRANSMISSION	
Gearbox	Automatic electric drive with fixed gear ratio
SERVICE	
	Every 25,000 miles or 2 years (whichever comes sooner). Initial inspection at 12,500 miles or 1 year (whichever comes sooner)
BATTERY WARRANTY	
	8 years / 100,000 miles / 70% capacity
CHARGING TIMES	
8A Domestic electrical plug (1.8kW) - Type 2 Socket	31h 10m (100%)
Single Phase Wallbox (7.4kW) - Type 2 Socket	7h 30m (100%)
Three Phase Wallbox (11kW) - Type 2 Socket*	5h 4m (100%)
Rapid (DC) Charging (100 kW) - CCS Socket	30m (0 to 80%)
PERFORMANCE	
WLTP Range	213 miles
Max speed (mph)	82mph
Acceleration (0-62 mph)	11.7sec

EVERYTHING YOU NEED TO CHARGE

Fiat have partnered with Octopus Energy to provide everything you need for your new Fiat E-Doblo, including a tariff, charger and a solution for charging on the go making owning an electric vehicle easier and hassle-free

Click here for more information

octopus energy

The E-Doblo is a battery electric vehicle requiring mains electricity for charging. Range data given has been determined according to WLTP test procedure methodology. The figures shown are intended for comparability purposes only and should only be compared to other cars tested to the same technical standard. The range you achieve under real world driving conditions will depend upon a number of factors, including but not limited to: the accessories fitted (pre and post registration); charging frequency; personal driving style; vehicle load and route characteristics; variations in weather; heating/air conditioning; pre-conditioning and battery condition. For more information, contact your local Fiat Professional Retailer.
*Requires optional 11kW on board charger.

Technical

Diesel Engine

	100 S&S	130 S&S Auto
ENGINE		
Fuel system	Diesel - High pressure turbo-charged direct injection	
Capacity (cc)	1499	
Cylinders / Valves	4 cylinders, 4 valves per cylinder, double overhead camshafts	
Max power CEE (kW (hp)/rpm)	75 (102) / 3,750	96 (131) / 3,750
Max torque CEE (Nm (lb/ft)/rpm)	250 (184) / 1,750	300 (221) / 1,750
Bore and stroke (mm)	75 x 84.8	
Euro status	Euro 6E BIS	
Stop & Start system	✓	
Service Interval	25,000 miles or 2 years (whichever occurs sooner)	
TRANSMISSION		
Gearbox	Manual	Automatic*
Number of gears	6	8
Driven wheels	Front	
PERFORMANCE		
Max speed (mph)	103	114
STEERING		
	Speed-sensitive electric power-assisted system Turning circle (kerb-to-kerb) – 10.8m (35.4 ft) L1 models, 11.4m (37.4 ft) L2 models Turning circle (wall-to-wall) – 11.3m (37.1 ft) L1 models, 12.0m (39.4 ft) L2 models	
SUSPENSION		
Front	MacPherson struts with gas-pressure dampers and linear-rate coil springs. Anti-roll bar	
Rear	Torsion beam with gas-pressure dampers and constant-rate coil springs	
BRAKES		
Front	283mm Ventilated discs	
Rear	268mm Solid discs	
TANK CAPACITY		
Fuel tank capacity Litres (gallons)	50 (11)	
AdBlue tank capacity Litres (gallons)	17 (3.7)	

*Replacing the traditional lever, the Automatic transmission selection-mode dial/drive wheel is an innovative solution that is both elegant and intuitive.
By simply twisting the dial, the following modes can be selected:
- Park, for when the vehicle is stationary and the wheels are locked
- Drive, for Automatic forward motion
- Neutral, for when the vehicle is stationary, wheels are free
- Reverse, for Automatic backward motion

For an extra experience of dynamism, the shift paddles for Automatic transmissions are located behind the steering wheel, offering drivers an extra level of control that is highly ergonomic and intuitive. The shift paddles function in the following way:
- To go up a gear, the driver must pull the right lever towards themselves
- To go down a gear, the driver must pull the left lever towards themselves

Electric Range

	WLTP Combined Electric Range				WLTP City Electric Range				Electric Energy Consumption	
	Low (km)	High (km)	Low (miles)	High (miles)	Low (km)	High (km)	Low (miles)	High (miles)	Low (Wh/km)	High (Wh/km)
PANEL VAN										
E-Doblo Van 136PS 52kwh Auto MY25	354	289	220	179.6	489.8	390.7	304.3	242.8	174	217
CREW VAN										
E-Doblo Crew Van 136PS 52kwh Auto MY25	354	289	220	179.6	489.8	390.7	304.3	242.8	174	217

CO_2 & Fuel Economy

Provisional

	Length	CO_2 Combined		WLTP Economy Combined			
		Low (g/km)	High (g/km)	Low (l/100km)	High (l/100km)	Low (mpg)	High (mpg)
PANEL VAN							
Doblo Van Multijet3 1.5 100PS S/&S Manual MY25	L1	136	161	5.2	6.1	54.4	46
	L2	136	161	5.2	6.1	54.4	46
Doblo Van Multijet3 1.5 130PS S&S Auto MY25	L1	143	171	5.4	6.5	51.9	43.4
	L2	143	171	5.4	6.5	51.9	43.4
Doblo Van Multijet3 1.5 100PS S&S Manual MY25 (Low Payload)	L1	136	161	5.2	6.1	54.4	46
CREW VAN							
Doblo Crew Van Multijet3 1.5 100PS S&S Manual MY25	L1	136	161	5.2	6.1	54.4	46

The fuel consumption or electric range achieved, and CO2 produced (where applicable), in real world conditions will depend upon a number of factors including, but not limited to: the accessories fitted (pre and post registration); the starting charge of the battery; variations in weather; driving styles and vehicle load.
The WLTP (Worldwide Harmonised Light Vehicles Test Procedure) is used to measure fuel consumption, electric range and CO2 figures.
Figures shown are for comparison purposes and should only be compared to the fuel consumption, electric range and CO2 values of other cars tested to the same technical standard.
'LOW': Low speed city driving, representative of city centre driving, maximum 35mph. 'HIGH': High speed rural driving, representative of A-road or dual carriageway driving, maximum 60mph. 'COMBINED': A mixed journey average of all elements.
Figures quoted reflect a range of configurations (including non-UK market vehicles) and are subject to changes resulting from ongoing product development, range evolutions, testing and evaluations.
Please note: The EAER, Equivalent All Electric Range, is for business tax calculations only and does not represent the actual range attainable by the vehicle.

Weights & Loads

	Length	Gross Vehicle Weight (GVW)	Mass in Running Order (MIRO)	Kerb Weight	Maximum Payload	Max Plated Front Axle	Max Plated Rear Axle	Gross Train Weight (GTW)	Maximum Braked Towing Weight	Max. Unbraked Towing Weight	Maximum Towball Weight	Number of Seats
ELECTRIC												
E-Doblo Van 136PS 52kwh Auto MY25	L1	2,455	1,749	1,674	781	1,200	1,400	3,205	750	750	50	2
	L2	2,450	1,816	1,741	709	1,200	1,400	3,200	750	750	50	2
E-Doblo Van 136PS 52kwh Auto Plus MY25	L1	2,455	1,749	1,674	781	1,200	1,400	3,205	750	750	50	3
	L2	2,450	1,816	1,741	709	1,200	1,400	3,200	750	750	50	3
E-Doblo Van 136PS 52kwh Auto Primo MY25	L1	2,450	1,766	1,691	759	1,200	1,400	3,200	750	750	50	3
	L2	2,450	1,834	1,759	691	1,200	1,400	3,200	750	750	50	3
E-Doblo Crew Van 52kwh Auto MY25	L2	2,455	1,888	1,813	642	1,200	1,400	3,205	750	750	50	5
DIESEL												
Doblo Van Multijet3 1.5 100PS S/&S Manual MY25	L1	2,370	1,463	1,388	982	1,200	1,400	3,370	1,000	720	74	2
	L2	2,380	1,516	1,441	939	1,200	1,400	3,430	1,050	750	74	2
Doblo Van Multijet3 1.5 130PS S&S Auto MY25	L1	2,385	1,476	1,401	984	1,200	1,400	3,385	1,000	720	74	2
	L2	2,400	1,522	1,447	953	1,200	1,400	3,400	1,000	750	74	2
Doblo Van Multijet3 1.5 100PS S/&S Manual MY25 (Low Payload)	L1	2,040	1,371	1,446	669	1,200	1,075	2,940	900	720	74	3
Doblo Van Multijet3 1.5 100PS S/&S Manual MY25 Plus & Primo	L1	2,370	1,463	1,388	982	1,200	1,400	3,370	1,000	720	74	3
	L2	2,380	1,516	1,441	939	1,200	1,400	3,430	1,050	750	74	3
Doblo Van L1 Multijet3 1.5 130PS S&S Auto MY25 Plus & Primo	L1	2,400	1,493	1,418	982	1,200	1,400	3,400	1,000	720	74	3
	L2	2,400	1,548	1,473	927	1,200	1,400	3,400	1,000	750	74	3
Doblo Crew Van Multijet3 1.5 100PS S&S Manual MY25	L2	2,400	1,635	1,560	840	1,200	1,400	3,430	1,030	750	74	5



Exterior Dimensions

	Panel Van & Crew Van	
	L1	L2
EXTERIOR DIMENSIONS (mm)		
Wheelbase	2,785	2,975
Overall length	4,403	4,753
Overall height	1,796 - 1,860	1,812 - 1,860
Width (excluding door mirrors)	1848	
Width (including door mirrors)	2,107	
Front overhang	892	
Rear overhang	726	886
Minimum Ground Clearance	145 (1A Low Payload) 160 (1C High Payload)	160
Minimum Ground Clearance (with Worksite Pack)	175 (1A Low Payload) 182 (1C High Payload)	175

DOOR DIMENSIONS (mm)	
Min. width of side sliding door	641
Max. width of side sliding door	675
Max. load height of side sliding door	1,072
Max. width of rear opening	1,241
Load width at floor of rear opening	1,241
Load width at top of rear opening	1,087
Maximum load height of rear opening	1,196

Interior Dimensions

	L1	L2
PANEL VAN (mm)		
Load length at mid-height	1,525	1,875
Load length at floor (without load-through bulkhead)	1,817	2,167
Load length at floor (with load-through bulkhead open)	3,090	3,440
Load width between wheel arches	1,229	
Maximum load width (one SLD only)	1,630	
Maximum load width (SLD both sides)	1,527	
Maximum load height	1,200	1,270
Load volume m3 (without load-through bulkhead)	3.3	3.9
Load volume m3 (with load-through bulkhead open)	3.8	4.4
Rear sill load height min to max	547 - 588	560 - 569
Rear sill load height min to max (with Worksite Pack)	601 - 625	604 - 617

	L2
CREW VAN (mm)	
Load length at floor (without rear seats or passenger seat folded)	1,450
Load length at floor to bulkhead (with rear seats folded and bulkhead in forward position)	2,000
Load length at floor to front of cab (rear seats & passenger seat folded and load-through bulkhead open)	3,050
Load width between wheel arches	1,229
Max. load width	1,527
Max. load height	1,243
Load volume (m^3) (without rear seats or passenger seat folded)	1.8
Load volume (m^3) (rear seats folded & bulkhead in forward position)	3.5
Load volume (m^3) (rear seats & passenger seat folded and load-through bulkhead open)	4.0
Rear sill load height min to max	560 - 569


CONNECTED
SERVICES
A PRO LIKE YOU
FIAT
PROFESSIONAL

CONNECTED SERVICES

MY:ASSISTANT
SAFETY AT YOUR FINGERTIPS

Services include Mopar® Connect Crash Assistance, available 24 hours a day, Roadside Assistance support and Theft Assistance that can provide GPS coordinates and will immobilise the engine when the vehicle stops to facilitate recovery.

MY:REMOTE
CONTROL YOUR CAR FROM A DISTANCE

Finding your vehicle has never been easier. Locate it on the map and follow the fastest route to get there. You can receive alerts when your vehicle leaves a designated area or if the person driving it is travelling at excessive speed.

MY:CAR
KEEP YOUR VEHICLE IN PERFECT CONDITION

Provides up-to-date information about your vehicle such as the fuel level or tyre pressure to ensure that every journey is safe. Check the Vehicle Health Report with useful information and tips on how to take care of it.

MY:JOURNEY
TURN YOUR ITINERARIES INTO TRAVEL EXPERIENCES

My:Journey keeps track of car movements and allows you to view trips in a dashboard, add customised notes, merge multiple trips into one, and categorise trips as personal or business; to form a unique travel experience.

MY:eCHARGE
MANAGE PUBLIC AND PRIVATE CHARGING

A package which, through the use of dedicated features and mobile apps, allows you to find, use, pay and track recharges at public charging stations (easy Charge), as well as being able to manage charging with a Connected Wallbox.

MY: FLEETMANAGER
SIMPLIFY YOUR FLEET MANAGEMENT

my:FleetManager allows you to manage company fleets of cars and light commercial vehicles with maximum efficiency and safety. The most advanced Fleet Management solutions and Car Sharing solutions for car sharing among employees.

Glossary of Terms

Plated weight
The maximum weight to which a vehicle or an axle may be loaded, determined either by the design of the components or by legislation. All commercial vehicles must carry a manufacturer's 'plate' showing the vehicle and axle gross 'plated weights'. It is an offence to drive a vehicle in a condition where any of these weights are exceeded.

Minimum Mass
Minimum Mass ('Mass in running order' on Certificate of Conformity and 'Mass in Service' on V5C form) is defined according to European Type Approval and include all fluids, tools and 90% fuel load. It is minimum mass for this variant and does not consider local specification/trim or deletable options (specific to Boxer). Weights are also subject to manufacturing tolerances (EU Legislation allows 5% tolerance).

Gross Vehicle Weight (GVW)
The total permissible weight of a vehicle including payload and passengers, as shown on the manufacturer's plate.

Gross Combination Weight (GCW)
The maximum permissible weight of a vehicle, including payload and passengers, combined with the total weight of any trailer it is towing. The maximum GCW weight limit is quoted on the vehicle plate and must not be exceeded.

Payload
The total permissible weight that can be carried without exceeding the vehicle's plated weight. Payload do not include driver but do take into consideration specification/trim level:Weights are also subject to manufacturing tolerances (EU Legislation allows 5% tolerance). Payload does not consider any additional options that a customer may order.

Roof loads
Roof load should not exceed 100kg including the weight of the roof rack/carrier

Maximum towing weight
The maximum weight of any trailer and its load which may be towed within the limit of the vehicle's plated Gross Combination Weight (GCW). It is based on the ability of the vehicle – at full GCW – to restart on a 12% gradient, which is approximately 1 in 8.3, at sea level. At altitudes above 1500 metres, the engine output may drop with a corresponding reduction in towing capability. It is the operator's responsibility to ensure that the trailer noseweight does not cause the rear axle plated weight of the towing vehicle to be exceeded.

Always fit Fiat towing attachments and accessories available from your Fiat Commercial Vehicle Retailer. They are designed specifically for Peugeot models and carry a 12-month warranty.

Fiat Professional FlexCare

EXTENDED CARE PREMIUM
Extended Warranty + Roadside Assistance
Offers new car buyers complete peace of mind throughout the duration and mileage of your chosen contract term for worry free driving and maximum coverage, with the additional benefit of roadside assistance.

SERVICE CARE
Scheduled Servicing
There's no need to worry about budgeting for your next service. Simply take out a Fiat Professional service care plan. You can then focus on the more important things in life, knowing your servicing costs are taken care of.

DISCOVER MORE >

myFiatProfessional

Take care of your vehicle with a click! Register now for personalised advice, dedicated tools and exclusive promotions.

MY.FIATPROFESSIONAL.COM >

BIK Calculator

If you have private use of a company van for more than driving to and from work, you may be taxed on this benefit.

VAN TAX CALCULATOR >

Vehicle Excise Duty

V.E.D. rate for all light goods vehicles registered on or after 1 April 2025 and not exceeding 3,500kg: £345.

FIAT PROFESSIONAL

To find out more visit:
fiatprofessional.com



Stellantis UK Limited trading as Fiat Professional. Pinley House, 2 Sunbeam Way, Coventry CV3 1ND.

NOTE: Every endeavour has been made to ensure that the information, including prices, contained in this leaflet was accurate at the time of publishing July 2025. The Company however, reserves the right, whilst preserving the essential characteristics of the models described, to introduce at any time modifications, changes of details, equipment or accessories as may be considered necessary to improve the models described or for any other reason of a constructional or operational nature.

Designed and produced by Vario Press Ltd.