





XAMPPを設定のガイド

1. WindowsパソコンでXAMPPをinstallする
 - XAMPP v3.2.2をdownloadし、C¥XAMPPでinstallする。




作成日：年 2016 月 10 日 25

作成者：Phan Phuong




作成日：年 2016 月 10 日 25

作成者：Phan Phuong




XAMPPを設定できたら、Skypeの設定の中にポート80と443を使用をuncheckください。



作成日：年 2016 月 10 日 25

作成者：Phan Phuong

Windowsの場合、Startからコンピューター -> プロパティ (R) -> 設定変更 -> 細設定の box -> 環境変数 (N) -> Path -> 変数値 (V) の中に「;C:\xampp\mysql\bin;」を入れてください。



2-1. Virtual Hostを設定する

path: C:\xampp\apache\conf\extra

file name: httpd-vhosts.conf

記入内容：

```
<VirtualHost *:80>
    ServerName name1.loc
    DocumentRoot "C:\Projects\PHPProjects\ProjectFolder\name1\src\htdocs"
    <Directory "C:\Projects\PHPProjects\ProjectFolder\name1\src\htdocs" >
        Options FollowSymlinks Includes
        AllowOverride All
        Order allow,deny
        Allow from all
        Require all granted
    </Directory>
    ErrorLog "C:\Projects\PHPProjects\ProjectFolder\name1\src\logs\name1-error_log"
    CustomLog "C:\Projects\PHPProjects\ProjectFolder\name1\src\logs\name1-access_log"
    combined
</VirtualHost>
```

```
<VirtualHost *:80>
    ServerName name2.loc
    DocumentRoot "C:\Projects\PHPProjects\ProjectFolder\name2\trunk\src\htdocs"
    <Directory "C:\Projects\PHPProjects\ProjectFolder\name2\trunk\src\htdocs" >
        Options FollowSymlinks Includes
        AllowOverride All
        Order allow,deny
```

作成日：年 2016 月 10 日 25

作成者：Phan Phuong

```
Allow from all
Require all granted
</Directory>
ErrorLog "C:\Projects\PHPProjects\ProjectFolder\name2\trunk\src\logs\name2-error_log"
CustomLog "C:\Projects\PHPProjects\ProjectFolder\name2\trunk\src\logs\name2-access_log"
combined
</VirtualHost>
```

2-2.

path: C:\xampp\apache\conf
file name: httpd.conf

記入内容：

LoadModule expires_module modules/mod_expires.so

3. Localhostのアドレスと名前を設定する

adminでNotepadで開いてください。
path: C:\Windows\System32\drivers\etc
file name: hosts

記入内容：

127.0.0.1 name1.loc
127.0.0.1 name2.loc