



PLATFORM DEEP DIVE / Core components / Core extensions / Content management / content-models

Contents

- PLATFORM DEEP DIVE / Core components / Core extensions / Content management / Content models

PLATFORM DEEP DIVE / Core components / Core extensions / Content management / Content models

Content models are used to create complex content collections using customizable pieces of content. For example, you can define content models for an article that will be displayed on a page, creating customizable content.

Model name	Edited at	Edited by
Links	-	-
article	-	-
test_doc	-	-

On the main screen inside **Content models**, you have the following elements:

- **Model name** - the name of the content model
- **Edited at**
- **Edited by**
- **Edit** - button used to edit a content model
- **View process** - click **View process** to open a content model and see its attributes
- **Export/ Delete (Breadcrumbs menu)** - use the breadcrumbs to access the **Export** and **Delete** functions
- **New content model** - button used to add a new content model

For each entry (when you hit the **Open** button) inside an enumeration we have to define the following properties:

- **Language**
- **Name**
- **Attributes (depending on what you add as attributes)**

Configuring attributes

Attributes that can be added to a content model can have the following values:

- **String**
- **Number**
- **Boolean**

Also, attributes can be either **Mandatory** or **Optional**

Adding new content models

To add a new content model, follow the next steps:

1. Go to **FLOWX Designer** and select the **Content Management** tab.
2. Select **Content models** from the list.
3. Click **New content model**.
4. Add a suggestive name for your content model.
5. Fill in the following details:
 - **Name** (mandatory)
 - **Attributes**:
 - **Name** - add a name for the attribute
 - **Type** - String, Number or Boolean
 - **Mandatory** - mark an Attribute as mandatory
 - **Actions** - add or remove

General settings

Name

Attributes

Name	Type	Mandatory	Actions
Property name	String	<input type="checkbox"/>	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>
	String		
	Number		
	Boolean		

Close


Save

+

Editing content models

To configure an entry inside a content model, follow the next steps:

1. Go to **FLOWX Designer** and select the **Content Management** tab.
2. Select **Content models** from the list and select a content model.
3. Click **View process** and then click **Open**.
4. Click **Edit** to modify the values.












The screenshot displays the FLOWX Designer interface. On the left is a sidebar with a navigation menu. The main area on the right is titled 'Content Models' and contains a table of existing models. A 'New content model' link is visible in the top right of the main area.

Navigation Menu (Left Sidebar):

- Processes
 - Definitions
 - Active process
- Content Management
 - Enumerations
 - Substitution tags
 - Content models**
 - Languages
 - Source systems
- Plugins
 - Task Manager

Content Models Table:

Model name	Edited at	Edited by	
Links	-	-	  
article	-	-	  
test_docs	-	-	  

Was this page helpful?