

PLATFORM DEEP DIVE / Plugins / Plugins setup guides / Notification templates plugin setup / configuring-access-rights-for-notifications



Contents

 PLATFORM DEEP DIVE / Plugins / Plugins setup guides / Notification templates plugin setup / Configuring access rights for Notifications

PLATFORM DEEP DIVE / Plugins / Plugins setup guides / Notification templates plugin setup / Configuring access rights for Notifications

Granular access rights can be configured for restricting access to the Notification plugin component.

The following access authorizations are provided, with the specified access scopes:

1. **Manage-notification-templates** - for configuring access for managing notification templates

Available scopes:

- import users are able to import notification templates
- read users are able to view notification templates
- edit users are able to edit notification templates
- admin users are able to publish or delete notification templates

The Notification plugin is preconfigured with the following default users roles for each of the access scopes mentioned above:

© FLOWX.AI 2023-07-26 Page 1/3



- manage-notification-templates
 - import
 - ROLE NOTIFICATION TEMPLATES IMPORT
 - ROLE NOTIFICATION TEMPLATES EDIT
 - ROLE NOTIFICATION TEMPLATES ADMIN
 - o read:
 - ROLE NOTIFICATION TEMPLATES READ
 - ROLE NOTIFICATION TEMPLATES IMPORT
 - ROLE NOTIFICATION TEMPLATES EDIT
 - ROLE NOTIFICATION TEMPLATES ADMIN
 - o edit:
 - ROLE NOTIFICATION TEMPLATES EDIT"
 - ROLE NOTIFICATION TEMPLATES ADMIN"
 - admin:
 - ROLE NOTIFICATION TEMPLATES ADMIN



CAUTION

These roles need to be defined in the chosen identity provider solution.

In case other custom roles are needed, you can configure them using environment variables. More than one role can be set for each access scope.

To configure access for each of the roles above, adapt the following input:

SECURITY ACCESSAUTHORIZATIONS AUTHORIZATIONNAME SCOPES SCOPENAM E ROLESALLOWED: NEEDED ROLE NAMES



Possible values for AUTHORIZATIONNAME: MANAGENOTIFICATIONTEMPLATES.

Possible values for SCOPENAME: import, read, edit, admin.

For example, if you need to configure role access for read, insert this:

SECURITY_ACCESSAUTHORIZATIONS_MANAGENOTIFICATIONTEMPLATES_SCOPIROLE_NAME_TEST

Was this page helpful?

© FLOWX.AI 2023-07-26 Page 3 / 3