### Module 2 Assessment (SK0-005)

Due Apr 16 at 11:59pmPoints 20Questions 20

Time Limit 45 Minutes Allowed Attempts 2

### Instructions

You have two attempts to take this assessment with the highest score being retained. The assessment has a time limit of 45 minutes.

Suggestion: take the assessment at the beginning of the module and then after the reading and assignments are done. You can then use the results of both to gauge your learning and retention.

**Take the Quiz Again** 

### **Attempt History**

	Attempt	Time	Score
LATEST	Attempt 1	19 minutes	18 out of 20

### (!) Answers will be shown after your last attempt

Score for this attempt: 18 out of 20

Submitted Apr 11 at 6:38pm This attempt took 19 minutes.

Question 1 1/1 p	
The installation of which server component c factor?	an be limited by the form
Number of ram modules	
Storage capacity of storage devices	
<ul><li>Expansion cards</li></ul>	

Amount of CPU's and new line

Question 2	1 / 1 pts
Which type of components can be switched out while a server i	s running?
<ul> <li>Run the swappable</li> </ul>	
Run changeable	
Hot-swappable	
Hot changeable	

Question 3	1 / 1 pts
Sally is managing the construction of a new data center facility power phase should she use for her data center?	. What
O 2-phase	
3-phase	
Half phase	
○ 1-phase	

Question 4 1 / 1 pts

Your company has ordered two new rack-mountable storage arrays and two new blade enclosures. The new equipment will be mounted into a single existing server rack that is almost already full of rack-mounted equipment. You have verified that the existing rack has enough space to accommodate the new equipment. What is the next thing you should verify?

Maximum PDU load capacity
Maximum BTU load capacity
The number of blades within each enclosure
<ul> <li>The number of server operating systems that will be installed</li> </ul>

Question 5	1 / 1 pts
Which server form factor has the smallest physical footprint?	
Blade	
Rackmounted	
O Tower	
O Tablet	

Question 6 1 / 1 pts

Your server uses a rack-mounted disk array appliance configured with RAID 5.. Whenever one disk in the array fails, you must remove it and

replace it with a good drive. You would like to automate data rebuilding when a disk fails in the array. What should you configure?	
O RAID 1	
O RAID 0	
O Hot disk	
Hot spare	

# What electrical component is used to supply the correct voltage to equipment or facilities? ESD strap ESD mat Transformer Capacitor

Question 8	/ 1 pts
What is the difference between a power supply and an uninterrupti power supply (UPS)?	ble
A power supply is for systems that don't require a lot of power supply is for systems that don't require a lot of power supply is for systems.	/er.

UPS solutions and power supplies are interchangeable; they are the same.	
UPS solutions enable any connected systems to continue running and then gracefully shut down when there is a power outage.	
An uninterruptible power supply requires single-phase power.	

## What power connector is designed to prevent accidental disconnection? Single-phase Edison Twist-lock NEMA

Question 10	1 / 1 pts
How are hot and cold air kept separated in a data center?	
Separate rooms	
Hot and cold aisles	
Baffle Isles	
Rack aisles	

Question 11	1 / 1 pts
Which rack component ensures that cables don't get stretched equipment is slid out from the rack?	when
O Rail kit	
Blade enclosure	
Blade backplane	
Cable management arm	

# Sandra has a server that requires a CPU upgrade. She has to find the new CPU herself. What factor would most affect her CPU choice? The model number of the CPU A CPU that is supported by the motherboard The amount of on-chip memory A CPU with at least one MB of L3 cache

Question 13 1 / 1 pts

What unit of measurement is used for racks and rack-mounted equipment?

<ul><li>Centimeters</li></ul>	
The V measure	
Inches	
The U measure	

## What type of ram is commonly supported by server motherboards? © ECC © Non-ECC © DDR6 © DDR7

Question 15	1 / 1 pts
What can result from a lack of humidity in a server room?	
Degraded server performance	
O Power surges	
<ul><li>Corrosion</li></ul>	
⊚ ESD	

Incorrect

Question 16	0 / 1 pts
What unit of measurement is normally used with a UPS power	rating?
Volt amperes	
O Watt	
○ Kilowatt	
<ul> <li>Megawatt</li> </ul>	

Question 17	1 / 1 pts
A UPS rack-mountable device measures 10U. The rack can accommodate up to 42U. Currently, the rack contains 3 rows o storage devices and two rows of 2U servers. How many rows of devices can be mounted in the server rack?	
One	
None	
O Two	
O Four	

Question 18 1 / 1 pts

What is the difference between a European power supply and a North American power supply?

The voltage on which they normally run is different.

The fan is on the opposite side of the casing.

They have different internal power connectors.

European power supplies rely on three-phase power.

Question 19	1 / 1 pts
Which type of power connector is commonly used in North An	nerica?
O NUMA	
<ul><li>Edison</li></ul>	
<ul><li>Einstein</li></ul>	
NEMA	

### What revisions of DDR DIMM memory have the same number of pins? (Choose two). DDR2 DDR1

✓ DDR3

Quiz Score: 18 out of 20