



donatelo rigano <donatelo.rigano@gmail.com>

PFAS Forever Chemicals MB Drinking Water 1000x above EPA Advisory Levels

donatelo rigano <donatelo.rigano@gmail.com>

Wed, Dec 17, 2025 at 6:09 PM

To: StevenMeiner@miamibeachfl.gov

Cc: Joe@miamibeachfl.gov, Commissioner David Suarez <david@davidsuarezmb.com>, "Suarez, David" <david@miamibeachfl.gov>

Dear Mayor Meiner, Commissioner Magazine and Commissioner Suarez,

It was a pleasure to watch democracy in action today at the Sutnick forum. Following up.

Attached is a letter drafted regarding the PFAS levels with citations in the miami beach drinking water. **The general response of this is not a big deal from city manager, environmental and public works personnel is highly incorrect. Most notably, the PFAS chemicals in MB drinking water according to its own report are more than 1000x higher than EPA advisory levels and are a major problem for children and pregnant women.** The water is not excellent as its advertised on the [website](#) and children should not be consuming it without filter.

[Notably a series of peer reviewed research papers out of FIU confirm this issue](#), as does the US [EPA](#). Simple technologies are available to alleviate the issue such as carbon filtration (80% reduction, can be immediately implemented) and longer term reverse osmosis (longer term, more expensive but can be easily implemented in homes).

Lastly, **Miami Dade is seeking \$200 million in damages from 3M for contamination of the aquifer which is by the airport where these PFAS chemicals are discharged and go into the water supply.** [This text is from the Miami Dade County Attorney from 2023 in the legal class action settlement papers:](#)

[For purposes of the 3M Settlement, the County is considered a Phase One Qualifying Class Member because it is an Active Public Water System that had one or more Impacted Water Sources as of June 22, 2023. In addition, because the County filed its lawsuit against 3M in 2020, and because the levels of PFAS in the County's drinking water supply relative to the projected state and federal MCL are high, the County will be entitled to an additional 25 percent 3M Litigation Bump and a 4X 3M Regulatory Bump when calculating its potential recovery.](#)

Please contact me any time as I am very available to help. Solutions can be implemented immediately. Note that I am an environmental attorney with significant background in PFAS chemicals and drinking water, but I am reaching out to you as a concerned citizen and resident of the community. Lets get this resolved.

Sincerely,

Gregory Rigano
Miami Beach, FL
305-413-8163



Water PFAS Suarez Letter.docx.pdf
285K