





A Fluffy Logic Production


AKIRA Youngblood
JEREMY Rapp
TAYLOR Nguyen
JEFFERY LIM
Ben Heberlein



Q300




s103
s104
s105




Board Stack Report

Stack Up		Layer Stack			
Layer	Board Layer Stack	Name	Material	Thickness	Constant
1		Top Paste			
2		Top Overlay			
3		Top Solder	Solder Resist	0.40mil	3.5
4		Top Layer	Copper	1.37mil	
5		Dielectric 1	2x2116	9.80mil	4.2
6		Signal Layer 2	Copper	1.37mil	
7		Dielectric 4		40.00mil	4.2
8		Signal Layer 1	Copper	1.37mil	
9		Dielectric 3	2x2116	9.80mil	4.2
10		Bottom Layer	Copper	1.37mil	
11		Bottom Solder	Solder Resist	0.40mil	3.5
12		Bottom Overlay			
13		Bottom Paste			
Height : 65.88mil					


A Fluffy Logic Production




SOLENS




SOLENS









AKIRA Youngblood
JEREMY Rapp
TAYLOR Nguyen
JEFFERY Lim
Ben Heberlein

L.
L.
L.
L.

1020
1025
1030
1035
1040
1045


RR506
RR503
RR504
RR505


21700


105
106
107
108


2104
2103
2102


107.
108.
109.
110.
111.


















SOLENS

