




A Fluffy Logic Production











AKIRA Youngblood
 JEREMY Rapp
 TAYLOR Nguyen
 JEFFERY LIM
 BEN HEBERLEIN




Board Stack Report


Stack Up		Layer Stack			
Layer	Board Layer Stack	Name	Material	Thickness	Constant
1		Top Paste			
2		Top Overlay			
3		Top Solder	Solder Resist	0.40mil	3.5
4		Top Layer	Copper	1.37mil	
5		Dielectric 1	2x2116	9.80mil	4.2
6		Signal Layer 2	Copper	1.37mil	
7		Dielectric 4		40.00mil	4.2
8		Signal Layer 1	Copper	1.37mil	
9		Dielectric 3	2x2116	9.80mil	4.2
10		Bottom Layer	Copper	1.37mil	
11		Bottom Solder	Solder Resist	0.40mil	3.5
12		Bottom Overlay			
13		Bottom Paste			
Height : 65.88mil					


A Fluffy Logic Production





SOLENS














AKIRA Youngblood
JEREMY Rapp
TAYLOR Nguyen
JEFFERY LIM
BEN HEBERLEIN

L.0300

00212
00213
00214
00215
00216
00217
00218
00219
00220

RR504
RR505
RR506
RR507
RR508


RR503
RR506


S1200


1105


S1103
S1104
S1105


1071.


















SOLENS

