





ISOMETRIC VIEW


NOTES:

- 1. INSIDE FILLET RADIUS 1.0 MM UNLESS OTHERWISE SPECIFIED
- 2. CONFIRM TEST FIT WITH CHASSIS-BOTTOM PART

UNLESS OTHERWISE SPECIFIED		PROJECT			
DIMENSIONS ARE IN MM DIM. & TOL. PER DIN ISO 2768 REMOVE ALL BURRS BREAK ALL SHARP EDGES MEET DIM. AFTER FINISH		LAPTOP			
		TITLE			
		CHASSIS-TOP			
APPROVED		SIZE	CODE	DWG NO	REV
CHECKED		B			B
DRAWN	Micah Cheng	4/4/2025	SCALE	WEIGHT	SHEET 1/3




TOP VIEW




NOTES:

1. INSIDE FILLET RADIUS 1.0 MM UNLESS OTHERWISE SPECIFIED
2. CONFIRM TEST FIT WITH CHASSIS-BOTTOM PART

UNLESS OTHERWISE SPECIFIED		PROJECT			
DIMENSIONS ARE IN MM DIM. & TOL. PER DIN ISO 2768 REMOVE ALL BURRS BREAK ALL SHARP EDGES MEET DIM. AFTER FINISH		LAPTOP			
		TITLE			
		CHASSIS-TOP			
APPROVED		SIZE	CODE	DWG NO	REV
CHECKED		B			B
DRAWN	Micah Cheng	4/4/2025	SCALE	WEIGHT	SHEET 2/3



BOTTOM VIEW



SECTION A-A

NOTES:

1. INSIDE FILLET RADIUS 1.0 MM UNLESS OTHERWISE SPECIFIED
2. CONFIRM TEST FIT WITH CHASSIS-BOTTOM PART

UNLESS OTHERWISE SPECIFIED		PROJECT			
DIMENSIONS ARE IN MM DIM. & TOL. PER DIN ISO 2768 REMOVE ALL BURRS BREAK ALL SHARP EDGES MEET DIM. AFTER FINISH		LAPTOP			
		TITLE			
		CHASSIS-TOP			
		APPROVED	SIZE	CODE	DWG NO
		CHECKED	B		
		DRAWN Micah Cheng	4/4/2025	SCALE	WEIGHT
				SHEET 3/3	
				REV B	